

## DAFTAR PUSTAKA

- Abdullah, S. H. Y. S., Hanapi, N. H. M., Azid, A., Umar, R., Juahir, H., Khatoon, H., & Endut, A. (2017). A review of biomass-derived heterogeneous catalyst for a sustainable biodiesel production. In *Renewable and Sustainable Energy Reviews* (Vol. 70, pp. 1040–1051). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2016.12.008>
- Ahluwalia, R. K., Hua, T. Q., Peng, J. K., Lasher, S., McKenney, K., Sinha, J., & Gardiner, M. (2010). Technical assessment of cryo-compressed hydrogen storage tank systems for automotive applications. *International Journal of Hydrogen Energy*, 35(9), 4171–4184. <https://doi.org/10.1016/j.ijhydene.2010.02.074>
- Araujo, C. (2008). *Hydrogen Storage Materials*.
- Bahl, A., Bahl, B. S., & Tuli, G. D. (1997). *Essentials Of Physical Chemistry - Arun Bahl B.s. Bahl*. New Delhi: S Chand and Company.
- Bardestani, R., Patience, G. S., & Kaliaguine, S. (2019). Experimental methods in chemical engineering: specific surface area and pore size distribution measurements—BET, BJH, and DFT. In *Canadian Journal of Chemical Engineering* (Vol. 97, Issue 11, pp. 2781–2791). Wiley-Liss Inc. <https://doi.org/10.1002/cjce.23632>
- Barrett, E. P., Joyner, L. G., & Halenda, P. P. (1951). *THE VOLUME AND AREA DISTRIBUTIONS IN POROUS SUBSTANCES*.
- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. In *Critical Reviews in Analytical Chemistry* (Vol. 45, Issue 4, pp. 289–299). Taylor and Francis Ltd. <https://doi.org/10.1080/10408347.2014.949616>
- Christmann, K. (2012). *Thermodynamics and Kinetics of Adsorption*.
- Dillon, A. C., & Heben, M. J. (2001). Hydrogen storage using carbon adsorbents: Past, present and future. *Applied Physics A: Materials Science and Processing*, 72(2), 133–142. <https://doi.org/10.1007/s003390100788>
- Ding, L. P., & Bhatia, S. K. (2003). Analysis of Multicomponent Adsorption Kinetics on Activated Carbon. *AIChE Journal*, 49(4), 883–895.
- Durbin, D. J., & Malardier-Jugroot, C. (2013). Review of hydrogen storage techniques for on board vehicle applications. In *International Journal of Hydrogen Energy* (Vol. 38, Issue 34, pp. 14595–14617). <https://doi.org/10.1016/j.ijhydene.2013.07.058>

- Erlina, Umiatin, & Budi, E. (2015). PENGARUH KONSENTRASI LARUTAN KOH PADA KARBON AKTIF TEMPURUNG KELAPA UNTUK ADSORPSI LOGAM Cu. *Prosiding Seminar Nasional Fisika 2015, IV*, 55–60. <http://snf-unj.ac.id/kumpulan-prosiding/snf2015/>
- George, A., & Stephen Brunauer, B. (1938). Adsorption of Gases in Multimolecular Layers. *Journal of the American Chemical Society*, 60(2), 309–319.
- Griffiths, P. R. (1983). Fourier Transform Infrared Spectrometry. *SCIENCE*, 222, 297–302.
- Hosseini, S. E., & Butler, B. (2020). An overview of development and challenges in hydrogen powered vehicles. In *International Journal of Green Energy* (Vol. 17, Issue 1, pp. 13–37). Taylor and Francis Inc. <https://doi.org/10.1080/15435075.2019.1685999>
- Hwang, N., & Barron, A. R. (2011). *BET Surface Area Analysis of Nanoparticles*. <http://cnx.org/content/m38278/1.1/>
- Ibrahim, Martin, A., & Nasruddin. (2014). Pembuatan dan Karakterisasi Karbon Aktif Berbahan Dasar Cangkang Sawit Dengan Metode Aktivasi Fisika Menggunakan Rotary Autoclave. *Jurnal Online Mahasiswa Fakultas Teknik*, 1(2).
- IkhtiarBakti, A., & Gareso, P. L. (2018). CHARACTERIZATION OF ACTIVE CARBON PREPARED FROM COCONUTS SHELLS USING FTIR, XRD AND SEM TECHNIQUES. *Jurnal Ilmiah Pendidikan Fisika Al-BiRuNi*, 33–39. <https://doi.org/10.24042/jipfalbiruni.v%vi%i.2459>
- Jiménez, V., Sánchez, P., Valverde, J. L., & Romero, A. (2009). Influence of the activating agent and the inert gas (type and flow) used in an activation process for the porosity development of carbon nanofibers. *Journal of Colloid and Interface Science*, 336(2), 712–722. <https://doi.org/10.1016/j.jcis.2009.04.017>
- Khan, H., Khan, I., & Binh, T. T. (2020). The heterogeneity of renewable energy consumption, carbon emission and financial development in the globe: A panel quantile regression approach. *Energy Reports*, 6, 859–867. <https://doi.org/10.1016/j.egyr.2020.04.002>
- Klopčič, N., Grimmer, I., Winkler, F., Sartory, M., & Trattner, A. (2023). A review on metal hydride materials for hydrogen storage. In *Journal of Energy Storage* (Vol. 72). Elsevier Ltd. <https://doi.org/10.1016/j.est.2023.108456>
- Knaebel, K. S. (2002). *ADSORBENT SELECTION*.
- Lundstedt, C. (2019). *BET Theory and how its used to calculate surface area HORIBA Scientific Particle Analysis*.

- Madhusudhanan, J., Kaliappan, S., sathyamurthy, R., Saravanan, R., Sathish, T., Prabu, D., Rajasimman, M., Al-Kahtani, A. A., & Dragoi, E. N. (2023). Influence of nanopores volumes in hydrogen absorption properties of B<sub>4</sub>C and WC carbide-derived carbon nanomaterials. *International Journal of Hydrogen Energy*. <https://doi.org/10.1016/j.ijhydene.2023.03.318>
- Marsyahyo, E. (2009). ANALISIS BRUNNAEUR EMMET TELLER (BET) TOPOGRAFI PERMUKAAN SERAT RAMI (*Boehmeria nivea* ) UNTUK MEDIA PENGUATAN PADA BAHAN KOMPOSIT. In *Jurnal Flywheel* (Vol. 2, Issue 2). [www.umaine.edu](http://www.umaine.edu)
- Minoda, A., Oshima, S., Iki, H., & Akiba, E. (2013). Synthesis of KOH-activated porous carbon materials and study of hydrogen adsorption. *Journal of Alloys and Compounds*, 580(SUPPL1). <https://doi.org/10.1016/j.jallcom.2013.02.085>
- Mulder, M. (1996). *Basic Principles of Membrane Technology*. Springer Netherlands. <https://doi.org/10.1007/978-94-009-1766-8>
- Nagpal, M., & Kakkar, R. (2018). An evolving energy solution: Intermediate hydrogen storage. In *International Journal of Hydrogen Energy* (Vol. 43, Issue 27, pp. 12168–12188). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2018.04.103>
- Nandiyanto, A. B. D., Putra, Z. A., Andika, R., Roil Bilad, M., Kurniawan, T., Zulhijah, R., & Hamidah, I. (2016). POROUS ACTIVATED CARBON PARTICLES FROM RICE STRAW WASTE AND THEIR ADSORPTION PROPERTIES. *Journal of Engineering Science and Technology Special Issue on AASEC*, 12(10), 1–11.
- Neel, P. I., & Varadarajan, T. K. (2009). *Methods of Activation and Specific Applications of Carbon Materials*.
- Otowa, T., Tanibata, R., & Ltoh, M. (1993). Production and adsorption characteristics of MAXSORB: high-surface-area active carbon. *Gas Separation & Purification*, 7(4), 241–245.
- Pambayun, G. S., Yulianto, R. Y. E., Rachimoellah, M., & Putri, E. M. M. (2013). Pembuatan Karbon Aktif dari Arang Tempurung Kelapa dengan Aktivator ZnCl<sub>2</sub> dan Na<sub>2</sub>CO<sub>3</sub> Sebagai Adsorben. *Jurnal Teknik Pomits*, 2(1), 116–120.
- Panella, B., & Hirscher, M. (2010). *Physisorption in Porous Materials* (M. Hirscher, Ed.).
- Pehlivan, E. (2017). PRODUCTION AND CHARACTERIZATION OF ACTIVATED CARBON FROM POMEGRANATE PULP BY PHOSPHORIC ACID. In *sp. is. 1* (Issue 5).

- Pellenz, L., de Oliveira, C. R. S., da Silva Júnior, A. H., da Silva, L. J. S., da Silva, L., Ulson de Souza, A. A., de Souza, S. M. de A. G. U., Borba, F. H., & da Silva, A. (2023). A comprehensive guide for characterization of adsorbent materials. *Separation and Purification Technology*, 305. <https://doi.org/10.1016/j.seppur.2022.122435>
- Pilarska, A. A., Klapiszewski, Ł., & Jesionowski, T. (2017). Recent development in the synthesis, modification and application of  $Mg(OH)_2$  and  $MgO$ : A review. In *Powder Technology* (Vol. 319, pp. 373–407). Elsevier B.V. <https://doi.org/10.1016/j.powtec.2017.07.009>
- Pramuanjaroenkij, A., & Kakaç, S. (2023). The fuel cell electric vehicles: The highlight review. In *International Journal of Hydrogen Energy* (Vol. 48, Issue 25, pp. 9401–9425). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2022.11.103>
- Prasetyo, I. (2013). SIMPLE METHOD TO PRODUCE NANOPOROUS CARBON FOR VARIOUS APPLICATIONS BY PYROLYSIS OF SPECIALLY SYNTHESIZED PHENOLIC RESIN. *Indonesian Journal of Chemistry*, 13(2), 95–100.
- Rasapoor, M., Young, B., Asadov, A., Brar, R., Sarmah, A. K., Zhuang, W. Q., & Baroutian, S. (2020). Effects of biochar and activated carbon on biogas generation: A thermogravimetric and chemical analysis approach. *Energy Conversion and Management*, 203. <https://doi.org/10.1016/j.enconman.2019.112221>
- Riyanto, C. A., Ampri, M. S., & Martono, Y. (2020). Synthesis and Characterization of Nano Activated Carbon from Annatto Peels (Bixa orellana L.) Viewed from Temperature Activation and Impregnation Ratio of  $H_3PO_4$ . *EKSAKTA: Journal of Sciences and Data Analysis*, 44–50. <https://doi.org/10.20885/eksakta.vol1.iss1.art7>
- Salehabadi, A., Umar, M. F., Ahmad, A., Ahmad, M. I., Ismail, N., & Rafatullah, M. (2020). Carbon-based nanocomposites in solid-state hydrogen storage technology: An overview. In *International Journal of Energy Research* (Vol. 44, Issue 14, pp. 11044–11058). John Wiley and Sons Ltd. <https://doi.org/10.1002/er.5674>
- Sania, G., Taer, E., & Aziz, H. (2022). Utilization of activated carbon from used robusta coffee ground activated using potassium hydroxide (KOH) as a material for supercapacitor electrodes. *Journal of Aceh Physics Society*, 11(1), 24–32. <https://doi.org/10.24815/jacps.v11i1.22190>
- Sdanghi, G., Schaefer, S., Maranzana, G., Celzard, A., & Fierro, V. (2020). Application of the modified Dubinin-Astakhov equation for a better

- understanding of high-pressure hydrogen adsorption on activated carbons. *International Journal of Hydrogen Energy*, 45(48), 25912–25926. <https://doi.org/10.1016/j.ijhydene.2019.09.240>
- Shofa. (2012). *Pembuatan Karbon Aktif Berbahan Baku Ampas Tebu dengan Aktivasi Kalium Hidroksida*. Universitas Indonesia.
- Singla, M. K., Gupta, J., Safaraliev, M., Nijhawan, P., Oberoi, A. S., & Menaem, A. A. (2024). Characterization of an activated carbon electrode made from coconut shell precursor for hydrogen storage applications. *International Journal of Hydrogen Energy*, 61, 1417–1428. <https://doi.org/10.1016/j.ijhydene.2024.02.341>
- Tamado, D., Budi, E., Wirawan, R., Dwi, H., Tyaswuri, A., Sulistiani, E., Asma, E., Fisika, J., Mesin, J. T., Matematika, F., Ilmu, D., & Alam, P. (2013). Sifat Termal Karbon Aktif Berbahan Arang Tempurung Kelapa. In *Seminar Nasional Fisika Universitas Negeri Jakarta*.
- Tanaka, K., Aoki, H., Ago, H., Yamabe, T., & Okahara, K. (1997). INTERLAYER INTERACTION OF TWO GRAPHENE SHEETS AS A MODEL OF DOUBLE-LAYER CARBON NANOTUBES. *Carbon*, 35(1), 121–125.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., & Sing, K. S. W. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry*, 87(9–10), 1051–1069. <https://doi.org/10.1515/pac-2014-1117>
- Treybal, R. E. (1981). *Mass Transfer Operations* (3rd ed.). McGraw-Hill Book Company.
- Walton, K. S., & Snurr, R. Q. (2007). Applicability of the BET method for determining surface areas of microporous metal-organic frameworks. *Journal of the American Chemical Society*, 129(27), 8552–8556. <https://doi.org/10.1021/ja071174k>
- Wang, H., Gao, Q., & Hu, J. (2009). High hydrogen storage capacity of porous carbons prepared by using activated carbon. *Journal of the American Chemical Society*, 131(20), 7016–7022. <https://doi.org/10.1021/ja8083225>
- Wang, J., & Guo, X. (2020). Adsorption isotherm models: Classification, physical meaning, application and solving method. *Chemosphere*, 258. <https://doi.org/10.1016/j.chemosphere.2020.127279>
- Wibawa, P. J., Nur, M., Asy'ari, M., & Nur, H. (2020). SEM, XRD and FTIR analyses of both ultrasonic and heat generated activated carbon black microstructures. *Heliyon*, 6(3). <https://doi.org/10.1016/j.heliyon.2020.e03546>

- Xia, H., Wu, J., Srinivasakannan, C., Peng, J., & Zhang, L. (2016). Effect of Activating Agent on the Preparation of Bamboo-Based High Surface Area Activated Carbon by Microwave Heating. *High Temperature Materials and Processes*, 35(6), 535–541. <https://doi.org/10.1515/htmp-2014-0228>
- Xu, X., Zhou, Q., & Yu, D. (2022). The future of hydrogen energy: Bio-hydrogen production technology. In *International Journal of Hydrogen Energy* (Vol. 47, Issue 79, pp. 33677–33698). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2022.07.261>
- Zamhari, M., Junaidi, R., Rachmatika, N., Oktarina, A., Srijaya, J., Bukit, N., Palembang, B., & Selatan, S. (2021). SHYNTHESES FROM ACTIVATED CARBON OF COCONUT SHELL (Cocos nucifera) IMPREGNATED POTASSIUM HYDROXIDE IN TRANSESTERIFICATION REACTIONS OF BIODIESEL SYNTHESIS. *Jurnal Kinetika*, 12(01), 23–31. <https://jurnal.polsri.ac.id/index.php/kimia/index>
- Zhang, F., Zhao, P., Niu, M., & Maddy, J. (2016). The survey of key technologies in hydrogen energy storage. In *International Journal of Hydrogen Energy* (Vol. 41, Issue 33, pp. 14535–14552). Elsevier Ltd. <https://doi.org/10.1016/j.ijhydene.2016.05.293>
- Zhou, L. (2005). Progress and problems in hydrogen storage methods. In *Renewable and Sustainable Energy Reviews* (Vol. 9, Issue 4, pp. 395–408). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2004.05.005>