

REFERENCES

- Ambrosio, D., Gabrion, X., Malécot, P., Amiot, F., & Thibaud, S. (2020). Influence of manufacturing parameters on the mechanical properties of projection stereolithography–manufactured specimens. *The International Journal of Advanced Manufacturing Technology*, *106*(1–2), 265–277. <https://doi.org/10.1007/s00170-019-04415-5>
- Baddoo, N. R. (2008). Stainless steel in construction: A review of research, applications, challenges and opportunities. *Journal of Constructional Steel Research*, *64*(11), 1199–1206. <https://doi.org/10.1016/j.jcsr.2008.07.011>
- Bartolo, P. J., & Gaspar, J. (2008). Metal filled resin for stereolithography metal part. *CIRP Annals*, *57*(1), 235–238. <https://doi.org/10.1016/j.cirp.2008.03.124>
- Boca, M., Sover, A., & Slătineanu, L. (2021). The Printing Parameters Effects on the Dimensional Accuracy of the Parts Made of Photosensitive Resin. *Macromolecular Symposia*, *396*(1). <https://doi.org/10.1002/masy.202000287>
- Brighenti, R., Marsavina, L., Marghitas, M. P., Montanari, M., Spagnoli, A., & Tatar, F. (2023). The effect of process parameters on mechanical characteristics of specimens obtained via DLP additive manufacturing technology. *Materials Today: Proceedings*, *78*, 331–336. <https://doi.org/10.1016/j.matpr.2023.01.092>
- Cahyono, S. I., Sandi, A., Salim, U. A., Suyitno, S., Arifvianto, B., Saptoadi, H., & Mahardika, M. (2024). Flame Retardant Additives in Polylactic Acid (PLA) Photopolymer Resin for 3D Printing Digital Light Processing (DLP). *Applied Mechanics and Materials*, *920*, 49–59. <https://doi.org/10.4028/p-JcS1zl>
- Chockalingam, K., Jawahar, N., & Chandrasekhar, U. (2006). Influence of layer thickness on mechanical properties in stereolithography. *Rapid Prototyping Journal*, *12*(2), 106–113. <https://doi.org/10.1108/13552540610652456>
- Cobb, H. M. (2010). *The History of Stainless Steel*. ASM International.
- Corbel, S., Dufaud, O., & Roques-Carmes, T. (2011). Materials for Stereolithography. In *Stereolithography* (pp. 141–159). Springer US. https://doi.org/10.1007/978-0-387-92904-0_6
- Dewidar, M. M., Khalil, K. A., & Lim, J. K. (2007). Processing and mechanical properties of porous 316L stainless steel for biomedical applications. *Transactions of Nonferrous Metals Society of China*, *17*(3), 468–473. [https://doi.org/10.1016/S1003-6326\(07\)60117-4](https://doi.org/10.1016/S1003-6326(07)60117-4)

- Du, W., Ren, X., Ma, C., & Pei, Z. (2019). Ceramic binder jetting additive manufacturing: Particle coating for increasing powder sinterability and part strength. *Materials Letters*, *234*, 327–330. <https://doi.org/10.1016/j.matlet.2018.09.118>
- Farag, M. M. (2014). *MATERIALS and PROCESS SELECTION for ENGINEERING DESIGN* (Third). Taylor & Francis Group.
- Guo, H., Lv, R., & Bai, S. (2019). Recent advances on 3D printing graphene-based composites. *Nano Materials Science*, *1*(2), 101–115. <https://doi.org/10.1016/j.nanoms.2019.03.003>
- Hlinka, J., Kraus, M., Hajnys, J., Pagac, M., Petrů, J., Brytan, Z., & Tański, T. (2020). Complex Corrosion Properties of AISI 316L Steel Prepared by 3D Printing Technology for Possible Implant Applications. *Materials*, *13*(7), 1527. <https://doi.org/10.3390/ma13071527>
- Huhtamäki, T., Tian, X., Korhonen, J. T., & Ras, R. H. A. (2018). Surface-wetting characterization using contact-angle measurements. *Nature Protocols*, *13*(7), 1521–1538. <https://doi.org/10.1038/s41596-018-0003-z>
- Inkson, B. J. (2016). Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods* (pp. 17–43). Elsevier Inc. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Klar, E., & Samal, P. K. (2007). *Powder Metallurgy Stainless Steels: Processing, Microstructures, and Properties*. ASM International.
- Ławrynowicz, Z. (2019). Effect of The Degree of Cold Work and Sensitization Time on Intergranular Corrosion Behavior in Austenitic Stainless Steel. *Advances in Materials Science*, *19*(1), 32–43. <https://doi.org/10.2478/adms-2019-0003>
- Lima, A. S., Nascimento, A. M., Abreu, H. F. G., & de Lima-Neto, P. (2005). Sensitization evaluation of the austenitic stainless steel AISI 304L, 316L, 321 and 347. *Journal of Materials Science*, *40*(1), 139–144. <https://doi.org/10.1007/s10853-005-5699-9>
- Melchels, F. P. W., Feijen, J., & Grijpma, D. W. (2010). A review on stereolithography and its applications in biomedical engineering. *Biomaterials*, *31*(24), 6121–6130. <https://doi.org/10.1016/j.biomaterials.2010.04.050>
- Michla, J. R. J., Nagarajan, R., Krishnasamy, S., Siengchin, S., Ismail, S. O., & Prabhu, T. R. (2021). Conventional and Additively Manufactured Stainless Steels: A

- Review. *Transactions of the Indian Institute of Metals*, 74(6), 1261–1278.
<https://doi.org/10.1007/s12666-021-02305-7>
- Miyajani, H., Orth, M., Akbar, J. M., & Yang, L. (2018). Process development for green part printing using binder jetting additive manufacturing. *Frontiers of Mechanical Engineering*, 13(4), 504–512. <https://doi.org/10.1007/s11465-018-0508-8>
- Mussatto, A., Groarke, R., A-Hameed, A., Ahad, I. U. I., Vijayaraghavan, R. K., O'Neill, A., McNally, P., Delaure, Y., & Brabazon, D. (2019). Evaluation via powder metallurgy of nano-reinforced iron powders developed for selective laser melting applications. *Materials & Design*, 182, 108046. <https://doi.org/10.1016/j.matdes.2019.108046>
- Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T. Q., & Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. *Composites Part B: Engineering*, 143, 172–196. <https://doi.org/10.1016/j.compositesb.2018.02.012>
- Nguyen, H. X., Suen, H., Poudel, B., Kwon, P., & Chung, H. (2020). Development of an innovative, high speed, large-scaled, and affordable metal additive manufacturing process. *CIRP Annals*, 69(1), 177–180. <https://doi.org/10.1016/j.cirp.2020.04.069>
- Nurulain, S., & Manap, H. (2017). *Development of a visible light transmission (VLT) measurement system using an open-path optical method*. 020027. <https://doi.org/10.1063/1.5002045>
- Sabbah, A., Romanos, G., & Delgado-Ruiz, R. (2021). Impact of Layer Thickness and Storage Time on the Properties of 3D-Printed Dental Dies. *Materials*, 14(3), 509. <https://doi.org/10.3390/ma14030509>
- Schönherr, J. A., Baumgartner, S., Hartmann, M., & Stampfl, J. (2020). Stereolithographic Additive Manufacturing of High Precision Glass Ceramic Parts. *Materials*, 13(7), 1492. <https://doi.org/10.3390/ma13071492>
- Sikri, T. V. P. (2012). *Effects of Microstructure on the Susceptibility of Austenitic and Martensitic Stainless Steels to Pitting and Inter-granular Corrosion in Aqueous Chloride Environments*. Georgia Institute of Technology.
- Zakeri, S., Vippola, M., & Levänen, E. (2020). A comprehensive review of the photopolymerization of ceramic resins used in stereolithography. *Additive Manufacturing*, 35, 101177. <https://doi.org/10.1016/j.addma.2020.101177>



UNIVERSITAS
GADJAH MADA

The Influence of Steel Powder Fraction on The Printability and Sinterability of Metal Part Prepared with Stereolithography

Tri Andi Nugroho, Muslim Mahardika, S.T., M.Eng., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhu, P., He, X., Guan, H., Zhang, Z., Zhang, T., & Qu, X. (2023). Investigation on the Attainment of High-Density 316L Stainless Steel with Selective Laser Sintering. *Materials*, 17(1), 110. <https://doi.org/10.3390/ma17010110>