

DAFTAR PUSTAKA

- Adams, T.N., Frederick, J.P., (1997). Kraft Recovery Boilers. New York : American Forest & Paper Association.
- Akbari, M., Oyedun, A. O., & Kumar, A. (2018). Ammonia production from black liquor gasification and co-gasification with pulp and waste sludges: A techno-economic assessment. *Energy*, 151, 133–143. <https://doi.org/10.1016/j.energy.2018.03.056>
- Al-Ghawas, H. A., Hagewlesche, D. P., Rulz-Ibanez, G., & Sandall, O. C. (1989). Physicochemical Properties Important for Carbon Dioxide Absorption in Aqueous Methyl-diethanolamine. In *J. Chem. Eng. Data* (Vol. 34).
- American Society for Testing and Materials (ASTM). 1994. Standard test method for microscopical determination of the reflectance of vitrinite in a polished specimen of coal: Annual book of ASTM standards: gaseous fuels; coal and coke, sec. 5, V.5.05, D 2798-91, p. 280-283.
- Aries, R. S. & Newton, R. D. 1955. “Chemical Engineering Cost Estimation”. McGraw-Hill Book Company, Inc., New York.
- Badan Pusat Statistik Kabupaten Pelalawan. (2022). Jumlah Penduduk Menurut Jenis Kelamin (Jiwa). Diakses dari <https://pelalawankab.bps.go.id/indicator/12/61/1/jumlah-penduduk-menurut-jenis-kelamin.html>.
- Badan Pusat Statistik Kabupaten Pelalawan. (2022). Tingkat Pengangguran Terbuka. Diakses dari <https://pelalawankab.bps.go.id/indicator/6/88/1/tingkat-pengangguran-terbuka.html>.
- Badan Pusat Statistik Kabupaten Pelalawan. (2021). Angka Partisipasi Sekolah (APS). Diakses dari <https://pelalawankab.bps.go.id/indicator/28/393/1/angka-partispasi-sekolah-aps-.html>.
- Badan Pusat Statistik Kabupaten Pelalawan. (2022). Jumlah Curah Hujan dan Hari Hujan Menurut Bulan di Kabupaten Pelalawan. Diakses dari <https://pelalawankab.bps.go.id/indicator/151/140/1/jumlah-curah-hujan-dan-hari-hujan-menurut-bulan-di-kabupaten-pelalawan.html>.
- Badan Pusat Statistik Kabupaten Pelalawan. (2019). Jumlah Desa/Kelurahan yang Mengalami Bencana Alam. Diakses dari <https://pelalawankab.bps.go.id/statictable/2019/11/21/43/-jumlah-desa-kelurahan-yang-mengalami-bencana-alam-menurut-kecamatan-di-kabupaten-pelalawan-2011-2014-dan-2018.html>.
- Badan Pusat Statistik Kabupaten Pelalawan. (2017). Persentase Tenaga Kerja Menurut Lapangan Usaha Kabupaten Pelalawan. Diakses dari

<https://pelawankab.bps.go.id/indicator/6/48/1/persentase-tenaga-kerja-menurut-lapangan-usaha-kabupaten-pelawan.html>.

Badan Pusat Statistik Kabupaten Pelalawan. (2022). PDRB Kabupaten Pelalawan Atas Dasar Harga Berlaku Menurut Lapangan Usaha. Diakses dari <https://pelawankab.bps.go.id/indicator/52/8/1/pdrb-kabupaten-pelalawan-atas-dasar-harga-berlaku-menurut-lapangan-usaha.html>.

Bajpai, P. (2014). Black Liquor Gasification. In *Black Liquor Gasification* (pp. 25–72). Elsevier. <https://doi.org/10.1016/b978-0-08-100009-0.00002-5>.

Bhajpal, P. 2014. “Black Liquor Gasification”. Elsevier, New York.

Bhargava, R., Khanam, S., Mohanty, B., & Ray, A. K. (2008). Simulation of flat falling film evaporator system for concentration of black liquor. *Computers and Chemical Engineering*, 32(12), 3213–3223. <https://doi.org/10.1016/j.compchemeng.2008.05.012>.

Brown, G. G., Katz, D., Foust, A. S., and Schneidewind, C. 1950. “Unit Operation”, John Wiley and Sons, Inc., New York.

Brownell, L. E., & Young, E. H. 1959. “Process Equipment Design”, John Wiley and Sons, Inc., New York.

Catalanotti, E., Porter, R. T. J. and Mahgerefteh, H. (2022) “An Aspen Plus Kinetic Model for the Gasification of Biomass in a Downdraft Gasifier”, *Chemical Engineering Transactions*, 92(March), pp. 679–684. doi: 10.3303/CET2292114.

Clay, D. T. (n.d.). *Evaporation Principles & Evaporation Principles & Black Liquor Properties*.

Coulson, J. M. and Richardson, J.F. 2005. *An Introduction to Chemical Engineering Design*, Pergamon Press, LTD, Oxford

Darmawan, A., Hardi, F., Yoshikawa, K., Aziz, M., & Tokimatsu, K. (2017). *Enhanced Process Integration of Entrained Flow Gasification and Combined Cycle: Modeling and Simulation Using Aspen Plus*. *Energy Procedia*, 105, 303–308. <https://doi.org/10.1016/j.egypro.2017.03.318>

Dow Chemical Company. 2019. “Methyl Diethanol Amine (MDEA)”. Midland, Michigan.

ETC, 2011. *Gasification of black liquor*. Popular Science Report from the BLG II Program 2007 – 2010.

Ferreira, E. T. D. F., & Balestieri, J. A. P. (2015). *Black liquor gasification combined cycle with CO₂ capture - Technical and economic analysis*. *Applied Thermal Engineering*, 75, 371–383. <https://doi.org/10.1016/j.applthermaleng.2014.09.026>

- Gao, Y. *et al.* (2023) 'Syngas Production from Biomass Gasification: Influences of Feedstock Properties, Reactor Type, and Reaction Parameters', *ACS Omega*, 8(35), pp. 31620–31631. doi: 10.1021/acsomega.3c03050.
- Geankoplis, C. J. 1993. *Transport Processes and Unit Operations*. Publisher. P T R Prentice Hall, Inc. A Simon & Schuster Company Englewood Cliffs, New Jersey.
- Gil, C. and Sebastián, F. (2016) 'Downdraft gasifier modeling', pp. 1–63.
- Grigoray, O., 2009. *Gasification of Black Liquor as a Way to Increase Power Production at Kraft Pulp Mills* (Master thesis). Lappeenranta University of Technology Faculty of Technology Degree Program of Chemical Technology.
- Higman, C. and Van der Burgt, M. (2003) *Gasification*. Gulf Professional Publishing. Elsevier, New York.
- Holman, J.P. 2010. *Heat transfer* (10th ed.). New York : McGraw-Hill, a business unit of the McGraw-Hill Companies, Inc., 1221 Avenue of the Americas, New York.
- Hruška, M., Variny, M., Haydary, J., & Janošovský, J. (2020). Sulfur recovery from syngas in pulp mills with integrated black liquor gasification. *Forests*, 11(11), 1–21. <https://doi.org/10.3390/f11111173>.
- Jafri, Y., Furusjö, E., Kirtania, K., & Gebart, R. (2016). Performance of a Pilot-Scale Entrained-Flow Black Liquor Gasifier. *Energy and Fuels*, 30(4), 3175–3185. <https://doi.org/10.1021/acs.energyfuels.6b00349>.
- Kaya, D., & Ibrahim Sarac, H. (2007). Mathematical modeling of multiple-effect evaporators and energy economy. *Energy*, 32(8), 1536–1542. <https://doi.org/10.1016/j.energy.2006.09.002>.
- Kementrian ESDM. (2022). *Cadangan Batu Bara Terverifikasi Tahun 2022*.
- Kementrian ESDM. (2022). <https://migas.esdm.go.id/>
- Kern, D. Q. 1965. "Process Heat Transfer", Int.ed., p. 102-160, New York, McGraw-Hill Book Company.
- Khanam, S. (n.d.). *Modeling and Simulation of Multiple Effect Evaporator System*.
- Kumar, G. S., Gupta, A. and Viswanadham, M. (2018) 'Design of lab-scale downdraft gasifier for biomass gasification', *IOP Conference Series: Materials Science and Engineering*, 455(1). doi: 10.1088/1757-899X/455/1/012051.
- Kumar, D., Kumar, V., & Singh, V. P. (2013). Modeling and dynamic simulation of mixed feed multi-effect evaporators in paper industry. *Applied Mathematical Modelling*, 37(1–2), 384–397. <https://doi.org/10.1016/j.apm.2012.02.039>.

- Mindaryani, A., Budhijanto, W., & Ningrum, S. S. (2016). Continuous absorption of CO₂ in packed column using MDEA solution for biomethane preparation. IOP Conference Series: Materials Science and Engineering, 162(1). <https://doi.org/10.1088/1757-899X/162/1/012006>.
- Naqvi, M., Yan, J. and Dahlquist, E. (2010) ‘Black liquor gasification integrated in pulp and paper mills: A critical review’, *Bioresource Technology*, 101(21), pp. 8001–8015. doi: 10.1016/j.biortech.2010.05.013.
- Naqvi, M., Yan, J., & Dahlquist, E. (2012). Synthetic gas production from dry black liquor gasification process using direct causticization with CO₂ capture. *Applied Energy*, 97, 49–55. <https://doi.org/10.1016/j.apenergy.2011.11.082>.
- Naqvi, M., Yan, J. and Dahlquist, E. (2013) ‘System analysis of dry black liquor gasification based synthetic gas production comparing oxygen and air blown gasification systems’, *Applied Energy*, 112(2013), pp. 1275–1282. doi: 10.1016/j.apenergy.2012.11.065.
- Patel, J.-C., & Manager, S. (n.d.). *Black Liquor Evaporators: Design and Operation*.
- Perry, R. H. 1999. “Perry’s Chemical Engineer’s Handbook”, 7 ed., New York, McGraw-Hill Book Company.
- Peters, M. S. & Timmerhaus, K. D. 1981. “Plant Design And Economics For Chemical Engineering”. McGraw-Hill Book Company, Inc., Singapore.
- Peter, M. S., Timmerhaus, K. D., and R. E. West. 2003. “Plant Design and Economics for Chemical Engineers,” McGraw- Hill Chemical Engineering Series, New York.
- Powell, S.T. 1954. “Water Conditioning for Industry”, McGraw-Hill BookCompany, Tokyo.
- Puig-Gamero, M. *et al.* (2021) ‘Simulation of biomass gasification in bubbling fluidized bed reactor using aspen plus®’, *Energy Conversion and Management*, 235(March). doi: 10.1016/j.enconman.2021.113981.
- Rosengren, E. (2022). Sustainable Swedish Industry by Improved Excess Heat Recovery Low Temperature Evaporation of Black Liquor using Waste Heat. www.chemeng.lth.se.
- Sinnott, R. K. 2005. “Chemical Engineering Design”, 4 ed., Oxford, Elsevier.
- Smith, J. M., Ness, H.C.V., Abbott, M.M. 2018. “Chemical Engineering Thermodynamics”, Volume 8, p.635-636, New York, Mc Graw Hill.
- Swedish Energy Agency, 2008. System Aspects of Black Liquor Gasification—A Review of Existing Reports. ISSN 1403-1892.
- Suresh, P., 2002. Biomass Gasification for Hydrogen Production—Process Description and Research Needs. IEA Thermal Gasification Task Leader Gas Technology Institute, IL.

- Soehartanto, D. T. (n.d.). Design Of Wet Scrubber As H₂s Content Reductor Unit In Biogas Production At Pt Enero Mojokerto Vincensius Cahya Dwinanda NRP 2412 100 034.
- Treybal, R. E. 1981. "Mass-Transfer Operations", Singapore, McGraw-Hill Book Company.
- Ulrich, Gael D. 1984. "A Guide to Chemical Engineering Process Design and Economics." John Wiley & Sons, Inc., New York.
- U.S. Department of Labor. 2023. "State Minimum Wage Laws in USA". <https://www.dol.gov/agencies/whd/minimum-wage/state> [Accessed: 3 Juni 2023].
- Verma, O. P., Mohammed, T. H., Mangal, S., & Manik, G. (2016). Mathematical modeling of multistage evaporator system in Kraft recovery process. *Advances in Intelligent Systems and Computing*, 437, 1011–1042. https://doi.org/10.1007/978-981-10-0451-3_87.
- Verma, O. P., Mohammed, T. H., Mangal, S., & Manik, G. (2018). Optimization of steam economy and consumption of heptad's effect evaporator system in Kraft recovery process. *International Journal of System Assurance Engineering and Management*, 9(1), 111–130. <https://doi.org/10.1007/s13198-016-0488-1>.
- Walas, S. M. 1990. "Chemical Process Equipment", Oxford, Elsevier.
- Yaws, C. L. 1999. "The Yaws Handbook of Vapor Pressure : Antoine Coefficients", p.80-534. Oxford, Elsevier.
- Zaman, A. A., Tavares, S. A., & Fricke, A. L. (1996). Studies on the Heat Capacity of Slash Pine Kraft Black Liquors: Effects of Temperature and Solids Concentrations.
- Zhang, Y., & Chen, C. C. (2011). Modeling gas solubilities in the aqueous solution of methyldiethanolamine. *Industrial and Engineering Chemistry Research*, 50(10), 6436–6446. <https://doi.org/10.1021/ie102150h>.
- <http://www.alibaba.com/>
- <http://www.matche.com/>