

## DAFTAR PUSTAKA

- Abdel Moniem, S.M., Ali, M.E.M., Gad-Allah, T.A., Khalil, A.S.G., Ulbricht, M., El-Shahat, M.F., Ashmawy, A.M., dan Ibrahim, H.S., 2015, Detoxification of hexavalent chromium in wastewater containing organic substances using simonkolleite-TiO<sub>2</sub> photocatalyst, *Process Saf. Environ. Prot.*, 95, 247–254.
- Abdulmajid, A., Hamidon, T.S., Rahim, A.A., dan Hussin, M.H., 2019, Physicochemical studies of tamarind shell tannins as a potential green rust converter, *BioResources*, 14, 6863–6882.
- Acharya, R., Naik, B., dan Parida, K., 2018, Cr(VI) remediation from aqueous environment through modified TiO<sub>2</sub> mediated photocatalytic reduction, *Beilstein J. Nanotechnol.*, 9, 1448–1470.
- Afonso, C., Lima, O., Landi, S., dan Margalho, É., 2023, Effect of Iron-Doping on the Structure and Photocatalytic Activity of TiO<sub>2</sub> Nanoparticles, *Catalysts*, 13.
- Ajmal, A., Majeed, I., Malik, R.N., Idriss, H., dan Nadeem, M.A., 2014, Principles and mechanisms of photocatalytic dye degradation on TiO<sub>2</sub> based photocatalysts: A comparative overview, *RSC Adv.*, 4, 37003–37026.
- Al-Salihi, S., Bayati, M., Jasim, A.M., Fidalgo, M.M., dan Xing, Y., 2022, Magnetic mesoporous TiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub> nanocomposite adsorbent for removal of sulfamethazine from water, *Environ. Adv.*, 9, 100283.
- Anjana, P.M., Bindhu, M.R., Umadevi, M., dan Rakhi, R.B., 2018, Antimicrobial, electrochemical and photo catalytic activities of Zn doped Fe<sub>3</sub>O<sub>4</sub> nanoparticles, *J. Mater. Sci. Mater. Electron.*, 29, 6040–6050.
- Ansari, S.A., Khan, M.M., Ansari, M.O., dan Cho, M.H., 2016, Nitrogen-doped titanium dioxide (N-doped TiO<sub>2</sub>) for visible light photocatalysis, *New J. Chem.*, 40, 3000–3009.
- Arista, D., Rachmawati, A., Ramadhani, N., Saputro, R.E., Taufiq, A., dan Sunaryono, 2019, Antibacterial Performance of Fe<sub>3</sub>O<sub>4</sub>/PEG-4000 Prepared by Co-precipitation Route, *IOP Conf. Ser. Mater. Sci. Eng.*, 515.
- Ba-Abbad, M.M., Benamour, A., Ewis, D., Mohammad, A.W., dan Mahmoudi, E., 2022, Synthesis of Fe<sub>3</sub>O<sub>4</sub> Nanoparticles with Different Shapes Through a Co-Precipitation Method and Their Application, *Jom*, 74, 3531–3539.
- Balasubramaniam, R., Kumar, A.V.R., dan Dillmann, P., 2005, Characterisation of ancient indian iron, *Sci. Archaeol. Archaeomaterials*, 85, 275–314.
- Bi, J., Huang, X., Wang, J., Wang, T., Wu, H., Yang, J., Lu, H., dan Hao, H., 2019, Oil-phase cyclic magnetic adsorption to synthesize Fe<sub>3</sub>O<sub>4</sub>@C@TiO<sub>2</sub> nanotube composites for simultaneous removal of Pb(II) and Rhodamine B, *Chem. Eng. J.*, 366, 50–61.

- Bokare, A.D. dan Choi, W., 2011, Advanced oxidation process based on the Cr(III)/Cr(VI) redox cycle, *Environ. Sci. Technol.*, 45, 9332–9338.
- Challagulla, S., Nagarjuna, R., Ganesan, R., dan Roy, S., 2016, Acrylate-based Polymerizable Sol-Gel Synthesis of Magnetically Recoverable TiO<sub>2</sub> Supported Fe<sub>3</sub>O<sub>4</sub> for Cr(VI) Photoreduction in Aerobic Atmosphere, *ACS Sustain. Chem. Eng.*, 4, 974–982.
- Chang, L., Ahmad, N., Zeng, G., Ray, A., dan Zhang, Y., 2022, N, S co-doped carbon quantum dots/TiO<sub>2</sub> composite for visible light driven photocatalytic reduction of Cr (VI), *J. Environ. Chem. Eng.*, 10, 108742.
- Chen, Z., Ma, J., Yang, K., Feng, S., Tan, W., Tao, Y., Mao, H., dan Kong, Y., 2017, Preparation of S-doped TiO<sub>2</sub> three dimensional graphene aerogels as a highly efficient photocatalyst, *Synth. Met.*, 231, 51–57.
- Cheng, J., Chen, J., Lin, W., Liu, Y., dan Kong, Y., 2015, Improved visible light photocatalytic activity of fluorine and nitrogen co-doped TiO<sub>2</sub> with tunable nanoparticle size, *Appl. Surf. Sci.*, 332, 573–580.
- Chu, A.C., Sahu, R.S., Chou, T.H., dan Shih, Y.H., 2021, Magnetic Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> nanocomposites to degrade bisphenol A, one emerging contaminant, under visible and long wavelength UV light irradiation, *J. Environ. Chem. Eng.*, 9, 105539.
- Chu, C., Tang, J., Zhao, Z., Kong, Y., dan Shen, X., 2022, Fe Ions-Doped TiO<sub>2</sub> Aerogels as Catalysts of Oxygen Reduction Reactions in Alkaline Solutions, *Materials (Basel)*, 15, .
- Crișan, M., Drăgan, N., Crișan, D., Ianculescu, A., Nițoi, I., Oancea, P., Todan, L., Stan, C., dan Stănică, N., 2016, The effects of Fe, Co and Ni dopants on TiO<sub>2</sub> structure of sol–gel nanopowders used as photocatalysts for environmental protection: A comparative study, *Ceram. Int.*, 42, 3088–3095.
- Crișan, M., Mardare, D., Ianculescu, A., Drăgan, N., Nițoi, I., Crișan, D., Voicescu, M., Todan, L., Oancea, P., Adomniței, C., Dobromir, M., Gabrovskă, M., dan Vasile, B., 2018, Iron doped TiO<sub>2</sub> films and their photoactivity in nitrobenzene removal from water, *Appl. Surf. Sci.*, 455, 201–215.
- Daghrir, R., Drogui, P., dan Robert, D., 2013, Modified TiO<sub>2</sub> for environmental photocatalytic applications: A review, *Ind. Eng. Chem. Res.*, 52, 3581–3599.
- Dahon, N.H., Kassim, M.J., Razali, N.N., Mohd Yusslee, E.M.F., Nasrullah, A.A., dan Basri, N.F., 2018, FTIR Analysis on Phase Transformation of Rust In The Presence of Gambir, *Glob. Sci. Res.*, 1, 54–62.
- Deganello, F., Joshi, M., Liotta, L.F., La Parola, V., Marci, G., dan Pantaleo, G., 2019, Sustainable Recycling of Insoluble Rust Waste for the Synthesis of Iron-Containing Perovskite-Type Catalysts, *ACS Omega*, 4, 6997–7004.
- Ding, J., Pu, L., Wang, Y., Wu, B., Yu, A., Zhang, X., Pan, B., Zhang, Q., dan Gao,

- G., 2018, Adsorption and Reduction of Cr(VI) Together with Cr(III) Sequestration by Polyaniline Confined in Pores of Polystyrene Beads, *Environ. Sci. Technol.*, 52, 12602–12611.
- Dinker, M.K. dan Kulkarni, P.S., 2015, Recent Advances in Silica-Based Materials for the Removal of Hexavalent Chromium: A Review, *J. Chem. Eng. Data*, 60, 2521–2540.
- Djellabi, R., Ghorab, F.M., Nouacer, S., Smara, A., dan Khireddine, O., 2016, Cr(VI) photocatalytic reduction under sunlight followed by Cr(III) extraction from TiO<sub>2</sub> surface, *Mater. Lett.*, 176, 106–109.
- Djellabi, R., Su, P., Elimian, E.A., Poliukhova, V., Nouacer, S., Abdelhafeez, I.A., Abderrahim, N., Aboagye, D., Andhalkar, V.V., Nabgan, W., Rtimi, S., dan Contreras, S., 2022, Advances in photocatalytic reduction of hexavalent chromium: From fundamental concepts to materials design and technology challenges, *J. Water Process Eng.*, 50, 103301.
- Duman, O., Tunç, S., Bozoğlan, B.K., dan Polat, T.G., 2016, Removal of triphenylmethane and reactive azo dyes from aqueous solution by magnetic carbon nanotube-κ-carrageenan-Fe<sub>3</sub>O<sub>4</sub> nanocomposite, *J. Alloys Compd.*, 687, 370–383.
- Ebrahimi, R., Maleki, A., Rezaee, R., Daraei, H., Safari, M., McKay, G., Lee, S.M., dan Jafari, A., 2021, Synthesis and Application of Fe-Doped TiO<sub>2</sub> Nanoparticles for Photodegradation of 2,4-D from Aqueous Solution, *Arab. J. Sci. Eng.*, 46, 6409–6422.
- Elghniji, K., Atyaoui, A., Livraghi, S., Bousselmi, L., Giamello, E., dan Ksibi, M., 2012, Synthesis and characterization of Fe<sup>3+</sup> doped TiO<sub>2</sub> nanoparticles and films and their performance for photocurrent response under UV illumination, *J. Alloys Compd.*, 541, 421–427.
- El-Khawaga, A.M., Elsayed, M.A., Fahim, Y.A., dan Shalaby, R.E., 2023, Promising photocatalytic and antimicrobial activity of novel capsaicin coated cobalt ferrite nanocatalyst, *Sci. Rep.*, 13, 1–15.
- Elomaa, H., Seisko, S., Junnila, T., Sirviö, T., Wilson, B.P., Aromaa, J., dan Lundström, M., 2017, The effect of the redox potential of aqua regia and temperature on the Au, Cu, and Fe dissolution from WPCBs, *Recycling*, 2.
- Feng, Y., Kreslavski, V.D., Shmarev, A.N., Ivanov, A.A., Zharmukhamedov, S.K., Kosobryukhov, A., Yu, M., Allakhverdiev, S.I., dan Shabala, S., 2022, Effects of Iron Oxide Nanoparticles (Fe<sub>3</sub>O<sub>4</sub>) on Growth, Photosynthesis, Antioxidant Activity and Distribution of Mineral Elements in Wheat (*Triticum aestivum*) Plants, *Plants*, 11.
- Fisli, A., Saridewi, R., Dewi, S.H., dan Gunlazuardi, J., 2013, Preparation and characterization of Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> composites by heteroagglomeration, *Adv. Mater. Res.*, 626, 131–137.

- Fu, C.C., Juang, R.S., Huq, M.M., dan Hsieh, C. Te, 2016, Enhanced adsorption and photodegradation of phenol in aqueous suspensions of titania/graphene oxide composite catalysts, *J. Taiwan Inst. Chem. Eng.*, 67, 338–345.
- Fu, X., Yang, H., Sun, H., Lu, G., dan Wu, J., 2016, The multiple roles of ethylenediamine modification at TiO<sub>2</sub>/activated carbon in determining adsorption and visible-light-driven photoreduction of aqueous Cr(VI), *J. Alloys Compd.*, 662, 165–172.
- Guo, J., Gan, Z., Lu, Z., Liu, J., Xi, J., Wan, Y., Le, L., Liu, H., Shi, J., dan Xiong, R., 2013, Improvement of the photocatalytic properties of TiO<sub>2</sub> by (Fe+Mo) co-doping A possible way to retard the recombination process, *J. Appl. Phys.*, 114, .
- Gupta, V.K., Jain, R., Nayak, A., Agarwal, S., dan Shrivastava, M., 2011, Removal of the hazardous dye-Tartrazine by photodegradation on titanium dioxide surface, *Mater. Sci. Eng. C*, 31, 1062–1067.
- Hamadani, M., Reisi-Vanani, A., Razi, P., Hoseinifard, S., dan Jabbari, V., 2013, Photodeposition-assisted synthesis of novel nanoparticulate In, S-codoped TiO<sub>2</sub> powders with high visible light-driven photocatalytic activity, *Appl. Surf. Sci.*, 285, 121–129.
- Hoffmann, M.R., Martin, S.T., Choi, W., dan Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Islam, J.B., Furukawa, M., Tateishi, I., Kawakami, S., Katsumata, H., dan Kaneco, S., 2019, Enhanced photocatalytic reduction of toxic Cr(VI) with Cu modified ZnO nanoparticles in presence of EDTA under UV illumination, *SN Appl. Sci.*, 1, 1–11.
- Jain, A. dan Vaya, D., 2017, Photocatalytic activity of TiO<sub>2</sub> nanomaterial, *J. Chil. Chem. Soc.*, 62, 3683–3690.
- Jegdić, B., Polić-Radovanović, S., Ristić, S., dan Alil, A., 2012, Corrosion stability of corrosion products on an archaeological iron artefact, *Int. J. Conserv. Sci.*, 3, 241–248.
- Jegdic, B., Polic-Radovanovic, S., Ristic, S.S., dan Alil, A.B., 2011, Corrosion processes, nature and composition of corrosion products on iron artefacts of weaponry, *Sci. Tech. Rev.*, 61, 50–56.
- Jia, M., Hu, P., dan Hu, G., 2022, Corrosion Layers on Archaeological Cast Iron from Nanhai I, *Materials (Basel)*, 15.
- Jia, Z.M., Zhao, Y.R., dan Shi, J.N., 2023, Adsorption kinetics of the photocatalytic reaction of nano-TiO<sub>2</sub> cement-based materials: A review, *Constr. Build. Mater.*, 370, 130462.
- Kangralkar, M. V., Manjanna, J., Momin, N., Rane, K.S., Nayaka, G.P., dan

- Kangralkar, V.A., 2021, Photocatalytic degradation of hexavalent chromium and different staining dyes by ZnO in aqueous medium under UV light, *Environ. Nanotechnology, Monit. Manag.*, 16, 100508.
- Karimi-Maleh, H., Ayati, A., Ghanbari, S., Orooji, Y., Tanhaei, B., Karimi, F., Alizadeh, M., Rouhi, J., Fu, L., dan Sillanpää, M., 2021, Recent advances in removal techniques of Cr(VI) toxic ion from aqueous solution: A comprehensive review, *J. Mol. Liq.*, 329.
- Khan, H. dan Swati, I.K., 2016, Fe<sup>3+</sup>-doped Anatase TiO<sub>2</sub> with d-d Transition, Oxygen Vacancies and Ti<sup>3+</sup> Centers: Synthesis, Characterization, UV-vis Photocatalytic and Mechanistic Studies, *Ind. Eng. Chem. Res.*, 55, 6619–6633.
- Khizir, H.A. dan Abbas, T.A.H., 2021, Hydrothermal growth and controllable synthesis of flower-shaped TiO<sub>2</sub> nanorods on FTO coated glass, *J. Sol-Gel Sci. Technol.*, 98, 487–496.
- Kim, Y.S. dan Kim, J.G., 2019, Improvement of corrosion resistance for low carbon steel pipeline in district heating environment using transient oxygen injection method, *J. Ind. Eng. Chem.*, 70, 169–177.
- Komaraiah, D., Radha, E., Sivakumar, J., Ramana Reddy, M.V., dan Sayanna, R., 2019, Structural, optical properties and photocatalytic activity of Fe<sup>3+</sup> doped TiO<sub>2</sub> thin films deposited by sol-gel spin coating, *Surfaces and Interfaces*, 17, 100368.
- Kumar, S.G. dan Devi, L.G., 2011, Review on modified TiO<sub>2</sub> photocatalysis under UV/visible light: Selected results and related mechanisms on interfacial charge carrier transfer dynamics, *J. Phys. Chem. A*, 115, 13211–13241.
- Lee, M.H., Park, J.H., Han, H.S., Song, H.J., Cho, I.S., Noh, J.H., dan Hong, K.S., 2014, Nanostructured Ti-doped hematite ( $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>) photoanodes for efficient photoelectrochemical water oxidation, *Int. J. Hydrogen Energy*, 39, 17501–17507.
- Lendzion-Bieluń, Z., Wojciechowska, A., Grzechulska-Damszel, J., Narkiewicz, U., Śniadecki, Z., dan Idzikowski, B., 2020, Effective processes of phenol degradation on Fe<sub>3</sub>O<sub>4</sub>-TiO<sub>2</sub> nanostructured magnetic photocatalyst, *J. Phys. Chem. Solids*, 136, 22–27.
- Li, J., Duan, Y., Wang, L., dan Ma, J., 2024, Preparation of core-shell structure Ag@TiO<sub>2</sub> plasma photocatalysts and reduction of Cr(VI): Size dependent and LSPR effect, *Environ. Res.*, 248, 118265.
- Li, Y., Zhang, J., Zhan, C., Kong, F., Li, W., Yang, C., dan Hsiao, B.S., 2020, Facile synthesis of TiO<sub>2</sub>/CNC nanocomposites for enhanced Cr(VI) photoreduction: Synergistic roles of cellulose nanocrystals, *Carbohydr. Polym.*, 233.
- Li, Y., Zhang, P., Zhang, J., Zhang, H., Ai, T., Zhao, Z., Liu, Y., dan Pu, Z., 2022, Photocatalytic performance of Fe doped TiO<sub>2</sub> on the surface of carbon fiber, *Opt. Mater. (Amst.)*, 133, 112970.

- Lin, J.C. Te, de Luna, M.D.G., Gotostos, M.J.N., dan Lu, M.C., 2016, Effects of doping amounts of potassium ferricyanide with titanium dioxide and calcination durations on visible-light degradation of pharmaceuticals, *Environ. Sci. Pollut. Res.*, 23, 22721–22733.
- Liu, B., Fan, Z., Zhai, W., He, J., Wang, S., Chen, F., Wang, Y., Li, W., Hou, X., dan He, Q., 2021, Photoreduction properties of novel Z-scheme structured Sr<sub>0.8</sub>La<sub>0.2</sub>(Ti<sub>1-δ</sub><sup>4+</sup>Ti<sub>δ</sub><sup>3+</sup>)O<sub>3</sub>/Bi<sub>2</sub>MoO<sub>6</sub> composites for the removal of Cr(VI), *RSC Adv.*, 11, 14007–14016.
- Loryuenyong, V., Jarunsak, N., Chuangchai, T., dan Buasri, A., 2014, The photocatalytic reduction of hexavalent chromium by controllable mesoporous anatase TiO<sub>2</sub> nanoparticles, *Adv. Mater. Sci. Eng.*, 2014, .
- Luong, G.K. dan Ku, Y., 2022, Enhanced photocatalytic reduction of Cr(VI) in aqueous solution by UV/TiO<sub>2</sub> process in the presence of Fe(III): Performance, kinetic, and mechanisms, *Chem. Eng. Process. - Process Intensif.*, 181, 109135.
- Luu, C.L., Nguyen, Q.T., dan Ho, S.T., 2010, Synthesis and characterization of Fe-doped TiO<sub>2</sub> photocatalyst by the sol-gel method, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 1, 1–6.
- Ma, C.M., Shen, Y.S., dan Lin, P.H., 2012, Photoreduction of Cr(VI) ions in aqueous solutions by UV/ TiO<sub>2</sub> photocatalytic processes, *Int. J. Photoenergy*, 2012, .
- Madima, N., Kefeni, K.K., Mishra, S.B., Mishra, A.K., dan Kuvarega, A.T., 2022, Fabrication of magnetic recoverable Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> heterostructure for photocatalytic degradation of rhodamine B dye, *Inorg. Chem. Commun.*, 145, 109966.
- Malaviya, P. dan Singh, A., 2016, Bioremediation of chromium solutions and chromium containing wastewaters, *Crit. Rev. Microbiol.*, 42, 607–633.
- Malengreaux, C.M., Pirard, S.L., Léonard, G., Mahy, J.G., Herlitschke, M., Klobes, B., Hermann, R., Heinrichs, B., dan Bartlett, J.R., 2017, Study of the photocatalytic activity of Fe<sup>3+</sup>, Cr<sup>3+</sup>, La<sup>3+</sup> and Eu<sup>3+</sup> single-doped and co-doped TiO<sub>2</sub> catalysts produced by aqueous sol-gel processing, *J. Alloys Compd.*, 691, 726–738.
- Malik, A., Hameed, S., Siddiqui, M.J., Haque, M.M., dan Muneer, M., 2013, Influence of ce doping on the electrical and optical properties of TiO<sub>2</sub> and its photocatalytic activity for the degradation of remazol brilliant blue R, *Int. J. Photoenergy*, 2013.
- Manu, S. dan Khadar, M.A., 2015, Non-uniform distribution of dopant iron ions in TiO<sub>2</sub> nanocrystals probed by X-ray diffraction, Raman scattering, photoluminescence and photocatalysis, *J. Mater. Chem. C*, 3, 1846–1853.
- Marami, M.B., Farahmandjou, M., dan Khoshnevisan, B., 2018, Sol–Gel Synthesis



of Fe-Doped TiO<sub>2</sub> Nanocrystals, *J. Electron. Mater.*, 47, 3741–3748.

- Matias, M.L., Pimentel, A., Reis-Machado, A.S., Rodrigues, J., Deuermeier, J., Fortunato, E., Martins, R., dan Nunes, D., 2022, Enhanced Fe-TiO<sub>2</sub> Solar Photocatalysts on Porous Platforms for Water Purification, *Nanomaterials*, 12.
- Meichtry, J.M., Brusa, M., Mailhot, G., Grela, M.A., dan Litter, M.I., 2007, Heterogeneous photocatalysis of Cr(VI) in the presence of citric acid over TiO<sub>2</sub> particles: Relevance of Cr(V)-citrate complexes, *Appl. Catal. B Environ.*, 71, 101–107.
- Mohammadi, H., Nekobahr, E., Akhtari, J., Saeedi, M., Akbari, J., dan Fathi, F., 2021, Synthesis and characterization of magnetite nanoparticles by co-precipitation method coated with biocompatible compounds and evaluation of in-vitro cytotoxicity, *Toxicol. Rep.*, 8, 331–336.
- Mthombeni, N.H., Onyango, M.S., dan Aoyi, O., 2015, Adsorption of hexavalent chromium onto magnetic natural zeolite-polymer composite, *J. Taiwan Inst. Chem. Eng.*, 50, 242–251.
- Mu, Q., Sun, Y., Guo, A., Yu, X., Xu, X., Cai, A., dan Wang, X., 2019, Biolated synthesis of Fe<sub>3</sub>O<sub>4</sub>-TiO<sub>2</sub> composites derived from *Chlorella pyrenoidosa* with enhanced visible-light photocatalytic performance, *Mater. Res. Express*, 6.
- Mugiraneza, S. dan Hallas, A.M., 2022, Tutorial: a beginner's guide to interpreting magnetic susceptibility data with the Curie-Weiss law, *Commun. Phys.*, 5.
- Muhammed, N. dan Muhsin, B., 2020, Review on Engineering Methods in Treatment of Chemical Rust, *Int. J. Chem. Mol. Eng.*, 6.
- Munir, S., Shah, S.M., Hussain, H., dan Ali khan, R., 2016, Effect of carrier concentration on the optical band gap of TiO<sub>2</sub> nanoparticles, *Mater. Des.*, 92, 64–72.
- Nagoshi, M., Kawano, T., Kage, I., dan Hayakawa, S., 2011, Micro-beam XRF and Fe-K edge XAFS on the cross section of the rust layer formed on a weathering steel, *ISIJ Int.*, 51, 93–98.
- Nguyen, M.D., Tran, H.-V., Xu, S., dan Lee, T.R., 2021, Fe<sub>3</sub>O<sub>4</sub> Nanoparticles : Structures , Synthesis , Magnetic Properties , Surface Functionalization , and, *Appl. Sci.*, 11, 1–34.
- Nguyen, V.N., Nguyen, N.K.T., dan Nguyen, P.H., 2011, Hydrothermal synthesis of Fe-doped TiO<sub>2</sub> nanostructure photocatalyst, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 2.
- Norabadi, E., Jahantiq, A., dan Kamani, H., 2022, Synthesis of Fe-TiO<sub>2</sub>@Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles as a recyclable sonocatalyst for the degradation of 2, 4-dichlorophenol, *Environ. Sci. Pollut. Res.*, 30, 31446-31460.
- Nur, A.S.M., Sultana, M., Mondal, A., Islam, S., Robel, F.N., Islam, A., dan Sumi, M.S.A., 2022, A review on the development of elemental and codoped TiO<sub>2</sub>

- photocatalysts for enhanced dye degradation under UV-vis irradiation, *J. Water Process Eng.*, 47, 102728.
- Orooji, Y., Nezafat, Z., Nasrollahzadeh, M., dan Kamali, T.A., 2021, Polysaccharide-based (nano)materials for Cr(VI) removal, *Int. J. Biol. Macromol.*, 188, 950–973.
- Phyu Cho, P., Phyu Mon, P., Ashok Kumar, K. V., Kumar, M., Ghosal, P., Lingaiah, N., Madras, G., dan Subrahmanyam, C., 2023, Visible light active Cu<sup>2+</sup> doped TiO<sub>2</sub> for simultaneous removal of Rhodamine-B and Cr (VI), *Inorg. Chem. Commun.*, 156, 111147.
- Prabakaran, E. dan Pillay, K., 2021, Self-Assembled Silver Nanoparticles Decorated on Exfoliated Graphitic Carbon Nitride/Carbon Sphere Nanocomposites as a Novel Catalyst for Catalytic Reduction of Cr(VI) to Cr(III) from Wastewater and Reuse for Photocatalytic Applications, *ACS Omega*, 6, 35221–35243.
- Prastika, A., Alamsah, I., Kimia, T., Teknik, F., dan Jember, U., 2022, Kinetika Adsorpsi Asam Tanat Pada Fotokatalis SiO<sub>2</sub>/TiO<sub>2</sub>, *J. Teknol. Terap.*, 06, 14–22.
- Preethi, J., Farzana, M.H., dan Meenakshi, S., 2017, Photo-reduction of Cr(VI) using chitosan supported zinc oxide materials, *Int. J. Biol. Macromol.*, 104, 1783-1793.
- Qin, J., Liu, N., Wei, Y., Lu, Y., Huang, Y., Zhao, Q., dan Ye, Z., 2022, The mechanism of efficient photoreduction nitrate over anatase TiO<sub>2</sub> in simulated sunlight, *Chemosphere*, 307, 135921.
- Ramacharyulu, P.V.R.K., Praveen Kumar, J., Prasad, G.K., dan Sreedhar, B., 2014, Sulphur doped nano TiO<sub>2</sub>: Synthesis, characterization and photocatalytic degradation of a toxic chemical in presence of sunlight, *Mater. Chem. Phys.*, 148, 692–698.
- Reddy, D.R., Dinesh, G.K., Anandan, S., dan Sivasankar, T., 2016, Sonophotocatalytic treatment of Naphthol Blue Black dye and real textile wastewater using synthesized Fe doped TiO<sub>2</sub>, *Chem. Eng. Process.*, 99, 10–18.
- Rémazeilles, C. dan Refait, P., 2009, Fe(II) hydroxycarbonate Fe<sub>2</sub>(OH)<sub>2</sub>CO<sub>3</sub> (chukanovite) as iron corrosion product: Synthesis and study by Fourier Transform Infrared Spectroscopy, *Polyhedron*, 28, 749–756.
- Rivani, D.A., Retnosari, I., Kusumandari, dan Saraswati, T.E., 2019, Influence of TiO<sub>2</sub> addition on the magnetic properties of carbon-based iron oxide nanocomposites synthesized using submerged arc-discharge, *IOP Conf. Ser. Mater. Sci. Eng.*, 509.
- Sabonian, M. dan Mahanpoor, K., 2019, Optimization of photocatalytic reduction of Cr(VI) in water with nano ZnO/todorokite as a catalyst: Using taguchi



- experimental design, *Iran. J. Chem. Chem. Eng.*, 38, 105–113.
- Safitri, I., Wibowo, Y.G., Rosarina, D., dan Sudibyo, 2021, Synthesis and characterization of magnetite (Fe<sub>3</sub>O<sub>4</sub>) nanoparticles from iron sand in Batanghari Beach, *IOP Conf. Ser. Mater. Sci. Eng.*, 1011, .
- Salamat, S., Younesi, H., dan Bahramifar, N., 2017, Synthesis of magnetic core-shell Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> nanoparticles from electric arc furnace dust for photocatalytic degradation of steel mill wastewater, *RSC Adv.*, 7, 19391–19405.
- Sane, P., Chaudhari, S., Nemade, P., dan Sontakke, S., 2018, Photocatalytic reduction of chromium (VI) using combustion synthesized TiO<sub>2</sub>, *J. Environ. Chem. Eng.*, 6, 68–73.
- Saputera, W.H., Amri, A.F., Daiyan, R., dan Sasongko, D., 2021, Photocatalytic technology for palm oil mill effluent (POME) wastewater treatment: Current progress and future perspective, *Materials (Basel)*, 14.
- Sari, E.K., Wahyuni, E.T., dan Aprilita, N.H., 2014, Pengaruh Ion Cu (II) dan Ion Ni (II) Terhadap Efektivitas Fotoreduksi Ion Cr (VI) Terkatalis TiO<sub>2</sub>, *Berk. MIPA*, 24, 136–148.
- Scarpelli, F., Mastropietro, T.F., Poerio, T., dan Godbert, N., 2018, Mesoporous TiO<sub>2</sub> Thin Films: State of the Art, *Titanium Dioxide-Material for a Sustainable Environment*, 57.
- Shaban, M., Binsabt, M., Ahmed, A.M., dan Mohamed, F., 2021, Recycling rusty iron with natural zeolite heulandite to create a unique nanocatalyst for green hydrogen production, *Nanomaterials*, 11.
- Shahmoradi, B., Negahdary, M., dan Maleki, A., 2012, Hydrothermal synthesis of surface-modified, manganese-doped TiO<sub>2</sub> nanoparticles for photodegradation of methylene blue, *Environ. Eng. Sci.*, 29, 1032–1037.
- Shao, D., Wang, X., dan Fan, Q., 2009, Photocatalytic reduction of Cr(VI) to Cr(III) in solution containing ZnO or ZSM-5 zeolite using oxalate as model organic compound in environment, *Microporous Mesoporous Mater.*, 117, 243–248.
- Shi, J., Chen, G., Zeng, G., Chen, A., He, K., Huang, Z., Hu, L., Zeng, J., Wu, J., dan Liu, W., 2018, Hydrothermal synthesis of graphene wrapped Fe-doped TiO<sub>2</sub> nanospheres with high photocatalysis performance, *Ceram. Int.*, 44, 7473–7480.
- Shin, N., Saravanakumar, K., dan Wang, M.H., 2019, Sonochemical Mediated Synthesis of Iron Oxide (Fe<sub>3</sub>O<sub>4</sub> and Fe<sub>2</sub>O<sub>3</sub>) Nanoparticles and their Characterization, Cytotoxicity and Antibacterial Properties, *J. Clust. Sci.*, 30, 669–675.
- Shirzad-Siboni, M., Farrokhi, M., Darvishi Cheshmeh Soltani, R., Khataee, A., dan Tajassosi, S., 2014, Photocatalytic reduction of hexavalent chromium over

- ZnO nanorods immobilized on kaolin, *Ind. Eng. Chem. Res.*, 53, 1079–1087.
- Shojaei, A.F., Shams-Nateri, A., dan Ghomashpasand, M., 2017, Magnetically recyclable Fe<sup>3+</sup>/TiO<sub>2</sub>@Fe<sub>3</sub>O<sub>4</sub> nanocomposites towards degradation of direct blue 71 under visible-light irradiation, *Micro Nano Lett.*, 12, 161–165.
- Sood, S., Umar, A., Mehta, S.K., dan Kansal, S.K., 2015, Highly effective Fe-doped TiO<sub>2</sub> nanoparticles photocatalysts for visible-light driven photocatalytic degradation of toxic organic compounds, *J. Colloid Interface Sci.*, 450, 213–223.
- Stancheva, K.A., Bogdanov, B.I., Georgiev, D.P., Hristov, Y.H., dan Markovska, I.G., 2013, Spectrophotometric determination of hexavalent chromium content in commercial cementan assessment of the optimal conditions for the analysis of chromium (VI), *Eurasian J. Anal. Chem.*, 8, 10–16.
- Sudrajat, H., Babel, S., Ta, A.T., dan Nguyen, T.K., 2020, Mn-doped TiO<sub>2</sub> photocatalysts: Role, chemical identity, and local structure of dopant, *J. Phys. Chem. Solids*, 144, 109517.
- T. Liu and H. Zhang, 2013, Novel Fe-doped anatase TiO<sub>2</sub> nanosheets hierarchical spheres with 94% {001} facets for efficient visible-light photodegradation of organic dye, *RSC Adv.*, 3, 16255-16258.
- Tashkandi, N.Y., Albukhari, S.M., dan Ismail, A.A., 2022, Mesoporous TiO<sub>2</sub> enhanced by anchoring Mn<sub>3</sub>O<sub>4</sub> for highly efficient photocatalyst toward photo-oxidation of ciprofloxacin, *Opt. Mater. (Amst.)*, 127, 112274.
- Testa, J.J., Grela, M.A., dan Litter, M.I., 2004, Heterogeneous Photocatalytic Reduction of Chromium(VI) over TiO<sub>2</sub> Particles in the Presence of Oxalate: Involvement of Cr(V) Species, *Environ. Sci. Technol.*, 38, 1589–1594.
- Thambiliyagodage, C. dan Usgodaarachchi, L., 2021, Photocatalytic activity of N, Fe and Cu Co-doped TiO<sub>2</sub> nanoparticles under sunlight, *Curr. Res. Green Sustain. Chem.*, 4, 100186.
- Tong, T., Zhang, J., Tian, B., Chen, F., dan He, D., 2008, Preparation of Fe<sup>3+</sup>-doped TiO<sub>2</sub> catalysts by controlled hydrolysis of titanium alkoxide and study on their photocatalytic activity for methyl orange degradation, *J. Hazard. Mater.*, 155, 572–579.
- Vega, M.P.B., Hinojosa-Reyes, M., Hernández-Ramírez, A., Mar, J.L.G., Rodríguez-González, V., dan Hinojosa-Reyes, L., 2018, Visible light photocatalytic activity of sol–gel Ni-doped TiO<sub>2</sub> on p-arsanilic acid degradation, *J. Sol-Gel Sci. Technol.*, 85, 723–731.
- Vijayalakshmi, K. dan Jereil, S.D., 2014, Influence of Fe catalytic doping on the properties of TiO<sub>2</sub> nanoparticles synthesized by microwave method, *J. Mater. Sci. Mater. Electron.*, 25, 5089–5094.
- Villegas, V.A.R., Ramírez, J.D.L., Guevara, E.H., Sicairos, S.P., Ayala, L.A.H.,

- dan Sanchez, B.L., 2020, Synthesis and characterization of magnetite nanoparticles for photocatalysis of nitrobenzene, *J. Saudi Chem. Soc.*, 24, 223–235.
- Wahyuni, E.T. dan Aprilita, N.H., 2019, Photoreduction Processes over TiO<sub>2</sub> Photocatalyst, *Photocatalysts - Applications and Attributes*, 129-135.
- Wahyuni, E.T., Lestari, N.D., Cinjana, I.R., Annur, S., Natsir, T.A., dan Mudasir, M., 2023, Doping TiO<sub>2</sub> with Fe from iron rusty waste for enhancing its activity under visible light in the Congo red dye photodegradation, *J. Eng. Appl. Sci.*, 70, 1–14.
- Wang, K., Zhuo, Y., Chen, J., Gao, D., Ren, Y., Wang, C., dan Qi, Z., 2020, Crystalline phase regulation of anatase-rutile TiO<sub>2</sub> for the enhancement of photocatalytic activity, *RSC Adv.*, 10, 43592–43598.
- Wang, N., Zhu, L., Deng, K., She, Y., Yu, Y., dan Tang, H., 2010, Visible light photocatalytic reduction of Cr(VI) on TiO<sub>2</sub> in situ modified with small molecular weight organic acids, *Appl. Catal. B Environ.*, 95, 400–407.
- Wang, X., Liao, Y., Zhang, D., Wen, T., dan Zhong, Z., 2018, A review of Fe<sub>3</sub>O<sub>4</sub> thin films: Synthesis, modification and applications, *J. Mater. Sci. Technol.*, 34, 1259–1272.
- Wang, X., Pehkonen, S.O., dan Ray, A.K., 2004, Removal of Aqueous Cr(VI) by a Combination of Photocatalytic Reduction and Coprecipitation, *Ind. Eng. Chem. Res.*, 43, 1665–1672.
- Wen, L., Liu, B., Zhao, X., Nakata, K., Murakami, T., dan Fujishima, A., 2012, Synthesis, characterization, and photocatalysis of Fe-doped TiO<sub>2</sub>: A combined experimental and theoretical study, *Int. J. Photoenergy*, 2012, .
- Wu, Z., Liu, X., Yu, C., Li, F., Zhou, W., dan Wei, L., 2021, Construct interesting CuS/TiO<sub>2</sub> architectures for effective removal of Cr(VI) in simulated wastewater via the strong synergistic adsorption and photocatalytic process, *Sci. Total Environ.*, 796, 148941.
- Xiao, J., Oliveira, A.M., Wang, L., Zhao, Y., Wang, T., Wang, J., Setzler, B.P., dan Yan, Y., 2021, Water-Fed Hydroxide Exchange Membrane Electrolyzer Enabled by a Fluoride-Incorporated Nickel–Iron Oxyhydroxide Oxygen Evolution Electrode, *ACS Catal.*, 11, 264–270.
- Xu, S.C., Pan, S.S., Xu, Y., Luo, Y.Y., Zhang, Y.X., dan Li, G.H., 2015, Efficient removal of Cr(VI) from wastewater under sunlight by Fe(II)-doped TiO<sub>2</sub> spherical shell, *J. Hazard. Mater.*, 283, 7–13.
- Yin, R., Sun, J., Xiang, Y., dan Shang, C., 2018, Recycling and reuse of rusted iron particles containing core-shell Fe-FeOOH for ibuprofen removal: Adsorption and persulfate-based advanced oxidation, *J. Clean. Prod.*, 178, 441–448.
- Yu, Y., Wen, W., Qian, X.Y., Liu, J. Bin, dan Wu, J.M., 2017, UV and visible light

photocatalytic activity of Au/TiO<sub>2</sub> nanoforests with Anatase/Rutile phase junctions and controlled Au locations, *Sci. Rep.*, 7, 1–13.

Yuan, X., Feng, Z., Zhao, J., Niu, J., Liu, J., Peng, D., dan Cheng, X., 2018, Significantly enhanced aqueous Cr(VI) removal performance of Bi/ZnO nanocomposites via synergistic effect of adsorption and SPR-promoted visible light photoreduction, *Catalysts*, 8.

Yuan, X., Wu, X., Feng, Z., Jia, W., Zheng, X., dan Li, C., 2019, Facile synthesis of heterojunctioned ZnO/Bi<sub>2</sub>S<sub>3</sub> nanocomposites for enhanced photocatalytic reduction of aqueous Cr(VI) under visible-light irradiation, *Catalysts*, 9, 1–14.

Yuniar, Y., Wahyuni, E.T., dan Aprilita, N.H., 2017, Photoreduction of Cr(VI) Catalyzed by TiO<sub>2</sub>-Lignin, *Indones. J. Fundam. Appl. Chem.*, 2, 22–27.

Zhang, H., Wang, Z., Ma, W., Xie, K., dan Hu, L., 2013, Chemical cracking effect of aqua regia on the purification of metallurgical-grade silicon, *Ind. Eng. Chem. Res.*, 52, 7289–7296.

Zhang, H., Xu, J., Guo, L., dan Dong, H., 2023, Study on rust layers of carbon steel, weathering steel and alloy steel exposed to Shanghai atmosphere for three years, *Mater. Today Commun.*, 35, 105520.

Zhang, J., Lin, S., Han, M., Su, Q., Xia, L., dan Hui, Z., 2020, Adsorption properties of magnetic magnetite nanoparticle for coexistent Cr(VI) and Cu(II) in mixed solution, *Water (Switzerland)*, 12, 1–13.

Zhang, Q., Yu, L., Xu, C., Zhang, W., Chen, M., Xu, Q., dan Diao, G., 2020, A novel method for facile preparation of recoverable Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> core-shell nanospheres and their advanced photocatalytic application, *Chem. Phys. Lett.*, 761.

Zhang, Y., Yu, F., Cheng, W., Wang, J., dan Ma, J., 2017, Adsorption Equilibrium and Kinetics of the Removal of Ammoniacal Nitrogen by Zeolite X / Activated Carbon Composite Synthesized from Elutrilithe, *J. Chem.*, 3, 1-9.

Zhao, B., Xu, H., Zhang, Keliu, Gao, B., Wang, Y., Wang, Q., Zhang, Kaixin, Huang, Y., dan Li, J., 2022, Visible-light-driven CQDs/TiO<sub>2</sub> photocatalytic simultaneous removal of Cr(VI) and organics: Cooperative reaction, kinetics and mechanism, *Chemosphere*, 307, 135897.

Zhao, F.Y., Li, Y.L., dan Li, L.H., 2014, Preparation and characterization of magnetite nanoparticles, *Appl. Mech. Mater.*, 618, 24–27.

Zhao, Y., Ren, H., Dai, H., dan Jin, W., 2011, Composition and expansion coefficient of rust based on X-ray diffraction and thermal analysis, *Corros. Sci.*, 53, 1646–1658.

Zheng, L., Chen, Z., Han, J., Wei, Z., Yang, Lixia, Lu, M., Ma, T., dan Yang, Liming, 2022, An all-in-one photocatalyst: Photocatalytic reduction of Cr(VI) and anchored adsorption of Cr(III) over mesoporous titanium@sulfonated

carbon hollow hemispheres, *J. Environ. Chem. Eng.*, 10, 107864.

Zhu, J., Chen, F., Zhang, J., Chen, H., dan Anpo, M., 2006, Fe<sup>3+</sup>-TiO<sub>2</sub> photocatalysts prepared by combining sol-gel method with hydrothermal treatment and their characterization, *J. Photochem. Photobiol. A Chem.*, 180, 196–204.