

DAFTAR PUSTAKA

- Aditya, A., Sari, B. N., & Padilah, T. S. 2021. Perbandingan Pengukuran jarak Euclidean dan Gower pada klaster k-medoids. *Jurnal Teknologi dan Sistem Komputer*, 9(1), 1-7.
- Afuape, S.O., P.I Okocha, & D. Njoku. 2015. Multivariate Assessment of the Agromorphological Variability and Yield Components among Sweet potato (*Ipomoea batatas* (L.) Lam.) landraces. *African Journal of Plant Science*. 5(2), 123-132.
- Alfaisyi, B, Y, F., Sudjatmiko, S., & Nurjanah, U. 2022. Klasifikasi Morfologi dan Hasil Tanaman Ubi Jalar di Kabupaten Rejang Lebong. *Seminar Nasional Pertanian Pesisir*, 1(1). 131-137.
- Alfianita, N & Sofyan, A. 2022. Kadar air, Kadar protein, dan Kadar Serat Pangan pada Cookies dengan Substitusi Tepung Ubi Jalar Ungu dan Tepung Rebung. *Jurnal Pangan dan Gizi*, 12(2), 37-45.
- Aurum, F, S., & Elisabeth, D, A, A. 2015. Formulasi Tepung Komposit Keladi Dan Ubi Jalar Sebagai Bahan Baku Mi Kering Pengganti Sebagian Terigu. *Jurnal Pengkajian dan Pengembangan Teknologi Pertanian*, 18(3), 237-249.
- Ali, F., Nadeem, M. A., Habyarimana, E., Yilmaz, A., Nawaz, M. A., Khalil, I. H., Ercişli, S., Chung, G., Chaudhary, H. J., & Baloch, F. S. 2020. Molecular characterization of genetic diversity and similarity centers of safflower accessions with ISSR markers. *Revista Brasileira de Botanica*, 43(1), 109–121. 10.1007/s40415-019-00574-7.
- Arif, M. F., Subositi, D., Sari, A. N., Aristya, G. R., Lesmana, I., & Kasiamdari, R. S. 2020. Genetic diversity of green chireta (*Andrographis paniculata* (Burm.f.) wall. ex Nees.) from indonesia based on ISSR and RAPD markers. *Malaysian Applied Biology*, 49(1), 61–68. 10.55230/mabjournal.v49i1.1655
- Balitkabi. 2016. *Deskripsi Varietas Unggul Ubi Jalar 1977-2016*.
- Banunaek, A, F., Hendrik, A,C., Ngginak, J., Sabuna, A, Ch., & Meha, A,M. 2023. Inventarisasi Keragaman Kultivar Ubi Kayu (*Manihot esculenta* Crantz.) dan Ubi Jalar (*Ipomoea batatas* L.) di Kabupaten Timor Tengah Selatan. *Jurnal pendidikan dan Sains Biologi*, 6(1), 15-28.
- Chen, S., Slik, J. W. F., Gao, J., Mao, L., Bi, M., Shen, M., & Zhou, K. 2015. Latitudinal diversity gradients in bryophytes and woody plants: *Roles of temperature and water availability*. February 2018. 53 (6), 535-545.
- CIP. IBPGR. 1991. *Deskriptors for Sweet potato*.
- Danong, M.T., Ruma, M.T.L., Nono, K.M., Mauboy,R. S., Boro, T.L., & Etu, E. 2023. Hubungan Kekerbatan Fenetik Jenis-Jenis Tumbuhan Genus *Euphorbia* (Euphorbiaceae) Berdasarkan Ciri Morfologis. *Floribunda*, 7(2), 37-50.
- Danong, M.T., Ruma, M.T.L., Nono, K.M., Mauboy,R. S., Boro, T.L., & Etu, E. 2024. Hubungan Kekerbatan Fenetik Varian Ubi Jalar (*Ipomoea batatas* L.) Berdasarkan Karakteristik Morfologis di Kecamatan Mollo Utara Kabupaten Timor Tengah Selatan. *Floribunda*, 7(4), 166-181.
- Dewananta., P., A. & Mushlih.,M. 2021. Differences in DNA Purity Test Using UV-Vis Spectrophotometer and Nanodrop Spectrophotometer in Type 2

- Diabetes Mellitus Patients. *Indonesian Journal of Innovation Studies*, 15(2021), 7-10.
- Ellegren, H., & Galtier, N. 2016. Determinants of genetic diversity. *Nature Reviews Genetics*, 17(7), 422–433.
- Felix, F. C., Chagas, K. P. T. Das, Ferrari, C. D. S., Vieira, F. D. A., & Pacheco, M. V. 2020. Applications of ISSR markers in studies of genetic diversity of *Ptyrocarpa moniliformis*. *Revista Caatinga*, 33(4), 1017–1024.
- Franková, H., Musilová, J., Árvay, J., Šnirc, M., Jančo, I., Lidiková, J., & Vollmannová, A. 2022. Changes in Antioxidant Properties and Phenolics in Sweet Potatoes (*Ipomoea batatas* L.) Due to Heat Treatments. *Molecules*, 27(6) : 1-15.
- Ginting, E., Yulifianti, R., & Jusuf, M. 2014. Ubi jalar sebagai bahan diversifikasi pangan lokal. *Jurnal Pangan*, 23 (2): 194-206.
- GRIN-Global. 2021. CIP- International Potato Center: Genebank, accessed 20 June 20, 2021, <http://genebank.cipotato.org/gringlobal/search.aspx>.
- Hamidah., Akustia, P., & Junairiah. 2024. Biodiversitas dan Kekerbatan Spesies Annonaceae dengan Metode Fenetik di Kebun Raya Purwodadi. *Lentera bio*, 13(1), 176-183.
- Hayati, M., Sabaruddin, Efendi, & Anhar, A. 2020. Morphological characteristics and yields of several sweet potato (*Ipomoea batatas* L.) tubers. *IOP Conference Series: Earth and Environmental Science*, 425(1): 1-7.
- Hasanuddin & Fitriana. 2014. Hubungan Kekerbatan Fenetik 12 Spesies Anggota Familia Asteraceae. *Jurnal Edubio Tropika*, 2(2), 187-250.
- Huaman, Z. 1992. *Systematic Botany and Morphology of the Sweetpotato Plant*. Technical Information Bulletin 25. In Technical Information Bulletins (p. 22).1-25
- Huang, J. C., & Sun, M. 2000. Genetic diversity and relationships of sweet potato and its wild relatives in *Ipomoea batatas* (Convolvulaceae) as revealed by inter-simple sequence repeat (ISSR) and restriction analysis of chloroplast DNA. *Theoretical and Applied Genetics*, 100(7), 1050–1060.
- Im, Y. R., Kim, I., & Lee, J. 2021. Phenolic composition and antioxidant activity of purple sweet potato (*Ipomoea batatas* (L.) Lam.) Varietal comparisons and physical distribution. *Antioxidants*, 10(3), 1–17.
- Irfan, Z., Sumilah, & Srimaryati. 2021. Local Cultivars of Sweet Potato in West Sumatra, Indonesia Its Characteristics, Yield Potentials, and Organoleptic Values. *Proceedings of the International Seminar on Promoting Local Resources for Sustainable Agriculture and Development (ISPLRSAD 2020)*, 13(Isplrsad 2020), 355–365.
- Ishaq, I., Yulyatin, A., & Supriyadi, H. 2019. Karakter Penciri Keragaman Sumber Daya Genetik Ubi Jalar Jawa Barat. *Bul. Plasma Nutfah*, 25(2): 107-112.
- Jackson, D. Michael, Howard F. Harrison, Robert L. Jarret, and Philip A. Wadl. 2020. Phenotypic Variation in Leaf Morphology of the USDA, ARS Sweetpotato (*Ipomoea batatas*) Germplasm Collection. *HortScience*, 55(4), 465-475.
- Jolliffe, I.T. 2002. *Principal Component Analysis*. 2nd ed. New York: Springer

- Karim, N. A., Derajavan, T., & Ahmad, A. 2022. Principal Component Analysis for Phenotypic Characterization of Sweet Potato (*Ipomoea batatas* (L.) Lam.) Genotypes in Malaysia. *Trends In Sciences*, 19(12), 1-13.
- Khoury, C.K., Heider, B., Castaneda-A, N.P., Achicanoy, H.A., Sosa, C.C., Miller, R.E., Scotland, R.W., Wood, J.R., Rossel, G., Eserman, L.A., *et al.* 2015. Distribution, ex situ conservation priorities, and genetic resource potential of crop wild relatives of sweet potato (*Ipomoea batatas* (L.) Lam.). *Front.Plant Sci.* 6, 1-14.
- Kusmana, C., & Hikmat, A. 2015. The Biodiversity of Flora in Indonesia. *Journal of Natural Resources and Environmental Management*, 5(2), 187–198.
- Lamusu, D. 2018. Uji Organoleptik Jalangkote Ubi Jalar Ungu (*Ipomoea batatas* (L.) Lam) sebagai Upaya Diversifikasi Pangan. *Jurnal Pengolahan Pangan*, 3(1), 9–15.
- Lee, K., Lee, G. A., Lee, J. R., Sebastin, R., Shin, M. J., Cho, G. T., & Hyun, D. Y. 2019. Genetic Diversity of Sweet Potato (*Ipomoea batatas* (L.) Lam.) germplasm collected worldwide using chloroplast SSR markers. *Agronomy*, 9(11). 725.
- Mahfut, Handayani, Tundjung T., Wahyuningsih, Sri., & Sukimin. 2021. Identification of *Dendrobium* (Orchidaceae) in Liwa Botanical Garden Based on Leaf Morphological Characters. *Journal of Tropical Biodiversity and Biotechnology*, 6(01),1-6.
- Majid, M., Nasir, B., Zahra, S. S., Khan, M. R., Mirza, B., & Haq, I. ul. 2018. (*Ipomoea batatas* (L.) Lam.) ameliorates acute and chronic inflammations by suppressing inflammatory mediators, a comprehensive exploration using in vitro and in vivo models. *BMC Complementary and Alternative Medicine*, 18(1), 1–20.
- Mbithe, M. J., Steven, R., Agili, S., Kivuva, M. B., Kioko, W. F., & Kuria, E. 2016. Phylogenetics & Evolutionary Biology Morphological Characterisation of Selected Ugandan Sweet potato (*Ipomoea batatas* (L.) Lam.) *Varieties for Food and Feed*. 4(2), 2–7.
- Minantyorini & Setyowati, M. 2016. Potensi Hasil Aksesi Plasm Nutfah Ubi Jalar di Dataran Tinggi. *Buletin Plasma Nutfah*, 22(1), 31-40.
- Minemba, D., Gleeson, D. B., Veneklaas, E., & Ryan, M. H. 2019. Variation in morphological and physiological root traits and organic acid exudation of three sweet potato (*Ipomoea batatas*) cultivars under seven phosphorus levels. *Scientia Horticulturae*, 256(2019), 1-11.
- Mohanraj, R., & Sivasankar, S. 2014. Sweet potato (*Ipomoea batatas* (L.) Lam.) - A valuable medicinal food: A review. *Journal of Medicinal Food*, 17(7), 733–741.
- Murthy N., Patel, n. B., Kapadia, C., Desai, K. D., & Koteswara, R.G. 2021. Genetic diversity analysis of sweet potato (*Ipomoea batatas* (L.) Lam.) germplasm through RAPD and ISSR markers. *Bangladesh Journal of Botany*, 50(1), 119–129.
- Muslihatin, W., Saputro, T.B., Latifah, N, I., Eka, C., & Himayani,S. 2021. The Genetic Diversity of *Moringa Oleifera* on Poteran Island- Madura Based on

- Petiole Colors Using ISSR (*Inter Simple Sequence Repeat*) Method. *Atlantis Advances in Biological Sciences Research*, 22, 39-46.
- Musyarifah, M., Rosmayati, & Damanik, R.I.M. 2018. Identifikasi Karakter Morfologis dan Hubungan Kekerbatan Tanaman Ubi Jalar (*Ipomoea batatas* L.) di Kabupaten Simalungun dan Kabupaten Dairi. *Jurnal Agroteknologi FP USU*, 6(4), 826-835.
- Ng, W. L., & Tan, S. G. 2015. Inter-Simple Sequence Repeat (ISSR) markers: Are we doing it right? *ASM Science Journal*, 9(1), 30–39.
- Ningrum, A. M., & Chasani, A. R. 2021. Numerical phenetic and phylogenetic relationships in silico among brown seaweeds (*Phaeophyceae*) from Gunungkidul, Yogyakarta, Indonesia. *Biodiversitas*, 22(6), 3057–3064.
- Oktavianingsih., L, E. Suharyanto., B.S. Daryono., & Purnomo. 2019. Morphological Characters Variability Of Taro (*Colocasia* spp.) In Kalimantan, Indonesia Based On Phenetic Analysis Approach. *Sabrao Journal*, 51(1), 37-56.
- Palupi, E.S., Sarto M., & Pratiwi, R. 2020. Aktivitas Antioksidan Jus Ubi Jalar Kultivar Lokal sebagai Penangkal Radikal Bebas 1,1-diphenyl-2-picrylhydrazyl (DPPH). *Sains & Matematika*, 1(1)(ISSN 2302-7290), 13–16.
- Polihto R A, Latjompoh M, & Kandowanko N Y. 2022. Hubungan Kekerbatan Fenetik Lima Anggota Familia Araceae. *Biosfer. J. Bio & Pend.Bio*. 7(2): 128-133
- Purbasari, K., & Sumadji, A. R. 2018. Studi Variasi Ubi Jalar (*Ipomoea batatas* L) Berdasarkan Karakter Morfologis di Kabupaten Ngawi. *Florea: Jurnal Biologi Dan Pembelajarannya*, 5(2), 78.
- Purnomo., L.N. Faizah, & B.S. Daryono. 2017. Variability and Intraspecific Classification Of Gembili (*Dioscorea esculenta* (Lour.) Burk.) Based On Morphological Characters. *Sabrao Journal*, 49(1), 1-8.
- Rahmawati, Hassanudin & Nurmaliah C. 2016. Hubungan kekerabatan fenetik tujuh anggota family Apocynaceae. *Jurnal Ilmiah Mahasiswa Pendidikan Biologi*, 1(1), 1-9.
- Rampe, H. L., Umboh, S. D., Siahaan, R., & Maabuat, P. V. 2019. Anatomical characteristics of stomata, mesophyll and petiole of six varieties sweet potatoes (*Ipomoea batatas* L.) after organic fertilizer induction. *IOP Conference Series: Materials Science and Engineering*, 567(1): 1-6.
- Rosero, A., Rodríguez, E., Aguilera-Arango, G., Rosero, M. G., Granda, L., Pastrana, I., Martínez, R., Perez, J. L., Espitia, L., Gomez, E., Rodríguez, T., & Sieber, S. 2022. Assessment of the Current State of In Situ Conservation and Use of Sweet Potato (*Ipomoea batatas* (L.) Lam.) in Colombia. *Culture, Agriculture, Food and Environment*, 44(1), 76–89.
- Sabarinath, V, B., Anil, S, R., Radhika, N, K., Krishnan, B, S, P., Sankar, D., & Sreekumar J. 2018. Assessment of Variability in Sweet Potato (*Ipomoea batatas* (L.) Lam.) Germplasm Using Morphological and ISSR Markers. *Journal of Root Crops*, 44(2), 23-31.
- Saimon, A, H., Sultana, S., Mannan, MD.A., & Mamun, A,A. 2023. Assessment of genetic diversity among sweet potato varieties through RAPD markers in the

- Southern coastal region of Bangladesh. *Asian Journal of Agriculture*, 7(2), 116-121.
- Samiyarsih, S., Fitrianto, N., Azizah, E., Herawati, W., & Rochmatino. 2020. Anatomical profile and genetic variability of sweet potato (*Ipomoea batatas*) cultivars in Banyumas, Central java, based on RAPD markers. *Biodiversitas*, 21(4), 1755–1766.
- Sembiring, N., Hardaningsih, W., Anidarfi & Illahi, A, K. 2021. Identification, Characterization, and Conservation of Sweet Potato Germplasm (*Ipomoea batatas* L.) in West Sumatera Production Center. *IOP conf. Series: Earth and Environmental Science*. 1097(2022), 1-6.
- Setyana, P,E,W & Rahmawati, S,I. 2024. Tipe-Tipe dan Jumlah Stomata Marga *Ipomoea* di Kediri Raya. *Seminar Nasional Sains, Kesehatan, dan pembelajaran 3*.ISSN 2963-1890: 163-168.
- Silva-Correa, C. R., Hilario-Vargas, J., Villarreal-La Torre, V. E., Calderon-Peña, A. A., González-Siccha, A. D., Aspajo-Villalaz, C. L., & Cruzado-Razco, J. L. 2022. Potential Anticancer Activity of Bioactive Compounds from *Ipomoea batatas*. *Pharmacognosy Journal*, 14(3), 650–659.
- Sokal, R. R. and Sneath, P.A. 1963. *Principle of Numerical Taxonomy*. WH. Freeman and Company. USA. pp. 48-50, 251-253
- Som, K., Vernon, G., Isaac, A., Eric, Y. D., Jeremy, T. O., Tignegre, J. B., Belem, J., & Tarpaga, M. V. 2014. Diversity analysis of sweet potato (*Ipomoea batatas* (L.) Lam.) germplasm from Burkina Faso using morphological and simple sequence repeats markers. *African Journal of Biotechnology*, 13(6), 729–742.
- Stuessy TF. 1990. *Plant taxonomy : The systematic evaluation of comparative data*. niversity press. Columbia, New York.
- Subedi, B., Poudel, A., & Aryal, S. 2023. The impact of climate change on insect pest biology and ecology: Implications for pest management strategies, crop production, and food security. *Journal of Agriculture and Food Research*, 14(2023), 1-17.
- Sumilah., Devy., N F., & Hardiyanto. 2018. Karakterisasi Karakter Morfologis Daun dan Bunga Varietas Lokal Ubi Jalar (*Ipomoea batatas* L.) Kabupaten Agam dan Solok, Provinsi Sumatra Barat. *Bul. Plasma Nutrafah*. 25(2): 91-98
- Suranto, Wahyuni, D, Purwanto, E,. 2019. Evidence of pollen features and peroxidase isoenzyme in their morphological complexity of ten local cultivars of sweet potato. *Biodiversitas*. 20(9):2511-2518
- Tairo, F., Mneney, E., & Kullaya, A. 2018. Morphological and agronomical characterization of Sweet potato [*Ipomoea batatas* (L.) Lam.] germplasm collection from Tanzania. *Journal of Plant Breeding and Genetics*, 5(12), 001-009.
- Utari, D. S., Kardhinata, E. H., & Damanik, R. I. M. 2017. Analisis Karakter Morfologis Dan Hubungan Kekerbatan Tanaman Ubi Jalar (*Ipomoea batatas* L.) Di Dataran Tinggi dan Dataran Rendah Sumatera Utara. *Jurnal Agroekoteknologi FP USU*, 5(4), 870–881.

- Wicaksono, A.A., D. Ustari., S. Pratiwi., S. Mubarak., & A. Karuniawan. 2022. Pengujian karakter hasil dan komponen hasil klon ubi jalar berdaging putih berdasarkan analisis multivariat. *Jurnal Kultivasi*, 21(1), 113-124.
- Xiao, S., Xu, P., Deng, Y., Dai, X., Zhao, L., Heider, B., Zhang, A., Zhou, Z., & Cao, Q. 2021. Correction to: Comparative analysis of chloroplast genomes of cultivars and wild species of sweetpotato (*Ipomoea batatas* (L.) Lam.). *BMC Genomics*, 22(1), 1–12.
- Yuhibba, A.F., Rachmadi, M., & Carsono, N. 2018. Principal Component Analysis (PCA) Karakter-Karakter Umbi Wortel (*Daucus carota* L.) Varietas Lokal Asal Sibayak. *Zuriat*, 29(2), 67-71.
- Yulianty., Wahyuningsih,S., & Ernawiati, E., 2023. Karakter Penciri Morfologis Tanaman Ubi Jalar (*Ipomoea batatas* (L.) Lam.) dan Keanekaragamannya di Lampung. *Jurnal Ilmiah Hijau Cendekia*. 8(2): 85-89.
- Zhang, D., Cervantes, J., Huam, Z., Carey, E., & Ghislain, M. 2000. Assessing genetic diversity of sweet potato (*Ipomoea batatas* (L.) Lam.) cultivars from tropical America using AFLP. *Genetic Resource and Crop Evolituon*. 47: 659–665.
- Zhang, K., Wu, Z. D., Li, Y. H., Zhang, H., Wang, L. P., Zhou, Q. L., Tang, D. Bin, Fu, Y. F., He, F. F., Jiang, Y. C., Yang, H., & Wang, J. C. 2014. ISSR-based molecular characterization of an elite germplasm collection of sweet potato (*Ipomoea batatas* L.) in China. *Journal of Integrative Agriculture*, 13(11), 2346–2361.