

DAFTAR PUSTAKA

- Abdurrachman, & Febrina, E., 2021, Evaluasi Penggunaan Antibiotik pada Pasien Anak Penderita Demam Tifoid di Rumah Sakit Al Islam Bandung, *Jurnal Farmaka*, 16(2), 87–96.
- Agtini, M.D., Ochiai, R.L., Soeharno, R., Lee, H.J., Sundoro, J., Hadinegoro, S.R., Han, O.P., Tana, L., Halim, F.X.S., Ghani, L., Delima, Lestari, W., Sintawati, F.X., Kusumawardani, N., Malik, R., Santoso, T.S., Nadjib, M., Soeroso, S., Wangsaputra, F. & Acosta, C. J, 2006, Introducing Vi polysaccharide typhoid fever vaccine to primary school children in North Jakarta, Indonesia, via an existent school-based vaccination platform. *Public Health*, 120(11), 1081–1087.
- Alba, S., Bakker, M.I., Hatta, M., Scheelbeek, P.F., Dwiyanti, R., Usman, R., Sultan, A.R., Sabir, M., Tandirogang, N., Amir, M., Yasir, Y., Pastoor, R., van Beers, S. & Smits, H. L., 2016, Risk Factors of Typhoid Infection in the Indonesian Archipelago, *PloS one*, 11(6), e0155286.
- Ale-Zehra, Naqvi, B.S., Bushra, R. & Ali, S.Q., 2010, Comparative Study on Resistance Pattern of Different Pathogens Against Cefixime and Cefepime, *Jordan Journal of Pharmaceutical Sciences*, 3 (2), 145-156.
- Ali, M.H., Rokonuzzaman, S.M., Ahmed, M.A., Uddin, M.N., Haque, M.A. & Islam, M.A., 2011, Effectiveness of levofloxacin in enteric fever, *Mymensingh medical journal: MMJ*, 20(3), 441–445.
- Appiah, G., Chatham-Stephens, K., Hughes, M. & Medalla, F., 2020, Typhoid Fever and Paratyphoid Fever, *Control of Communicable Diseases Clinical Practice*.
- Ardiaria, M., 2019, Epidomologi, Manifestasi klinis dan penatalaksanaan demam tifoid, *JNH Journal of nutrition and Health*, 7(2).ISSN:2622-8483.
- Arifin, S., Hartoyo, E., Srihandayani, D., 2009. Hubungan Tingkat Demam dengan Hasil Pemeriksaan Hematologi pada Penderita Demam Tifoid, *Jurnal Universitas Lambung Mangkurat* ; 1(1): 14.
- Basnyat, B., Qamar, F.N., Rupali, P., Ahmed, T. & Parry, C.M., 2021, Enteric fever. *The BMJ*, 372, 1–7.
- Bhandari, J., Thada, P.K., & DeVos, E., 2022, Typhoid Fever, *StatPearls*, StatPearls Publishing, <https://pubmed.ncbi.nlm.nih.gov/>, 10 Januari 2024.
- Bibi, S., Chisti, M.J., Akram, F., & Pietroni, M.A., 2012, Ampicillin and gentamicin are a useful first-line combination for the management of sepsis in under-five children at an urban hospital in Bangladesh, *Journal of health, population, and nutrition*, 30(4), 487–490.
- Brusch, J.L., 2019, Typhoid Fever: Background, Pathophysiology, Epidemiology, *Medscape*, <https://emedicine.medscape.com>, 20 November 2023.
- Butler, T., 2011, Treatment of typhoid fever in the 21st century: promises and shortcomings, *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases*, 17(7), 959–963.

- Cruz Espinoza, L.M., McCreedy, E., Holm, M., Im, J., Mogeni, O.D., Parajulee, P., Panzner, U., Park, S.E., Toy, T., Haselbeck, A., Seo, H.J., Jeon, H.J., Kim, J. H., Kwon, S.Y., Kim, J.H., Parry, C.M. & Marks, F., 2019, Occurrence of Typhoid Fever Complications and Their Relation to Duration of Illness Preceding Hospitalization: A Systematic Literature Review and Meta-analysis, *Clinical Infectious Diseases*, 69(Suppl 6), S435–S448. <https://doi.org/10.1093/cid/ciz477>.
- Dasopang, E.S., Hasanah, F., Bakri, T.K. & Isma, M., 2019, Comparative Effectiveness Study of Chloramphenicol and Ceftriaxone in the Treatment of Typhoid Fever in Children Admitted to Putri Hijau Kesdam I/Bb Hospital Medan, *Macedonian journal of medical sciences*, 7(22), 3847– 3851.
- Depkes RI, 2008, Riset Kesehatan Dasar 2007, Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan RI, Jakarta
- Devita, N., Riski, M.S., Marufi, R., & Habibah, U.A., 2023, Profil Manifestasi Klinis dan Laboratorium Pasien Demam Tifoid di RS PKU Bantul, *Jurnal Kedokteran Universitas Palangka Raya*, 11(2).
- Elhawari, S., & Mourad, M., 2015, Validity of TUBEX Test versus Widal Test in Detection of Typhoid Fever in Zagazig, Egypt. *Afro-Egyptian Journal of Infectious and Endemic Diseases*, 5(4), 265–270.
- Etouke, T.A.N., Ful Kuh, G., Nzesseu, V.L., Gomseu, B.E.D., Tamokou, J.D., & Dzoyem, J.P., 2023, Association of Biochemical and Hematological Parameters With Enteric Fever Infection at the Dschang Regional Annex Hospital, Cameroon: A Cross-Sectional Study, *Cureus*, 15(6), e40498.
- Fithria, R.F., Damayanti, K., & Fauziah, 2015, Perbedaan Efektivitas Antibiotik Pada Terapi Demam Tifoid Di Puskesmas Bancak Kabupaten Semarang Tahun 2014, *Jurnal Ilmu Farmasi dan Farmasi Klinik*, 0, 1-6.
- Gultom, M.D., 2017, Karakteristik Penderita Demam Tifoid yang Dirawat Inap di Rumah Sakit Santa Elisabeth Medan Tahun 2016.
- Handayani, N.P.D.P., & Mutiarasari, D., 2017, Karakteristik Usia, Jenis Kelamin, Tingkat Demam, Kadar Hemoglobin, Leukosit Dan Trombosit Penderita Demam Tifoid Pada Pasien Anak Di Rsu Anutapura Tahun 2013, *MEDIKA TADULAKO, Jurnal Ilmiah Kedokteran*, 4(2), 30–40. jurnal.untad.ac.id/jurnal/index.php/MedikaTadulako/article/view/9285
- Hapsari, T.N., 2019, Evaluasi Penggunaan Antibiotik Pada Pasien Demam Tifoid Di Instalasi Rawat Inap RSUD Dr.R.Soetijono Blora Periode Januari 2017 - Agustus 2018, *Skripsi*, Universitas Muhammadiyah Surakarta, 1(1), 2–15.
- Harris, J.B., Brooks, W.A., 2013, Typhoid and Paratyphoid (Enteric) Fever, in: *Hunter's Tropical Medicine and Emerging Infectious Diseases*, Philadelphia, PA, pp. 568–576.

- Heltiani, N., Desmiany D.I., & Ramadani, N., 2022, Analisis Average Length Of Stay Pasien Typhoid Fever di RSUD Harapan Doa Kota Bengkulu. *Jurnal Manajemen Informasi Kesehatan (Health Information Management)*, February. <https://doi.org/10.51851/jmis.v2i6.274>
- Idrus, H., 2020, *Buku Demam Tifoid Hasta 2020*, Makssar, Universitas Muslim Indonesia.
- Innesa, Hapsari, C., & Budijitno, M. D., 2013, Perbaikan Gejala Klinis Demam Terhadap Terapi Antibiotik Pada Anak Dengan Demam Tifoid. *Jurnal Kedokteran Diponegoro*, <http://eprints.undip.ac.id/43747/>.
- Jamil, K.F., 2019, The Comparison of The Clinical Symptoms of Thypoid Fever in Adult Patients (Tubex vs Widal) in Banda Aceh, Aceh Province, Indonesia. *Tropical Medicine Journal*, 4(1).
- Kemenkes, 2006, Pedoman Pengendalian Demam Tifoid, Keputusan Menteri Kesehatan Republik Indonesia Nomor 364, p. 41.
- Khairunnisa, S., Hidayat, E. M., & Herardi, R., 2020, Hubungan Jumlah Leukosit dan Persentase Limfosit terhadap Tingkat Demam pada Pasien Anak dengan Demam Tifoid di RSUD Budhi Asih Tahun 2018– Oktober 2019. *In Seminar Nasional Riset Kedokteran* (Vol. 1, No. 1).
- Levani, Y. & Prastya, A.D., 2020, Demam Tifoid: Manifestasi Klinis, Pilihan Terapi Dan Pandangan Dalam Islam. *Al-Iqra Medical Journal: Jurnal Berkala Ilmiah Kedokteran*, 1(2), 10–16.
- Lim, P.K., Tam, F.C.H., Cheong, Y.M. & Jegathesan, M., 1998, One-Step-2- Minute Test To Detect Typhoid-Spesific Antibodies Based on Particle Separation in Tubes, *Journal of Clinical Microbiology*, 36 (8), 2271-2278.
- Masyrofah, D., Hilmi, I.L., & Salman, S., 2023, Review Artikel: Hubungan Umur dengan Demam Tifoid, *Journal of Pharmaceutical and Sciences*, 6(1), 215–220.
- Mayasari, D. & Pratiwi, A., 2009, Hubungan Respon Imun dan Stres dengan Tingkat Kekambuhan Demam Tifoid pada Masyarakat di Wilayah Puskesmas Colomadu Karanganyar, *Berita Ilmu Keperawatan*, 2 (1), 13-18.
- Melarosa, P.R., Ernawati, D K., & Mahendra, A.N., 2019, Pola Penggunaan Antibiotika Pada Pasien Dewasa Dengan Demam Tifoid Di Rsup Sanglah Denpasar Tahun 2016-2017, *E-Jurnal Medika Udayana*, 8(1), 12.
- Mouwen, A.M.A., Dijkstra, J.A., Jong, E., Buijtel, P.C., Pasker-de Jong, P.C., & Nagtegaal, J.E., 2020, Early switching of antibiotic therapy from intravenous to oral using a combination of education, pocket-sized cards and switch advice: A practical intervention resulting in reduced length of hospital stay, *International journal of antimicrobial agents*, 55(1), 105769.
- National Institute for Communicable Diseases, 2022, Enteric fever (typhoid and paratyphoid fever): Recommendations for diagnosis, management and public health response, *Enteric Fever Guideline*, Juni, 1–25.

- Nazilah, A.A., 2013, Hubungan Derajat Kepositifan TUBEX TF dengan Angka Leukosit pada Pasien Demam Tifoid, *13(3)*, 173–180.
- Nelwan, R.H.H., Chen, K., Nafrialdi, & Paramita, D., 2006, Open study on efficacy and safety of levofloxacin in treatment of uncomplicated typhoid fever, *Southeast Asian J Trop Med Public Health*; *37(1)*: 126-30.
- Nelwan, R.H.H., 2012, Tatalaksana terkini demam tifoid, *Continuing Medical Education*, *39(4)*, 247-250.
- Ndako, J.A., Dojumo, V.T., Akinwumi, J.A., Fajobi, V.O., Owolabi, A.O. & Olatinsu, O., 2020, Changes in some haematological parameters in typhoid fever patients attending Landmark University Medical Center, Omuaran-Nigeria, *Heliyon*, *6(5)*, e04002.
- Notoatmodjo, 2012, *Metode Penelitian Kesehatan*, : Rineka Cipta, Jakarta.
- Nurmainah, N., Syabriyanti, S., & Susanti, R., 2017, Efektivitas Biaya Penggunaan Ampisilin Dansefotaksim Pada Pasien Anak Demam Tifoid. *Media Kesehatan Masyarakat Indonesia*, *13(2)*, 131.
- Ogston, S. A., Lemeshow, S., Hosmer, D. W., Klar, J. & Lwanga, S. K., 1991. Adequacy of Sample Size in Health Studies. *Biometrics*, *47(1)*, 347.
- Parry, C. M., Ribeiro, I., Walia, K., Rupali, P., Baker, S. & Basnyat, B., 2019, Multidrug resistant enteric fever in South Asia: Unmet medical needs and opportunities. *BMJ (Online)*, *364*, 1–4.
- Patterson, R.A., & Stankewicz, H.A, 2023, Penicillin Allergy, *StatPearls Publishing*, <https://www.ncbi.nlm.nih.gov/books/NBK459320/> 13 Juni 2024.
- Pohan, H.T., 2004, Clinical and laboratory manifestations of typhoid fever at Persahabatan Hospital, Jakarta. *Headache*, *59*, 94-9.
- Pratama, K. Y., & Lestari, W., 2015, Efektifitas Tubex Sebagai Metode Diagnosis Cepat Demam Tifoid. *Intisari Sains Medis*, *2(1)*, 70-73.
- Putri, L.A., Desiani, E. & Prasetya, H.B., 2023, Evaluasi Penggunaan Antibiotik Pada Pasien Demam Tifoid Dengan Metode Atc/Ddd Di RSI PKU Muhammadiyah Pekajangan. *Jurnal Kesehatan dan Kedokteran*, *2(2)*, 31- 37.
- Radhakrishnan, A., Als, D., Mintz, E.D., Crump, J.A., Stanaway, J., Breiman, R.F. & Bhutta, Z.A., 2018, Introductory Article on Global Burden and Epidemiology of Typhoid Fever, *The American journal of tropical medicine and hygiene*. *99*, 4–9.
- Raini, M., 2017, Antibiotik Golongan Fluorokuinolon, *Media Penelitian Dan Pengembangan Kesehatan*, *26(3)*, 163–174.
- Rahmawati, A., Muchtar, H. & Nasif, H., 2019, Efektifitas Antibiotik Pasien Demam Tifoid RSUP Dr. M. Djamil Padang. *JOPS (Journal Of Pharmacy and Science)*, *2(2)*, 13–28.
- Rampengan, 2008, *Penyakit Infeksi Tropik Pada Anak*, Buku Kedokteran EGC, Jakarta.

- Rampengan, N. H., 2016, Antibiotik Terapi Demam Tifoid Tanpa Komplikasi pada Anak, *Sari Pediatri*, 14(5), 271.
- Ridha, H.N., 2017, *Buku Ajar Keperawatan Anak*, Yogyakarta: Pustaka pelajar.
- Riskesdas, 2018, Angka Rata Rata Kesakitan Demam Typhoid Di Indonesia, <http://www.depkes.go.id>, 25 Oktober 2023.
- Rismarini, R., Anwar, Z., & Merdjani, A., 2001, Perbandingan Efektifitas Klinis antara Kloramfenikol dan Tiamfenikol dalam Pengobatan Demam Tifoid pada Anak. *Sari Pediatri*, 3(2), 83.
- Riyanto, S., Hatmawan, A.A., 2020, *Metode Riset Penelitian Kuantitatif*. Yogyakarta: CV Budi Utama.
- Shah, N., Gossman, W., 2023, Omeprazole, *StatPearls Publishing*, <https://www.ncbi.nlm.nih.gov/books/NBK539786/>, 10 Juni 2024.
- Shrivastava, K., Vahikar, S., & Mishra V., 2015, Hematological profile in typhoid fever, *Trop J Path Micro*;1(1):16-20.
- Stanaway, J.D., Reiner, R.C., Blacker, B.F., Goldberg, E.M., Khalil, I.A., Troeger, C.E., Andrews, J.R., Bhutta, Z.A., Crump, J.A., Im, J., Marks, F., Mintz, E., Park, S.E., Zaidi, A.K.M., Abebe, Z., Abejie, A.N., Adedeji, I.A., Ali, B.A., Amare, A.T. & Hay, S.I., 2019, The global burden of typhoid and paratyphoid fevers: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet Infectious Diseases*, 19(4), 369–381.
- Sucipta, A., 2015, Baku Emas Pemeriksaan Laboratorium Demam Tifoid pada Anak. *Jurnal Skala Husada*, 12(1), 22-26.
- Sunaryani, R., Mukaddas, A. & Tandah, M.R., 2019, Perbandingan Efektivitas Antibiotik Golongan Sefalosporin Generasi Ketiga Pada Pasien Demam Tifoid Di Rumah Sakit Daerah Madani Provinsi Sulawesi Tengah Periode 2017, *Jurnal Ilmiah Medicamento*, 5(1), 58–62.
- Soedarmo, S.S.P, Garna, H., Hadinegoro, S.R.S. & Satari, H.I., 2008, *Buku Ajar Infeksi dan Pediatri Tropis*, Badan Penerbit IDAI.
- Sugiyono, 2017, *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta, CV.
- Tiwaskar, M., 2019, Cefixime-ofloxacin Combination in the Management of Uncomplicated Typhoid Fever in the Indian Community Setting, *Jurnal Physicians India*, 67(3), pp. 75–80.
- Usman, M., Ashraf, M., Khokhar, M.I., Ashiq, B., Masood, M.I., Afzal, S., Omer, O., Ali, M., & Qadir, M.I., 2013, Comparative pharmacokinetics of levofloxacin in healthy volunteers and in patients suffering from typhoid Fever, *Iranian journal of pharmaceutical research: IJPR*, 12(1), 147–154.
- Vaxcorp, 2024, Tubex Test (Anti Salmonella IgM), <https://clinic.vaxcorpindo.com/tubex-test-anti-salmonella-igm/>, 15 Juni 2024.
- Vinh, H., Parry, C.M., Hanh, V.T., Chinh, M.T., House, D., Tham, C.T., Thao, N.T., Diep, T.S., Wain, J., Day, N.P., White, N.J., & Farrar, J.J., 2004, Double

blind comparison of ibuprofen and paracetamol for adjunctive treatment of uncomplicated typhoid fever, *The Pediatric infectious disease journal*, 23(3), 226–230.

Widodo, D., 2014, Demam Tifoid. *Buku Ajar Ilmu Penyakit Dalam Universitas Indonesia Edisi 6*, Jakarta.

Widoyono, 2008, *Penyakit Tropis Epidemiologi, Penularan, Pencegahan dan Pemberantasan*, Erlangga, Jakarta.

World Health Organization (WHO), 2023, Newsroom: Typhoid, <https://www.who.int/news-room/>, 10 Oktober 2023.

Zein, U., 2012, *Buku Saku Demam*. USU Press.