

REFERENCES

- Abdelfattah, M. S., Elmallah, M. I., Hawas, U. W., El-Kassem, L. T., & Eid, M. A. (2016). Isolation and characterization of marine-derived actinomycetes with cytotoxic activity from the Red Sea coast. *Asian Pacific Journal of Tropical Biomedicine*, 651-657. Retrieved from <https://doi.org/10.1016/j.apjtb.2016.06.004>.
- Abdelmohsen, U. R., Yang, C., Horn, H., Hajjar, D., Ravasi, T., & Hentschel, U. (2014). Actinomycetes from Red Sea sponges: sources for chemical and phylogenetic diversity. *Marine drugs*, 12(5), 2771-2789. Retrieved from <https://doi.org/10.3390/md12052771>
- Amin, D. H., Abdallah, N. A., Abolmaaty, A., Tolba, S., & Wellington, E. M. (2020). Microbiological and molecular insights on rare Actinobacteria harboring bioactive prospective. *Bulletin of the National Research Centre*, 44(1), 5. Retrieved from <https://doi.org/10.1186/s42269-019-0266-8>
- Anggelina, A. C., Pringgenies, D., & Setyati, W. A. (2021). Presence of Biosynthetic Gene Clusters (NRPS/PKS) in Actinomycetes of Mangrove Sediment in Semarang and Karimunjawa, Indonesia. *Environment and Natural Resources Journal*, 19(5).
- Ansari, M. Z. (2004). NRPS-PKS: A knowledge-based resource for analysis of NRPS/PKS megasynthases. *Nucleic Acids Research*, 32, 405-413. Retrieved from <https://doi.org/10.1093/nar/gkh359>
- Anteneh, Y. S., Yang, Q., Brown, M. H., & Franco, C. M. (2021). Antimicrobial Activities of Marine Sponge-Associated Bacteria. *Microorganism*, 9(1), 171. Retrieved from <https://doi.org/10.3390/microorganisms9010171>
- Armstrong, E., Yan, L., Boyd, K. G., Wright, P. C., & Burgess, J. G. (2001). The symbiotic role of marine microbes on living surfaces. *Hydrobiologia*, 461(1), 37-40. Retrieved from <https://doi.org/10.1023/A:1012756913566>
- Assou, S. A., Anissi, J., Sendide, K., & Hassouni, M. E. (2023). Diversity and Antimicrobial Activities of Actinobacteria Isolated from Mining Soils in Midelt Region, Morocco. *Scientific World Journal*. doi:10.1155/2023/6106673
- Atikana, A., Sukmarini, L., & et al. (2023). Bioactivity Profiles of Actinobacterium Strain BTA 1-131 (InaCC A1205) Isolated from Indonesian Sponge *Melophlus sarassinorum*. *Indonesian Journal of Pharmacy*, 34(2). Retrieved from <https://doi.org/10.22146/ijp.6455>
- Balagurunathan, R., Radhakrishnan, M., & et al. (2020). Sample Collection, Isolation, and Diversity of Actinobacteria. In R. Balagurunathan, M. Radhakrishnan, T. Shanmugasundaram, V. Gopikrishnan, & J. Jerrine (Eds.). *Protocols in Actinobacterial Research*, 1-24. Retrieved from https://doi.org/10.1007/978-1-0716-0728-2_1
- Balasubramanian, S., Othman, E. M., & et al. (2017). Marine Sponge-Derived *Streptomyces* sp. SBT343 Extract Inhibits Staphylococcal Biofilm Formation. *Frontiers in Microbiology*, 8. Retrieved from <https://www.frontiersin.org/articles/10.3389/fmicb.2017.00236>
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of pharmaceutical analysis*, 6(2),

- 71-79. Retrieved from <https://doi.org/10.1016/j.jpha.2015.11.005>
- Barka, E. A., Vatsa, P., & Sanchez, L. (2016). Taxonomy, physiology, and natural products of Actinobacteria. *Microbiology and Molecular Biology Reviews*, *80*(1), 1-43. doi:10.1128/membr.00019-15
- Behjati, S., & Tarpey, P. S. (2013). What is next generation sequencing? *Archives of Disease in Childhood-Education and Practice*, *98*(6), 236-238.
- Belknap, K. C., Park, C. J., Barth, B. M., & Andam, C. P. (2020). . Genome mining of biosynthetic and chemotherapeutic gene clusters in Streptomyces bacteria. *Bacteria Sci. Rep.*, *10*, 1-9.
- Bérdy, J. (2005). Bioactive microbial metabolites. *The Journal of Antibiotics*, *58*(1), 1-26. Retrieved from <https://doi.org/10.1038/ja.2005.1>
- Bergquist, P. R. (2001). *Porifera (Sponges)*. In eLS, John Wiley & Sons, Ltd (Ed.). Retrieved from <https://doi.org/10.1038/npg.els.0001582>
- Blunt, J. W., Copp, B. R., Keyzers, R. A., Munro, M. H., & Prinsep, M. R. (2015). Marine natural products. *Nat. Prod. Rep.*, *32*, 116-211.
- Boesenberg-Smith, K. A., Pessaraki, M. M., & Wolk, D. M. (2012). Assessment of DNA Yield and Purity: An Overlooked Detail of PCR Troubleshooting. *Clinical Microbiology Newsletter*, *34*(1), 1-6. Retrieved from <https://doi.org/10.1016/j.clinmicnews.2011.12.002>
- Bonnet, M., Lagier, J. C., Raoult, D., & Khelaifia, S. (2020). Bacterial culture through selective and non-selective conditions: The evolution of culture media in clinical microbiology. *New Microbes and New Infections*, *34*. Retrieved from <https://doi.org/10.1016/j.nmni.2019.100622>
- Burkart, M., & Ishikawa, F. (2023). *Non-Ribosomal Peptide Biosynthesis and Engineering: Methods and Protocols* (Vol. 2670). Springer US. Retrieved from <https://doi.org/10.1007/978-1-0716-3214-7>
- Carrier, T. J., Maldonado, M., & Schmittmann, L. (2022). Symbiont transmission in marine sponges: reproduction, development, and metamorphosis. *BMC Biol* *20*, 100. Retrieved from <https://doi.org/10.1186/s12915-022-01291-6>
- CDC. (2019). *Antibiotic Resistance Threats in the United States*. Retrieved from Antimicrobial Resistance: <https://www.cdc.gov/drugresistance/index.html>
- Chatter, K. F., Biro, S., Lee, K. J., Palmer, T., & Schrempf, H. (2000). The complex extracellular biology of Streptomyces. *FEMS Microbiol. Rev*, *189*, 93-95.
- Corkill, G., & Rapley, R. (2008). The manipulation of nucleic acids: Basic tools and techniques. *Molecular Biotechnology Handbook*, 3-15.
- Cox, K., & Bright, J. (2017). Raja Ampat: A Biodiversity Hot Spot and the Future of Marine Conservation. *Fisheries*, *42*, 462-467. Retrieved from <https://doi.org/10.1080/03632415.2017.1356119>
- Demain, A. L. (2020). Carbon source regulation of idiolite biosynthesis in actinomycetes. *Regulation of secondary metabolism in Actinomycetes*, 127-134.
- Donlan, R. M., & Costerton, J. W. (2002). Biofilms: Survival Mechanisms of Clinically Relevant Microorganisms. *Clin. Microbiol. Rev.*, *15*, 167-193. Retrieved from doi: 10.1128/CMR.15.2.167-193.2002
- Eguchi, T., Takada, N., Nakamura, S., Tanaka, T., Makino, T., & Oshima, Y. (1993). Streptomyces bungoensis sp. nov. *Int. J. Syst. Bacteriol*, *43*, 749-

798.

- El-Gawahery, H., Amin, D. H., & Elsayed, A. F. (2022). Mining for NRPS and PKS Genes in Actinobacteria Using Whole-Genome Sequencing and Bioinformatic Tools. *Natural Products from Actinomycetes: Diversity, Ecology and Drug Discovery*, 393-410. Retrieved from https://doi.org/10.1007/978-981-16-6132-7_15
- Elleuch, L., Shaaban, M., & Smaoui, S. (2010). Bioactive secondary metabolites from a new terrestrial *Streptomyces* sp. TN262. *Appl. Biochem. Biotechnol.*, 162, 579-593.
- Escherichia coli* | *Taxonomy*. (2024). Retrieved April 29, 2024, from PubChem: <https://pubchem.ncbi.nlm.nih.gov/taxonomy/Escherichia-coli>
- Ezeobiora, C. E., Igbokwe, N. H., Amin, D. H., Enwuru, N. V., Okpalanwa, C. F., & Mendie, U. E. (2022). Uncovering the biodiversity and biosynthetic potentials of rare actinomycetes. *Future Journal of Pharmaceutical Sciences*, 8(1), 23. doi:10.1186/s43094-022-00410-y.
- Fanneli, M., Kupperman, E., Lautenbach, E., Edelstein, P. H., & Margolis, D. J. (2011). Antibiotics, acne, and *Staphylococcus aureus* colonization. *Archives of dermatology*, 147(8), 917-921. Retrieved from <https://doi.org/10.1001/archdermatol.2011.67>
- Finkel, S. E. (2006). Long-term survival during stationary phase: evolution and the GASP phenotype. *Nat. Rev. Microbiol.*, 4, 113–120.
- Fischbach, M. A., & Walsh, C. T. (2006). Assembly-Line Enzymology for Polyketide and Non-ribosomal Peptide Antibiotics: Logic, Machinery, and Mechanisms. *Chemical Reviews*, 106(8), 3468-3496. Retrieved from <https://doi.org/10.1021/cr0503097>
- Flatt, P. M., Gautschi, J. T., Thacker, R. W., Musafija-Girt, M., Crews, P., & Gerwick, W. H. (2005). Identification of the cellular site of polychlorinated peptide biosynthesis in the marine sponge *Dysidea* (Lamellodysidea) herbacea and symbiotic cyanobacterium *Oscillatoria spongelliae* by CARD-FISH analysis. *Marine Biology*, 147(3), 761-774. Retrieved from <https://doi.org/10.1007/s00227-005-1614-9>
- Freeman, M. F., Gurgui, C., Helf, M. J., Morinaka, B. I., Uria, A. R., Oldham, N. J., . . . Piel, J. (2012). Metagenome mining reveals polytheonamides as posttranslationally modified ribosomal peptides. *Science (New York, N.Y.)*, 338(6105), 387-390. Retrieved from <https://doi.org/10.1126/science.1226121>
- Garrity, George, Bell, J., & Lilburn, T. (2003). *Taxonomic Outline of the Prokaryotic Genera*. Bergey's Manual of Systematic Bacteriology.
- Ghashghaei, S., Etemadifar, Z., Tavassoli, M., & Mofid, M. R. (2023). Optimization of Degenerate PCR Conditions for Reducing Error Rates in Detection of PKS and NRPS Gene groups in Actinomycetes. *Avicenna Journal of Medical Biotechnology*, 15(1), 28-37. Retrieved from <https://doi.org/10.18502/ajmb.v15i1.11422>
- González, R., Welsh, O., Ocampo, J., Hinojosa-Robles, R. M., Vera-Cabrera, L., Delaney, M. L., & Gómez, M. (2005). In vitro antimicrobial susceptibility of *Propionibacterium acnes* isolated from acne patients in northern Mexico.

- International journal of dermatology*, 49(9), 1003-1007. Retrieved from <https://doi.org/10.1111/j.1365-4632.2010.04506.x>
- Grein, A., & Meyers, S. P. (1958). Growth Characteristics And Antibiotic Production Of Actinomycetes Isolated From Littoral Sediments And Materials Suspended In Sea Water. *Journal of Bacteriology*, 76(5), 457-463.
- Grigonis, D., Venskutonis, P. R., Sivik, B., Sandahl, M., & Eskilsson, C. S. (2005). Comparison of different extraction techniques for isolation of antioxidants from sweet grass (*Hierochloë Odorata*). *J. Supercrit. Fluids.*, 33, 223-233.
- Haney, E. F., Trimble, M. J., & Hancock, R. E. (2021). Microtiter plate assays to assess antibiofilm activity against bacteria. *Nature Protocol*, 16, 2615-2632. Retrieved from <https://doi.org/10.1038/s41596-021-00515-3>
- Haque, K. A., Pfeiffer, R. M., Beerman, M. B., Struewing, J. P., Chanock, S. J., & Bergen, A. W. (2003). Performance of high-throughput DNA quantification methods. *BMC Biotechnology*, 3(1), 1-10.
- Højby, N. A. (2017). A short history of microbial biofilms and biofilm infections. *APMIS*, 125, 272-275.
- Hooper, J. (2018). *Structure of Sponges*. Queensland Museum.
- Hou, P., Nowak, V. V., Taylor, C. J., Calcott, M. J., Knight, A., & Owen, J. G. (2023). A genomic survey of the natural product biosynthetic potential of actinomycetes isolated from New Zealand lichens. *Msystems*, 8(2).
- Huang, X., Zhou, S., Huang, D., Chen, J., & Zhu, W. (2016). An actinomycete derived from marine sponge. *Int. J. Syst. Evol. Microbiol.*, 66, 738-743.
- Jiang, Y., Li, Q., Chen, X., & Jiang, C. (2016). *Isolation and Cultivation Methods of Actinobacteria*. InTech.
- Kloosterman, A. M., Medema, M. H., & WezeL, G. P. (2021). Omics-based strategies to discover novel classes of RiPP natural products. *Current Opinion in Biotechnology*, 69, 60-67.
- Kumar, P. S., Ling, C. Y., Zhou, Z. B., Dong, Y. L., Sun, C. L., Song, Y. X., . . . Ju, J. H. (2020). Chemical Diversity of Metabolites and Antibacterial Potential of Actinomycetes Associated with Marine Invertebrates from Intertidal Regions of Daya Bay and Nansha IslandS. *Microbiology*, 89(4), 483-492. Retrieved from <https://doi.org/10.1134/S0026261720040062>
- Li, J., Zhao, G. Z., Chen, H. H., Wang, H. B., Qin, S., Zhu, W. Y., . . . Li, W. J. (2008). Antitumour and antimicrobial activities of endophytic streptomycetes from pharmaceutical plants in rainforest. *Letters in Applied Microbiology*, 47(6), 574-580. Retrieved from <https://doi.org/10.1111/j.1472-765X.2008.02470.x>
- Linhart, C., & Shamir, R. (2007). *Degenerate Primer Design: PCR Primer Design*. Humana Press. Retrieved from https://doi.org/10.1007/978-1-59745-528-2_11
- Lucena-Aguilar, G., Sánchez-López, A. M., Barberán-Aceituno, C., Carrillo-Ávila, J., López-Guerrero, J. A., & Aguilar-Quesada, R. (2016). DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis. *Biopreservation and Biobanking*, 14(4), 264-270. Retrieved from <https://doi.org/10.1089/bio.2015.0064>
- Luo, X. X., Kai, L., Wang, Y., & Zhang, L. L. (2017). *Streptomyces luteus* sp. nov.,

- an actinomycete isolated from soil. *Int. J. Syst. Evol. Microbiol*, 67, 543-547.
- Madigan, M. T., Martinko, J. M., & Parker, J. (2000). *Brock biology of microorganisms*. Prentice-Hall, Upper Saddle Rive: NJ.
- Mahmoud, H. M., & Kalendar, A. A. (2016). Coral-Associated Actinobacteria: Diversity, Abundance, and Biotechnological Potentials. *Frontiers in Microbiology*. Retrieved from <https://www.frontiersin.org/articles/10.3389/fmicb.2016.00204>
- Mallot, E. K., Malhi, R. S., & Amato, K. R. (2019). Assessing the comparability of different DNA extraction and amplification methods in gut microbial community profiling. *Access Microbiology*, 1(7). Retrieved from <https://doi.org/10.1099/acmi.0.000060>
- Mertz, F. P., & Higgins, C. E. (1982). *Streptomyces capillispiralis* sp. nov. *Int. J. Syst. Bacteriol*, 32, 116-124.
- MeSH. (2020). Retrieved April 29, 2024, from MeSH Browser: <https://meshb.nlm.nih.gov/record/ui?ui=D004926>
- Moffitt, M. C., & Neilan, B. A. (2001). On the presence of peptide synthetase and polyketide synthase genes in the cyanobacterial genus *Nodularia*. *FEMS Microbiology Letters*, 196(2), 207-214. Retrieved from <https://doi.org/10.1111/j.1574-6968.2001.tb10566.x>
- Moser, C., Pedersen, H. T., & et al. (2017). Biofilms and host response-helpful or harmful. *APMIS*, 125, 320-338.
- Murphy, R., Benndorf, Beer, Z. W., Vollmers, J., Kaster, A. K., Beemelmann, & Poulsen, M. (2021). Comparative genomics reveals prophylactic and catabolic capabilities of Actinobacteria within the fungus- farming termite symbiosis. *Msphere*, 6(2). Retrieved from 10.1128/msphere. 01233-20
- Murray, C. J. (2019). Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis. *The Lancet*, 399(10325), 629-655.
- Navarro, L. J., Tormo, A., & Martínez-García, E. (2010). Stationary phase in gram-negative bacteria. *FEMS Microbiol*, 34, 476-495.
- Nett, M., Ikeda, H., & Moore, B. S. (2009). Genomic basis for natural product biosynthetic diversity in the actinomycetes. *Natural Product Reports*, 26(11), 1362-1384. Retrieved from <https://doi.org/10.1039/b817069j>
- Newman, D. J., & Cragg, G. M. (2007). Natural products as sources of new drugs over the last 25 years. *Journal of natural products*, 70(3), 461-477. Retrieved from <https://doi.org/10.1021/np068054v>
- Paliwal, R., Sharma, V., & Sharma, S. (2011). Elucidation of free radical scavenging and antioxidant activity of aqueous and hydro-ethanolic extracts of *Moringa oleifera* pods. *Research Journal of Pharmacy and Technology*, 4(4), 566-571.
- Pathom-aree, W., Stach, J. E., & et al. (2006). Diversity of actinomycetes isolated from Challenger Deep sediment (10,898 m) from the Mariana Trench. *Extremophiles*, 10(3), 181-189. Retrieved from <https://doi.org/10.1007/s00792-005-0482-z>
- Pelczar, E., & Chan, E. C. (2023). *Dasar-dasar Mikrobiologi* (1 ed.). (R. S. Hadjoetomo, & T. Imas, Trans.)

- Piel, J. (2004). Metabolites from symbiotic bacteria. *Natural Product Reports*, 21(4), 519-538. Retrieved from <https://doi.org/10.1039/B310175B>
- Pinelo, Manuel, & et al. (2005). Optimization of continuous phenol extraction from *Vitis vinifera* byproducts. *Food Chemistry*, 92, 109-117.
- Poralla, K., Muth, G., & Hartner, T. (2000). Hopanoids are formed during transition from substrate to aerial hyphae in *Streptomyces coelicolor* A3(2). *FEMS Microbiol. Lett*, 189, 93-95.
- Porreca, A. M., Sullivan, K. V., & Gallagher, J. C. (2018). The Epidemiology, Evolution, and Treatment of KPC-Producing Organisms. *Curr Infect Dis Rep*, 6, 13.
- Proksch, P., Putz, A., Ortlepp, S., Kjer, J., & Bayer, M. (2010). Bioactive natural products from marine sponges and fungal endophytes. *Phytochemistry Reviews*, 9(4), 475-489.
- Radhakrishnan, M., Suganya, S., Balagurunathan, R., & Kumar, V. (2010). Preliminary screening for antibacterial and antimycobacterial activity of actinomycetes from less explored ecosystems. *World Journal of Microbiology and Biotechnology*, 26, 561-566.
- Rajivgandhi, G., Gnanamangai, B. M., Ramachandran, G., Chackaravarthy, G., Chelliah, C. K., Maruthupandy, M., . . . Li, W. J. (2022). Effective removal of heavy metals in industrial wastewater with novel bioactive catalyst enabling hybrid approach. *Environmental Research*, 204. Retrieved from <https://doi.org/10.1016/j.envres.2021.112337>
- Rhandour, Z., Oumam, M., El-Amraoui, B., Bennamara, A., & Abourriche, A. (2016). Extraction and recovery of bioactive metabolites from marine sponge “*Ircinia spinulosa*”. *World Journal of Innovative Research*, 1(2), 9-13.
- Ribeiro, I., Girão, M., Alexandrino, D. A., Ribeiro, T., Santos, C., Pereira, F., . . . Carvalho, M. F. (2020). Diversity and Bioactive Potential of Actinobacteria Isolated from a Coastal Marine Sediment in Northern Portugal. *Microorganisms*, 8(11).
- Rice, A., Rooney, M. T., Greenwood, A. I., Cotten, M. L., & Wereszczynski, J. (2020). Lipopolysaccharide Simulations Are Sensitive to Phosphate Charge and Ion Parameterization. *Journal of Chemical Theory and Computation*, 16(3), 1806-1815. Retrieved from <https://doi.org/10.1021/acs.jctc.9b00868>
- Rolfe, M. D., Rice, C. J., Lucchini, S., Pin, C., Thompson, A., Cameron, A. D., . . . Hinton, J. C. (2012). Lag phase is a distinct growth phase that prepares bacteria for exponential growth and involves transient metal accumulation. *J Bacteriol*, 194(3), 686-701. doi:10.1128/JB.06112-11
- Romero-Rodríguez, A., Rocha, D., Ruiz-Villafan, B., Tierrafría, V., Sanoja, R. R., Segura-González, D., & Sánchez, S. (2016). Transcriptomic analysis of a classical model of carbon catabolite regulation in *Streptomyces coelicolor*. *BMC Microbiology*, 16(1), 77. Retrieved from <https://doi.org/10.1186/s12866-016-0690-y>
- Sambrook, J., & Russell, D. W. (2006). *The condensed protocols from molecular cloning: A laboratory manual*. . Cold Spring Harbor Laboratory Press.
- Sanchez, S., & Demain, A. L. (2002). Metabolic regulation of fermentation

- processes. *Enzyme and Microbial Technology*, 31(7), 895-906.
- Sánchez, S., Chávez, A., Forero, A., García-Huante, Y., Romero, A., Sánchez, M., . . . Guzmán-Trampe, S. (2010). Carbon source regulation of antibiotic production. *The Journal of Antibiotics*, 63(8), 442-459.
- Santana-Pereira, A. L., Sandoval-Powers, M., Monsma, S., Zhou, J., Santos, S. R., Mead, D., & Liles, M. R. (2020). Discovery of novel biosynthetic gene cluster diversity from a soil metagenomic library. *Frontiers in Microbiology*.
- Sheikh, M., Gohel, S., Singh, S., & Rathore, D. (2019). Isolation strategies, abundance and characteristics of the marine actinomycetes of Kachhighadi, Gujarat, India. *Journal of the Marine Biological Association of India*, 61, 71-78. Retrieved from <https://doi.org/10.6024/jmbai.2019.61.1.2028-11>
- Shirling, E. B., & Gottlieb, D. (1966). Methods for characterization of *Streptomyces* species. *International Journal of Systematic Bacteriology*, 16(3), 313-340. doi:10.1099/00207713-16-3-313.
- Sivalingam, P., Hong, K., Pote, J., & Prabakar, K. (2019). Extreme environment *Streptomyces*: potential sources for new antibacterial and anticancer drug leads. *International Journal of Microbiology*, 1-20. doi:10.1155/2019/5283948.5283948
- Soldatou, S., Eldjárn, G. H., Ramsay, A., Hooft, J. J., Hughes, A. H., Rogers, S., & Duncan, K. R. (2021). Comparative metabologenomics analysis of polar actinomycetes. *Marine Drugs*, 19(2), 103.
- Sophia, A. (2021). Analysis of purity and concentration of extracted DNA on salted fish processed food products. *Asian Journal of Natural Product Biochemistry*, 19(1). Retrieved from <https://doi.org/10.13057/biofar/f190104>
- Srinivasan, M. C., Laxman, R. S., & Deshpande, M. V. (n.d.). Physiology and nutritional aspects of actinomycetes: An overview. *World Journal of Microbiology and Biotechnology*, 7(2), 171-184. Retrieved from <https://doi.org/10.1007/BF00328987>
- Stoodley, P., & Hall-Stoodley, L. (2009). Evolving concepts in biofilm infections. *Cell. Microbiol.*, 11, 1034-1043.
- Subramani, R., & Aalbersberg, W. (2012). Marine actinomycetes: An ongoing source of novel bioactive metabolites. *Microbiol. Res*, 167, 571-580.
- Subramaniam, G., Thakur, V., & et al. (2020). Complete genome sequence of sixteen plant growth promoting *Streptomyces* strains. *Sci. Rep.*, 10(10294).
- Tanauma, H. A., Citraningtyas, G., & Lolo, W. A. (2016). Aktivitas Antibakteri Ekstrak Biji Kopi Robusta (*Coffea Canephora*) Terhadap Bakteri *Escherichia Coli*. *Pharmacon*, 5(4), 243-251.
- Tenaillon, O., Skurnik, D., Picard, B., & Denamur, E. (2010). The population genetics of commensal *Escherichia coli*. *Nature Reviews. Microbiology*, 8(3), 207-217.
- Tierrafria, V. H., Ramos-Aboites, H. E., & Gosset, G. (2011). Disruption of the siderophore-binding *desE* receptor gene in *Streptomyces coelicolor* A3(2) results in impaired growth in spite of multiple iron-siderophore transport systems. *Microb. Biotechnol.*, 4, 275-285.

- Tortora, G. J., Funke, B. R., & Case, C. L. (2010). *Microbiology*. Pearson Benjamin Cummings.
- Ventola, C. L. (2015). The antibiotic resistance crisis: part 1: causes and threats. *P & T: a peer-reviewed journal for formulary management*, 40(4), 277-283.
- Voelker, F., & Altaba, S. (2001). Nitrogen source governs the patterns of growth and pristinamycin production in 'Streptomyces pristinaespiralis'. *Microbiology*, 147(9), 2247-2459.
- Waksman, S. A., Lechevalier, H. A., & Schanffner, C. P. (1965). Candicidin and other polyenic antifungal antibiotics. *World Health Organ*, 33, 219.
- Willson, M. C., & et al. (2014). An environmental bacterial taxon with a large and distinct metabolic repertoire. *Nature*, 506(7486). Retrieved from <https://doi.org/10.1038/nature12959>
- Wohlleben, W., Bera, A., Mast, Y., & Stegmann, E. (2017). Regulation of Secondary Metabolites of Actinobacteria. *Biology and Biotechnology of Actinobacteria*, 181-232. Retrieved from https://doi.org/10.1007/978-3-319-60339-1_8
- Yamanaka, K., Oikawa, H., Ogawa, H. O., Hosono, K., & et al. (2005). Desferrioxamine E produced by *Streptomyces griseus* stimulates growth and development of *Streptomyces tanashiensis*. *Microbiology*, 151, 2899-2905.
- Yao, L., & Ye, B. C. (2016). Reciprocal regulation of GlnR and PhoP in response to nitrogen and phosphate limitations in *Saccharopolyspora erythraea*. *Applied and Environmental Microbiology*, 82(1), 409-420.
- Zazopoulos, E., K Huang, A. S., Liu, W., Bachmann, B. O., K Nonaka, J. A., Thorson, J., . . . Farnet, C. M. (2003). A genomics- guided approach for discovering and expressing cryptic metabolic pathways. *Nature Biotechnology*, 21(2). Retrieved from <https://doi.org/10.1038/nbt784>
- Zhang, J., Du, L., Liu, F., Xu, F., Hu, B., Venturi, V., & Qian, G. (2014). Involvement of both PKS and NRPS in antibacterial activity in *Lysobacter enzymogenes* OH11. *FEMS Microbiology Letters*, 355(2), 170-176. Retrieved from <https://doi.org/10.1111/1574-6968.12457>
- Zhang, W., Li, Z., Miao, X., & Zhang, F. (2009). The Screening of Antimicrobial Bacteria with Diverse Novel Non-ribosomal Peptide Synthetase (NRPS) Genes from South China Sea Sponges. *Marine Biotechnology*, 11(3), 346-355. Retrieved from <https://doi.org/10.1007/s10126-008-9148-z>
- Zhao, Z., Zhao, G., Chai, Y., Li, W., Song, K., Zhao, W., . . . Du, Y. L. (2023). Targeted genome mining for microbial antitumor agents acting through DNA intercalation. *Synthetic and Systems Biotechnology*, 8(3), 520-526.