

## DAFTAR PUSTAKA

- Adámková, A., Kouřimská, L., Borkovcová, M., Kulma, M., and Mlček, J., 2016 Nutritional valuse of edible coleoptera (*Tenebrio molitor*, *Zophobas morio* and *Alphitobius diaperinus*) reared in the Czech Republic, *Potr. S. J. F. Sci.*, 10(1), 663-671.
- Alves, A.V., Sanjinez-Argandoña, E.J., Linzmeier, A.M., Cardoso, C.a.L., dan Macedo, M.L.R., 2016, Food Value of Mealworm Grown on *Acrocomia aculeata* Pulp Flour, *PLoS One*, 11(3), e0151275.
- Anonim, 2013, *Dietary Protein Evaluation in Human Nutrition: Report of an FAO Expert Consultation*, FAO, Roma.
- Anonim, 2016, *SNI 8290.1:2016 Pakan ayam ras petelur - Bagian 1: Sebelum masa awal* (layer pre starter), Badan Standardisasi Nasional, Jakarta.
- Anonim, 2022, *SNI 3148-1:2022 Pakan konsentrat – Bagian 1: Sapi perah*, Badan Standardisasi Nasional, Jakarta.
- Anonim, 2022, *SNI 3148-2:2022 Pakan konsentrat – Bagian 2: Sapi potong*, Badan Standardisasi Nasional, Jakarta.
- Anonim, 2022, *SNI 8173-2:2022 Pakan ayam ras pedaging* (broiler) — *Bagian 2 : Masa awal* (starter), Badan Standardisasi Nasional, Jakarta.
- Baek M., Kim, M.A., Kwon,Y.S., Hwang, J.S., Goo, T.W., Jun, M., dan Yun, E.Y., 2019, Effects of processing methods on nutritional composition and antioxidant activity of mealworm (*Tenebrio molitor*) larvae, *Entomol. Res.*, 49, 284-293.
- Bhatta, S., Janezic, T.S., and Ratti, C., 2020, Freeze-Drying of Plant-Based Foods, *Foods*, 9(1), 87.
- Biasato, I., De Marco, M., Rotolo, L., Renna, M., Lussiana, C., Dabbou, S., Capucchio, M.T., Biasibetti, E., Costa, P., Gai, F., Pozzo, L., Dezzutto, D., Bergagna, S., Martínez, S., Tarantola, M., Gasco, L., dan Schiavone, A., 2016, Effects of dietary *Tenebrio molitor* meal inclusion in free-range chickens, *J. Anim. Physiol. Anim. Nutr.*, 100(6), 1104-1112.
- Bogusz, R., Pobiega, K., Kowalczewski, P. Ł., Onopiuk, A., Szulc, K., Wiktor, A., Rybak, K., dan Nowacka, M., 2024, Nutritional Value and Microbiological Aspects of Dried Yellow Mealworm (*Tenebrio molitor* L.) Larvae Pretreated with a Pulsed Electric Field, *Appl. Sci.*, 14(3), 968.
- Chaijan, M., Panpipat, W, and Nisoa, M., 2017, Chemical deterioration and discoloration of semi-dried tilapia processed by sun drying and microwave drying, *Dry Technol.*, 35(5), 642-649.
- Chang, S.K.C. and Zhang, Y., *Protein Analysis*. Dalam Nielsen, S.S., *Food Analysis*, 5<sup>th</sup> Ed., Springer International Publishing, New York.

- Ellefson, W.E., 2017, *Fat Analysis*. Dalam Nielsen, S. S., *Food Analysis*, 5<sup>th</sup> Ed., Springer International Publishing, New York.
- Errico, S., Spagnoletta, A., Verardi, A., Moliterni, S., Dimatteo, S., dan Sangiorgio, P., 2021, *Tenebrio molitor* as a source of interesting natural compounds, their recovery processes, biological effects, and safety aspects *Compr. Rev. Food Sci. Food Saf.*, 21, 148-197.
- Ghosh, S., Lee, S., Jung, C., dan Meyer-Rochow, V.B., 2017, Nutritional composition of five commercial edible insects in South Korea, *J. Asia-Pac. Entomol.*, 20(2), 686-694.
- Gika, H., Kaklamanos, G., Manesiotis, P., dan Theodoridis, G., 2016, *Chromatography: High-Performance liquid chromatography*. Dalam Caballero, B., Finglas, P.M., dan Toldrá, F., *Encyclopedia of Food and Health*, Academic Press, Cambridge.
- Goyal, K., Singh, N., Jindal, S., Kaur, R., Goyal, A., dan Awasthi, R., 2022, *Kjeldahl Method*. Dalam Goyal, A., dan Kumar, H., *Advanced Techniques of Analytical Chemistry*, Bentham Science Publishers, Singapura.
- Hansen, L.L., Ramløv, H., dan Westh, P., 2004, Metabolic activity and water vapour absorption in the mealworm *Tenebrio molitor* L. (Coleoptera, Tenebrionidae): real-time measurements by two-channel microcalorimetry, *J. Exp. Biol.*, 207(3), 545–552.
- van Huis, A., dan Oonincx, D.G.A.B., 2017, The environmental sustainability of insects as food and feed. A review., *Agron. Sustain. Dev.*, 37, 43.
- Hong, J., Han, T., dan Kim, Y.Y., 2020, Mealworm (*Tenebrio molitor* Larvae) as an Alternative Protein Source for Monogastric Animal: A Review, *Animals*, 10, 2068.
- Imre, L., 2014, *Solar Drying*. Dalam Mujumdar, A.S., *Handbook of Industrial Drying*, 4<sup>th</sup> Ed., CRC Press, Boca Raton.
- Janssen, R.H., Vincken, J.P., van den Broek, L.A., Fogliano, V., and Lakemond C.M.M., 2017, Nitrogen-to-Protein Conversion Factors for Three Edible Insects: *Tenebrio molitor*, *Alphitobius diaperinus*, and *Hermetia illucens*, *J. Agric. Food Chem.*, 65(11), 2275-2278.
- Jensen, A. B., Evans, J., Jonas-Levi, A., Benjamin, O., Martinez, I., Dahle, B., dan Foley, K., 2016, Standard methods for *Apis mellifera* brood as human food, *J. Apic. Res.*, 58(2), 1–28.
- Khan, S., Usman, A., Khan, K., Ali, P., Shah, E.A., Khan, H., dan Abbas, M. I., 2022, Evaluating the nutritional values and safety levels of oven-dried whole (full-fat) mealworms and de-oiled mealworms under different storage intervals, *Res. Sq.*, 1-13.

- Kröncke, N., Bösch, V., Woyzichowski, J., Demtröder, S., dan Benning, R., 2018, Comparison of suitable drying processes for mealworms (*Tenebrio molitor*), *Innov. Food Sci. Emerg. Technol.*, 50, 20-25.
- Kröncke, N., Grebenteuch, S., Keil, C., Demtröder, S., Kroh, L., Thünemann, A.F., Benning, R., and Haase, H., 2019, Effect of Different Drying Methods on Nutrient Quality of the Yellow Mealworm (*Tenebrio molitor* L.), *Insects*, 10, 84.
- Krzyżaniak, M., Aljewicz, M., Bordiean, A., dan Stolarski M.J., 2022, Yellow Mealworm Composition after Convective and Freeze Drying—Preliminary Results, *Agriculture*, 12(2),149.
- Lenaerts, S., Van Der Borcht, M., Callens, A., dan Van Campenhout, L., 2018, Suitability of microwave drying for mealworms (*Tenebrio molitor*) as alternative to freeze drying: Impact on nutritional quality and colour, *Food Chem.*, 254, 129-136.
- Liapis, A.I. and Bruttini, R., 2014, *Freeze Drying*. Dalam Mujumdar, A.S., *Handbook of Industrial Drying*, 4<sup>th</sup> Ed., CRC Press, Boca Raton.
- Machona, O., Matongorere, M., Chidzondo, F., dan Mangoyi, R., 2022, Evaluation of Nutritional Content of the Larvae of *Tenebrio Molitor*, and Formulation of Broiler Stockfeed, *Entomol. Appl., Sci.*, 9(4), 48-56.
- Mauer, L.J. and Bradley Jr., R.L., 2017, *Moisture and Total Solids Analysis*. Dalam Nielsen, S.S., *Food Analysis*, 5<sup>th</sup> Ed., Springer International Publishing, New York.
- Müller, J., 2017, *Dumas or Kjeldahl for reference analysis*, FOSS, Hillerød.
- Önenç, S.S., and Ozdogan, M., 2023, Relationship Between Meat Quality and Animal Nutrition, *J. Anim. Prod.*, 63(1), 67-74.
- Pan, J., Xu, H., Cheng, Y., Mintah, B.K., Dabbour, M., Yang, F., Chen, W., Zhang, Z., Dai, C., He, R., dan Haile, M., 2022, Recent Insight on Edible Insect Protein: Extraction, Functional Properties, Allergenicity, Bioactivity, and Applications, *Foods*, 11, 2931.
- Qin, P., Li, T., Liu, C., Liang, Y., Sun, H., Chai, Y., Yang, T., Gong, X., dan Wu, Z., 2023, Extraction and utilization of active substances from edible fungi substrate and residue: A review, *Food Chem.*, 398, 133872.
- Rahman, M.S., dan Labuza, T.P., 2020, *Water Activity and Food Preservation*. Dalam Rahman, M.S., *Handbook of Food Preservation*, 3<sup>rd</sup> Ed., CRC Press, Boca Raton.
- Ribeiro, J.C., Marques, J.P., Fernandes, T.R., Pintado, M.E., Carvalho, S.M., dan Cunha, L.M., 2024, Effect of blanching, storage and drying conditions on the macro-composition, color and safety of mealworm *Tenebrio molitor* larvae, *LWT*, 191, 115646

- Rose, A., Jaczynski, J., dan Matak, K., 2021, Extraction of lipids from insect powders using a one-step organic solvent extraction process, *Future Foods*, 4, 1-5.
- Selaledi, L., dan Mabelebele, M., 2021, The Influence of Drying Methods on the Chemical Composition and Body Color of Yellow Mealworm (*Tenebrio molitor* L.), *Insects*, 12, 333.
- Selaledi, L., Mbajorgu, C.A., dan Mabelebele, M., 2020, The use of yellow mealworm (*T. molitor*) as alternative source of protein in poultry diets: a review, *Trop. Anim. Health Prod.*, 52, 7-16.
- Siemianowska, E., Kosewska, A., Aljewicz, M., Skibniewska, K.A., Polak-Juszczak, L., Jarocki, A., dan Jędras, M., 2013, Larvae of mealworm (*Tenebrio molitor* L.) as European novel food, *Agric. Sci.*, 4, 287-291.
- Siow, H.S., Sudesh, K., Murugan, P., dan Ganesan, S., 2021, Mealworm (*Tenebrio molitor*) oil characterization and optimization of the free fatty acid pretreatment via acid-catalyzed esterification, *Fuel*, 299, 120905.
- Situmorang, J.P., 2009, Mempelajari Alat dan Metoda Ekstraksi Minyak Biji Jarak Pagar (*Jathropa curcas* L.), *Skripsi*, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Skog, K.I., Johansson, M.A.E., dan Jägerstad, M.I., 1998, Carcinogenic heterocyclic amines in model systems and cooked foods: a review on formation, occurrence and intake, *Food Chem. Toxicol.*, 36(9), 879-896.
- Sontakke, M.S. and Salve, S.P., 2017, Solar Drying Technologies: A review, *Int. Refereed J. Eng. Sci.*, 4(4), 29-35.
- Sosa, D.A.T., dan Fogliano, V., 2017, *Potential of Insect-Derived Ingredients for Food Applications*. Dalam Shields, V.D.C., *Insect Physiology and Ecology*, InTech Open, London.
- Trukhanova, K.A., Mechtaeva, E.V., Novikova, M.V., Sorokoumov, P.N., & Ryabukhin, D.S., 2022, Influence of drying and pretreatment methods on certain parameters of yellow mealworm larvae (*Tenebrio molitor*), *Theory Pract. Meat Process.*, 7(4), 247-257.
- Tzompa-Sosa, D.A., Yi, L., van Valenberg, H.J.F., van Boekel, M.A.J.S., dan Lakemond, C.M.M., 2014, Insect lipid profile: aqueous versus organic solvent-based extraction methods, *Food Res. Int.*, 62, 1087-1094.
- Vandeweyer, D., Crauwels, S., Lievens, B., dan Van Campenhout, L., 2017, Microbial counts of mealworm larvae (*Tenebrio molitor*) and crickets (*Acheta domesticus* and *Gryllodes sigillatus*) from different rearing companies and different production batches, *Int. J. Food Microbiol.*, 242, 13-18.
- Villalobos, M.C., Serradilla, M.J., Martin, A., Pereira, C., López-Corrales, M., and Córdoba, M.G., 2016, Evaluation of different drying systems as an alternative

to sun drying for figs (*Ficus carica* L), *Innov. Food. Sci. Emerg. Technol.*, 36, 156-165.

Vlahova-Vangelova, D., Balev, D., Kolev, N., Dragoev, S., Petkov, E., dan Popova, T., 2024, Comparison of the Effect of Drying Treatments on the Physicochemical Parameters, Oxidative Stability, and Microbiological Status of Yellow Mealworm (*Tenebrio molitor* L.) Flours as an Alternative Protein Source, *Agriculture*, 14(3), 436.

Wu, G., 2016, Dietary protein intake and human health, *Food Funct.*, 7, 1251-1265.

Wu, G., Bazer, F.W., dan Cross, H.R., 2014, Land-based production of animal protein: impacts, efficiency, and sustainability, *Ann N. Y. Acad. Sci.*, 1328, 18–28.

Yi, L., van Boekel, M.A.J.S., dan Lakemond, C.M.M., 2016, Extracting *Tenebrio molitor* protein while preventing browning: effect of pH and NaCl on protein yield, *J. Insects as Food Feed*, 3, 21-31.

Yi, L., Lakemond, C.M.M., Sagis, L.M.C., Eisner-Schadler, V., van Huis, A., and van Boekel, M.A.J.S., 2013, Extraction and characterisation of protein fractions from five insect species, *Food Chem.*, 141(4), 3341-3348.

Zhang, F., Xu, Y., Kong, B., Chen, Q., Sun, F., Zhang, H., & Liu, Q., 2022, Comparative study of two types of pre-extraction treatment (drying or non-drying) on physicochemical, structural and functional properties of extracted insect proteins from *Tenebrio molitor* larvae, *Curr. Res. Food Sci.*, 5, 1570–1580.

Zielińska, E., Baraniak, B., Karaś, M., Rybczyńska, K., dan Jakubczyk, A., 2015, Selected species of edible insects as a source of nutrient composition, *Food Res. Int.*, 77, 460-466.