

DAFTAR PUSTAKA

- Ahmed, Y., Yaakob, Z., and Akhtar, P., 2016, Degradation and Mineralization of Methylene Blue Using a Heterogeneous Photo-Fenton Catalyst Under Visible and Solar Light Irradiation, *Catal Sci Technol*, 6, 1222–1232.
- Ali Baig, A.B., Rathinam, V., and Palaninathan, J., 2020, Photodegradation Activity of Yttrium-Doped SnO₂ Nanoparticles Against Methylene Blue Dye and Antibacterial Effects, *Appl Water Sci*, 10, 76.
- Anju Chanu, L., Joychandra Singh, W., Jugeshwar Singh, K., and Nomita Devi, K., 2019, Effect of Operational Parameters on The Photocatalytic Degradation of Methylene Blue Dye Solution Using Manganese Doped ZnO Nanoparticles, *Results Phys*, 12, 1230–1237.
- Atkins, P.W., De Paula, J., and Keeler, J., 2023, *Physical Chemistry*, Oxford university press, London.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., and Reddy, Ch.V., 2020, Recent Progress in Metal-Doped TiO₂, Non-Metal Doped/Codoped TiO₂ and TiO₂ Nanostructured Hybrids for Enhanced Photocatalysis, *Int J Hydrogen Energy*, 45, 7764–7778.
- Bento, R.T., Correa, O. V., and Pillis, M.F., 2021, On the Surface Chemistry and The Reuse of Sulfur-Doped TiO₂ Films as Photocatalysts, *Mater Chem Phys*, 261, 124231.
- Bento, R.T., Correa, O. V., and Pillis, M.F., 2019, Photocatalytic Activity of Undoped and Sulfur-Doped TiO₂ Films Grown by MOCVD for Water Treatment Under Visible Light, *J Eur Ceram Soc*, 39, 3498–3504.
- Catauro, M., Tranquillo, E., Dal Poggetto, G., Pasquali, M., Dell’Era, A., and Vecchio Cipriotti, S., 2018, Influence of the Heat Treatment on the Particles Size and on the Crystalline Phase of TiO₂ Synthesized by the Sol-Gel Method, *Materials*, 11, 2364.
- Chen, D., Cheng, Y., Zhou, N., Chen, P., Wang, Y., Li, K., Huo, S., Cheng, P., Peng, P., Zhang, R., Wang, L., Liu, H., Liu, Y., and Ruan, R., 2020, Photocatalytic Degradation of Organic Pollutants Using TiO₂-Based Photocatalysts: A review, *J Clean Prod*, 268, 121725.
- Chen, W.T., Chan, A., Al-Azri, Z.H.N., Dosado, A.G., Nadeem, M.A., Sun-Waterhouse, D., Idriss, H., and Waterhouse, G.I.N., 2015, Effect of TiO₂ Polymorph and Alcohol Sacrificial Agent on The Activity of Au/TiO₂ Photocatalysts for H₂ Production in Alcohol–Water Mixtures, *J Catal*, 329, 499–513.
- Dedi, Idayanti, N., Kristiantoro, T., Alam, G.F.N., and Sudrajat, N., 2018, Magnetic Properties of Cobalt Ferrite Synthesized by Mechanical Alloying, *ISMM*, 020003,1-4.

- Devi, L.G. and Kavitha, R., 2014, Enhanced Photocatalytic Activity of Sulfur Doped TiO₂ for The Decomposition of Phenol: A new Insight into The Bulk and Surface Modification, *Mater Chem Phys*, 143, 1300–1308.
- Din, M.I., Khalid, R., Najeeb, J., and Hussain, Z., 2021, Fundamentals and Photocatalysis of Methylene Blue Dye Using Various Nanocatalytic Assemblies- a Critical Review, *J Clean Prod*, 298, 126567.
- Erwanto, E., Yulinda, Y., and Nabela, Q., 2020, Pengaruh Penambahan Ion Nitrat (NO³⁻) Terhadap Kinetika Fotodegradasi Zat Warna Metilen Biru Menggunakan Zeolit-TiO₂, *Inteka*, 5.
- Feizpoor, S., Habibi-Yangjeh, A., Yubuta, K., and Vadivel, S., 2019, Fabrication of TiO₂/CoMoO₄/PANI Nanocomposites with Enhanced Photocatalytic Performances for Removal of Organic and Inorganic Pollutants Under Visible Light, *Mater Chem Phys*, 224, 10–21.
- Gar Alalm, M., Tawfik, A., and Ookawara, S., 2016, Enhancement of Photocatalytic Activity of TiO₂ by Immobilization on Activated Carbon for Degradation of Pharmaceuticals, *J Environ Chem Eng*, 4, 1929–1937.
- Han, C., Andersen, J., Likodimos, V., Falaras, P., Linkugel, J., and Dionysiou, D.D., 2014, The effect of Solvent in The Sol–Gel Synthesis of Visible Light-Activated, Sulfur-Doped TiO₂ Nanostructured Porous Films for Water Treatment, *Catal Today*, 224, 132–139.
- Hejazi, R., Mahjoub, A.R., Khavar, A.H.C., and Khazaei, Z., 2020, Fabrication of Novel Type Visible Light Driven TiO₂@MIL-100 (Fe) Microspheres with High Photocatalytic Performance for Removal of Organic Pollutants, *J Photochem Photobiol A Chem*, 400, 112644.
- Ho, W., Yu, J.C., and Lee, S., 2006, Low Temperature Hydrothermal Synthesis of S-doped TiO₂ with Visible Light Photocatalytic Activity, *J Solid State Chem*, 179, 1171–1176.
- Houshiar, M., Zebhi, F., Razi, Z.J., Alidoust, A., and Askari, Z., 2014, Synthesis of Cobalt ferrite (CoFe₂O₄) Nanoparticles Using Combustion, Coprecipitation, and Precipitation Methods: A Comparison Study of Size, Structural, and Magnetic Properties, *J Magn Magn Mater*, 371, 43–48.
- Ichihashi, M., Ando, H., Yoshida, M., Niki, Y., and Matsui, M., 2009, Photoaging of The Skin, *J-STAGE*, 6, 46–59.
- Jannah, J.M., Kunarti, E.S., and Santosa, S.J., 2023, Synthesis of Fe₃O₄/TiO₂-S Composite and Its Activity Test as Photocatalyst on the Metanil Yellow Degradation, *Key Eng Mater*, 944, 191–200.
- Jayanti, N.D. and Yulianto, A., 2013, Fabrikasi Magnet Komposit Berbahan Dasar Magnet Daur Ulang Dengan Pengikat Cult, *Unnes Physics Journal*, 2.
- Jotania, R.B. and Mahmood, S.H., 2018, *Magnetic Oxides and Composites*, Materials Research Forum LLC, Pennsylvania.
- Kalaivani, T. and Anilkumar, P., 2018, Role of Temperature on the Phase Modification of TiO₂ Nanoparticles Synthesized by the Precipitation Method, *Silicon*, 10, 1679–1686.

- Kamat, P. V., 2017, Semiconductor Surface Chemistry as Holy Grail in Photocatalysis and Photovoltaics, *Acc Chem Res*, 50, 527–531.
- Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A.H., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L.A., Shah, T., and Khan, Ibrahim, 2022, Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation, *Water (Basel)*, 14, 242.
- Khan, R.R.M., Qamar, H., Hameed, A., Rehman, A. ur, Pervaiz, M., Saeed, Z., Adnan, A., and Ch, A.R., 2022, Biological and Photocatalytic Degradation of Congo Red, a Diazo Sulfonated Substituted Dye: a Review, *Water Air Soil Pollut*, 233, 468.
- Kocijan, M., Curkovic, L., Radosevic, T., and Podlogar, M., 2020, Preparation, Characterization and Photocatalytic Activity of TiO₂/Reduced Graphene Oxide Nanocomposite, 0668–0676.
- Kong, L.B., Liu, L., Yang, Z., Li, S., Zhang, T., and Wang, C., 2018, Theory of Ferrimagnetism and Ferrimagnetic, *Metal oxides*, 287–311.
- Kunarti, E.S., Kartini, I., Mardjan, M.I.D., and Prameswari, E.H., 2021, Sulfur Doped Titania Coated on Magnetite as Magnetically Recoverable Photocatalyst for the UV-visible Light Assisted Degradation of Congo Red, *RJC*, 14, 1199–1207.
- Leong, S., Razmjou, A., Wang, K., Hapgood, K., Zhang, X., and Wang, H., 2014, TiO₂ Based Photocatalytic Membranes: A review, *J Memb Sci*, 472, 167–184.
- Li, T., Abdelhaleem, A., Chu, W., Pu, S., Qi, F., and Zou, J., 2021, S-doped TiO₂ Photocatalyst for Visible LED Mediated Oxone Activation: Kinetics and Mechanism Study for The Photocatalytic Degradation of Pyrimethanil Fungicide, *J.Chem.Eng*, 411, 128450.
- Lu, Q., Zhang, Y., and Liu, S., 2015, Graphene Quantum Dots Enhanced Photocatalytic Activity of Zinc Porphyrin Toward the Degradation of Methylene Blue Under Visible Light Irradiation, *J Mater Chem A Mater*, 3, 8552–8558.
- Ma, D., Xin, Y., Gao, M., and Wu, J., 2014, Fabrication and Photocatalytic Properties of Cationic and Anionic S-doped TiO₂ Nanofibers by Electrospinning, *Appl Catal B*, 147, 49–57.
- Malini, F.A. and Putri, E.M.M., 2014, Kinetika Oksidasi Fotokatalitik Metilen Biru dengan Katalis Semikonduktor TiO₂, *POMITS*, 2, 1–7.
- Maryudi, M., Aktawan, A., and Amelia, S., 2021, Pengolahan Limbah Pewarna Metilen Biru Menggunakan Arang Aktif dan Zeolit Aktif dengan Katalis Fe dan Oksidator Hidrogen Peroksida, *J.Ris.Kim*, 12.
- Milam-Guerrero, J., Neer, A.J., and Melot, B.C., 2019, Crystal Chemistry and Competing Magnetic Exchange Interactions in Oxide Garnets and Spinel, *J Solid State Chem*, 274, 1–9.
- Modirshahla, N., Hassani, A., Behnajady, M.A., and Rahbarfam, R., 2011, Effect of operational parameters on decolorization of Acid Yellow 23 from

- wastewater by UV irradiation using ZnO and ZnO/SnO₂ photocatalysts, *Desalination*, 271, 187–192.
- Mondal, S., De Anda Reyes, Ma.E., and Pal, U., 2017, Plasmon Induced Enhanced Photocatalytic Activity of Gold Loaded Hydroxyapatite Nanoparticles for Methylene Blue Degradation Under Visible Light, *RSC Adv*, 7, 8633–8645.
- Ngapa, Y.D. and Ika, Y.E., 2020, Potensi Zeolit Alam Ende Sebagai Media Adsorben Kompetitif Pewarna Biru Metilena dan Metil Oranye, *Cakra Kimia*, 8, 105–113.
- Oktaviani, Y., 2014, Sintesis Lapisan Tipis Semikonduktor dengan Bahan Dasar Tembaga (Cu) Menggunakan Chemical Bath Deposition, *Jurnal Fisika Unand*, 3.
- Piątkowska, A., Janus, M., Szymański, K., and Mozia, S., 2021, C-,N- and S-Doped TiO₂ Photocatalysts: A Review, *Catalysts*, 11, 144.
- Raju, S. R. Murthy, P., 2013, Microwave-hydrothermal Synthesis Of CoFe₂O₄-TiO₂ Nanocomposites, *Adv Mater Lett*, 4, 99–105.
- Ramacharyulu, P.V.R.K., Praveen Kumar, J., Prasad, G.K., and Sreedhar, B., 2014, Sulphur Doped Nano TiO₂: Synthesis, Characterization and Photocatalytic Degradation of a Toxic Chemical in Presence of Sunlight, *Mater Chem Phys*, 148, 692–698.
- Ramandi, S., Entezari, M.H., and Ghows, N., 2017, Sono-synthesis of Solar Light Responsive S–N–C–tri Doped TiO₂ Photo-Catalyst Under Optimized Conditions for Degradation and Mineralization of Diclofenac, *Ultrason Sonochem*, 38, 234–245.
- S., Krishna, Sathishkumar, P., N., P., Guesh, K., Mangalaraja, R.V., S., Kumaran, Gracia-Pinilla, M.A., and S., A., 2020, Heterogeneous Sonocatalytic Activation of Peroxomonosulphate in The Presence of CoFe₂O₄/TiO₂ Nanocatalysts for The Degradation of Acid Blue 113 in an Aqueous Environment, *J Environ Chem Eng*, 8, 104024.
- Saeed, K., Khan, I., and Park, S.-Y., 2015, TiO₂/Amidoxime-Modified Polyacrylonitrile Nanofibers and Its Application for The Photodegradation of Methyl Blue in Aqueous Medium, *Desalination Water Treat*, 54, 3146–3151.
- Sahu, S., Pahi, S., Sahu, J.K., Sahu, U.K., and Patel, R.K., 2020, Kendu (Diospyros melanoxylon Roxb) Fruit Peel Activated Carbon—An Efficient Bioadsorbent for Methylene Blue Dye: Equilibrium, Kinetic, and Thermodynamic Study, *ESPR*, 27, 22579–22592.
- Saraswati, I., Diantariani, N.P., and Suarya, P., 2015, Fotodegradasi zat warna tekstil congo red dengan fotokatalis ZnO-arang aktif dan sinar ultraviolet (UV), *J. Kim*, 9, 175–182.
- Sathishkumar, P., Mangalaraja, R.V., Anandan, S., and Ashokkumar, M., 2013, CoFe₂O₄/TiO₂ Nanocatalysts for The Photocatalytic Degradation of Reactive Red 120 in Aqueous Solutions in The Presence and Absence of Electron Acceptors, *J.Chem.Eng*, 220, 302–310.

- Schneider, J., Matsuoka, M., Takeuchi, M., Zhang, J., Horiuchi, Y., Anpo, M., and Bahnemann, D.W., 2014, Understanding TiO₂ Photocatalysis: Mechanisms and Materials, *Chem Rev*, 114, 9919–9986.
- Shahabuddin, S., Muhamad Sarih, N., Mohamad, S., and Joon Ching, J., 2016, SrTiO₃ Nanocube-Doped Polyaniline Nanocomposites with Enhanced Photocatalytic Degradation of Methylene Blue under Visible Light, *Polymers (Basel)*, 8, 27.
- Sharifianjazi, F., Moradi, M., Parvin, N., Nemati, A., Jafari Rad, A., Sheysi, N., Abouchenari, A., Mohammadi, A., Karbasi, S., Ahmadi, Z., Esmaeilkhani, A., Irani, M., Pakseresht, A., Sahmani, S., and Shahedi Asl, M., 2020, Magnetic CoFe₂O₄ Nanoparticles Doped with Metal Ions: A review, *Ceram Int*, 46, 18391–18412.
- Stefan, M., Leostean, C., Toloman, D., Popa, A., Macavei, S., Falamas, A., Suciu, R., Barbu-Tudoran, L., Marincas, O., and Pana, O., 2021, New Emerging Magnetic, Optical and Photocatalytic Properties of Tb Doped TiO₂ Interfaced with CoFe₂O₄ Nanoparticles, *Appl Surf Sci*, 570, 151172.
- Sumadiyasa, M. and Manuaba, I.B.S., 2018, Penentuan Ukuran Kristal Menggunakan Formula Scherrer, Williamson-Hull Plot, dan Ukuran Partikel dengan SEM Determining Crystallite Size Using Scherrer Formula, Williamson-Hull Plot, and Particle Size with SEM, *Buletin Fisika*, 19, 28–35.
- Sun, Q., Wu, S., Li, K., Han, B., Chen, Y., Pang, B., Yu, L., and Dong, L., 2020, The Favourable Synergistic Operation of Photocatalysis and Catalytic Oxygen Reduction Reaction by a Novel Heterogeneous CoFe₂O₄-TiO₂ Nanocomposite, *Appl Surf Sci*, 516, 146142.
- Sutanto, H. and Wibowo, S., 2015, *Semikonduktor Fotokatalis Titania dan Seng Oksida: (sintesis, deposisi, dan aplikasi)*, Penerbit telescope, Semarang.
- Tatarchuk, T., Mironyuk, I., Kotsyubynsky, V., Shyichuk, A., Myslin, M., and Boychuk, V., 2020, Structure, Morphology and Adsorption Properties of Titania Shell Immobilized onto Cobalt Ferrite Nanoparticle Core, *J Mol Liq*, 297, 111757.
- Tichapondwa, S.M., Newman, J.P., and Kubheka, O., 2020, Effect of TiO₂ Phase on The Photocatalytic Degradation of Methylene Blue Dye, *Phys. Chem. Earth*, 1029001, 18–119.
- Vadivel, M., Ramesh Babu, R., Sethuraman, K., Ramamurthi, K., and Arivanandhan, M., 2014, Synthesis, Structural, Dielectric, Magnetic and Optical Properties of Cr Substituted CoFe₂O₄ Nanoparticles by Co-Precipitation Method, *J Magn Magn Mater*, 362, 122–129.
- Vione, D., Minero, C., Maurino, V., Carlotti, M.E., Picatotto, T., and Pelizzetti, E., 2005, Degradation of Phenol and Benzoic Acid in The Presence of a TiO₂-based Heterogeneous Photocatalyst, *Appl Catal B*, 58, 79–88.
- Wang, S., Zhu, Z.H., Coomes, A., Hahsresht, F., Lu, G.Q., 2005, The Physical and Surface Chemical Characteristics of Activated Carbons and the

- Adsorption of Methylene Blue from Wastewater, *J. Colloid Interface Sci*, 284, 440-446.
- Wolski, L. and Ziolk, M., 2018, Insight into Pathways of Methylene Blue Degradation with H₂O₂ Over Mono and Bimetallic Nb, Zn Oxides, *Appl Catal B*, 224, 634-647.
- Wu, C.-H. and Chern, J.-M., 2006, Kinetics of Photocatalytic Decomposition of Methylene Blue, *Ind Eng Chem Res*, 45, 6450-6457.
- Zerjav, G., Zizek, K., Zavasnik, J., and Pintar, A., 2022, Brookite vs. Rutile vs. Anatase: What's Behind Their Various Photocatalytic Activities, *J Environ Chem Eng*, 10, 107722.
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New Understanding of The Difference of Photocatalytic Activity Among Anatase, Rutile and Brookite TiO₂, *PCCP*, 16, 20382-20386.
- Zhu, M., Zhai, C., Qiu, L., Lu, C., Paton, A.S., Du, Y., and Goh, M.C., 2015, New Method to Synthesize S-Doped TiO₂ with Stable and Highly Efficient Photocatalytic Performance under Indoor Sunlight Irradiation, *ACS Sustain Chem Eng*, 3, 3123-3129.