

DAFTAR PUSTAKA

- Abe, M., Hoshi, T., & Tajima, A. (1987). Characteristics of transmural potential changes associated with the proton-peptide co-transport in toad small intestine. *The Journal of Physiology*, 394(1), 481–499. <https://doi.org/10.1113/jphysiol.1987.sp016882>
- Anindita, R., Dwi Nathalia, D., Perwitasari, M., Kurnia Putri, I., Uzia Beandrade, M., Rizki Amalia Harahap, N., Tinggi Ilmu Kesehatan Mitra Keluarga, S., Pengasinan Rawa Semut Raya, J., Timur, B., & Barat, J. (2024). Antibacterial Bioactivity Test of Bilimbi Fruit Ethanol Extract (*Averrhoa bilimbi* Linn). Against *Propionibacterium acnes*, *Staphylococcus epidermidis* and *Staphylococcus aureus* Corresponding author*. *Biology*, 13(1), 173–182. <https://doi.org/10.14421/biomedich.2024.131.173-182>
- Anisuzzaman, S. M., G. Joseph, C., & Ismail, F. N. (2023). Influence of Carrier Agents Concentrations and Inlet Temperature on the Physical Quality of Tomato Powder Produced by Spray Drying. *Pertanika Journal of Science and Technology*, 31(3), 1379–1411. <https://doi.org/10.47836/pjst.31.3.15>
- Aragüez-Fortes, Y., Robaina-Morales, L. M., & Pino, J. A. (2019). Optimization of the spray-drying parameters for developing guava powder. *Journal of Food Process Engineering*, 42(6). <https://doi.org/10.1111/jfpe.13230>
- Bolke, L., Schlippe, G., Gerß, J., & Voss, W. (2019). A collagen supplement improves skin hydration, elasticity, roughness, and density: Results of a randomized, placebo-controlled, blind study. *Nutrients*, 11(10). <https://doi.org/10.3390/nu11102494>
- Caliskan, G., & Nur Dirim, S. (2013). The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food and Bioprocess Processing*, 91(4), 539–548. <https://doi.org/10.1016/J.FBP.2013.06.004>
- Castro-Muñoz, R., Barragán-Huerta, B. E., & Yáñez-Fernández, J. (2015). Use of gelatin-maltodextrin composite as an encapsulation support for clarified juice from purple cactus pear (*Opuntia stricta*). *LWT - Food Science and Technology*, 62(1), 242–248. <https://doi.org/10.1016/j.lwt.2014.09.042>
- Colletti, A., & Cicero, A. F. G. (2021). Nutraceutical approach to chronic osteoarthritis: From molecular research to clinical evidence. Dalam *International Journal of Molecular Sciences* (Vol. 22, Nomor 23). MDPI. <https://doi.org/10.3390/ijms222312920>
- Da Silva, F. C., Da Fonseca, C. R., De Alencar, S. M., Thomazini, M., Balieiro, J. C. D. C., Pittia, P., & Favaro-Trindade, C. S. (2013). Assessment of production efficiency, physicochemical properties and storage stability of spray-dried propolis, a natural food additive, using gum Arabic and OSA starch-based carrier systems. *Food and Bioprocess Processing*, 91(1), 28–36. <https://doi.org/10.1016/j.fbp.2012.08.006>
- Fogacci, F., & Fogacci, S. (2021). Cardiovascular Risk Factors Management in Pregnancy: A Role for Nutraceuticals? Dalam A. F. G. Cicero & M. Rizzo

- (Ed.), *Nutraceuticals and Cardiovascular Disease* (Cardiology, hlm. 245–253). Humana Press. https://doi.org/10.1007/978-3-030-62632-7_12
- Fongin, S., Kawai, K., Harnkarnsujarit, N., & Hagura, Y. (2017). Effects of water and maltodextrin on the glass transition temperature of freeze-dried mango pulp and an empirical model to predict plasticizing effect of water on dried fruits. *Journal of Food Engineering*, 210, 91–97. <https://doi.org/10.1016/j.jfoodeng.2017.04.025>
- García-Coronado, P., Flores-Ramírez, A., Grajales-Lagunes, A., Godínez-Hernández, C., Abud-Archila, M., González-García, R., & Ruiz-Cabrera, M. A. (2020). The influence of maltodextrin on the thermal transitions and state diagrams of fruit juice model systems. *Polymers*, 12(9). <https://doi.org/10.3390/POLYM12092077>
- Hajjar, B., Zier, K. I., Khalid, N., Azarmi, S., & Löbenberg, R. (2018). Evaluation of a microemulsion-based gel formulation for topical drug delivery of diclofenac sodium. *Journal of Pharmaceutical Investigation*, 48(3), 351–362. <https://doi.org/10.1007/s40005-017-0327-7>
- ITIS. (2023). *Averrhoa bilimbi* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506370#null diunduh pada 15 Oktober 2023.
- Ito, N., Seki, S., & Ueda, F. (2018). Effects of composite supplement containing collagen peptide and ornithine on skin conditions and plasma IGF-1 levels—A randomized, double-blind, placebo-controlled trial. *Marine Drugs*, 16(12). <https://doi.org/10.3390/md16120482>
- Jafari, S. M., Ghalegi Ghalenoei, M., & Dehnad, D. (2017). Influence of spray drying on water solubility index, apparent density, and anthocyanin content of pomegranate juice powder. *Powder Technology*, 311, 59–65. <https://doi.org/10.1016/j.powtec.2017.01.070>
- Je, H. J., Han, Y. K., Lee, H. G., & Bae, I. Y. (2019). Anti-aging potential of fish collagen hydrolysates subjected to simulated gastrointestinal digestion and Caco-2 cell permeation. *Journal of Applied Biological Chemistry*, 62(1), 101–107. <https://doi.org/10.3839/jabc.2019.015>
- Komarova, Y., & Malik, A. B. (2010). Regulation of Endothelial Permeability via Paracellular and Transcellular Transport Pathways. *Annual Review of Physiology*, 72(1), 463–493. <https://doi.org/10.1146/annurev-physiol-021909-135833>
- León-López, A., Morales-Peñaloza, A., Martínez-Juárez, V. M., Vargas-Torres, A., Zeugolis, D. I., & Aguirre-Álvarez, G. (2019). Hydrolyzed collagen-sources and applications. Dalam *Molecules* (Vol. 24, Nomor 22). MDPI AG. <https://doi.org/10.3390/molecules24224031>
- Linnankoski, J., Mäkelä, J., Palmgren, J., Mauriala, T., Vedin, C., Ungell, A., Lazorova, L., Artursson, P., Urtti, A., & Yliperttula, M. (2010). Paracellular Porosity and Pore Size of the Human Intestinal Epithelium in Tissue and Cell Culture Models. *Journal of Pharmaceutical Sciences*, 99(4), 2166–2175. <https://doi.org/10.1002/jps.21961>

- Michalak, M. (2022). Plant-Derived Antioxidants: Significance in Skin Health and the Ageing Process. Dalam *International Journal of Molecular Sciences* (Vol. 23, Nomor 2). MDPI. <https://doi.org/10.3390/ijms23020585>
- Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Embolica officinalis*) juice powder. *Food and Bioproducts Processing*, 92(3), 252–258. <https://doi.org/10.1016/j.fbp.2013.08.003>
- Montgomery, D. C., Runger, G. C., & Hubele, N. F. (2011). *Engineering Statistics* (Fifth). John Wiley & Sons, Inc.
- Nair, M. S., Soren, K., Singh, V., & Boro, B. (2016). Anticancer Activity of Fruit and Leaf Extracts of Averrhoa Bilimbi on MCF-7 Human Breast Cancer Cell Lines: A Preliminary Study. *Austin Journal of Pharmacology and Therapeutics*, 4(2). www.austinpublishinggroup.com
- Pauletti, G. M., Okumu, F. W., & Borchardt, R. T. (1997). Effect of Size and Charge on the Passive Diffusion of Peptides Across Caco-2 Cell Monolayers via the Paracellular Pathway. *Pharmaceutical Research*, 14(2), 164–168. <https://doi.org/10.1023/A:1012040425146>
- Phoungchandang, S., & Sertwasana, A. (2010). Spray-drying of ginger juice and physicochemical properties of ginger powders. *ScienceAsia*, 36(1), 40–45. <https://doi.org/10.2306/scienceasia1513-1874.2010.36.040>
- Pietro Puccio. (2023). *Averrhoa bilimbi*. <https://www.monaconatureencyclopedia.com/averrhoa-bilimbi/?lang=en> diunduh pada 22 Oktober 2023.
- Piñón-Balderrama, C. I., Leyva-Porras, C., Terán-Figueroa, Y., Espinosa-Solís, V., Álvarez-Salas, C., & Saavedra-Leos, M. Z. (2020). Encapsulation of active ingredients in food industry by spray-drying and nano spray-drying technologies. Dalam *Processes* (Vol. 8, Nomor 8). MDPI AG. <https://doi.org/10.3390/PR8080889>
- Pombo, J. C. P., de Medeiros, H. H. B. R., & Pena, R. da S. (2020). Optimization of the spray drying process for developing cupuassu powder. *Journal of Food Science and Technology*, 57(12), 4501–4513. <https://doi.org/10.1007/s13197-020-04487-2>
- Pui, L. P., Karim, R., Yusof, Y. A., Wong, C. W., & Ghazali, H. M. (2021). Effects of Inlet Temperature and Carrier Concentration on Spray-Dried ‘Cempedak’ (*Artocarpus Integer*) Fruit Powder and its Reconstitution Properties. *Acta Scientiarum Polonorum, Technologia Alimentaria*, 20(2), 135–148. <https://doi.org/10.17306/J.AFS.2021.0801>
- Puri, V., Nagpal, M., Singh, I., Singh, M., Dhingra, G. A., Huanbutta, K., Dheer, D., Sharma, A., & Sangnim, T. (2022). A Comprehensive Review on Nutraceuticals: Therapy Support and Formulation Challenges. *Nutrients*, 14(21), 4637. <https://doi.org/10.3390/nu14214637>
- Ramadass, S. K., Perumal, S., Gopinath, A., Nisal, A., Subramanian, S., & Madhan, B. (2014). Sol-gel assisted fabrication of collagen hydrolysate composite scaffold: A novel therapeutic alternative to the traditional collagen scaffold.

- ACS Applied Materials and Interfaces*, 6(17), 15015–15025. <https://doi.org/10.1021/am502948g>
- Samsu, Z. A., & Zahir, A. Z. M. (2020). Production of oil palm milk powder by spray drying technique. *Materials Today: Proceedings*, 31, 306–312. <https://doi.org/10.1016/j.matpr.2020.06.015>
- Santos, D., Mauricio, A. C., Sencadas, V., Santos, J. D., Fernandes, M. H., & Gomes, P. S. (2018). Spray Drying: An Overview. Dalam *Biomaterials - Physics and Chemistry - New Edition*. InTech. <https://doi.org/10.5772/intechopen.72247>
- Setyawan, H. Y., Sukardi, S., & Nareswari, B. F. (2021). The phytochemical potential of *Averrhoa bilimbi* - A review. *IOP Conference Series: Earth and Environmental Science*, 733(1). <https://doi.org/10.1088/1755-1315/733/1/012091>
- Shishir, M. R. I., & Chen, W. (2017). Trends of spray drying: A critical review on drying of fruit and vegetable juices. Dalam *Trends in Food Science and Technology* (Vol. 65, hlm. 49–67). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2017.05.006>
- Siacor, F. D. C., Lim, K. J. A., Cabajar, A. A., Lobarbio, C. F. Y., Lacks, D. J., & Taboada, E. B. (2020). Physicochemical properties of spray-dried mango phenolic compounds extracts. *Journal of Agriculture and Food Research*, 2. <https://doi.org/10.1016/j.jafr.2020.100048>
- Sitanggang, A. B., Alexander, R., & Budijanto, S. (2020). The utilization of bilimbi (*Averrhoa bilimbi*) and lime (*Citrus aurantifolia*) juices as natural acid coagulants for tofu production. *Journal of Food Science and Technology*, 57(12), 4660–4670. <https://doi.org/10.1007/s13197-020-04503-5>
- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Frovenzano, M. D., Fujimoto, E. K., Goetze, N. M., Olson, B. J., & Klenk, D. C. (1985). *Measurement of Protein Using Bicinchoninic Acid*.
- Sobczak-Kupiec, A., Drabczyk, A., Florkiewicz, W., Głab, M., Kudłacik-Kramarczyk, S., Słota, D., Tomala, A., & Tylińczak, B. (2021). Review of the Applications of Biomedical Compositions Containing Hydroxyapatite and Collagen Modified by Bioactive Components. *Materials*, 14(9), 2096. <https://doi.org/10.3390/ma14092096>
- Sontakke, S. B., Jung, J. H., Piao, Z., & Chung, H. J. (2016). Orally Available Collagen Tripeptide: Enzymatic Stability, Intestinal Permeability, and Absorption of Gly-Pro-Hyp and Pro-Hyp. *Journal of Agricultural and Food Chemistry*, 64(38), 7127–7133. <https://doi.org/10.1021/acs.jafc.6b02955>
- Sorushanova, A., Delgado, L. M., Wu, Z., Shologu, N., Kshirsagar, A., Raghunath, R., Mullen, A. M., Bayon, Y., Pandit, A., Raghunath, M., & Zeugolis, D. I. (2019). The Collagen Suprafamily: From Biosynthesis to Advanced Biomaterial Development. Dalam *Advanced Materials* (Vol. 31, Nomor 1). Wiley-VCH Verlag. <https://doi.org/10.1002/adma.201801651>
- Tak, Y. J., Shin, D. K., Kim, A. H., Kim, J. Il, Lee, Y. L., Ko, H. C., Kim, Y. W., & Lee, S. Y. (2021). Effect of Collagen Tripeptide and Adjusting for Climate Change on Skin Hydration in Middle-Aged Women: A Randomized, Double-Blind, Placebo-Controlled Trial. *Frontiers in Medicine*, 7. <https://doi.org/10.3389/fmed.2020.608903>

- Teixeira, L. de S., Chagas, T. V., Alonso, A., Gonzalez-alvarez, I., Bermejo, M., Polli, J., & Rezende, K. R. (2020). Biomimetic artificial membrane permeability assay over franz cell apparatus using bcs model drugs. *Pharmaceutics*, *12*(10), 1–16. <https://doi.org/10.3390/pharmaceutics12100988>
- Tontul, I., & Topuz, A. (2017). Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. Dalam *Trends in Food Science and Technology* (Vol. 63, hlm. 91–102). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2017.03.009>
- Tsiaka, T., Kritsi, E., Tsiantas, K., Christodoulou, P., Sinanoglou, V. J., & Zoumpoulakis, P. (2022). Design and Development of Novel Nutraceuticals: Current Trends and Methodologies. *Nutraceuticals*, *2*(2), 71–90. <https://doi.org/10.3390/nutraceuticals2020006>
- Vidović, S. S., Vladić, J. Z., Vaštag, Ž. G., Zeković, Z. P., & Popović, L. M. (2014). Maltodextrin as a carrier of health benefit compounds in *Satureja montana* dry powder extract obtained by spray drying technique. *Powder Technology*, *258*, 209–215. <https://doi.org/10.1016/j.powtec.2014.03.038>
- Wang, L., Ding, L., Du, Z., & Liu, J. (2020). Effects of hydrophobicity and molecular weight on the transport permeability of oligopeptides across Caco-2 cell monolayers. *Journal of Food Biochemistry*, *44*(5). <https://doi.org/10.1111/jfbc.13188>
- Wang, L., Jiang, Y., Wang, X., Zhou, J., Cui, H., Xu, W., He, Y., Ma, H., & Gao, R. (2018). Effect of oral administration of collagen hydrolysates from Nile tilapia on the chronologically aged skin. *Journal of Functional Foods*, *44*, 112–117. <https://doi.org/10.1016/j.jff.2018.03.005>
- Weder, J. K. P., & Sohns, S. (1983). Model Studies on the Heating of Food Proteins Amino Acid Composition of Lysozyme, Ribonuclease and Insulin After Dry Heating. Dalam *Z Lebensm Unters Forsch* (Vol. 176).
- Xiao, Z., Xia, J., Zhao, Q., Niu, Y., & Zhao, D. (2022). Maltodextrin as wall material for microcapsules: A review. Dalam *Carbohydrate Polymers* (Vol. 298). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2022.120113>
- Yamamoto, S., Deguchi, K., Onuma, M., Numata, N., & Sakai, Y. (2016). Absorption and Urinary Excretion of Peptides after Collagen Tripeptide Ingestion in Humans. Dalam *Biol. Pharm. Bull* (Vol. 39, Nomor 3).