

DAFTAR PUSTAKA

- I. Adult guidelines. 2000. *American Journal of Kidney Diseases*. 35(6). s17–s104. <https://doi.org/10.1053/ajkd.2000.v35.aajkd03517>
- Amini, M., Aghighi, M., Masoudkabar, F., Zamyadi, M., Norouzi, S., Rajolani, H., Rasouli, M., & Pournakhtyaran, E., 2011. Hemodialysis Adequacy and Treatment in Iranian Patients a National Multicentre Study. *Iranian Journal of Kidney Diseases*, 5(2), 103–109. <https://www.ncbi.nlm.nih.gov/pubmed/21368388>
- Astrini, W. G. A. (2013). Hubungan kadar hemoglobin (Hb), indeks massa tubuh (IMT) dan tekanan darah dengan kualitas hidup pasien gagal ginjal kronik yang menjalani hemodialisis di RSUD Dokter Soedarso Pontianak Bulan April 2013. *Jurnal Mahasiswa PSPD FK Universitas Tanjungpura*, 1(1).
- Bachleda, P., Utikal, P., Köcher, M., Černá, M., Fialová, J., & Kalinová, L., 2015. Arteriovenous graft for hemodialysis, graft venous anastomosis closure - current state of knowledge. Minireview. *Biomedical Papers of the Faculty of Medicine of Palacký University, Olomouc Czech Republic*, 159(1), 027–030. <https://doi.org/10.5507/bp.2014.027>
- Barsoum, R. S., 2006. Chronic kidney disease in the developing world. *The New England Journal of Medicine*, 354(10), 997–999. <https://doi.org/10.1056/nejmp058318>
- Borzou, S.R., Gholyaf, M., Zandiha, M., Amini, R., Goodarzi, M.T., and Torkaman, B., 2009, The Effect of Increasing Blood Flow Rate on Dialysis Adequacy in Hemodialysis Patients, *Saudi J Kidney Dis Transpl*, 20(4), 639–642.
- Cano, N., Roth, H., Aparicio, M., Azar, R., Canaud, B., Chauveau, P., Combe, C., Fouque, D., Laville, M., & Lerverve, X., 2002. Malnutrition in hemodialysis diabetic patients: Evaluation and prognostic influence. *Kidney International*, 62(2), 593–601. <https://doi.org/10.1046/j.1523-1755.2002.00457.x>
- Chang, K. Y., Kim, S. H., Kim, Y. O., Jin, D. C., Song, H. C., Choi, E. J., Kim, Y. L., Kim, Y. S., Kang, S. W., Kim, N. H., Yang, C. W., & Kim, Y. K., 2016. The impact of blood flow rate during hemodialysis on all-cause mortality. *The Korean Journal of Internal Medicine*, 31(6), 1131–1139. <https://doi.org/10.3904/kjim.2015.111>
- Chen, T. K., Knicely, D. H., & Grams, M. E., 2019. Chronic kidney disease diagnosis and Management. *JAMA*, 322(13), 1294. <https://doi.org/10.1001/jama.2019.14745>
- Chou, J. A., & Kalantar-Zadeh, K. (2017). Volume Balance and Intradialytic Ultrafiltration Rate in the Hemodialysis Patient. *Current heart failure reports*, 14(5), 421–427. <https://doi.org/10.1007/s11897-017-0356-6>
- Coresh, J., Levey, A. S., Levin, A., & Stevens, P. E., 2013. A stable definition of chronic kidney disease improves knowledge and patient care. *The BMJ*, 347(sep18 1), f5553. <https://doi.org/10.1136/bmj.f5553>
- Dewi, I.G.A.P.A., 2010, Hubungan antara Quick Of Blood (Qb) dengan Adekuasi Hemodialisis pada Pasien yang Menjalani Terapi Hemodialisis di Ruang HD Brsu Daerah Tabanan Bali, Tesis, Fakultas Ilmu Keperawatan, Universitas Indonesia, Depok.
- Fielding, C., 2019. Haemodialysis. *Renal Nursing*, 179–233. doi:10.1002/9781119413172.ch8



Flythe, J. E., & Causland, F. R. M., 2017. Dialysate Sodium: Rationale for Evolution over Time. *Seminars in Dialysis*, 30(2), 99–111. <https://doi.org/10.1111/sdi.12570>

Gutzwiller, J., Schneditz, D., Huber, A., Schindler, C., Garbani, E., & Zehnder, C., 2003. Increasing blood flow increases Kt/Vurea and potassium removal but fails to improve phosphate removal. *Clinical Nephrology*, 59(02), 130–136. <https://doi.org/10.5414/cnp59130>

Hair, J., Anderson, R., Black, B., & Babin, B. (2016). *Multivariate data analysis*. Pearson Higher Ed.

Jayroe, H., & Foley, K., 2022. *Arteriovenous Fistula*. StatPearls - NCBI Bookshelf. <https://www.ncbi.nlm.nih.gov/books/NBK559213/>

Kallenbach, J. Z., 2020. *Review of Hemodialysis for Nurses and Dialysis Personnel - E-Book: Review of Hemodialysis for Nurses and Dialysis Personnel - E-Book*. Elsevier Health Sciences.

KDIGO, 2012 Clinical Practice Guideline for The Evaluation and Management of Chronic Kidney Disease, *Kidney Int Suppl*, 3(1), 5–14, <http://dx.doi.org/10.1038/kisup.2012.73>.

Kurita, N., Hayashino, Y., Yamazaki, S., Akizawa, T., Akiba, T., Saitō, A., & Fukuhara, S., 2017. Revisiting Interdialytic Weight gain and Mortality Association with Serum albumin Interactions: The Japanese Dialysis Outcomes and Practice Pattern study. *Journal of Renal Nutrition*, 27(6), 421–429. <https://doi.org/10.1053/j.jrn.2017.05.003>

Ladesvita, Fiora, Sukmarini, Lestari , 2019. Berat Badan Interdialisis Terhadap Adekuasi Hemodialisis Pada Pasien Hemodialisis Kronik, *Jurnal Keperawatan Widya Gantari Indonesia Volume 3 Nomor 1*. Fakultas Ilmu Kesehatan UPN Veteran Jakarta. Fakultas Ilmu Keperawatan Universitas Indonesia

Levin, A., Hemmelgarn, B. R., Culeton, B. F., Tobe, S. W., McFarlane, P., Ruzicka, M., Burns, K. D., Manns, B., White, C., Madore, F., Moist, L., Klarenbach, S., Barrett, B., Rn, F., Jindal, K., Senior, P., Pannu, N., Shurraw, S., Akbari, A., Cohn, A., Reslerova, M., Deved, V., Mendelssohn, D., Nesrallah, G., Kappel, J., Tonelli, M., 2008. Guidelines for the management of chronic kidney disease. *Canadian Medical Association Journal*, 179(11), 1154–1162. <https://doi.org/10.1503/cmaj.080351>

Longo, D., Fauci, A., Kasper, D., Hauser, S., Jameson, J., & Loscalzo, J., 2011. *Harrison's Principles of Internal Medicine*, 18th Edition. McGraw Hill Professional.

López-Novoa, J. M., Martínez-Salgado, C., Rodríguez-Peña, A. B., & Hernández, F. J. L., 2010. Common pathophysiological mechanisms of chronic kidney disease: Therapeutic perspectives. *Pharmacology & Therapeutics*, 128(1), 61–81. doi:10.1016/j.pharmthera.2010.05.006

Misra, M., 2005. The basics of hemodialysis equipment. *Hemodialysis International*, 9(1), 30–36. <https://doi.org/10.1111/j.1492-7535.2005.01115.x>



Mehmood, Y., Ali, I., Zahra, K., & Ashraf, U., 2019. HEMODIALYSIS; *The Professional Medical Journal*, 26(01). <https://doi.org/10.29309/tpmj/2019.26.01.2511>

Menteri Kesehatan Republik Indonesia, 2016, Peraturan Menteri Kesehatan RI Nomor 72 Tahun 2016 tentang Standar Pelayanan Kefarmasian di Rumah Sakit, Menteri Kesehatan RI, Jakarta.

Movilli, E., Gaggia, P., Zubani, R., Camerini, C., Vizzardi, V., Parrinello, G., Savoldi, S., Fischer, M. S., Lotti, F., & Cancarini, G., 2007. Association between high ultrafiltration rates and mortality in uraemic patients on regular haemodialysis. A 5-year prospective observational multicentre study. *Nephrology Dialysis Transplantation*, 22(12), 3547–3552. <https://doi.org/10.1093/ndt/gfm466>

Murdeswar, H. N., & Anjum, F., 2023, *Hemodialysis*. StatPearls - NCBI Bookshelf. <https://www.ncbi.nlm.nih.gov/books/NBK563296/>

Musso, C. G., & Oreopoulos, D. G., 2011. Aging and physiological changes of the kidneys including changes in glomerular filtration rate. *Nephron Physiology*, 119(Suppl. 1), p1–p5. <https://doi.org/10.1159/000328010>

Nasri, H., 2013. Age and Dialysis Adequacy in Maintenance Hemodialysis Patients. *The Annals of Clinical and Analytical Medicine*, 04(06). <https://doi.org/10.4328/jcam.1151>

NKF-K/DOQI, 2006, Clinical Practice Guidelines for Hemodialysis Adequacy: Update 2006, *Am J Kidney Dis*, 48(Suppl 1), S2–S90, <https://doi.org/10.1053/j.ajkd.2006.03.051>.

Pantelias, K., & Grapsa, E., 2011. Vascular access for hemodialysis. In *InTech eBooks*. <https://doi.org/10.5772/22834>

PERNEFRI (Perhimpunan Nefrologi Indonesia), 2003, Konsensus Dialisis, Edisi I, Cetakan I, Jakarta – Indonesia

Perkumpulan Nefrologi Indonesia (PERNEFRI), 2018, Report Of Indonesian Renal Registry, 11th Ed., Indonesian Renal Registry (IRR), Jakarta.

Pérez-García, R., Maset, R. G., Parra, E. G., Campos, C. S., Chamond, R. R., Martín-Rabadán, P., Pérez, P. E. S., Pereira, O. G., Domínguez, J., De La Cueva Matute, E., & Ferllen, R., 2016. Guía de gestión de calidad del líquido de diálisis (LD) (segunda edición, 2015). *Nefrología*, 36(3), e1–e52. <https://doi.org/10.1016/j.nefro.2016.01.003>

Pittard, J. D., 2017. Safety monitors in hemodialysis. In Elsevier eBooks (pp. 162-190.e2). <https://doi.org/10.1016/b978-0-323-39154-2.00013-8>

Price SA dan Wilson LM., 2006. Patofisiologi, Konsep Klinis Proses-Proses Penyakit. Edisi 6. Penerbit Buku Kedokteran EGC. Jakarta: 432

Ribeiro, I. C., Roza, N. a. V., Duarte, D. A., Guadagnini, D., Elias, R. M., & De Oliveira, R. B., 2019. Clinical and microbiological effects of dialyzers reuse in hemodialysis patients. *Brazilian Journal of Nephrology*, 41(3), 384–392. <https://doi.org/10.1590/2175-8239-jbn-2018-0151>



Risikesdas, 2013, Riset Kesehatan Dasar (Risikesdas) 2013, Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI, Jakarta

- Santoro, D., Benedetto, F., Mondello, P., Pipitò, N., Barillà, D., Spinelli, F., Ricciardi, C. A., Cernaro, & Buemi, M., 2014. Vascular access for hemodialysis: current perspectives. *International Journal of Nephrology and Renovascular Disease*, 281. <https://doi.org/10.2147/ijnrd.s46643>
- Saran, R., Bragg-Gresham, J. L., Levin, N. W., Twardowski, Z. J., Wizemann, V., Saitō, A., Naoki, K., Gillespie, B. W., Combe, C., Bommer, J., Akiba, T., Mapes, D., Young, E. W., & Port, F. K., 2006. Longer treatment time and slower ultrafiltration in hemodialysis: Associations with reduced mortality in the DOPPS. *Kidney International*, 69(7), 1222–1228. <https://doi.org/10.1038/sj.ki.5000186>
- Shahdadi, H., Balouchi, A., Sepehri, Z., Rafiemanesh, H., Magbri, A., Keikhaie, F., Shahakzahi, A., & Sarjou, A. A., 2015. Factors Affecting Hemodialysis Adequacy in Cohort of Iranian Patient with End Stage Renal Disease. *Global Journal of Health Science*, 8(8), 50. <https://doi.org/10.5539/gjhs.v8n8p50>
- Shahgholian, N., Salehi, A., & Mortazavi, M., 2014. Impact of stepwise sodium and ultra filtration profiles and dialysis solution flow rate profile on dialysis adequacy. *PubMed*, 19(5), 537–541. <https://pubmed.ncbi.nlm.nih.gov/25400684>
- Somji, S., Ruggajo, P., & Moledina, S., 2020. Adequacy of Hemodialysis and Its Associated Factors among Patients Undergoing Chronic Hemodialysis in Dar es Salaam, Tanzania. *International Journal of Nephrology*, 2020, 1–6. <https://doi.org/10.1155/2020/9863065>
- Stiller, S., Bonnie-Schorn, E., Grassmann, A., Uhlenbusch-Körwer, I., & Mann, H., 2001. A Critical Review of Sodium Profiling for Hemodialysis. *Seminars in Dialysis*, 14(5), 337–347. <https://doi.org/10.1046/j.1525-139x.2001.00086.x>
- Sugiyono., 2009. Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif, dan R&D. Bandung : Alfabeta.
- Suwitra, K., 2009, Penyakit Ginjal Kronik, Buku Ajar Ilmu Penyakit Dalam, Edisi III, Interna Publishing, Jakarta.
- University Of California San Francisco [UCSF]., 2014. *Vascular access for hemodialysis*. UCSF Vascular and Endovascular Surgery. Retrieved December 25, 2023, from <https://surgery.ucsf.edu/conditions--procedures/vascular-access-for-hemodialysis.aspx>
- Vos, T., Allen, C. A., Arora, M., Barber, R. M., Bhutta, Z. A., Brown, A. C., Carter, A., Casey, D., Charlson, F. J., Chen, A. Z., Coggeshall, M., Cornaby, L., Dandona, L., Dicker, D., Dilegge, T., Erskine, H. E., Ferrari, A. J., Fitzmaurice, C., Fleming, T. P., Amare, A. T., 2016. Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, 388(10053), 1545–1602. [https://doi.org/10.1016/s0140-6736\(16\)31678-6](https://doi.org/10.1016/s0140-6736(16)31678-6)
- Weigert, A., Drożdż, M., Silva, F., Frazão, J., Alsuwaida, A., Krishnan, M., Kleophas, W., Brzósko, S., Johansson, F., & Jacobson, S. H., 2019. Influence of gender and age on



UNIVERSITAS
GADJAH MADA

Hubungan Kecepatan Alir Darah terhadap Adekuasi Hemodialisis Pasien Penyakit Ginjal Kronis Pada Klinik Utama Perisai Husada

M.hafizd Aqila, Dr. B.S. Ari Sudarmanto, M.Si. ; Dr. apt. Fita Rahmawati, Sp. FRS.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

haemodialysis practices: a European multicentre analysis. *Ndt Plus*, 13(2), 217–224.
<https://doi.org/10.1093/ckj/sfz069>

Wiliyanarti, P. F., & Muhith, A., 2019. Life experience of chronic kidney diseases undergoing hemodialysis therapy. *NurseLine Journal*, 4(1), 54. <https://doi.org/10.19184/nlj.v4i1.9701>

Wong, M. M. Y., McCullough, K. P., Bieber, B. A., Bommer, J., Hecking, M., Levin, N. W., Robinson, B. M., 2017. Interdialytic Weight Gain: Trends, Predictors, and Associated Outcomes in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). *American Journal of Kidney Diseases*, 69(3), 367–379. doi:10.1053/j.ajkd.2016.08.030

Yamamoto, M., Matsumoto, T., Ohmori, H., Takemoto, M., Ikeda, M., Sumimoto, R., Kobayashi, T., Kato, A., & Ohdan, H., 2021. Effect of increased blood flow rate on renal anemia and hepcidin concentration in hemodialysis patients. *BMC Nephrology*, 22(1). <https://doi.org/10.1186/s12882-021-02426-7>