

## DAFTAR PUSTAKA

- Acamovic, T., & Brooker, J. D. (2005). Biochemistry of plant secondary metabolites and their effects in animals. *Proceedings of the Nutrition Society*, 64(3), 403–412. <https://doi.org/10.1079/PNS2005449>
- Agustiarini, V., & Wijaya, D. P. (2022). Uji Aktivitas Antioksidan Ekstrak Etanol-Air (1:1) Bunga Rosella (*Hibiscus sabdariffa* L.) dengan Metode DPPH (1,1-difenil-2-pikrilhidrazil). *Jurnal Penelitian Sains*, 24(1), 29. <https://doi.org/10.56064/jps.v24i1.679>
- Ajebli, M., & Eddouks, M. (2019). The Promising Role of Plant Tannins as Bioactive Antidiabetic Agents. *Current Medicinal Chemistry*, 26(25), 4852–4884. <https://doi.org/10.2174/0929867325666180605124256>
- Akash, M. S. H., Rehman, K., Rasool, F., Sethi, A., Abrar, M. A., Irshad, A., Abid, A., & Murtaza, G. (2011). Alternate therapy of type 2 diabetes mellitus (T2DM) with nigella (*Ranunculaceae*). *Journal of Medicinal Plant Research*, 5(31), 6885–6889. <https://doi.org/10.5897/JMPR11.1425>
- AL-Ishaq, Abotaleb, Kubatka, Kajo, & Büsselberg. (2019). Flavonoids and Their Anti-Diabetic Effects: Cellular Mechanisms and Effects to Improve Blood Sugar Levels. *Biomolecules*, 9(9), 430. <https://doi.org/10.3390/biom9090430>
- Al-Mahmood, S. M., Razak, T. A., Abdullah, S. T., Fatnoon NA, N. N., Mohamed, A. H., & Al-Ani, I. M. (2016). A comprehensive study of chronic diabetes complications in streptozotocin-induced diabetic rat. *Makara Journal of Health Research*, 20(2). <https://doi.org/10.7454/msk.v20i2.5889>
- Al-Maliki, A. D. M. (2011). Isolation and identification of phenolic compounds from *Elettaria cardamomum* seeds and study of their medicinal activity against pathogenic bacteria of prostate gland. *Journal of Missan Researches*, 8(15), 1–11.
- Ariani, N., Rizki Febrianti, D., & Niah Akademi Farmasi ISFI Banjarmasin, R. (2020). Uji Aktivitas Ekstrak Etanolik Daun Kemangi (*Ocimum sanctum* L.) terhadap *Staphylococcus aureus* secara In Vitro. *Jurnal Pharmascience*, 07(01), 107–115. <https://ppjp.ulm.ac.id/journal/index.php/pharmascience>
- Azizah, B., & Salamah, N. (2013). Standarisasi Parameter Non Spesifik dan Perbandingan Kadar Kurkumin Ekstrak Etanol dan Ekstrak Terpurifikasi Rimpang Kunyit. *Pharmaciana*, 3(1). <https://doi.org/10.12928/pharmaciana.v3i1.416>
- Baby, S., Johnson, A. J., Govindan, B., Lukose, S., Gopakumar, B., & Koshy, K. C. (2013). UV induced visual cues in grasses. *Scientific Reports*, 3(1), 2738. <https://doi.org/10.1038/srep02738>

- Banday, M. Z., Sameer, A. S., & Nissar, S. (2020). Pathophysiology of diabetes: An overview. *Avicenna Journal of Medicine*, 10(04), 174–188. [https://doi.org/10.4103/ajm.ajm\\_53\\_20](https://doi.org/10.4103/ajm.ajm_53_20)
- Bele, A., & Khale, A. (2011). An overview on thin layer chromatography. *Int. J. Pharm. Pharm. Sci.*, 2.
- Benore, M., Ninfa, A., & Ballou, D. (2010). *Fundamental Laboratory Approaches for Biochemistry and Biotechnology 2nd Edition*.
- Bertsch, W. (1984). Practice of Thin Layer Chromatography. Second Edition (Touchstone, Joseph C.; Dobbins, Murrell F.). *Journal of Chemical Education*, 61(3), A113. <https://doi.org/10.1021/ed061pA113.3>
- Birnboim, H. C. (1986). DNA strand breaks in human leukocytes induced by superoxide anion, hydrogen peroxide and tumor promoters are repaired slowly compared to breaks induced by ionizing radiation. *Carcinogenesis*, 7(9), 1511–1517. <https://doi.org/10.1093/carcin/7.9.1511>
- Cai, X., Xiao, M., Zou, X., Tang, J., Huang, B., & Xue, H. (2020). Separation of six antioxidants from *Hypsizygus marmoreus* by high-speed countercurrent chromatography utilizing an approach based upon the polarity parameter model. *Journal of Chromatography A*, 1633, 461650. <https://doi.org/10.1016/j.chroma.2020.461650>
- Chang, H.-M., But, P. P.-H., Yao, S.-C., Wang, L.-L., & Yeung, S. C.-S. (1986). *Pharmacology and Applications of Chinese Materia Medica*. WORLD SCIENTIFIC. <https://doi.org/10.1142/0284>
- Charokopou, M., Sabater, F. J., Townsend, R., Roudaut, M., McEwan, P., & Verheggen, B. G. (2016). Methods applied in cost-effectiveness models for treatment strategies in type 2 diabetes mellitus and their use in Health Technology Assessments: a systematic review of the literature from 2008 to 2013. *Current Medical Research and Opinion*, 32(2), 207–218. <https://doi.org/10.1185/03007995.2015.1102722>
- Chaudhury, A., Duvoor, C., Reddy Dendi, V. S., Kraleti, S., Chada, A., Ravilla, R., Marco, A., Shekhawat, N. S., Montales, M. T., Kuriakose, K., Sasapu, A., Beebe, A., Patil, N., Musham, C. K., Lohani, G. P., & Mirza, W. (2017). Clinical Review of Antidiabetic Drugs: Implications for Type 2 Diabetes Mellitus Management. *Frontiers in Endocrinology*, 8. <https://doi.org/10.3389/fendo.2017.00006>
- Cintya, H., Chan, M. A., Purba, A., Kokita, T., Destinyie, F., & Bernardi, W. (2021). Isolasi Kurkumin dari Kunyit Putih dengan Menggunakan Metode Maserasi dan Kromatografi Lapis Tipis (KLT). In *Jurnal Pro-Life* (Vol. 8, Issue 3). <https://ejournal.uki.ac.id/index.php/prolife>
- Dalimartha, S. (2008). *Atlas Tumbuhan Obat Indonesia* (Vol. 6). Pustaka Bunda.

- De Caro, C., & Claudia, H. (2015). *UV/VIS Spectrophotometry - Fundamentals and Applications*.
- Dewi, A. P. (2019). Penetapan Kadar Vitamin C dengan Spektrofotometri Uv-Vis pada Berbagai Variasi Buah Tomat. *JOPS (Journal Of Pharmacy and Science)*, 2(1), 9–13. <https://doi.org/10.36341/jops.v2i1.1015>
- Dewi, N. L. A. (2018). Pemisahan, Isolasi, dan Identifikasi Senyawa Saponin Dari Herba Pegagan (*Centella asiatica* L. Urban). *Jurnal Farmasi Udayana*, 68. <https://doi.org/10.24843/JFU.2018.v07.i02.p05>
- Dey, P., Kundu, A., Kumar, A., Gupta, M., Lee, B. M., Bhakta, T., Dash, S., & Kim, H. S. (2020). Analysis of alkaloids (indole alkaloids, isoquinoline alkaloids, tropane alkaloids). In *Recent Advances in Natural Products Analysis* (pp. 505–567). Elsevier. <https://doi.org/10.1016/B978-0-12-816455-6.00015-9>
- Divya, M., Shanti, G., Amalraj, S., Amiri-Ardekani, E., Gurav, S., & Ayyanar, M. (2023). Evaluation of in vitro enzyme inhibitory, anti-inflammatory, antioxidant, and antibacterial activities of *Oldenlandia corymbosa* L. and *Oldenlandia umbellata* L. whole plant extracts. *Pharmacological Research - Modern Chinese Medicine*, 8, 100286. <https://doi.org/10.1016/j.prmcm.2023.100286>
- Eko Murwanto, P., & Santosa, D. (2012). *Borreria repens* DC., *Polygala paniculata* L. From Taman Nasional Gunung Merapi Using Dpph (2,2-Difenil-1-Pikrilhidrazil) Radical Scavenging Analysis. In *Majalah Obat Tradisional* (Vol. 17, Issue 3).
- Elwon, C. A. M., Shah, M. D., & Iqbal, M. (2020). Hypoglycemic and Hypolipidemic Effects of *Oldenlandia Corymbosa* Against Alloxan Induced Diabetes Mellitus In Rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, 34–40. <https://doi.org/10.22159/ijpps.2020v12i10.38951>
- Endrini, S. (2011). Antioxidant activity and anticarcinogenic properties of “rumput mutiara” {*Hedyotis corymbosa* (L.) Lam.} and “pohpohan” {*Pilea trinervia* (Roxb.) Wight}. *Journal of Medicinal Plants Research*, 5(16), 3715–3718. <http://www.academicjournals.org/JMPR>
- Fatima, M. T., Bhat, A. A., Nisar, S., Fakhro, K. A., & Al-Shabeeb Akil, A. S. (2023a). The role of dietary antioxidants in type 2 diabetes and neurodegenerative disorders: An assessment of the benefit profile. *Heliyon*, 9(1), e12698. <https://doi.org/10.1016/j.heliyon.2022.e12698>
- Fatima, M. T., Bhat, A. A., Nisar, S., Fakhro, K. A., & Al-Shabeeb Akil, A. S. (2023b). The role of dietary antioxidants in type 2 diabetes and neurodegenerative disorders: An assessment of the benefit profile. *Heliyon*, 9(1), e12698. <https://doi.org/10.1016/j.heliyon.2022.e12698>

- Gordon, M. H. (2001). 4 - Measuring antioxidant activity. In J. Pokorny, N. Yanishlieva, & M. Gordon (Eds.), *Antioxidants in Food* (pp. 71–84). Woodhead Publishing.  
<https://doi.org/https://doi.org/10.1016/9781855736160.1.71>
- Handayani, V., Ahmad, A. R., & Sudir, M. (2014). Uji Aktivitas Antioksidan Ekstrak Metanol Bunga dan Daun Patikala (*Etlingera elatior* (Jack) R.M.Sm) Menggunakan Metode DPPH. *Pharmaceutical Sciences and Research*, 1(2), 86–93. <https://doi.org/10.7454/psr.v1i2.3321>
- Hanin, N. N. F., & Pratiwi, R. (2017). Kandungan Fenolik, Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Paku Laut (*Acrostichum aureum* L.) Fertil dan Steril di Kawasan Mangrove Kulon Progo, Yogyakarta. *Journal of Tropical Biodiversity and Biotechnology*, 2(2), 51. <https://doi.org/10.22146/jtbb.29819>
- Hernani, & Nurdjanah, R. (2009). Aspek pengeringan dalam mempertahankan kandungan metabolit sekunder pada tanaman obat. *Perkembangan Teknologi TRO*, 21(2), 33–39.
- Ikhwan, M., & Chatri, M. (2021). *Inventory of Medicinal Plants that have the Potential to Treat Diabetes Mellitus in Sijunjung District Inventarisasi Tumbuhan Obat yang Berpotensi untuk Mengobati Penyakit Diabetes Mellitus di Kecamatan Sijunjung* (Vol. 6, Issue 2).
- Iswahyudi, Samanhudi, Yunus, A., Widyastuti, Y., & Suryanti, V. (2020). Morphological Study of Rumput Mutiara (*Hedyotis corimbosa* L) from Various Locations in Central Java. *IOP Conference Series: Earth and Environmental Science*, 466(1). <https://doi.org/10.1088/1755-1315/466/1/012028>
- Jork, H., Funk, W., Fischer, W., Wimmer, H., & Burns, D. T. (1990). Thin-layer chromatography. Reagents and detection methods. Physical and chemical detection methods: fundamentals, reagents I. Volume 1a: VCH, Weinheim, 1990 (ISBN 3-527-27834-6). xv + 464 pp. Price DM 148.00. *Analytica Chimica Acta*, 237, 511–512.  
<https://api.semanticscholar.org/CorpusID:100260885>
- Jyotirmayee, K., & Sarangi, M. (2013). Thin layer chromatography: A tool of biotechnology for isolation of bioactive compounds from medicinal plants. *International Journal of Pharmaceutical Sciences Review and Research*, 18, 126–132.
- Kamtekar, S., Keer, V., & Patil, V. (2014). Estimation of phenolic content, flavonoid content, antioxidant and alpha amylase inhibitory activity of marketed polyherbal formulation. *Journal of Applied Pharmaceutical Science*, 4(9), 61–65. <https://doi.org/10.7324/JAPS.2014.40911>
- Karmilah, Musdalipah, Daud, N. S., Reymon, & Fauziah, Y. (2021). Identification of sea urchin gonads chemical compounds using thin-layer chromatography

from Bokory island, Southeast Sulawesi. *Journal of Physics: Conference Series*, 1899(1), 012050. <https://doi.org/10.1088/1742-6596/1899/1/012050>

Kementerian Kesehatan RI. (2017). *Farmakope Herbal Indonesia Edisi II*. Kementerian Kesehatan RI.

Kementrian Kesehatan Republik Indonesia. (2020). Infodatin 2020 Diabetes Melitus. *Pusat Data Dan Informasi Kementrian Kesehatan RI*.

Khalid, K., Ishak, R., & Chowdhury, Z. Z. (2024). UV–Vis spectroscopy in non-destructive testing. In *Non-Destructive Material Characterization Methods* (pp. 391–416). Elsevier. <https://doi.org/10.1016/B978-0-323-91150-4.00021-5>

Khayer Fatema, U., & Hossain, M. S. (2014). ANALGESIC EFFECT OF ETHANOL EXTRACT OF HEDYOTIS CORYMBOSA L. WHOLE PLANT. *International Research Journal of Pharmacy*, 4(1), 21–24. <https://doi.org/10.7897/2230-8407.050105>

Kishore, D., Kundu, S., & Kayastha, A. M. (2012). Thermal, Chemical and pH Induced Denaturation of a Multimeric  $\beta$ -Galactosidase Reveals Multiple Unfolding Pathways. *PLoS ONE*, 7(11), e50380. <https://doi.org/10.1371/journal.pone.0050380>

Klemchuk, P. P. (2000). Antioxidants. In *Ullmann's Encyclopedia of Industrial Chemistry*. Wiley-VCH Verlag GmbH & Co. KGaA. [https://doi.org/10.1002/14356007.a03\\_091](https://doi.org/10.1002/14356007.a03_091)

Kusumawati, N., Haryoto, H., & Indrayudha, P. (2021). Penghambatan Enzim Alpha-Glukosidase oleh Daun Mimba (*Azadirachta indica*) dan Rimpang Temu Mangga (*Curcuma mangga*). *Jurnal Kefarmasian Indonesia*, 56–64. <https://doi.org/10.22435/jki.v11i1.3950>

Laddha, A. P., & Kulkarni, Y. A. (2019). Tannins and vascular complications of Diabetes: An update. *Phytomedicine*, 56, 229–245. <https://doi.org/10.1016/j.phymed.2018.10.026>

Lee, B.-H., Rose, D. R., Lin, A. H.-M., Quezada-Calvillo, R., Nichols, B. L., & Hamaker, B. R. (2016). Contribution of the Individual Small Intestinal  $\alpha$ -Glucosidases to Digestion of Unusual  $\alpha$ -Linked Glycemic Disaccharides. *Journal of Agricultural and Food Chemistry*, 64(33), 6487–6494. <https://doi.org/10.1021/acs.jafc.6b01816>

Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., Kong, M., Li, L., Zhang, Q., Liu, Y., Chen, H., Qin, W., Wu, H., & Chen, S. (2016). An Overview of Plant Phenolic Compounds and Their Importance in Human Nutrition and Management of Type 2 Diabetes. *Molecules*, 21(10), 1374. <https://doi.org/10.3390/molecules21101374>

Malunga, L. N., Eck, P., & Beta, T. (2016). Inhibition of Intestinal  $\alpha$ -Glucosidase and Glucose Absorption by Feruloylated Arabinoxylan Mono- and

Oligosaccharides from Corn Bran and Wheat Aleurone. *Journal of Nutrition and Metabolism*, 2016, 1–9. <https://doi.org/10.1155/2016/1932532>

Martinez-Oliveira, P., Zuravski, L., de Oliveira, M. F., Ströher, D. J., Coelho, R. P., Pilar, B. C., de Oliveira, L. F. S., Piccoli, J. da C. E., Machado, M. M., Denardin, C. C., & Manfredini, V. (2021). Evaluation *In Vitro* of Toxicity of Hydroalcoholic Extract of Leaves and Roots from Yacon ( *Smallanthus sonchifolius* ). *Journal of Medicinal Food*, 24(6), 660–665. <https://doi.org/10.1089/jmf.2020.0131>

Metlen, K. L., Aschehoug, E. T., & Callaway, R. M. (2009). Plant behavioural ecology: dynamic plasticity in secondary metabolites. *Plant, Cell & Environment*, 32(6), 641–653. <https://doi.org/10.1111/j.1365-3040.2008.01910.x>

Molyneux, P. (2003). *The use of the stable radical Diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity*. 26.

Morata, A., González, C., Tesfaye, W., Loira, I., & Suárez-Lepe, J. A. (2019). Maceration and Fermentation. In *Red Wine Technology* (pp. 35–49). Elsevier. <https://doi.org/10.1016/B978-0-12-814399-5.00003-7>

Noiarsa, P., Ruchirawat, S., Otsuka, H., & Kanchanapoom, T. (2008). Chemical constituents from *Oldenlandia corymbosa* L. of Thai origin. *Journal of Natural Medicines*, 62(2), 249–250. <https://doi.org/10.1007/s11418-007-0212-1>

Omar, N., Ismail, C. A. N., & Long, I. (2022). Tannins in the Treatment of Diabetic Neuropathic Pain: Research Progress and Future Challenges. *Frontiers in Pharmacology*, 12. <https://doi.org/10.3389/fphar.2021.805854>

Oxidative Stress. (2010). In *Handbook of Disease Burdens and Quality of Life Measures* (pp. 4278–4278). Springer New York. [https://doi.org/10.1007/978-0-387-78665-0\\_6275](https://doi.org/10.1007/978-0-387-78665-0_6275)

Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: an overview. *Journal of Nutritional Science*, 5, e47. <https://doi.org/10.1017/jns.2016.41>

Prasedya, E. S., Frediansyah, A., Martyasari, N. W. R., Ilhami, B. K., Abidin, A. S., Padi, H., Fahrurrozi, Juanssilfero, A. B., Widyastuti, S., & Sunarwidhi, A. L. (2021). Effect of particle size on phytochemical composition and antioxidant properties of *Sargassum cristaefolium* ethanol extract. *Scientific Reports*, 11(1), 17876. <https://doi.org/10.1038/s41598-021-95769-y>

Raal, A., Meos, A., Hinrikus, T., Heinämäki, J., Romane, E., Gudiene, V., Tas, V., Oleh, K., Kovaleva, A., Cornelia, F., Chiru, T., & Nguyen, H. (2020). Dragendorff's reagent: Historical perspectives and current status of a versatile reagent introduced over 150 years ago at the University of Dorpat, Tartu, Estonia. *Die Pharmazie*, 75, 299–306. <https://doi.org/10.1691/ph.2020.0438>

Randhir, R., Lin, Y.-T., & Shetty, K. (2004). Stimulation of phenolics, antioxidant and antimicrobial activities in dark germinated mung bean sprouts in response

to peptide and phytochemical elicitors. *Process Biochemistry*, 39(5), 637–646. [https://doi.org/10.1016/S0032-9592\(03\)00197-3](https://doi.org/10.1016/S0032-9592(03)00197-3)

Rasul, M. G. (2018). Conventional Extraction Methods Use in Medicinal Plants, their Advantages and Disadvantages. In *International Journal of Basic Sciences and Applied Computing*.

Richardson, P. M., & Harborne, J. B. (1985). Phytochemical Methods. *Brittonia*, 37(3), 309. <https://doi.org/10.2307/2806080>

Rouzbehan, S., Moein, S., Homaei, A., & Moein, M. R. (2017). Kinetics of  $\alpha$ -glucosidase inhibition by different fractions of three species of Labiatae extracts: a new diabetes treatment model. *Pharmaceutical Biology*, 55(1), 1483–1488. <https://doi.org/10.1080/13880209.2017.1306569>

Różyło, J. K., & Ościk-Mendyk, B. (1980). Influence of chamber saturation in thin-layer chromatography on theoretical and experimental parameters of mixture separations. *Journal of High Resolution Chromatography*, 3(6), 291–296. <https://doi.org/10.1002/jhrc.1240030606>

Sami, W., Ansari, T., Butt, N. S., & Ab Hamid, M. R. (2017). Effect of diet on type 2 diabetes mellitus: A review. *International Journal of Health Sciences*, 11(2), 65.

Sancheti, S., Sancheti, S., & Seo, S.-Y. (2009). Chaenomeles Sinensis: A Potent  $\alpha$ - and  $\beta$ -Glucosidase Inhibitor. *American Journal of Pharmacology and Toxicology*, 4(1), 8–11. <https://doi.org/10.3844/ajptsp.2009.8.11>

Sitthithaworn, W., Mongkolsilp, S., Pongbupakit, I., & Sae-Lee, N. (2004). Radical Scavenging Activity and Total Phenolic Content of Medicinal Plants Used in Primary Health Care. In *SWU J Pharm Sci* (Vol. 9, Issue 1). <https://www.researchgate.net/publication/228512535>

Soemardji, A. A., Anisa, I. N., & Damayanti, N. A. (2015a). Study on Rumput Mutiara (*Hedyotis Corimbosa*) Herbs as Medicine. In *Journal of Medicine and Health Study on Rumput Mutiara...* (Vol. 1, Issue 2).

Soemardji, A. A., Anisa, I. N., & Damayanti, N. A. (2015b). STUDY ON RUMPUT MUTIARA (*Hedyotis Corimbosa*) HERBS AS MEDICINE. *Journal Of Medicine & Health*, 1(2). <https://doi.org/10.28932/jmh.v1i2.513>

Sugiwati, S., Setiasih, S., & Afifah, E. (2010). Antihyperglycemic Activity of the Mahkota Dewa Leaf Extracts as an Alpha-Glucosidase Inhibitor. *Makara Journal of Health Research*, 13(2). <https://doi.org/10.7454/msk.v13i2.364>

Suhartati, T. (2013). *Dasar-Dasar Spektrofotometri Uv-Vis dan Spektrometri Massa untuk Penentuan Struktur Senyawa Organik*. AURA.

Sunarni, T., Pramono, S., & Ratna Asmah, dan. (2007). Flavonoid antioksidan penangkap radikal dari daun kepel (*Stelechocarpus burahol* (Bl.) Hook f. & Th.) Antioxidant-free radical scavenging of flavonoid from The Leaves of

*Stelechocarpus burahol* (Bl.) Hook f. & Th. In *Titik Sunarni Majalah Farmasi Indonesia* (Vol. 18, Issue 3).

- Theodora, C. T., Gunawan, I. W. G., & Swantara, I. M. D. (2019). Isolasi dan Identifikasi Golongan Flavonoid Pada Ekstrak Etil Asetat Daun Gedi (*Abelmoschus manihot* L.). *Jurnal Kimia*, 131. <https://doi.org/10.24843/JCHEM.2019.v13.i02.p02>
- Velderrain-Rodríguez, G. R., Palafox-Carlos, H., Wall-Medrano, A., Ayala-Zavala, J. F., Chen, C.-Y. O., Robles-Sánchez, M., Astiazaran-García, H., Alvarez-Parrilla, E., & González-Aguilar, G. A. (2014). Phenolic compounds: their journey after intake. *Food Funct.*, 5(2), 189–197. <https://doi.org/10.1039/C3FO60361J>
- Vermerris, W., & Nicholson, R. (2006). Biosynthesis of Phenolic Compounds. In *Phenolic Compound Biochemistry* (pp. 63–149). Springer Netherlands. [https://doi.org/10.1007/978-1-4020-5164-7\\_3](https://doi.org/10.1007/978-1-4020-5164-7_3)
- Warrier, P., Nambiar, V., & Ramankutty, C. (1993). *Indian medicinal plants: A compendium of 500 species* (Vol. 3). Orient Blackswan.
- Widowati, W., Tjokropranoto, R., Wahyudianingsih, R., Tih, F., Sadeli, L., Kusuma, H. W., Fuad, N., Girsang, E., & Agatha, F. (2021). Antidiabetic potential yacon (*Smallanthus sonchifolius* (Poepp.) H. Rob.) leaf extract via antioxidant activities, inhibition of  $\alpha$ -glucosidase,  $\alpha$ -amylase, G-6-Pase by in vitro assay. *Journal of Reports in Pharmaceutical Sciences*, 10(2), 247. [https://doi.org/10.4103/jrptps.JRPTPS\\_3\\_21](https://doi.org/10.4103/jrptps.JRPTPS_3_21)
- Wijayanti, T. (2017). Skrining Senyawa Metabolit Sekunder Ekstrak Rumput Mutiara (*Hedyotis Corymbosa* (L.) Lamk.) DENGAN METODE GC-MS (Vol. 4, Issue 1).
- Windyaswari, A. S., Purba, J. P., Nurrahmah, S. S., Ayu, I. P., Imran, Z., Amin, A. A., Kurniawan, F., Pratiwi, N. T. M., & Iswantari, A. (2019). Phytochemical profile of sea grass extract (*Enhalus acoroides*): A new marine source from Ekas Bay, East Lombok. *IOP Conference Series: Earth and Environmental Science*, 278(1). <https://doi.org/10.1088/1755-1315/278/1/012081>
- Wink, M. (2008). Evolution of Secondary Plant Metabolism. In *Encyclopedia of Life Sciences*. Wiley. <https://doi.org/10.1002/9780470015902.a0001922.pub2>
- Wulandari, L., Retnaningtyas, Y., & Mustafidah, D. (2013). Pengembangan dan Validasi Metode Kromatografi Lapis Tipis Densitometri untuk Penetapan Kadar Teofilin dan Efedrin Hidroklorida Secara Simultan pada Sediaan Tablet. *Jurnal Kimia Terapan Indonesia*, 15(1), 15–21. <https://doi.org/10.14203/jkti.v15i1.100>
- Xu, Q., Shen, Y., Wang, H., Zhang, N., Xu, S., & Zhang, L. (2013). Application of response surface methodology to optimise extraction of flavonoids from

fructus sophorae. *Food Chemistry*, 138(4), 2122–2129.  
<https://doi.org/10.1016/j.foodchem.2012.11.099>

Zaid, H., Saad, B., Mahdi, A. A., Tamrakar, A. K., Haddad, P. S., & Afifi, F. U. (2015). Medicinal Plants and Natural Active Compounds for Diabetes and/or Obesity Treatment. *Evidence-Based Complementary and Alternative Medicine*, 2015, 1–2. <https://doi.org/10.1155/2015/469762>

Zeb, A. (2020). Concept, mechanism, and applications of phenolic antioxidants in foods. *Journal of Food Biochemistry*, 44(9). <https://doi.org/10.1111/jfbc.13394>

Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(1), 20. <https://doi.org/10.1186/s13020-018-0177-x>