

DAFTAR PUSTAKA

- Agbodzavu, M.K., Osiemo, L.Z., Gikungu, M., Ekesi, S., & Fiaboe, K. 2020. Temperature dependent development, survival and reproduction of *Apanteles hemara* (Nixon) (Hymenoptera: Braconidae) on *Spoladea recurvalis* (F.) (Lepidoptera: Crambidae). *Bulletin of Entomological Research*, 110(5), 577587.
- Aluja, M. & P. Liedo. 1993. *Fruit flies: Biology and Management*. New York: Springer Public.
- Anonim. 2018. Lalat buah pada salak. < http://ditlin.hortikultura.pertanian.go.id/index.php?option=com_content&view=article&id=372:lalat-buah-pada-salak&catid=13:terkini. Diakses pada 4 November 2023.
- Bana, J. K., H. Sharma, S. Kumar, & P. Singh. 2017. Impact of weather parameters on population dynamics of oriental fruit fly, *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae) under south Gujarat mango ecosystem. *Journal of Agrometeorology*, 19(1), 78–80.
- Bateman, M. A. 1972. The Ecology of Fruit Flies. *Annual Review of Entomology*, 17(1): 493–518. <https://doi.org/10.1146/annurev.en.17.010172.002425>
- Begum, R. & Mubarak. 2018. *Principles and Techniques for Managing Melon Fruit Fly (Bactrocera cucurbitae) in Cucurbits*. Author publisher. South Eastern University of Sri Lanka
- Buchori, D. 2014. *Pengendalian Hayati Dan Konservasi Serangga Untuk Pembangunan Indonesia Hijau*. Institut Pertanian Bogor. Orasi Ilmiah Guru Besar.
- Buchori, D., M. S. Sinaga, Dadang, N. Andarwulan, D. Iswantini, M. M. S. S. Harjadi, R. Poerwanto, H. S. Arifin, B. Mulyanto dan E. Amzu. 2017. *Peningkatan Produksi, Manfaat, dan Sustainability Biodiversitas Tanaman Indonesia*. Bogor: Institut Pertanian Bogor Press. P: 11.
- Bush, G.L. 1992. Host race formation and sympatric speciation in *Rhagoletis* Fruit Flies (Diptera: Tephritidae). *Psyche a Journal of Entomology* 99(4): 335-357.
- Carrejo, N.S.; Gonzalez, O.R. 1999. Parasitoids reared from species of *Anastrepha* (Diptera: Tephritidae) in Valle del Cauca, Colombia. *Fla. Entomol.* 82, 113–118.
- Casas, J., S. Bacher, J. Tautz, R. Meyhoffer, & D. Piere 1998. Leaf Vibrations and Air Movements in a Leafminer-Parasitoid System. *Bio. Cont.* 11:147-153
- Clarke, A.R. 2019. *Biology and Management of Bactrocera and Related Fruit Flies*; CSIRO Publishing: Victoria, Australia, 272p.

- Cory ST., WE. Synder. 2006. Species identity dominates the relationship between predator biodiversity and herbivore suppression. *Ecology*. 87(2):277-282.
- Deguine, J. P., Atiama-Nurbel, & Quilici, S. 2011. Net choice is key to the Augmentarium technique of fruit fly sequestration and parasitoid release. *Crop protection*, 30(2), 198-202.
- Doutt, R.L., D.P. Annecke and E. Tremblay. 1989. Biologi dan hubungan hospes parasitoida. In: Huffaker CB, Messenger PS, editor. Teori dan praktek pengendalian Mangoendiharjo S, biologis. penerjemah. Untung K, pendamping. Jakarta: UI press.
- Drew, R.A.I. & D.L. Hancock. 1994. The *Bactrocera dorsalis* complex of fruit flies (Diptera: Tephritidae: Dacinae) in Asia. *Bulletin of Entomological Research Suppl.*
- Gill, T.A., A.F. Goodin, I.I. Maiti, and B.A. Webb. 2006. Potential uses of cys-motif and other polydnavirus genes in biotechnology. pp. 393–418. In K. Maramorosch, A.J. Shatkin, and B.C. Bonning (Eds). *Advances in Virus Research Insect Viruses: Biotechnological applications*. Vol. 68. Elsevier Inc., London.
- Godfray H.C.J. 1994. *Parasitoid Behavioral and Evolutionary*. Princeton University Press, New Jersey.
- Gomina, M., J.F. Vayssières., B. D. Kasseney., I. A. Glitho., K. Amevoin. 2020. Diversity of parasitoids associated with fruit flies on cultivated and wild plants in southern Togo. *International journal of tropical insect science*. 40:887–898
- Guswai, C. (2018). *How to manage retail shrinkage and prevent loss*. Gramedia Pustaka Utama.
- Hamid, H., Buchori, D., & Triwidodo, H. 2003. Keanekaragaman parasitoid dan parasitisasinya pada pertanaman padi di kawasan Taman Nasional Gunung Halimun. *Hayati*. 10(3): 85–90.
- Hamid. 2019. Struktur komunitas parasitoid yang berasosiasi dengan pengorok daun tanaman bawang merah di Bali. *Jurnal Agrotech*. 9(2) 45–49.
- Haramoto, F.H.; Bess, H.A. 1970. Recent studies on the abundance of the Oriental and Mediterranean fruit flies and the status of their parasites. *Proc. Hawaii. Entomol. Soc.* 20, 551–566.
- Harbi, A., F.J. Beitia., C.Tur., B. Chermiti., M.J. Verdu., & B.S. Munoz. 2015. Field Releases of the Larval Parasitoid *Diachasmimorpha longicaudata* in Spain: First Results on Dispersal Pattern. XIIth Intl. Citrus Congress. *Acta Horticulture*: 1057-1062.
- Harris, E. J., R. I. Vargas, & J. E. Gilmore. 1993. Seasonality in occurrence and distribution of mediterranean fruit fly (Diptera: Tephritidae) in upland and lowland areas on Kauai, Hawaii. *Environmental Entomology*. 22(2): 404–410.

- Harvey J.A., I.F. Harvey, & D.J. Thompson. 1993. The effect of superparasitism on development of the solitary parasitoid wasp *Venturia canescens* (Hymenoptera: Ichneumonidae). *Ecol. Entomol.* 18: 203-208.
- Hatherly, I. S., Bale, J. S., & Walters, K. F. A. 2005. U.K. winter egg survival in the field and laboratory diapause of *Typhlodromips montdorensis*. *Physiological Entomology*, 30(1), 87–91. doi:10.1111/j.0307-6962.2005.00424.x
- Herlinda S., Mayasari R., Adam T., Pujiastuti Y. 2007. Populasi dan serangan lalat buah *Bractocera dorsalis* (Hendel) (Diptera : Tephritidae) serta potensi parasitoidnya pada pertanaman cabai (*Capsicum annum* L.). Makalah disampaikan pada Seminar Nasional dan Kongres Ilmu Pengetahuan Wilayah Barat, Palembang, 3 - 5 Juni 2007.
- Hindarto A. 2015. Keanekaragaman serangga pada perkebunan kelapa sawit pada umur tanaman yang berbeda di unit Kebun Rambutan PTPN III [Tesis]. Institut Pertanian Bogor, Bogor
- Hou, B., Q. Xie & R. Zhang. 2006. Depth of pupation and survival of the Oriental fruit fly, *Bactrocera dorsalis* (Diptera: Tephritidae) pupae at selected soil moistures. *Applied Entomology and Zoology*. 41(3): 515-520
- Hulthen, A.D. and A.R. Clarke. 2006. The influence of soil moisture on *Bactrocera tryoni* (Forggatt) (Diptera: Tephritidae) pupae. *Australian Journal of Entomology* 45(1): 16-19.
- Ideo, S., Watada, M., Mitsui, H., Kimura, M.T., 2008. Host range of *Asobara japonica* (Hymenoptera: Braconidae), a larval parasitoid of drosophilid flies. *Entomol. Science*. 11, 1- 6.
- Israely, N, and SD Oman. 2005. Effect of combined insecticide sprays and sanitation techniques on population dynamics of *Ceratitis capitata* (Diptera: Tephritidae) in the central mountains of Israel. *Journal of Economic Entomology*. 98(3): 739-748.
- Jamili, A., Haryanto, H. 2014. Keanekaragaman dan parasitasi parasitoid telur *Leptocorisa acuta* pada berbagai pola tanam padi. *Agrotop : Journal on Agroculture Science*, 4(2), 112-118.
- Kamala Jayanthi, P. D., & A. Verghese. 2011. Host-plant phenology and weather based forecasting models for population prediction of the oriental fruit fly, *Bactrocera dorsalis* Hendel. *Crop Protection*. 30(12): 1557–1562. <https://doi.org/10.1016/j.cropro.2011.09.002>.
- Kardinan, A. 2003. Tanaman Pengendali Lalat Buah. AgroMedia Pustaka, Jakarta.
- Kasuya, N., Mitsui, H., Ideo, S., Watada, M., Kimura, M., 2013. Ecological, morphological and molecular studies on *Ganaspis* individuals (Hymenoptera: Figitidae) attacking *Drosophila sukukii* (Diptera: Drosophilidae). *Appl. Entomol. Zool.* 48, 87-92.

- Kehrli, P., Lehmann, M., & Bacher, S. 2005. Mass-emergence devices: a biocontrol technique for conservation and augmentation of parasitoids. *Biological control*, 32(2), 191-199.
- Kitthawee, S., K. Sriplang, W. Y. Brockelman, and V. Baimai. 2004. Laboratory evaluation of density relationships of the parasitoid, *Spalangia endius* (Hymenoptera: Pteromalidae), with two species of tephritid fruit fly pupal hosts in Thailand. *Sci. Asia* 30: 391–397
- Klungness, L. M., E. B. Jang., R. F. Mau., R. I. Vargas., J. S. Sugano & E. Fujitani. 2005. New sanitation techniques for controlling tephritid fruit flies (Diptera: Tephritidae) in Hawaii. *Journal of Applied Sciences and Environmental Management*. 9(2): 5-14.
- Krebs, C.J. 1989. *Experimental Analysis of Distribution and Abundance*. Third Edition. New York.
- Laba, I. W dan A. Kartohardjono. 1998. Pelestarian Parasitoid dan Predator dalam Pengendalian Hama Tanaman. *J. Litbangtan XVII* (4):122-129.
- Landolt, P. J. & Quilici, S. 1996. Overview of research on the behavior of fruit flies. In *Fruit Fly Pest: A World Assessment of Their Biology and Management*. Florida: St. Lucie Press.
- Loreau, MS., PI. Naeem, J. Bengtsson, JP. Grime, A. Hector, DU. Hooper, MA. Huston, D. Raffaelli, B. Schmid, D. Tilman, DA. Wardle. 2001. Biodiversity and ecosystem functioning: current knowledge and future challenges. *Science* 294: 804-808.
- MacArthur, R.H. and E.O., Wilson. 1967. *The Theory of Island Biogeography*. New Jersey: Princeton University Press.
- Manurung, B., P. Prastowo & E. E. Tarigan. 2012. Pola aktivitas harian dan dinamika populasi lalat buah *Bactrocera dorsalis* pada pertanaman jeruk di dataran tinggi Kabupaten Karo Provinsi Sumatera Utara. *Jurnal HPT Tropika*. 12(2):103-110.
- Marinho, C.F.; Costa, V.A.; Zucchi, R.A. 2018. Annotated checklist and illustrated key to braconid parasitoids (Hymenoptera, Braconidae) of economically important fruit flies (Diptera, Tephritidae) in Brazil. *Zootaxa*, 4527, 21–36.
- Mitsui, H., Kimura, M. T., 2010. Distribution, abundance and host association of two parasitoid species attacking frugivorous drosophilid larvae in central Japan. *Eur. J. Entomol.* 107, 535-540.
- Mitsui, H., Van Achterberg, K., Nordlander, G., Kimura, M.T., 2007. Geographical distributions and host associations of larval parasitoids of frugivorous Drosophilidae in Japan. *J. Nat. Hist.* 41, 1731-1738.
- Montoya, P.; Liedo, P.; Benrey, B.; Cancino, J.; Barrera, J.F.; Sivinski, J.; Aluja, M. 2000. Biological control of *Anastrepha* spp. (Diptera: Tephritidae) in mango orchards through augmentative releases of *Diachasmimorpha*

- longicaudata* (Ashmead) (Hymenoptera: Braconidae). *Biol. Control* 18, 216–224.
- Mustafa, I., N. Arif., A. B. Raza., M. Samiullah & M. Arshad. 2011. Population fluctuation of fruit flies from different host field plants in Sargodha region Pakistan. *International Journal of Cell & Molecular Biology (IJCMB)*. 2(3): 714-719
- Mutamiswa, R, V Tarusikirwa, C Nyamukondiwa, and F Chidawanyika. 2020. Fluctuating environments impact thermal tolerance in an invasive insect species *Bactrocera dorsalis* (Diptera: Tephritidae). *Journal of Applied Entomology*. 144(10): 885-896.
- Muthuthantri, W. S. N. 2008. Population phenology of tropical fruit fly, *Bactrocera tryoni* (Froggatt) (Diptera: Tephritidae), in Queensland, Australia [tesis]. Brisbane (AUS): Queensland University of Technology
- Nelly, N. Dinamika Interaksi Parasitoid *Eriborus argenteopilosus* Cameron (Hymenoptera: Ichneumonidae) dengan Inangnya pada Suhu dan Kondisi Fisiologis Berbeda. [Disertasi]. Pascasarjana Unand. Padang. 2005.
- Nenet S, Sumeno dan Sudarjat. 2005. Ilmu Hama Tumbuhan. Universitas Padjajaran. Bandung.
- Nomano, F. Y., Mitsui, H., & Kimura, M. T. (2014). Capacity of Japanese Asobara species (Hymenoptera; Braconidae) to parasitize a fruit pest *Drosophila suzukii* (Diptera; Drosophilidae). *Journal of Applied Entomology*, 139(1-2), 105–113. doi:10.1111/jen.12141
- Octriana, L. 2010. Identifikasi dan analisis tingkat parasitasi jenis parasitoid terhadap hama lalat buah *Bactrocera tau* pada tanaman markisa. *Hortikultura*, 20(2): 179-185.
- Oliveira, N., I.W. Susila, dan I.W. Supartha. 2016. Keragaman jenis lalat buah dan tingkat parasitasi parasitoid yang berasosiasi dengan tanaman buah-buahan di Distrik Lautem, Timor Leste. *Agroekoteknologi tropika*, 5(1):93-102.
- Ovruski S, Aluja M, Sivinski J, Wharton RA. 2000. Hymenoptera parasitoids on fruit-infesting Tephritidae (Diptera) in Latin America and the southern United States: diversity, distribution, taxonomic status and their use in fruit fly biocontrol. *Integr Pest Manag Rev* 5:81–107
- Papadopoulos, N. T., N. A. Kouloussis and B. I. Katsoyannos. 2006. Effect of plant chemicals on the behavior of the Mediterranean fruit fly. *Proceedings of the 7th International Symposium on Fruit Flies of Economic Importance*. 10-15 September, Salvador, Brazil. Pp. 97-106.
- Perez, D,F.Diaz-Fleischer,P.Montoya, and M.T.Vera. 2020. Area-Wide Management of Fruit Fly Pest. Boca Raton: CRC Press.P 239.
- Pimentel, D. 1961. Species Diversity and Insect Population Outbreaks. *Annals of the Entomological Society of America*, 54(1), 76–86. doi:10.1093/aesa/54.1.76

- Pujiastuti, Y. 2007. Populasi dan Serangan Lalat Buah (*Bactrocera* spp.) serta potensi parasitoid pada pertanaman cabai merah (*Capsicum annum* L.) di daerah dataran sedang Sumatra Selatan. *Tanaman Tropika* 10(2): 17-28.
- Purnomo, H. 2010. Pengantar Pengendalian Hayati. Yogyakarta: Andi P: 18-19, 30.
- Putra, N. S. 1997. Hama lalat buah dan pengendaliannya. Penerbit Kanisius, pp 11
- Quicke, D.L.J. 1997. Parasitic Wasps. Chapman & Hall. London.
- Rahmawati, I.P. 2007. Tingkat Parasitasi Parasitoid Soliter (Hymenoptera: Braconidae) pada Lalat Buah Melinjo (Diptera: Tephritidae). Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Riyanto, Herlinda, S., Irsan, C., & Umayah, A. 2011. Kelimpahan dan keanekaragaman spesies serangga predator dan parasitoid *Aphis gossypii* di Sumatera Selatan. *Jurnal Hama dan Penyakit Tumbuhan Tropika*. 11: 57–68.
- Romoser, W.S. and J.G. Stoffolano, Jr. 1998. The Science of Entomology. McGrawHill, Inc.
- Rousse. P., E. J. Harris, & S. Quilici. 2005. *Fopius arisanus*, an Egg-Puppal Parasitoid of Tephritidae. Overview. *Biocontrol News and Information* 26: 59- 69
- Sahari B. 2012. Struktur komunitas parasitoid Hymenoptera di perkebunan kelapa sawit, Desa Pandu Senjaya, Kecamatan Pangkalan Lada, Kalimantan Tengah [Disertasi]. Institut Pertanian Bogor, Bogor.
- Siwi S.S., P. Hidayat & Suputa. 2006. Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera: Tephritidae). Bogor: Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian
- Soesilohadi, R. C. H. 2002. Dinamika populasi lalat buah *Bactrocera carambolae* Drew dan Handcock (Diptera: Tephritidae). Disertasi. ITB. Bandung.
- Speight, M.R., Hunter, M.D., & Watt, A.D. 2008. Ecology of Insects: Concepts and Applications. Wiley-Blackwell, Chichester.
- Sugimoto, T. 1977. Ecological Studies on the Relationship between the Ranunculus Leaf Mining fly, *Phytomyza ranunculi* Schrank (Diptera: Agromyzidae) and its Parasite, *Kratochviliana* sp (Hymenoptera: Eulophidae) from the Viewpoint of Spatial Structure I. Analysis of Searching and Attacking Behaviours of the Parasite. *Appl. Entomol. Zool.* 12 (2): 87-103.
- Sugiyono. 2004. Metode penelitian bisnis. Bandung : Alfabeta.
- Supartha. I. W. 2003. Peranan pengendalian hama terpadu dalam meningkatkan pendapatan petani dan pelestarian lingkungan di era pasar global. Orasi ilmiah.

- Suputa, Arminudin AT, Jatuasri P, Rahmawati IP, Trisyono YA. 2007. Tingkat parasitisasi *Fopius arianus* (Hymenoptera: Braconidae) pada lalat buah belimbing di Daerah Istimewa Yogyakarta. JPTI, 13(2), 2007: 106 - 113.
- Susanti, DA. 2012. Identifikasi parasitoid pada lalat buah *Bactrocera cucurbitaceae* dalam buah pare. Universitas Pendidikan Indonesia.
- Thompson. C.R. 2014. A Parasitoid Wasp, *Diachasmimorpha longicaudata* (Ashmead) (Insecta: Hymenoptera: Braconidae). University of Florida.
- Van Alphen J.J.M. & M.A. Jervis. 1996. Foraging behaviour. In Insect Natural Enemies. Practical Approach to their Study and Evaluation. Jervis M, Kidd N. Ed. Chapman & Hall. London.
- Vargas, R.I.; Leblanc, L.; Harris, E.J.; Mano, N.C. 2012. Regional suppression of *Bactrocera* fruit flies (Diptera: Tephritidae) in the pacific through biological control and prospects for future introductions into other areas of the world. *Insects*. 3, 727–742.
- Vayssières J-F, Sanogo F, Noussourou M. 2004. Inventaire des espèces de mouches des fruits (Diptera: Tephritidae) inféodées au manguier au Mali et essais de lutte raisonnée. *Fruits* 59:1–14.
- Vayssières, J. F., S. Korie & D. Ayegnon. 2009. Correlation of fruit fly infestation of major mango cultivars in Borgou (Benin) with abiotic and biotic factors and assessment of damage. *Crop protect.* 28(6): 477-488
- Vayssières, J. F., Y. Carel., M. Coubes & P. F. Duyck. 2008. Development of immature stages and comparative demography of two cucurbit-attacking fruit flies in Reunion Island: *Bactrocera cucurbitae* and *Dacus ciliatus* (Diptera Tephritidae). *Environmental Entomology* 37(2): 307–314.
- Vinson, S. B. 1976. Host selection by insect parasitoids. *Entomol.* 21: 109–133.
- Vinson, S. B., and G. Iwantsch. 1980. Host suitability for insect parasitoids. *Entomol.* 25: 397–419.
- Wang, X.G.; Messing, R.H. 2004. Two different life-history strategies determine the competitive outcome between *Dirhinus giffardii* (Chalcididae) and *Pachycrepoideus vindemmiae* (Pteromalidae), ectoparasitoids of cyclorrhaphous Diptera. *Bull. Entomol. Res.* 94, 473–480.
- Weems H.V., & J.L. Nation. 2013. Olive fruit fly, *Bactrocera oleae* (Rossi) (Insecta: Diptera: Tephritidae). <http://edis.ifas.ufl.edu/pdf/IN/IN2700.pdf.html>
- Weems HV, Jr & T.R Fasulo. 2011. Queensland fruit fly, *Bactrocera tryoni* (Froggatt) (Insecta: Diptera: Tephritidae). http://entnemdept.ufl.edu/creatures/fruit/tropical/queensland_fruit_fly.htm
- Wharton RA, Yoder MJ (2005) Parasitoids of fruit-infesting Tephritidae. <http://paroffit.org>. Accessed 24 Juni 2024.

- Wharton, R. A. 1989. Classical biological control of fruit infesting Tephritidae. In: Robison, A.S and Hopper, G.H.S (eds). Fruit flies: their biology, natural enemies and control.elsevier science, Amsterdam. World crop pests. 303-313.
- Zulfaidah. 2009. Inokulasi dan Inundasi. Jurusan MIPA Biologi Universitas Brawijaya.