

DAFTAR PUSTAKA

- de Alcântara, M.G., de Freitas Ortega, N., Souza, C.J.F., and Garcia-Rojas, E.E., 2020, Electrostatic hydrogels formed by gelatin and carrageenan induced by acidification: Rheological and structural characterization, *Food Structure*, 24, 100137.
- Bahadoran, M., Shamloo, A., and Nokoorian, Y.D., 2020, Development of a polyvinyl alcohol/sodium alginate hydrogel-based scaffold incorporating bFGF-encapsulated microspheres for accelerated wound healing, *Sci Rep*, 10, .
- Bernal-Chávez, S.A., Romero-Montero, A., Hernández-Parra, H., Peña-Corona, S.I., Del Prado-Audelo, M.L., Alcalá-Alcalá, S., Cortés, H., Kiyekbayeva, L., Sharifi-Rad, J., and Leyva-Gómez, G., 2023, Enhancing chemical and physical stability of pharmaceuticals using freeze-thaw method: challenges and opportunities for process optimization through quality by design approach, *J Biol Eng*, 17, 35.
- Bhatt, S., Pathak, A., Grover, P., Bharadwaj, A., Bhatia, D., Tomar, R., and Kaurav, M., 2022, Different aspects of polymers – A review article, *Mater Today Proc*, 64, 1490–1495.
- Bluemke, A., Ring, A.P., Immeyer, J., Hoff, A., Eisenberg, T., Gerwat, W., Meyer, F., Breitzkreutz, S., Klinger, L.M., Brandner, J.M., Sandig, G., Seifert, M., Segger, D., Rippke, F., and Schweiger, D., 2022, Multidirectional activity of bakuchiol against cellular mechanisms of facial ageing - Experimental evidence for a holistic treatment approach, *Int J Cosmet Sci*, 44, 377–393.
- Candry, P., Godfrey, B.J., Wang, Z., Sabba, F., Dieppa, E., Fudge, J., Balogun, O., Wells, G., and Winkler, M.-K.H., 2022, Tailoring polyvinyl alcohol-sodium alginate (PVA-SA) hydrogel beads by controlling crosslinking pH and time, *Sci Rep*, 12, 20822.
- Chaudhuri, R. and Marchio, F., 2011, Bakuchiol in the management of acne-affected Skin, *Cosmet. Toilet.*, 126, 502–510.
- Chaudhuri, R.K. and Bojanowski, K., 2014, Bakuchiol: A retinol-like functional compound revealed by gene expression profiling and clinically proven to have anti-aging effects, *Int J Cosmet Sci*, 36, 221–230.
- Cole, M.A., Quan, T., Voorhees, J.J., and Fisher, G.J., 2018, Extracellular matrix regulation of fibroblast function: redefining our perspective on skin aging., *J Cell Commun Signal*, 12, 35–43.
- Dafader, N., Manir, M., Alam, M., Swapna, S., Akter, T., and Huq, D., 2015, Effect of kappa-carrageenan on the properties of poly(vinyl alcohol) hydrogel prepared by application of gamma radiation, *SOP Transactions on Applied Chemistry*, 2, 1–12.
- Darlenski, R., Surber, C., and Fluhr, J.W., 2010, Topical retinoids in the management of photodamaged skin: from theory to evidence-based practical approach, *British Journal of Dermatology*, 163, 1157–1165.
- de Araújo, R., Lôbo, M., Trindade, K., Silva, D.F., and Pereira, N., 2019, Fibroblast Growth Factors: A Controlling Mechanism of Skin Aging, *Skin Pharmacol Physiol*, 32, 275–282.

- Dhaliwal, S., Rybak, I., Ellis, S.R., Notay, M., Trivedi, M., Burney, W., Vaughn, A.R., Nguyen, M., Reiter, P., Bosanac, S., Yan, H., Foolad, N., and Sivamani, R.K., 2019, Prospective, randomized, double-blind assessment of topical bakuchiol and retinol for facial photoageing, *British Journal of Dermatology*, 180, 289–296.
- El-Fawal, G.F., Yassin, A.M., and El-Deeb, N.M., 2017, The Novelty in Fabrication of Poly Vinyl Alcohol/ κ -Carrageenan Hydrogel with *Lactobacillus bulgaricus* Extract as Anti-inflammatory Wound Dressing Agent, *AAPS PharmSciTech*, 18, 1605–1616.
- Fitria Apriani, E., Miksusanti, M., Fransiska, N., Fitria, E., and Miksusanti, A.M., 2022, Formulation And Optimization Peel-Off Gel Mask with Polyvinyl Alcohol and Gelatin Based Using Factorial Design from Banana Peel Flour (*Musa paradisiaca* L) As Antioxidant, .
- Fluhr, J.W., Vienne, M.P., Lauze, C., Dupuy, P., Gehring, W., and Gloor, M., 1999, Tolerance profile of retinol, retinaldehyde and retinoic acid under maximized and long-term clinical conditions., *Dermatology*, 199 Suppl 1, 57–60.
- Fore, J., 2006, A review of skin and the effects of aging on skin structure and function., *Ostomy Wound Manage*, 52, 24–35; quiz 36–7.
- García-Hernández, A.B., Morales-Sánchez, E., Calderón-Domínguez, G., Salgado-Cruz, Ma. de la P., Farrera-Rebollo, R.R., Vega-Cuellar, M.Á., and García-Bórquez, A., 2021, Hydrolyzed collagen on PVA-based electrospun membranes: Synthesis and characterization, *J Appl Polym Sci*, 138, .
- Ghosh, B., Bhattacharya, D., and Mukhopadhyay, M., 2022, A hydrogel sheet mask with tea tree essential oil entrapment and targeted dose delivery capability, *Mater Today Proc*, 57, 77–83.
- Griffiths, C.E., Kang, S., Ellis, C.N., Kim, K.J., Finkel, L.J., Ortiz-Ferrer, L.C., White, G.M., Hamilton, T.A., and Voorhees, J.J., 1995, Two concentrations of topical tretinoin (retinoic acid) cause similar improvement of photoaging but different degrees of irritation. A double-blind, vehicle-controlled comparison of 0.1% and 0.025% tretinoin creams., *Arch Dermatol*, 131, 1037–44.
- Harliatika, Y., Studi Sarjana Farmasi Universitas Sari Mulia Banjarmasin Jl Pramuka No, P., Luar, P., Banjarmasin Timur, K., Banjarmasin, K., and Selatan, K., 2021, Formulation and Evaluation of Hydrogel from Agarwood Leaf (*Aquilaria malacensis* Lamk.) Ethanol Extract with Carbopol 940 and HPMC K4M Combination, *Journal of Pharmacy and Science*, 6, .
- Harry, R.G., 2015, Harry's Cosmeticology, 9th ed. Rosen, M.R. (ed) Chemical Publishing Company.
- Haschek, W.M., Rousseaux, C.G., and Wallig, M.A. eds., 2013, Haschek and Rousseaux's Handbook of Toxicologic Pathology, 3rd ed. Academic Press.
- Hong, K.H., 2017, Polyvinyl alcohol/tannic acid hydrogel prepared by a freeze-thawing process for wound dressing applications, *Polymer Bulletin*, 74, 2861–2872.
- Husnani, H. and Firdaus, A.M., 2017, OPTIMASI PARAMETER FISIK VISKOSITAS, DAYA SEBAR DAN DAYA LEKAT PADA BASIS NATRIUM CMC DAN CARBOPOL 940 PADA GEL MADU DENGAN

METODE SIMPLEX LATTICE DESIGN, *Jurnal Ilmu farmasi dan Farmasi Klinik*, 14, 11–18.

- Irfan, M.F., 2019, Optimasi Gelling Agent Karbopol, Natrium Karboksimetilselulosa, dan Metilselulosa serta Uji Aktivitas gel 3- Nitrokalkon sebagai Sunscreen secara In Vitro,.
- Jiang, X., Xiang, N., Zhang, H., Sun, Y., Lin, Z., and Hou, L., 2018, Preparation and characterization of poly(vinyl alcohol)/sodium alginate hydrogel with high toughness and electric conductivity, *Carbohydr Polym*, 186, 377–383.
- Kaberova, Z., Karpushkin, E., Nevoralová, M., Vetrík, M., Šlouf, M., and Dušková-Smrčková, M., 2020, Microscopic Structure of Swollen Hydrogels by Scanning Electron and Light Microscopies: Artifacts and Reality, *Polymers (Basel)*, 12, 578.
- Karki, S., Kim, H., Na, S.-J., Shin, D., Jo, K., and Lee, J., 2016, Thin films as an emerging platform for drug delivery, *Asian J Pharm Sci*, 11, 559–574.
- Katsura, H., Tsukiyama, R.-I., Suzuki, A., and Kobayashi, M., 2001, In Vitro Antimicrobial Activities of Bakuchiol against Oral Microorganisms, *Antimicrob Agents Chemother*, 45, 3009–3013.
- Khaliq, T., Sohail, M., Minhas, M.U., Ahmed Shah, S., Jabeen, N., Khan, S., Hussain, Z., Mahmood, A., Kousar, M., and Rashid, H., 2022, Self-crosslinked chitosan/ κ -carrageenan-based biomimetic membranes to combat diabetic burn wound infections, *Int J Biol Macromol*, 197, 157–168.
- Krishna, A.T.P., Edachery, B., and Athalathil, S., 2022, Bakuchiol - a natural meroterpenoid: structure, isolation, synthesis and functionalization approaches, *RSC Adv*, 12, 8815–8832.
- Larrea-Wachtendorff, D., Del Grosso, V., and Ferrari, G., 2022, Evaluation of the Physical Stability of Starch-Based Hydrogels Produced by High-Pressure Processing (HPP), *Gels*, 8, .
- Li, L., Zhao, J., Sun, Y., Yu, F., and Ma, J., 2019, Ionically cross-linked sodium alginate/ κ -carrageenan double-network gel beads with low-swelling, enhanced mechanical properties, and excellent adsorption performance, *Chemical Engineering Journal*, 372, 1091–1103.
- Li, Z., Yu, C., Kumar, H., He, X., Lu, Q., Bai, H., Kim, K., and Hu, J., 2022, The Effect of Crosslinking Degree of Hydrogels on Hydrogel Adhesion, *Gels*, 8, 682.
- Liao, M., Zhao, Y., Pan, Y., Pan, J., Yao, Q., Zhang, S., Zhao, H., Hu, Y., Zheng, W., Zhou, W., and Dong, X., 2023, A good adhesion and antibacterial double-network composite hydrogel from PVA, sodium alginate and tannic acid by chemical and physical cross-linking for wound dressings, *J Mater Sci*, 58, 5756–5772.
- Lim, L.T., Ah-Kee, E.Y., and Collins, C.E., 2014, Common eye drops and their implications for pH measurements in the management of chemical eye injuries., *Int J Ophthalmol*, 7, 1067–8.
- Lukić, M., Pantelić, I., and Savić, S.D., 2021, Towards Optimal pH of the Skin and Topical Formulations: From the Current State of the Art to Tailored Products, *Cosmetics*, 8, 69.

- Mahdavinia, G.R., Rahmani, Z., Karami, S., and Pourjavadi, A., 2014, Magnetic/pH-sensitive κ -carrageenan/sodium alginate hydrogel nanocomposite beads: preparation, swelling behavior, and drug delivery, *J Biomater Sci Polym Ed*, 25, 1891–1906.
- Malpure, P.S., Patil, S.S., More, Y.M., and Nikam, P.P., 2018, A Review On-Hydrogel, *A Review On-Hydrogel. American Journal of PharmTech Research*, 8, .
- Melfa, F., Siragusa, D., Caruso, D., Lo Faro, C., Nicoletti, G.F., and Rauso, R., 2020, At-home Cosmeceutical Application and Outpatient Treatments: A 3D Stepwise Facial Rejuvenation Approach, *Open Access Maced J Med Sci*, 8, 1041–1046.
- Meng, F., Zhang, Y., Xiong, Z., Wang, G., Li, F., and Zhang, L., 2018, Mechanical, hydrophobic and thermal properties of an organic-inorganic hybrid carrageenan-polyvinyl alcohol composite film, *Compos B Eng*, 143, 1–8.
- Mitura, S., Sionkowska, A., and Jaiswal, A., 2020, Biopolymers for hydrogels in cosmetics: review, *J Mater Sci Mater Med*, 31, .
- Mohsin, M., Hossin, A., and Haik, Y., 2011, Thermal and mechanical properties of poly(vinyl alcohol) plasticized with glycerol, *J Appl Polym Sci*, 122, 3102–3109.
- Moustafa, M., A. Abu-Saied, M., H. Taha, T., Elnouby, M., A. El Desouky, E., Alamri, S., Shati, A., Alrumman, S., Alghamdii, H., Al-Khatani, M., Al-Qthanin, R., and Al-Emam, A., 2021, Preparation and Characterization of Super-Absorbing Gel Formulated from κ -Carrageenan–Potato Peel Starch Blended Polymers, *Polymers (Basel)*, 13, 4308.
- Mukherjee, S., Date, A., Patravale, V., Korting, H.C., Roeder, A., and Weindl, G., 2006, Retinoids in the treatment of skin aging: an overview of clinical efficacy and safety., *Clin Interv Aging*, 1, 327–48.
- Noviani, Y., Umrah Noor, S., and Nengsih, E., 2015, Pengaruh Variasi Konsentrasi Polivinil Alkohol (PVA) pada Formulasi Masker Gel Peel-Off Ekstrak Belimbing Wuluh (*Averrhoa Bilimbi L.*) sebagai Anti Jerawat (The Effect of Various Concentrations of Polyvinyl Alcohol (PVA) in Peel-off Gel Mask Formulation of Sour Starfruit (*Averrhoa bilimbi L.*) as Anti Acne Agent), *JURNAL ILMU KEFARMASIAN INDONESIA*, 14, 199–205.
- Osada, Y., 2000, *Gels Handbook*, Vol 1. Elsevier.
- Panja, S., Dietrich, B., and Adams, D.J., 2022, Controlling Syneresis of Hydrogels Using Organic Salts, *Angewandte Chemie - International Edition*, 61, .
- Parente, M.E., Ochoa Andrade, A., Ares, G., Russo, F., and Jiménez-Kairuz, Á., 2015, Bioadhesive hydrogels for cosmetic applications., *Int J Cosmet Sci*, 37, 511–8.
- R Velasco, M. V, Pinto Vieira, R., Ribeiro Fernandes, A., Mary Kaneko, T., Olga Consiglieri, V., Aparecida Sales de Oliveira Pinto, C., Silva Cortez Pereira, C., Rolim Baby, A., Valéria Robles Velasco, M., Vieira, R.P., Fernandes, A.R., Kaneko, T.M., Consiglieri, V.O., S O Pinto, C.A., C Pereira, C.S., and Baby, A.R., 2009, Physical and physicochemical stability evaluation of cosmetic formulations containing soybean extract fermented by *Bifidobacterium animalis*,.

- Rahmawanty, D., Yulianti, N., and Fitriana, M., 2015, Formulasi dan Evaluasi Masker Wajah Peel-Off Mengandung Kuersetin dengan Variasi Konsentrasi Gelatin dan Gliserin, *Media Farmasi: Jurnal Ilmu Farmasi*, 12, 17.
- Rowe, R.C., Sheskey, P.J., and Quinn, M.E., 2009, Handbook of Pharmaceutical Excipients, London.
- Rudyardjo, D.I., 2014, PENGARUH PENAMBAHAN PLASTICIER GLISEROL TERHADAP KARAKTERISTIK HIDROGEL KITOSAN-GLUTARALDEHID UNTUK APLIKASI PENUTUP LUKA,.
- Sabbagh, F., Khatir, N.M., and Kiarostami, K., 2023, Synthesis and Characterization of k-Carrageenan/PVA Nanocomposite Hydrogels in Combination with MgZnO Nanoparticles to Evaluate the Catechin Release, *Polymers (Basel)*, 15, .
- Sadiq, T., Khalid, S.H., Khan, I.U., Mahmood, H., and Asghar, S., 2022, Designing Deferoxamine-Loaded Flaxseed Gum and Carrageenan-Based Controlled Release Biocomposite Hydrogel Films for Wound Healing, *Gels*, 8, 652.
- Savić Gajić, I.M., Savić, I.M., and Svirčev, Z., 2023, Preparation and Characterization of Alginate Hydrogels with High Water-Retaining Capacity, *Polymers (Basel)*, 15, .
- Schueller, Ra and Romanowski, Pa, 2002, Multifunctional Cosmetics, Schueller,Randy and Romanowski,Perry (eds) CRC Press.
- Shamsuri, A.A. and Darus, S.A.A.Z.M., 2020, Statistical Analysis of Tensile Strength and Flexural Strength Data from Universal Testing Machine, *Asian Journal of Probability and Statistics*, 54–62.
- Sharma, S., Chandra, S., Srivastava, A., Dwivedi, S., and Ompj, P.V., 2019, Collagen: A Brief Analysis, *Oral and Maxillofacial Pathology Journal*, 10, 11–17.
- Shim, J.H., 2019, Prostaglandin E2 Induces Skin Aging via E-Prostanoid 1 in Normal Human Dermal Fibroblasts, *Int J Mol Sci*, 20, 5555.
- Shimizu, T., 2005, Role of macrophage migration inhibitory factor (MIF) in the skin, *J Dermatol Sci*, 37, 65–73.
- Shin, J.-W., Kwon, S.-H., Choi, J.-Y., Na, J.-I., Huh, C.-H., Choi, H.-R., and Park, K.-C., 2019, Molecular Mechanisms of Dermal Aging and Antiaging Approaches, *Int J Mol Sci*, 20, 2126.
- Shiroodi, S.G., Rasco, B.A., and Lo, Y.M., 2015, Influence of Xanthan–Curdlan Hydrogel Complex on Freeze-Thaw Stability and Rheological Properties of Whey Protein Isolate Gel over Multiple Freeze-Thaw Cycle, *J Food Sci*, 80, .
- Sri Kuncari, E. and Praptiwi, dan, 2014, EVALUASI, UJI STABILITAS FISIK DAN SINERESIS SEDIAAN GEL YANG MENGANDUNG MINOKSIDIL, APIGENIN DAN PERASAN HERBA SELEDRI (Apium graveolens L.) EVALUATION, PHYSICAL STABILITY TEST AND SYNERESIS OF GEL CONTAINING MINOXIDIL, APIGENIN AND CELERY (APIUM GRAVEOLENS L.) JUICE,.
- Sukhlaaied, W. and Riyajan, S.A., 2013, Synthesis and properties of carrageenan grafted copolymer with poly(vinyl alcohol), *Carbohydr Polym*, 98, 677–685.
- Sukmawati, Arisanti, and Wijayanti, 2013, Pengaruh Variasi Konsentrasi PVA, HPMC, dan Gliserin terhadap Sifat Fisika Masker Wajah Gel Peel OFF Ekstrak