



REFERENCES

- Abral, H., Ariksha, J., Mahardika, M., Handayani, D., Aminah, I., Sandrawati, N., Sugiarti, E., Muslimin, A. N., & Rosanti, S. D. (2020). Effect of heat treatment on thermal resistance, transparency and antimicrobial activity of sonicated ginger cellulose film. *Carbohydrate Polymers*, *240*, 1–7. <https://doi.org/10.1016/j.carbpol.2020.116287>
- Abral, H., Basri, A., Muhammad, F., Fernando, Y., Hafizulhaq, F., Mahardika, M., Sugiarti, E., Sapuan, S. M., Ilyas, R. A., & Stephane, I. (2019). A simple method for improving the properties of the sago starch films prepared by using ultrasonication treatment. *Food Hydrocolloids*, *93*, 276–283. <https://doi.org/10.1016/j.foodhyd.2019.02.012>
- Abral, H., Soni Satria, R., Mahardika, M., Hafizulhaq, F., Affi, J., Asrofi, M., Handayani, D., Sapuan, S. M., Stephane, I., Sugiarti, E., & Muslimin, A. N. (2019). Comparative Study of the Physical and Tensile Properties of Jicama (*Pachyrhizus erosus*) Starch Film Prepared Using Three Different Methods. *Starch/Staerke*, *71*(5–6). <https://doi.org/10.1002/star.201800224>
- Aderibigbe, F. A., & Adejumo, L. A. (2015). Effect of different hydrolysis methods on starch degradation. *African Journal of Biotechnology*, *14*(3), 264–271. <https://doi.org/10.5897/ajb2013.13504>
- Ahmad, A. N., Lim, S. A., Navaranjan, N., Hsu, Y. I., & Uyama, H. (2020). Green sago starch nanoparticles as reinforcing material for green composites. *Polymer*, *202*, 1. <https://doi.org/10.1016/j.polymer.2020.122646>
- Amagliani, L., O'Regan, J., Kelly, A. L., & O'Mahony, J. A. (2016). Chemistry, structure, functionality and applications of rice starch. *Journal of Cereal Science*, *70*, 291–300. <https://doi.org/10.1016/j.jcs.2016.06.014>
- Aminian, M., Nafchi, A. M., Bolandi, M., & Alias, A. K. (2013). Preparation and characterization of high degree substituted sago (Metroxylon sago) starch with propylene oxide. *Starch/Staerke*, *65*(7–8), 686–693. <https://doi.org/10.1002/star.201200137>
- Azeredo, H. M. C., Kontou-Vrettou, C., Moates, G. K., Wellner, N., Cross, K., Pereira, P. H. F., & Waldron, K. W. (2015). Wheat straw hemicellulose films



- as affected by citric acid. *Food Hydrocolloids*, 50, 1–6.
<https://doi.org/10.1016/j.foodhyd.2015.04.005>
- Baldwin, P. M. (2001). Starch Granule-Associated Proteins and Polypeptides: A Review. *Starch/Stärke*, 53, 457–503.
- Bertuzzi, M. A., Castro Vidaurre, E. F., Armada, M., & Gottifredi, J. C. (2007). Water vapor permeability of edible starch based films. *Journal of Food Engineering*, 80(3), 972–978. <https://doi.org/10.1016/j.jfoodeng.2006.07.016>
- Bigi, A., Cojazzi, G., Panzavolta, S., Rubini, K., & Roveri, N. (2001). Mechanical and thermal properties of gelatin films at different degrees of glutaraldehyde crosslinking. *Biomaterials*, 22, 763–768.
- Bourtoom, T., & Chinnan, M. S. (2009). Improvement of water barrier property of rice starch-chitosan composite film incorporated with lipids. *Food Science and Technology International*, 15(2), 149–158.
<https://doi.org/10.1177/1082013208105993>
- Chabrat, E., Abdillahi, H., Rouilly, A., & Rigal, L. (2012). Influence of citric acid and water on thermoplastic wheat flour/poly(lactic acid) blends. I: Thermal, mechanical and morphological properties. *Industrial Crops and Products*, 37(1), 238–246. <https://doi.org/10.1016/j.indcrop.2011.11.034>
- Chen, W. C., Mohd Judah, S. N. M. S., Ghazali, S. K., Munthoub, D. I., Alias, H., Mohamad, Z., & Majid, R. A. (2021). The effects of citric acid on thermal and mechanical properties of crosslinked starch film. *Chemical Engineering Transactions*, 83, 199–204. <https://doi.org/10.3303/CET2183034>
- Cheng, Y., Sun, C., Zhai, X., Zhang, R., Zhang, S., Sun, C., Wang, W., & Hou, H. (2021). Effect of lipids with different physical state on the physicochemical properties of starch/gelatin edible films prepared by extrusion blowing. *International Journal of Biological Macromolecules*, 185, 1005–1014.
<https://doi.org/10.1016/j.ijbiomac.2021.06.203>
- Chua, S. N. D., Kho, E. P., Lim, S. F., & Hussain, M. H. (2022). Sago palm (Metroxylon sago) starch yield, influencing factors and estimation from morphological traits. In *Advances in Materials and Processing Technologies* (Vol. 8, Issue 2, pp. 1845–1866). Taylor and Francis Ltd.
<https://doi.org/10.1080/2374068X.2021.1878702>



- Detduangchan, N., Sridach, W., & Wittaya, T. (2014). Enhancement of the properties of biodegradable rice starch films by using chemical crosslinking agents. *International Food Research Journal*, *21*(3), 1225–1235.
- Detduangchan, N., & Wittaya, T. (2013). Effect of UV-treatment on the properties of biodegradable rice starch films. *International Food Research Journal*, *20*(3), 1313–1322.
- Du, C., Jiang, F., Jiang, W., Ge, W., & Du, S. kui. (2020). Physicochemical and structural properties of sago starch. *International Journal of Biological Macromolecules*, *164*, 1785–1793.
<https://doi.org/10.1016/j.ijbiomac.2020.07.310>
- Erdem, B. G. (2023). Use of Microwave Drying for Production of Protein-Oil Based Edible Films. *Akademik Gida*, *21*(3), 274–283.
<https://doi.org/10.24323/akademik-gida.1382932>
- Falguera, V., Quintero, J. P., Jiménez, A., Muñoz, J. A., & Ibarz, A. (2011). Edible films and coatings: Structures, active functions and trends in their use. *Trends in Food Science and Technology*, *22*(6), 292–303.
<https://doi.org/10.1016/j.tifs.2011.02.004>
- Fauzi, B., Ghazali, M., Nawawi, M., Fauzi, R., Nur, S., & Mamaud, L. (2019). Physicochemical Characteristics of Sago Starch-Chitosan Nanofillers Film. *BioResources*, *14*(4), 8234–8330.
- Gan, P. G., Sam, S. T., Abdullah, M. F., Omar, M. F., & Tan, W. K. (2020). Comparative study on the properties of cross-linked cellulose nanocrystals/chitosan film composites with conventional heating and microwave curing. *Journal of Applied Polymer Science*, *137*(48), 1–14.
<https://doi.org/10.1002/app.49578>
- Gan, P. G., Sam, S. T., Abdullah, M. F., Omar, M. F., & Tan, W. K. (2021). Water resistance and biodegradation properties of conventionally-heated and microwave-cured cross-linked cellulose nanocrystal/chitosan composite films. *Polymer Degradation and Stability*, *188*, 1–12.
<https://doi.org/10.1016/j.polymdegradstab.2021.109563>
- Garavand, F., Rouhi, M., Razavi, S. H., Cacciotti, I., & Mohammadi, R. (2017). Improving the integrity of natural biopolymer films used in food packaging by



- crosslinking approach: A review. *International Journal of Biological Macromolecules*, 104, 687–707.
<https://doi.org/10.1016/j.ijbiomac.2017.06.093>
- García, M. A., Martino, M. N., & Zaritzky, N. E. (2000). Lipid addition to improve barrier properties of edible starch-based films and coatings. *Journal of Food Science*, 65(6), 941–944. <https://doi.org/10.1111/j.1365-2621.2000.tb09397.x>
- Ghanbarzadeh, B., Almasi, H., & Entezami, A. A. (2011). Improving the barrier and mechanical properties of corn starch-based edible films: Effect of citric acid and carboxymethyl cellulose. *Industrial Crops and Products*, 33(1), 229–235. <https://doi.org/10.1016/j.indcrop.2010.10.016>
- Gidik, H., Vololonirina, O., Ghantous, R. M., & Ankou, A. (2019). Impact of test parameters on the water vapor permeability of textiles. *International Journal of Clothing Science and Technology*, 31(3), 350–361. <https://doi.org/10.1108/IJCST-02-2018-0018>
- González, A., Strumia, M. C., & Alvarez Igarzabal, C. I. (2011). Cross-linked soy protein as material for biodegradable films: Synthesis, characterization and biodegradation. *Journal of Food Engineering*, 106(4), 331–338. <https://doi.org/10.1016/j.jfoodeng.2011.05.030>
- Halimatul, M. J., Sapuan, S. M., Jawaaid, M., Ishak, M. R., & Ilyas, R. A. (2019). Effect of sago starch and plasticizer content on the properties of thermoplastic films: Mechanical testing and cyclic soaking-drying. *Polimery*, 64(6), 422–431. <https://doi.org/10.14314/polimery.2019.6.5>
- Han, J. H., & Floros, J. D. (1997). Casting antimicrobial packaging films and measuring their physical properties and antimicrobial activity. *Journal of Plastic Film and Sheeting*, 13(4), 287–298. <https://doi.org/10.1177/875608799701300405>
- Hwang, I. G., Kim, H. Y., Woo, K. S., Lee, J., & Jeong, H. S. (2011). Biological activities of Maillard reaction products (MRPs) in a sugar-amino acid model system. *Food Chemistry*, 126(1), 221–227. <https://doi.org/10.1016/j.foodchem.2010.10.103>
- Indriyati, Irmawati, Y., & Puspitasari, T. (2019). Comparative study of bacterial cellulose film dried using microwave and air convection heating. *Journal of*



Engineering and Technological Sciences, 51(1), 121–132.
<https://doi.org/10.5614/j.eng.technol.sci.2019.51.1.8>

Ismail, H., & Zaaba, N. F. (2014). The mechanical properties, water resistance and degradation behaviour of silica-filled sago starch/PVA plastic films. *Journal of Elastomers and Plastics*, 46(1), 96–109.
<https://doi.org/10.1177/0095244312462163>

Jacquot, C., Jacquot, M., Marques, P., Jasniewski, J., Akhtar, M. J., Didelot, A. S., & Desobry, S. (2014). Influence of microwave heating time on the structure and properties of chitosan films. *Journal of Applied Polymer Science*, 131(18), 9365–9372. <https://doi.org/10.1002/app.40779>

Joyce, P. W. S., & Falkenberg, L. J. (2022). Microplastics, both non-biodegradable and biodegradable, do not affect the whole organism functioning of a marine mussel. *Science of the Total Environment*, 839, 1–9.
<https://doi.org/10.1016/j.scitotenv.2022.156204>

Kalu, A. O., Egwim, E. C., Jigam, A., & Muhammad, H. L. (2022). Effect of oxidized sucrose, citric acid crosslinking and dual modification on some physicochemical properties of cassava starch for potential application in packaging films. *BIOMED Natural and Applied Science*, 2(3), 10–24.
<https://doi.org/10.53858/bnas02031024>

Kong, X. W., Yin, Z., & Wang, J. H. (2014). Study on microwave curing and mechanical properties quartz/UPR composites. *Advanced Materials Research*, 884–885, 329–336. <https://doi.org/10.4028/www.scientific.net/AMR.884-885.329>

Kumar, N., & Neeraj. (2019). Polysaccharide-based component and their relevance in edible film/coating. *Nutrition and Food Science*, 49(5), 793–823.
<https://doi.org/10.1108/NFS-10-2018-0294>

Lai, L. N., Karim, A. A., Norziah, M. H., & Seow, C. C. (2004). Effects of Na₂CO₃ and NaOH on Pasting Properties of Selected Native Cereal Starches. *Journal of Food Science*, 69(4), 249–256.
<https://doi.org/https://doi.org/10.1111/j.1365-2621.2004.tb06324.x>



- Layuk, P., Sondakh, J., & Pesireron, M. (2019). Characteristics and Permeability Properties of Sago Starch Edible Film. *AGRITEKNO: Jurnal Teknologi Pertanian*, 8(2), 34–41. <https://doi.org/10.30598/jagritekno.2019.8.2.34>
- Lee, S. H., Lee, W. G., Chung, B. G., Park, J. H., & Khademhosseini, A. (2009). Rapid formation of acrylated microstructures by microwave-induced thermal crosslinking. *Macromolecular Rapid Communications*, 30(16), 1382–1386. <https://doi.org/10.1002/marc.200900199>
- Li, H., Gao, X., Wang, Y., Zhang, X., & Tong, Z. (2013). Comparison of chitosan/starch composite film properties before and after cross-linking. *International Journal of Biological Macromolecules*, 52(1), 275–279. <https://doi.org/10.1016/j.ijbiomac.2012.10.016>
- Lohumi, S., Lee, S., Lee, W. H., Kim, M. S., Mo, C., Bae, H., & Cho, B. K. (2014). Detection of starch adulteration in onion powder by FT-NIR and FT-IR spectroscopy. *Journal of Agricultural and Food Chemistry*, 62(38), 9246–9251. <https://doi.org/10.1021/jf500574m>
- Mahmood, S., Khan, N. R., Razaque, G., Shah, S. U., Shahid, M. G., Albarqi, H. A., Alqahtani, A. A., Alasiri, A., & Basit, H. M. (2023). Microwave-Treated Physically Cross-Linked Sodium Alginate and Sodium Carboxymethyl Cellulose Blend Polymer Film for Open Incision Wound Healing in Diabetic Animals—A Novel Perspective for Skin Tissue Regeneration Application. *Pharmaceutics*, 15(2), 1–23. <https://doi.org/10.3390/pharmaceutics15020418>
- Mahmoodi, N. M., Moghimi, F., Arami, M., & Mazaheri, F. (2010). Silk Degumming Using Microwave Irradiation as an Environmentally Friendly Surface Modification Method. *Fibers and Polymers*, 11(2), 234–240.
- Maniglia, B. C., Tessaro, L., Ramos, A. P., & Tapia-Blácido, D. R. (2019). Which plasticizer is suitable for films based on babassu starch isolated by different methods? *Food Hydrocolloids*, 89, 143–152. <https://doi.org/10.1016/j.foodhyd.2018.10.038>
- Mayachiew, P., & Devahastin, S. (2008). Comparative evaluation of physical properties of edible chitosan films prepared by different drying methods. *Drying Technology*, 26(2), 176–185. <https://doi.org/10.1080/07373930701831309>



- Mehboob, S., Ali, T. M., Sheikh, M., & Hasnain, A. (2020). Effects of cross linking and/or acetylation on sorghum starch and film characteristics. *International Journal of Biological Macromolecules*, *155*, 786–794. <https://doi.org/10.1016/j.ijbiomac.2020.03.144>
- Menzel, C., Olsson, E., Plivelic, T. S., Andersson, R., Johansson, C., Kuktaite, R., Järnström, L., & Koch, K. (2013). Molecular structure of citric acid cross-linked starch films. *Carbohydrate Polymers*, *96*(1), 270–276. <https://doi.org/10.1016/j.carbpol.2013.03.044>
- Mohammed, A. A. B. A., Hasan, Z., Omran, A. A. B., Elfaghi, A. M., Khattak, M. A., Ilyas, R. A., & Sapuan, S. M. (2023). Effect of Various Plasticizers in Different Concentrations on Physical, Thermal, Mechanical, and Structural Properties of Wheat Starch-Based Films. *Polymers*, *15*(1), 1–20. <https://doi.org/10.3390/polym15010063>
- Ogunsona, E., Ojogbo, E., & Mekonnen, T. (2018). Advanced material applications of starch and its derivatives. *European Polymer Journal*, *108*, 570–581. <https://doi.org/10.1016/j.eurpolymj.2018.09.039>
- Olsson, E., Hedenqvist, M. S., Johansson, C., & Järnström, L. (2013). Influence of citric acid and curing on moisture sorption, diffusion and permeability of starch films. *Carbohydrate Polymers*, *94*(2), 765–772. <https://doi.org/10.1016/j.carbpol.2013.02.006>
- Pavlath, A. E., & Orts, W. (2009). Edible Films and Coatings: Why, What, and How? In *Edible Films and Coatings for Food Applications* (pp. 1–23). Springer New York. https://doi.org/10.1007/978-0-387-92824-1_1
- Pažarauskaite, A., Fernández, E. N., Sone, I., Sivertsvik, M., & Sharmin, N. (2023). Combined Effect of Citric Acid and Polyphenol-Rich Grape Seed Extract towards Bioactive Smart Food Packaging Systems. *Polymers*, *15*, 1–17. <https://doi.org/https://doi.org/10.3390/polym15143118>
- Poeloengasih, C. D., & Anggraeni, F. D. (2014). Exploring the characteristics of sago starch films for pharmaceutical application. *Starch/Staerke*, *66*(11–12), 1103–1108. <https://doi.org/10.1002/star.201400017>



- Prime, R. B., Bair, H. E., Vyazovkin, S., Gallagher, P. K., & Riga, A. (2009). Thermogravimetric Analysis (TGA). In *Thermal Analysis of Polymers* (pp. 241–317). [https://doi.org/https://doi.org/10.1002/9780470423837.ch3](https://doi.org/10.1002/9780470423837.ch3)
- Puyol, S. G., Benítez, J. J., & Heredia-Guerrero, J. A. (2022). Transparency of polymeric food packaging materials. *Food Research International*, *161*, 1–6. <https://doi.org/10.1016/j.foodres.2022.111792>
- Reddy, N., & Yang, Y. (2010). Citric acid cross-linking of starch films. *Food Chemistry*, *118*(3), 702–711. <https://doi.org/10.1016/j.foodchem.2009.05.050>
- Salgado, P. R., Ortiz, C. M., Musso, Y. S., Di Giorgio, L., & Mauri, A. N. (2015). Edible films and coatings containing bioactives. *Current Opinion in Food Science*, *5*, 86–92. <https://doi.org/10.1016/j.cofs.2015.09.004>
- Seligra, P. G., Medina Jaramillo, C., Famá, L., & Goyanes, S. (2016). Biodegradable and non-retrogradable eco-films based on starch-glycerol with citric acid as crosslinking agent. *Carbohydrate Polymers*, *138*, 66–74. <https://doi.org/10.1016/j.carbpol.2015.11.041>
- Sha, Z. D., Pei, Q. X., Ding, Z., Jiang, J. W., & Zhang, Y. W. (2015). Mechanical properties and fracture behavior of single-layer phosphorene at finite temperatures. *Journal of Physics D: Applied Physics*, *48*(39), 1–8. <https://doi.org/10.1088/0022-3727/48/39/395303>
- Sharmin, N., Sone, I., Walsh, J. L., Sivertsvik, M., & Fernández, E. N. (2021). Effect of citric acid and plasma activated water on the functional properties of sodium alginate for potential food packaging applications. *Food Packaging and Shelf Life*, *29*, 1–11. <https://doi.org/10.1016/j.fpsl.2021.100733>
- Simões, B. M., Cagnin, C., Yamashita, F., Olivato, J. B., Garcia, P. S., de Oliveira, S. M., & Eiras Grossmann, M. V. (2020). Citric acid as crosslinking agent in starch/xanthan gum hydrogels produced by extrusion and thermopressing. *LWT*, *125*, 1–7. <https://doi.org/10.1016/j.lwt.2019.108950>
- Singh, M. K., & Zafar, S. (2020). Influence of microwave power on mechanical properties of microwave-cured polyethylene/coir composites. *Journal of Natural Fibers*, *17*(6), 845–860. <https://doi.org/10.1080/15440478.2018.1534192>



- Singh, A. V., & Nath, L. K. (2012). Synthesis and evaluation of physicochemical properties of cross-linked sago starch. *International Journal of Biological Macromolecules*, 50(1), 14–18.
<https://doi.org/10.1016/j.ijbiomac.2011.09.003>
- Siroha, A. K., Bangar, S. P., Sandhu, K. S., Trif, M., Kumar, M., & Guleria, P. (2021). Effect of cross-linking modification on structural and film-forming characteristics of pearl millet (*Pennisetum glaucum* L.) starch. *Coatings*, 11(10). <https://doi.org/10.3390/coatings11101163>
- Sondari, D. (2019). Modification of Sago Starch for Edible Coating. *IOP Conference Series: Materials Science and Engineering*, 543(1). <https://doi.org/10.1088/1757-899X/543/1/012013>
- Sornsumdaeng, K., Seeharaj, P., & Prachayawarakorn, J. (2021). Property improvement of biodegradable citric acid-crosslinked rice starch films by calcium oxide. *International Journal of Biological Macromolecules*, 193, 748–757. <https://doi.org/10.1016/j.ijbiomac.2021.10.157>
- Stevenson, M., Long, J., Seyfoddin, A., Guerrero, P., Caba, K. de la, & Etxabide, A. (2020). Characterization of ribose-induced crosslinking extension in gelatin films. *Food Hydrocolloids*, 99, 1–6.
<https://doi.org/10.1016/j.foodhyd.2019.105324>
- Sun, H., Shao, X., Jiang, R., Ma, Z., & Wang, H. (2018). Effects of ultrasonic/microwave-assisted treatment on the properties of corn distarch phosphate/corn straw cellulose films and structure characterization. *Journal of Food Science and Technology*, 55(4), 1467–1477.
<https://doi.org/10.1007/s13197-018-3063-8>
- Suwannaporn, P., Pitiphunpong, S., & Champangern, S. (2007). Classification of Rice Amylose Content by Discriminant Analysis of Physicochemical Properties. *Starch*, 59, 1–7.
- Tabari, M. (2018). Characterization of a new biodegradable edible film based on Sago Starch loaded with Carboxymethyl Cellulose nanoparticles. *Nanomedicine Research Journal*, 3(1), 25–30.
<https://doi.org/10.22034/NMRJ.2018.01.004>



- Thakur, R., Pristijono, P., Scarlett, C. J., Bowyer, M., Singh, S. P., & Vuong, Q. V. (2019). Starch-based films: Major factors affecting their properties. *International Journal of Biological Macromolecules*, *132*, 1079–1089. <https://doi.org/10.1016/j.ijbiomac.2019.03.190>
- Thakur, R., Saberi, B., Pristijono, P., Golding, J., Stathopoulos, C., Scarlett, C., Bowyer, M., & Vuong, Q. (2016). Characterization of rice starch-t-carrageenan biodegradable edible film. Effect of stearic acid on the film properties. *International Journal of Biological Macromolecules*, *93*, 952–960. <https://doi.org/10.1016/j.ijbiomac.2016.09.053>
- Vieira, M. G. A., Da Silva, M. A., Dos Santos, L. O., & Beppu, M. M. (2011). Natural-based plasticizers and biopolymer films: A review. *European Polymer Journal*, *47*(3), 254–263. <https://doi.org/10.1016/j.eurpolymj.2010.12.011>
- Wahyuningtyas, D., & Dinata, A. (2018). Combination of carboxymethyl cellulose (CMC) - Corn starch edible film and glycerol plasticizer as a delivery system of diclofenac sodium. *AIP Conference Proceedings*, *1977*, 1–9. <https://doi.org/10.1063/1.5042952>
- Widjonarko, N. (2016). Introduction to Advanced X-ray Diffraction Techniques for Polymeric Thin Films. *Coatings*, *6*(54), 1–17. <https://doi.org/10.3390/coatings6040054>
- Woggum, T., Sirivongpaisal, P., & Wittaya, T. (2014). Properties and characteristics of dual-modified rice starch based biodegradable films. *International Journal of Biological Macromolecules*, *67*, 490–502. <https://doi.org/10.1016/j.ijbiomac.2014.03.029>
- Woggum, T., Sirivongpaisal, P., & Wittaya, T. (2015). Characteristics and properties of hydroxypropylated rice starch based biodegradable films. *Food Hydrocolloids*, *50*, 54–64. <https://doi.org/10.1016/j.foodhyd.2015.04.010>
- Wu, H., Lei, Y., Lu, J., Zhu, R., Xiao, D., Jiao, C., Xia, R., Zhang, Z., Shen, G., Liu, Y., Li, S., & Li, M. (2019). Effect of citric acid induced crosslinking on the structure and properties of potato starch/chitosan composite films. *Food Hydrocolloids*, *97*, 1–10. <https://doi.org/10.1016/j.foodhyd.2019.105208>



- Yao, S., Wang, B. J., & Weng, Y. M. (2022). Preparation and characterization of mung bean starch edible films using citric acid as cross-linking agent. *Food Packaging and Shelf Life*, 32, 1–8. <https://doi.org/10.1016/j.fpsl.2022.100845>
- Yerramathi, B. B., Kola, M., Annem Muniraj, B., Aluru, R., Thirumanyam, M., & Zyryanov, G. V. (2021). Structural studies and bioactivity of sodium alginate edible films fabricated through ferulic acid crosslinking mechanism. *Journal of Food Engineering*, 301, 1–11. <https://doi.org/10.1016/j.jfoodeng.2021.110566>
- Zhang, W., Roy, S., Assadpour, E., Cong, X., & Jafari, S. M. (2023). Cross-linked biopolymeric films by citric acid for food packaging and preservation. *Advances in Colloid and Interface Science*, 314, 1–12. <https://doi.org/10.1016/j.cis.2023.102886>
- Zhu, F. (2021). Polysaccharide based films and coatings for food packaging: Effect of added polyphenols. *Food Chemistry*, 359, 1–21. <https://doi.org/10.1016/j.foodchem.2021.129871>
- Zhu, H., Parvinian, S., Preston, C., Vaaland, O., Ruan, Z., & Hu, L. (2013). Transparent nanopaper with tailored optical properties. *Nanoscale*, 5(9), 3787–3792. <https://doi.org/10.1039/c3nr00520h>