

DAFTAR PUSTAKA

- Abijono, H., Santoso, P., & Anggreini, N. L. (2021). Algoritma Supervised Learning Dan Unsupervised Learning Dalam Pengolahan Data. *Jurnal Teknologi Terapan: G-Tech*, 4(2), 315-318.
- Asner, G. P., Knapp, D. E., Balaji, A., & Páez-Acosta, G. (2009). Automated mapping of tropical deforestation and forest degradation: CLASlite. *Journal of Applied Remote Sensing*, 3(1), 033543.
- Banskota, A., Kayastha, N., Falkowski, M. J., Wulder, M. A., Froese, R. E., & White, J. C. (2014). Forest monitoring using Landsat time series data: A review. *Canadian Journal of Remote Sensing*, 40(5), 362-384.
- Benediktsson, J. A., Palmason, J. A., & Sveinsson, J. R. (2005). Classification of hyperspectral data from urban areas based on extended morphological profiles. *IEEE Transactions on Geoscience and Remote Sensing*, 43(3), 480-491.
- Breiman, L. (2001). Random forests. *Machine learning*, 45(1), 5-32.
- Brooner, W. G., Maughan, P. M., & Thibault, D. A. (1988). *An Assessment of Information Demands for Remote Sensing and Geographic Information System Technologies*. Earth Satellite Corporation.
- Belgiu, M., & Drăguț, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS journal of photogrammetry and remote sensing*, 114, 24-31.
- Bruzzone, L., Cossu, R., & Vernazza, G. (2004). Detection of land-cover transitions by combining multirate classifiers. *Pattern Recognition Letters*, 25(13), 1491-1500.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to remote sensing (fifth edition)*. Guilford Press.
- Camps-Valls, G., & Bruzzone, L. (2005). Kernel-based methods for hyperspectral image classification. *IEEE Transactions on Geoscience and Remote Sensing*, 43(6), 1351-1362.

- Camps-Valls, G. (2009). Machine learning in remote sensing data processing. In 2009 *IEEE international workshop on machine learning for signal processing* (pp. 1-6). IEEE.
- Chang, Ni-Bin, dan Bai, Kaixu. (2018). *Multisensor Data Fusion and Machine Learning for Environmental Remote Sensing*. CRC Press
- Cochran, W. G. (1977). *Sampling techniques*. John Wiley & Sons.
- Colwell, J. E. (1974). Vegetation canopy reflectance. *Remote sensing of environment*, 3(3), 175-183.
- Das, S. K., & Basudhar, P. K. (2008). Prediction of residual friction angle of clays using artificial neural network. *Engineering Geology*, 100(3-4), 142-145.
- Danoedoro, P. (2012). Pengantar penginderaan jauh digital. *Penerbit Andi, Yogyakarta*.
- De Bem, P. P., de Carvalho Junior, O. A., Fontes Guimarães, R., & Trancoso Gomes, R. A. (2020). Change detection of deforestation in the Brazilian Amazon using landsat data and convolutional neural networks. *Remote Sensing*, 12(6), 901.
- Del Frate, F., Pacifici, F., Schiavon, G., & Solimini, C. (2007). Use of neural networks for automatic classification from high-resolution images. *IEEE transactions on geoscience and remote sensing*, 45(4), 800-809.
- Ding, J., Chen, B., Liu, H., & Huang, M. (2016). Convolutional neural network with data augmentation for SAR target recognition. *IEEE Geoscience and remote sensing letters*, 13(3), 364-368.
- ESA. (2016). PlanetScope Full Archive. Diakses melalui <https://earth.esa.int/eogateway/catalog/planetscope-full-archive> pada 15 Oktober 2021 pukul 09.32 WIB
- Fathoni, M.A. and Sudaryatno, S., (2015). Pemanfaatan Citra Landsat 8 untuk Pemetaan Kekeringan Pertanian dengan Transformasi Temperature Vegetation Dryness Index (Tvd_i) di Kabupaten Sukoharjo Tahun 2013-2014. *Jurnal Bumi Indonesia*, 4(1), p.222873.
- FAO. (2001). b. Comparison of Forest Area and Forest Area Change Estimates Derived from FRA 1990 and FRA 2000 (p. 69pp). *Working Paper 59. Food and*

Agriculture Organization of the United Nations. Available at: <http://www.fao.org/forestry/fo/fralindex.jsp>. 21.

- Foody, G. M. (2013). Ground reference data error and the mis-estimation of the area of land cover change as a function of its abundance. *Remote Sensing Letters*, 4(8), 783-792.
- Fraser, A. I. (1996). Social, economic and political aspects of forest clearance and land-use planning in Indonesia. In *Human activities and the tropical rainforest* (pp. 133-150). Springer, Dordrecht.
- Gao, L., Wang, X., Johnson, B. A., Tian, Q., Wang, Y., Verrelst, J., ... & Gu, X. (2020). Remote sensing algorithms for estimation of fractional vegetation cover using pure vegetation index values: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 159, 364-377.
- Ge, J., Meng, B., Liang, T., Feng, Q., Gao, J., Yang, S., ... & Xie, H. (2018). Modeling alpine grassland cover based on MODIS data and support vector machine regression in the headwater region of the Huanghe River, China. *Remote Sensing of Environment*, 218, 162-173.
- Ghimire, B., Rogan, J., Galiano, V. R., Panday, P., & Neeti, N. (2012). An evaluation of bagging, boosting, and random forests for land-cover classification in Cape Cod, Massachusetts, USA. *GIScience & Remote Sensing*, 49(5), 623-643.
- GOI/FAO. 1996. National Forest Inventory of Indonesia: Final Forest Resources Statistics Report. Directorate General of Forest Inventory and Land Use Planning, Ministry of Forestry, Government of Indonesia and Food and Agriculture Organization of the United Nations, Jakarta
- Hansen, M., Dubayah, R., & DeFries, R. (1996). Classification trees: an alternative to traditional land cover classifiers. *International journal of remote sensing*, 17(5), 1075-1081.
- Hitimana, Joseph, James Legilisho Kiyiapi, and Joseph Thairu Njunge. "Forest structure characteristics in disturbed and undisturbed sites of Mt. Elgon Moist Lower Montane Forest, western Kenya." *Forest Ecology and Management* 194.1-3 (2004): 269-291.

- Hoffer, R. (1978). Biological and physical Considerations in Applying Computer-aider Analysis Techniques to Remote Sensing data. Dalam P. Swam, & S. Davis, *Remote Sensing: The Quantitative Approach* (hal. 227 - 285). USA: Mc Graw-Hill.
- Horn, B. K., & Woodham, R. J. (1979). Destriping Landsat MSS images by histogram modification. *Computer Graphics and Image Processing*, 10(1), 69-83.
- Hosseiny, B., Ghasemian, N., & Amini, J. (2019). A CONVOLUTIONAL NEURAL NETWORK FOR FLOOD MAPPING USING SENTINEL-1 AND SRTM DEM DATA: CASE STUDY IN POLDOKHTAR-IRAN. *International Archives of the Photogrammetry, Remote Sensing & Spatial Information Sciences*.
- Huang, C., Davis, L. S., & Townshend, J. R. G. (2002). An assessment of support vector machines for land cover classification. *International Journal of remote sensing*, 23(4), 725-749.
- Huete, A.R., (1988). A Soil-Adjusted Vegetation Index (SAVI). *Remote Ssensing of Environment*, 25, 295-309.
- Irvin, J., Sheng, H., Ramachandran, N., Johnson-Yu, S., Zhou, S., Story, K., ... & Ng, A. Y. (2020). Forestnet: Classifying drivers of deforestation in indonesia using deep learning on satellite imagery. *arXiv preprint arXiv:2011.05479*.
- Jiao, L., Huo, L., Hu, C., Tang, P., & Zhang, Z. (2022). Refined U-Net V4: End-to-End Patch-Wise Network for Cloud and Shadow Segmentation with Bilateral Grid. *Remote Sensing*, 14(2), 358.
- Jin, S. M., & Sader, S. A. (2006). Effects of forest ownership and change on forest harvest rates, types and trends in northern Maine. *Forest Ecology and Management*, 228, 177-186.
- Jing, X., Yao, W. Q., Wang, J. H., & Song, X. Y. (2011). A study on the relationship between dynamic change of vegetation coverage and precipitation in Beijing's mountainous areas during the last 20 years. *Mathematical and Computer Modelling*, 54(3-4), 1079-1085.

- John, D., & Zhang, C. (2022). An attention-based U-Net for detecting deforestation within satellite sensor imagery. *International Journal of Applied Earth Observation and Geoinformation*, 107, 102685.
- Kennedy, R. E., Cohen, W. B., & Schroeder, T. A. (2007). Trajectory-based change detection for automated characterization of forest disturbance dynamics. *Remote Sensing of Environment*, 110(3), 370-386.
- Kinyanjui, M. J. (2011). NDVI-based vegetation monitoring in Mau forest complex, Kenya. *African Journal of Ecology*, 49(2), 165-174.
- KLHK. (2019). Deforestasi Indonesia Tahun 2017-2018. Diakses melalui <https://geoportal.menlhk.go.id/~appgis/publikasi/Buku/Buku%20DEFORESTASI/Deforestasi%202017-2018.pdf> pada 14 Oktober 2021 pukul 20.22 WIB
- KLHK. (2021). Deforestasi Indonesia Tahun 2019-2020. Diakses melalui <https://geoportal.menlhk.go.id/~appgis/publikasi/Buku/Buku%20DEFORESTASI/Deforestasi%202019-2020.pdf> pada 14 Oktober 2021 pukul 20.22 WIB
- Lary, D. J., Alavi, A. H., Gandomi, A. H., & Walker, A. L. (2016). Machine learning in geosciences and remote sensing. *Geoscience Frontiers*, 7(1), 3-10.
- LeCun, Y., Bengio, Y. and Hinton, G. (2015). Deep learning. *nature*. 521(7553). pp.436-444.
- Lee, S. H., Han, K. J., Lee, K., Lee, K. J., Oh, K. Y., & Lee, M. J. (2020). Classification of landscape affected by deforestation using high-resolution remote sensing data and deep-learning techniques. *Remote Sensing*, 12(20), 3372.
- Leprieur, C., Kerr, Y.H., Mastorchio, S. and Meunier, J.C., (2000). Monitoring vegetation cover across semi-arid regions: comparison of remote observations from various scales. *International Journal of Remote Sensing*, 21(2), pp.281-300.
- Lillesand, T.M., dan Kiefer, R.W. (2004). *Remote Sensing and Image Interpretation* : Fifth Edition. New York: John Wiley&Son, Inc.
- Litjens, G., Kooi, T., Bejnordi, B. E., Setio, A. A. A., Ciompi, F., Ghafoorian, M., ... & Sánchez, C. I. (2017). A survey on deep learning in medical image analysis. *Medical image analysis*, 42, 60-88.

- Maretto, R. V., Fonseca, L. M., Jacobs, N., Körting, T. S., Bendini, H. N., & Parente, L. L. (2020). Spatio-temporal deep learning approach to map deforestation in amazon rainforest. *IEEE Geoscience and Remote Sensing Letters*, 18(5), 771-775.
- Masolele, R. N., De Sy, V., Herold, M., Gonzalez, D. M., Verbesselt, J., Gieseke, F., ... & Martius, C. (2021). Spatial and temporal deep learning methods for deriving land-use following deforestation: A pan-tropical case study using Landsat time series. *Remote Sensing of Environment*, 264, 112600.
- Muchoney, D. M., & Haack, B. N. (1994). Change detection for monitoring forest defoliation. *Photogrammetric Engineering and Remote Sensing*, 60, 1243–1251.
- O'Shea, K., & Nash, R. (2015). An introduction to convolutional neural networks. *arXiv preprint arXiv:1511.08458*.
- Olofsson, P., Foody, G. M., Herold, M., Stehman, S. V., Woodcock, C. E., & Wulder, M. A. (2014). Good practices for estimating area and assessing accuracy of land change. *Remote sensing of Environment*, 148, 42-57.
- Parente, L., Taquary, E., Silva, A. P., Souza, C., & Ferreira, L. (2019). Next generation mapping: Combining deep learning, cloud computing, and big remote sensing data. *Remote Sensing*, 11(23), 2881.
- Planet Labs. (2024). PSScene. Diakses pada 16 Juli 2024 melalui <https://developers.planet.com/docs/data/psscene/>.
- Rafif, R., Kusuma, S. S., Saringatin, S., Nanda, G. I., Wicaksono, P., & Arjasakusuma, S. (2021). Crop Intensity Mapping Using Dynamic Time Warping and Machine Learning from Multi-Temporal PlanetScope Data. *Land*, 10(12), 1384.
- Richards, J. A., & Richards, J. A. (1999). *Remote sensing digital image analysis* (Vol. 3, pp. 10-38). Berlin: springer.
- Rogan, J., Miller, J., Stow, D., Franklin, J., Levien, L., & Fischer, C. (2003). Land-cover change monitoring with classification trees using Landsat TM and ancillary data. *Photogrammetric Engineering & Remote Sensing*, 69(7), 793-804.

- Roman, A., & Ursu, T. (2016). Multispectral satellite imagery and airborne laser scanning techniques for the detection of archaeological vegetation marks. *Landsc. Archaeol. North. Front. Rom. Emp. Porolissum*, 141-152.
- Ronneberger, O., Fischer, P., & Brox, T. (2015). U-Net: Convolutional networks for biomedical image segmentation. In *International Conference on Medical image computing and computer-assisted intervention* (pp. 234-241). Springer, Cham.
- Samui, P. (2008). Support vector machine applied to settlement of shallow foundations on cohesionless soils. *Computers and Geotechnics*, 35(3), 419-427.
- Schmidhuber, J. (2015). Deep learning in neural networks: An overview. *Neural networks*, 61, 85-117.
- Shahin, M. A., Jaksa, M. B., & Maier, H. R. (2001). Artificial neural network applications in geotechnical engineering. *Australian geomechanics*, 36(1), 49-62.
- Stehman, S. V. (2013). Estimating area from an accuracy assessment error matrix. *Remote Sensing of Environment*, 132, 202-211.
- Stivaktakis, R., Tsagkatakis, G., & Tsakalides, P. (2019). Deep learning for multilabel land cover scene categorization using data augmentation. *IEEE Geoscience and Remote Sensing Letters*, 16(7), 1031-1035.
- Suartika E.P., I.W., Wijaya, A.Y., dan Soelaiman, R. (2016). Klasifikasi Citra Menggunakan Convolutional Neural Network (VNN) pada Caltech 101. *Jurnal Teknik*. vol. 5, pp. 65-69.
- Suhendang, E. 2002. Pengantar Ilmu Kehutanan. Yayasan Penerbit Fakultas Kehutanan IPB. Bogor, 305
- Sun, W., & Wang, R. (2018). Fully convolutional networks for semantic segmentation of very high resolution remotely sensed images combined with DSM. *IEEE Geoscience and Remote Sensing Letters*, 15(3), 474-478.
- Sunderlin, W. D., & Resosudarmo, I. A. P. (1997). *Laju dan penyebab deforestasi di Indonesia: penelaahan kerancuan dan penyelesaiannya*. Centre for International Forestry Research.

- Wegener, M. (1990). Destriping multiple sensor imagery by improved histogram matching. *International Journal of Remote Sensing*, 11(5), 859-875.
- Werbos, P. (1974). Beyond regression:" new tools for prediction and analysis in the behavioral sciences. *Ph. D. dissertation, Harvard University*.
- Wijana, N. (2015). Ilmu Lingkungan. Graha Ilmu
- Yamashita, R., Nishio, M., Do, R. K. G., & Togashi, K. (2018). Convolutional neural networks: an overview and application in radiology. *Insights into imaging*, 9(4), 611-629.
- Zeng, X., Rao, P., DeFries, R. S., & Hansen, M. C. (2003). Interannual variability and decadal trend of global fractional vegetation cover from 1982 to 2000. *Journal of Applied Meteorology*, 42(10), 1525-1530.
- Zhang, L., Zhang, L., dan Kumar, V. (2016). Deep learning for Remote Sensing Data. *IEEE Geoscience and Remote Sensing Magazine*. vol. 4, no. 2, pp. 22–40.
- Zhang, Z., Liu, Q., & Wang, Y. (2018). Road extraction by deep residual U-Net. *IEEE Geoscience and Remote Sensing Letters*, 15(5), 749-753.