

DAFTAR PUSTAKA

- Adhikerand, A. S. (1997). KOMUNITAS BURUNG DI DELAPAN TIPE HABITAT DI PULAU SIBERUT, INDONESIA. *Berita Biologi*, 4(1), 1–8.
- Adjji, F. F., Damanik, Z., Yulianti, N., Birawa, C., Handayani, F., Sinaga, A. N., Teguh, R., & Dohong, S. (2017). Dampak Alih Fungsi Lahan terhadap Sifat Fisik Tanah dan Emisi Karbon Gambut Transisi di Desa Kanamit Barat Kalimantan Tengah. *Pedon Tropika*, 3, 79–88.
- Aishahrani, A. (2023). *Deteksi Kehadiran Gajah Sumatra (Elephas maximus sumatranus) Menggunakan Teknologi Bioakustik di Lanskap Bukit Tigapuluh, Jambi*. Universitas Gadjah Mada.
- Alberto, J., & Hermanto, D. (2023). Klasifikasi Jenis Burung Menggunakan Metode CNN Dan Arsitektur ResNet-50. *JATISI (Jurnal Teknik Informatika Dan Sistem Informasi)*, 10(3), 34–46.
- Baptista, L. F., Trail, P. W., & Horblit, H. M. (1997). *Family Columbidae (pigeons and doves)* (Vol. 4).
- Bennett, P. M., & Owens, I. P. F. (1997). Variation in extinction risk among birds: Chance or evolutionary predisposition? *Proceedings of the Royal Society B: Biological Sciences*, 264(1380), 401–408.
<https://doi.org/10.1098/rspb.1997.0057>

- Bibby, C. J., Burgess, N. D., Hill, D. A., & Mustoe, S. (2000). Bird census techniques, 2nd edn Academic Press. *San Diego, CA.* [Google Scholar].
- Blumstein, D. T., Mennill, D. J., Clemins, P., Girod, L., Yao, K., Patricelli, G., Deppe, J. L., Krakauer, A. H., Clark, C., Cortopassi, K. A., Hanser, S. F., Mccowan, B., Ali, A. M., & Kirschel, A. N. G. (2011). Acoustic monitoring in terrestrial environments using microphone arrays: Applications, technological considerations and prospectus. In *Journal of Applied Ecology* (Vol. 48, Issue 3, pp. 758–767). <https://doi.org/10.1111/j.1365-2664.2011.01993.x>
- Borker, A. L., McKown, M. W., Ackerman, J. T., EAGLES-SMITH, C. A., Tershy, B. R., & Croll, D. A. (2014). Vocal activity as a low cost and scalable index of seabird colony size. *Conservation Biology*, 28(4), 1100–1108.
- Borror, D. J., Charles, A. T., & Johnson, N. J. (1992). *Pengenalan Pelajaran Serangga*. Gadjah Mada University.
- Bradbury, J. W., & Vahencamp, S. L. (1998). *Principles of Animal Communication* (1st ed.). Sinauer Associates Inc.
- Brazil, M. (2019). *Field guide to the birds of East Asia*. Bloomsbury Publishing.
- Caldwell, M. S. (2014). *Interactions Between Airborne Sound and Substrate Vibration in Animal Communication* (pp. 65–92). https://doi.org/10.1007/978-3-662-43607-3_6



UNIVERSITAS
GADJAH MADA

DETEKSI KEHADIRAN SPESIES BURUNG FAMILI COLUMBIDAE PADA TIGA TIPE HABITAT DI
KABUPATEN MEMPAWAH,

KALIMANTAN BARAT MENGGUNAKAN PASSIVE ACOUSTIC MONITORING

Clarra Malia Salsabila, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Catchpole, C. K., & Slater, P. J. (2003). *Bird song: biological themes and*

variations. Cambridge university press.

Catchpole, C. K., & Slater, P. J. B. (2008). *Bird Song, 2nd edn* (2nd ed.).

Cambridge University Press.

Celis-Murillo, A., Deppe, J. L., & Ward, M. P. (2012). Effectiveness and utility of

acoustic recordings for surveying tropical birds. *Journal of Field*

Ornithology, 83(2), 166–179.

Chapman, C. A., & Chapman, L. J. (1995). Survival Without Dispersers: Seedling

Recruitment Under Parents. In *Biology* (Vol. 9, Issue 3).

Chokkalingam, U., & De Jong, W. (2001). Secondary forest: a working definition

and typology. *The International Forestry Review*, 19–26.

Chokkalingam, U., & Suyanto, S. (2004). *Fire, livelihoods and environmental*

degradation in the wetlands of Indonesia: A vicious cycle.

Collar, N. J., Crosby, M. J., & Stattersfield, A. J. (1994). Birds to watch 2: the

world list of threatened birds. (*No Title*).

Corlett, R. T. (1998). Frugivory and seed dispersal by vertebrates in the Oriental

(Indomalayan) Region. *Biological Reviews*, 73(4), 413–448.

Danielsen, F., Beukema, H., Burgess, N. D., Parish, F., Brühl, C. A., Donald, P. F.,

Murdiyarso, D., Phalan, B. E. N., Reijnders, L., & Strubig, M. (2009).

Biofuel plantations on forested lands: double jeopardy for biodiversity and climate. *Conservation Biology*, 23(2), 348–358.

Del Hoyo, J., Del Hoyo, J., Elliott, A., & Sargatal, J. (1992). *Handbook of the birds of the world* (Vol. 1, Issue 8). Lynx edicions Barcelona.

Farina, A. (2013). *Soundscape Ecology Principles, Patterns, Methods and Applications*. Springer Science & Business. <https://doi.org/10.1007/978-94-007-7374-5>

Fauzi, Y., Widayastuti, Y. E., Satyawibawa, I., & Paeru, R. H. (2012). *Kelapa sawit*. Penebar Swadaya Grup.

Fikriyanti, M., Wulandari, W., Fauzi, I., & Rahmat, A. (2018). Keragaman Jenis Burung Pada Berbagai Komunitas di Pulau Sangiang, Provinsi Banten. *Jurnal Biodjati*, 3(2), 59–67. <https://doi.org/10.15575/biodjati.v3i2.2360>

Fitzherbert, E. B., Struebig, M. J., Morel, A., Nielsen, F., Brühl, C. A., Donald, P. F., & Phalan, B. (2008). How will oil palm expansion affect biodiversity? *Trends in Ecology & Evolution*, 23(10), 538–545.

Fransisca Sihotang, D., Patana, P., Jumilawaty, E., Pengajar Program Studi Kehutanan, S., Pertanian, F., Sumatera Utara Staf Pengajar Departemen Biologi, U., & Matematika dan Ilmu Pengetahuan Alam, F. (2015). Identifikasi Keanekaragaman Jenis Burung di Kawasan Restorasi Resort Sei Betung, Taman Nasional Gunung Leuser (Identification Diversity of Bird

Species in Restoration Area at Sei Betung Resort, Gunung Leuser National

Park). In *Jl. Tri Dharma Ujung No. 1 Kampus USU Medan.*

Gibbs, D., Barnes, E., & Cox, J. (2001). *Pigeons and doves: a guide to the pigeons and doves of the world* (Vol. 13). Yale University Press.

Gunawan, H., Badan, D. A., Gambut, R., Indonesia, R., Umar, J. T., Pusat, J., Naskah, R., & Naskah, : (2019). Potensi Perhutanan Sosial dalam Meningkatkan Partisipasi Masyarakat dalam Restorasi Gambut Potential Implementation of Social Forestry in Engaging Community Participation in Restoring Peatlands HASIL PENELITIAN. In *Jurnal Ilmu Kehutanan* (Vol. 13). <https://jurnal.ugm.ac.id/jikfkt>

Hamann, Ac. E. (1999). Conservation Biology Interactions among Frugivores and Fleshy Fruit Trees in a Philippine Submontane Rainforest. *Conservation Biology, 13(4)*, 766–773.

Hastaril, B., & Soendjoto, M. A. (2015). Studi variasi tingkat keanekaragaman jenis burung pada berbagai tipe habitat di areal konservasi perkebunan sawit PT. MSM, Wilmar Plantation, Kalteng. *Daun, 2(1)*, 1–11.

Jawad, A., Nurdjali, B., & Widiastuti, T. (2015). Zonasi daerah rawan kebakaran hutan dan lahan di Kabupaten Kubu Raya Provinsi Kalimantan Barat. *Jurnal Hutan Lestari, 3(1)*.

- Jones, K. E., Russ, J. A., Bashta, A., Bilhari, Z., Catto, C., Csósz, I., Gorbachev, A., Győrfi, P., Hughes, A., & Ivashkiv, I. (2013). Indicator bats program: a system for the global acoustic monitoring of bats. *Biodiversity Monitoring and Conservation: Bridging the Gap between Global Commitment and Local Action*, 211–247.
- Joosten, Hans., Clarke, Donal., International Mire Conservation Group., & International Peat Society. (2002). *Wise use of mires and peatlands : background and principles including a framework for decision-making*. International Mire Conservation Group.
- Kalan, A. K., Mundry, R., Wagner, O. J. J., Heinicke, S., Boesch, C., & Kühl, H. S. (2015). Towards the automated detection and occupancy estimation of primates using passive acoustic monitoring. *Ecological Indicators*, 54, 217–226. <https://doi.org/10.1016/j.ecolind.2015.02.023>
- Karmilasanti, K., & Fajri, M. (2020). Struktur Dan Komposisi Jenis Vegetasi Di Hutan Sekunder: Studi Kasus Khdtk Labanan Provinsi Kalimantan Timur (Structure and Species Composition of Tree in Secondary Forest: A Case Study at Khdtk Labanan, East Borneo Province). *Jurnal Penelitian Hutan Tanaman*, 17(2), 69–85.
- Kennedy, R. (2000). *A guide to the birds of the Philippines*. Oxford University Press.

King, B. F., & Dickinson, E. C. (1975a). A Field Guide to the Birds of South-east

Asia: Covering Burma, Malaya, Thailand, Cambodia, Vietnam, Laos, and

Hong Kong. (*No Title*).

King, B. F., & Dickinson, E. C. (1975b). A Field Guide to the Birds of South-east

Asia: Covering Burma, Malaya, Thailand, Cambodia, Vietnam, Laos, and

Hong Kong. (*No Title*).

Koh, L. P. (2008). Birds defend oil palms from herbivorous insects. *Ecological*

Application, 18(4), 821–825.

Koh, L. P., & Wilcove, D. S. (2008). Is oil palm agriculture really destroying

tropical biodiversity? *Conservation Letters*, 1(2), 60–64.

Kotler, B. P., Brown, J. S., & Hasson, O. (1991). Factors affecting gerbil foraging

behavior and rates of owl predation. *Ecology*, 72(6), 2249–2260.

Kruskal, W. H., & Wallis, W. A. (1952). Use of ranks in one-criterion variance

analysis. *Journal of the American Statistical Association*, 47(260), 583–621.

Kurniati, H. (2016). Bioacustics of *Hylarana Celebensis* (Peters, 1872)(Anura:

Ranidae) From Sulawesi. *Indonesian Journal of Biology*, 12(1), 82666.

Kurniawan, R. (2016). *Analisis regresi*. Prenada Media.

Laiolo, P. (2010). The emerging significance of bioacoustics in animal species

conservation. In *Biological Conservation* (Vol. 143, Issue 7, pp. 1635–1645).

<https://doi.org/10.1016/j.biocon.2010.03.025>

Mackinnon, J., & Phillips, K. (1993). *A Field Guide to the Birds of Borneo,*

Sumatra, Java, and Bali. Oxford University Press.

MacKinnon, J. R., & Phillipps, K. (2000). *A field guide to the birds of China.*

Oxford University Press.

Maida, S., Sukandar, P., & Istiadi, Y. (2016). Variasi Struktur Vokalisasi Owa Jawa

(*Hylobates moloch* Audebert, 1798) di Hutan Lindung Petungkriyono,

Pekalongan, Jawa Tengah. *Bioma*, 12(1), 40–49.

Marten, K., Marler, P., Marten, K., & Marler, P. (1977). Behavioral Ecology and

Sociobiology and Its Significance Sound Transmission for Animal

Vocalization I. Temperate Habitats. In *Behav, Ecol. Sociobiol* (Vol. 2).

Maulidia, B., Ayu, T. I., & Maulidia, V. (2019). *Regenerasi Hutan Gambut pada*

Kawasan Lahan Gambut Bekas Terbakar di Desa Pasir dan Desa Sungai

Pinyuh, Kabupaten Mempawah, Kalimantan Barat.

McConkey, K. R., & Drake, D. R. (2002). Extinct pigeons and declining bat

populations: are large seeds still being dispersed in the tropical Pacific? *Seed*

Dispersal and Frugivory: Ecology, Evolution and Conservation. Third



UNIVERSITAS
GADJAH MADA

DETEKSI KEHADIRAN SPESIES BURUNG FAMILI COLUMBIDAE PADA TIGA TIPE HABITAT DI KABUPATEN MEMPAWAH,

KALIMANTAN BARAT MENGGUNAKAN PASSIVE ACOUSTIC MONITORING

Clarra Malia Salsabila, Dr. rer. silv. Muhammad Ali Imron, S.Hut., M.Sc

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

International Symposium-Workshop on Frugivores and Seed Dispersal, São

Pedro, Brazil, 6-11 August 2000, 381–395.

McConkey, K. R., Meehan, H. J., & Drake, D. R. (2004). Seed dispersal by Pacific Pigeons (*Ducula pacifica*) in Tonga, Western Polynesia. *Emu*, 104(4), 369–376. <https://doi.org/10.1071/MU03060>

McKnight, P. E., & Najab, J. (2010). Kruskal-wallis test. *The Corsini Encyclopedia of Psychology*, 1.

Meehan, H. J., McConkey, K. R., & Drake, D. R. (2005). Early fate of *Myristica hypargyraea* seeds dispersed by *Ducula pacifica* in Tonga, Western Polynesia. *Austral Ecology*, 30(4), 374–382.

Meredith, M., & Ridout, M. S. (2014). *The overlap package*.

Miettinen, J., Hooijer, A., Wang, J., Shi, C., & Liew, S. C. (2012). Peatland degradation and conversion sequences and interrelations in Sumatra. *Regional Environmental Change*, 12, 729–737.

Moreau, R. E. (1934). A contribution to tropical African bird-ecology. *The Journal of Animal Ecology*, 41–69.

Mulyana, D., Wasis, B., & Wulandari, A. S. (2011). *Perubahan Lingkungan Mikro pada Berbagai Penutupan Lahan Hasil Revegetasi (Micro Environmental Change in Various Form Land Cover Revegetation)*.

Murdiyarno, D., Hergoualc'h, K., & Verchot, L. V. (2010). Opportunities for reducing greenhouse gas emissions in tropical peatlands. *Proceedings of the National Academy of Sciences*, 107(46), 19655–19660.

Nurfitri, A., Iswandaru, D., Wulandari, C., Novriyanti, dan, Kehutanan, J., Pertanian, F., & Lampung Jl Soemantri, U. (2022). BURUNG-BURUNG YANG BERPOTENSI SEBAGAI INDIKATOR PEMULIHAN EKOSISTEM GAMBUT DI TAMAN HUTAN RAYA ORANG KAYO HITAM PROVINSI JAMBI Birds as potential indicator for peat ecosystem recovery at Orang Kayo Hitam Forest Park, Province of Jambi. In *Universitas Lampung. Jl.Soemantri Brojonegoro No.1 Gedong Meneng* (Vol. 10, Issue 2). Cetak.

Owens, I. P. F., & Bennett, P. M. (2000). *Ecological basis of extinction risk in birds: Habitat loss versus human persecution and introduced predators*. www.pnas.org

Page, S. E., Siegert, F., Rieley, J. O., Boehm, H.-D. V, Jaya, A., & Limin, S. (2002). The amount of carbon released from peat and forest fires in Indonesia during 1997. *Nature*, 420(6911), 61–65.

Patricelli, G. L., & Blickley, J. L. (2006). Avian communication in urban noise: causes and consequences of vocal adjustment. *The Auk*, 123(3), 639–649.

- Penar, W., Magiera, A., & Klocek, C. (2020). Applications of bioacoustics in animal ecology. In *Ecological Complexity* (Vol. 43). Elsevier B.V. <https://doi.org/10.1016/j.ecocom.2020.100847>
- Permatasari, M. W., Diana, R., & Syoim, M. (2021). Estimasi Luas Tutupan Kanopi Pohon Litsea Spp. Di Hutan Pendidikan Fakultas Kehutanan Universitas Mulawarman. *Prosiding Semnas FHIL UHO Dan KOMHINDO VI| Kendari*, 29, 30.
- Posa, M. R. C., Wijedasa, L. S., & Corlett, R. T. (2011). Biodiversity and conservation of tropical peat swamp forests. *BioScience*, 61(1), 49–57.
- Purba, J. H. V, & Sipayung, T. (2018). Perkebunan kelapa sawit indonesia dalam perspektif pembangunan berkelanjutan. *Masyarakat Indonesia*, 43(1).
- Rahmadani, F., Budi Yuwono, S., & Wulandari, C. (2021). Perubahan tutupan lahan di hutan kemasyarakatan gapoktan jaya lestari Provinsi Lampung. *Jurnal Hutan Tropis*, 9(2), 366–375.
- Rahmadina, R. (2018). Pengaruh Jenis Makanan Pur, Biji-Bijian, Serangga Terhadap Perkembangan Bobot Tubuh Burung Perkutut (Geopelia Striata). *KLOROFIL: Jurnal Ilmu Biologi Dan Terapan*, 1(2), 78–82.
- Rasmussen, P. C., & Anderton, J. C. (2005). *Birds of south Asia: the Ripley guide* (Vol. 2).

Robson, C. (2020). *Field guide to the birds of South-East Asia*. Bloomsbury Publishing.

Rogers, T. L., Ciaglia, M. B., Klinck, H., & Southwell, C. (2013). Density can be misleading for low-density species: benefits of passive acoustic monitoring. *PLoS One*, 8(1), e52542.

Sabaraji, A. (2005). Identifikasi Zone Rawan Kebakaran Hutan dan Lahan dengan Aplikasi SIG di Kabupaten Kutai Timur. *Universitas Mulawarman. Samarinda*.

Sarah, Y. Y. (2021). Implementasi Kebijakan Penanggulangan Kebakaran Lahan Gambut di Indonesia: Konflik Pelaksanaan Restorasi Lahan Kawasan Hutan Tanaman Industri. *Journal of Education, Humaniora and Social Sciences (JEHSS)*, 3(3), 1076–1088. <https://doi.org/10.34007/jehss.v3i3.508>

Saridan, A., & Soegiharto, S. (2012). Struktur tegakan tinggal pada uji coba pemanenan di hutan penelitian labanan, kalimantan timur. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 9(3), 239–249.

Sarwono, S. W. (1999). *Psikologi sosial: Individu dan teori-teori psikologi sosial*.

Sawerah, S., Muljono, P., & Tjitropranoto, P. (2016). Partisipasi Masyarakat dalam Pencegahan Kebakaran Lahan Gambut di Kabupaten Mempawah, Provinsi Kalimantan Barat. *Penyuluhan*, 12(1).

- Schoener, T. W. (1974). Resource Partitioning in Ecological Communities: Research on how similar species divide resources helps reveal the natural regulation of species diversity. *Science*, 185(4145), 27–39.
- Sebastián-González, E., Pang-Ching, J., Barbosa, J. M., & Hart, P. (2015). Bioacoustics for species management: two case studies with a Hawaiian forest bird. *Ecology and Evolution*, 5(20), 4696–4705.
- Şekercioğlu, Ç. H., Daily, G. C., & Ehrlich, P. R. (2004). Ecosystem consequences of bird declines. *Proceedings of the National Academy of Sciences*, 101(52), 18042–18047.
- Sepriani, Y. (2018). Pengaruh perbedaan habitat kelapa sawit (*Elaeis guineensis* Jacq.) terhadap kelimpahan musuh alami ulat api (Lepidoptera: Psychidae). *Jurnal Agroplasma*, 5(1), 15–24.
- Shepherd, C. R. (2006). The bird trade in Medan, North Sumatra: an overview. *BirdingASIA*, 5(2006), 16–24.
- Shepherd, C. R., Sukumaran, J., & Wich, S. A. (2004). *Open season: An analysis of the pet trade in Medan, Sumatra 1997-2001*.
- Siahaan, S., Nurdjali, B., & Simanjuntak, E. J. (2013). Keanekaragaman Jenis Burung Diurnal di Perkebunan Kelapa Sawit PTPN XIII (Persero) Desa Amboyo Inti Kecamatan Ngabang Kabupaten Landak. *Jurnal Hutan Lestari*, 1(3), 10335.

Simmonds, J., & MacLennan, D. N. (2008). *Fisheries acoustics: theory and practice*. John Wiley & Sons.

Snaddon, J., Petrokofsky, G., Jepson, P., & Willis, K. J. (2013). *Biodiversity technologies: tools as change agents*. The Royal Society.

Snow, D. W. (1981). Tropical frugivorous birds and their food plants: a world survey. *Biotropica*, 1–14.

Sodhi, N. S., & Ehrlich, P. R. (2010). *Conservation biology for all*. Oxford University Press.

Sonia, A., Jeniver, J., Milah, S. A. N., & Irwanto, R. (2023). Identifikasi Keanekaragaman dan Sebaran Jenis Burung untuk Pengembangan Ekowisata Birdwatching di TWA Jering Menduyung. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 129–138.

Sperling, L. H. (1990). *Sound and Vibration Damping with Polymers Basic Viscoelastic Definitions and Concepts* (Vol. 57). UTC.
<https://pubs.acs.org/sharingguidelines>

Stafford, K. M., Nieukirk, S. L., & Fox, C. G. (1999). *Low-frequency whale sounds recorded on hydrophones moored in the eastern tropical Pacific*.
<http://acousticalsociety.org/content/terms>.

- Stevenson, B. C., Borchers, D. L., Altwegg, R., Swift, R. J., Gillespie, D. M., & Measey, G. J. (2015). A general framework for animal density estimation from acoustic detections across a fixed microphone array. *Methods in Ecology and Evolution*, 6(1), 38–48.
- Stutchbury, B. J. M., & Morton, E. S. (2022). *Behavioral ecology of tropical birds*. Academic press.
- Sueur, J., & Farina, A. (2015). Ecoacoustics: the Ecological Investigation and Interpretation of Environmental Sound. *Biosemiotics*, 8(3), 493–502.
<https://doi.org/10.1007/s12304-015-9248-x>
- Tarihoran, A. G., & Hadi, S. (2020). Identification of avifauna in the lowland forest ecosystem at Alas Purwo National Park, Banyuwangi based on bioacoustic approach. *AIP Conference Proceedings*, 2260(1).
- Taufiqurrahman, I., Akbar, P. G., Purwanto, A. A., Wibowo, W. K., Untung, M., Assidiqi, Z., Iqbal, M., Tirtaningtyas, F. N., & Triana, D. A. (2022). *Panduan Lapangan Burung-burung di Indonesia, Sunda Besar: Sumatra, Kalimantan, Jawa, Bali*. Interlude.
- Tolaka, W., Wardah, W., & Rahmawati, R. (2013). Sifat Fisik Tanah Pada Hutan Primer, Agroforestri dan Kebun Kakao di SUBDAS Wera Saluopa Desa Leboni Kecamatan Pamona Puselemba Kabupaten Poso. *Jurnal Warta Rimba*, 1(1).

Towsey, M., Parsons, S., & Sueur, J. (2014). Ecology and acoustics at a large scale.

In *Ecological Informatics* (Vol. 21, pp. 1–3). Elsevier.

<https://doi.org/10.1016/j.ecoinf.2014.02.002>

Ulfah, M. (2018). *Pengaruh Media Sosial Komunikasi Pemasaran Terhadap Sikap*

Konsumen Generasi Z Di Yogyakarta.

Utaminingrum, H. I. P., & Sulistyadi, E. (2017). Kajian hubungan tutupan vegetasi

dan sebaran burung di Pulau Moti, Ternate, Maluku Utara. *Jurnal Biologi*

Indonesia, 6(3).

Walker, J. S. (2007a). Geographical patterns of threat among pigeons and doves

(Columbidae). In *ORYX* (Vol. 41, Issue 3, pp. 289–299).

<https://doi.org/10.1017/S0030605307001016>

Walker, J. S. (2007b). Geographical patterns of threat among pigeons and doves

(Columbidae). *Oryx*, 41(3), 289–299.

Watanabe, T., & Yamada, S. (1996). Sound attenuation through absorption by

vegetation. In *J. Acoust. Soc. Jpn.(E)* (Vol. 17).

Wells, D. R. (2010). *The Birds of the Thai-Malay Peninsula Vol. 2* (Vol. 2).

Bloomsbury Publishing.

Wheelwright, N. T., & Janson, C. H. (1985). Colors of fruit displays of bird-dispersed plants in two tropical forests. *The American Naturalist*, 126(6),

777–799.

Whittaker, R. J., & Jones, S. H. (1994). The Role of Frugivorous Bats and Birds

in the Rebuilding of a Tropical Forest Ecosystem, Krakatau, Indonesia. In

Source: Journal of Biogeography (Vol. 21, Issue 3).

Wibowo, A. (2009). *PERAN LAHAN GAMBAT DALAM PERUBAHAN IKLIM GLOBAL* Role of Peatland in Global Climate Change (Issue 5).

Williams, E. M., O'Donnell, C. F. J., & Armstrong, D. P. (2018). Cost-benefit

analysis of acoustic recorders as a solution to sampling challenges

experienced monitoring cryptic species. *Ecology and Evolution*, 8(13),

6839–6848.

Wrege, P. H., Rowland, E. D., Keen, S., & Shiu, Y. (2017). Acoustic monitoring

for conservation in tropical forests: examples from forest elephants. *Methods in Ecology and Evolution*, 8(10), 1292–1301. <https://doi.org/10.1111/2041-210X.12730>

Wright2, S. J., & Duber3, H. C. (2001). Poachers and Forest Fragmentation Alter

Seed Dispersal, Seed Survival, and Seedling Recruitment in the Palm *Attalea*

buffyaceae, with Implications for Tropical Tree Diversity'. In *Biotropica*

(Vol. 33, Issue 4).



Yudini, S. (2016). *Keanekaragaman Burung pada berbagai tipe habitat di kecamatan Singkil sebagai referensi pendukung pembelajaran materi keanekaragaman hayati di sekolah menengah atas.* UIN Ar-Raniry.

Zahro, J., Caraka, R. E., & Herliansyah, R. (2018). Aplikasi generalized linear model pada R. *Innosain: Yogyakarta, Indonesia.*