

DAFTAR PUSTAKA

- [AQIS] Australian Quarantine and Inspection Service. 2012. Fruit Flies Indonesia: Their Identification, Pest Status and Pest Management. Conducted by The International Center for The Management of Pest Fruit Flies. Griffith University Brisbane Australia and Ministry of Agriculture Republic of Indonesia.
- Abram, P.K., A.E. McPherson, R. Kula, T. Hueppelsheuser, J. Thiessen, S.J. Perlman, C.I. Curtis, J.L. Fraser, J. Tam, J. Carrillo, M. Gates, S. Scheffer, M. Lewis, and M. Buffington. 2020. New records of *Leptopilina*, *Ganaspis*, and *Asobara* species associated with *Drosophila suzukii* in North America, including detections of *L. japonica* and *G. brasiliensis*. *Journal of Hymenoptera Research* 78: 1-17.
- Allwood, AJ, A. Chinajariyawong, S. Kritsaneepaiboon, R.A.I. Drew, E.L. Hamacek, D.L. Hancock, C. Hengsawad, J.C. Jipanin, M. Jirasurat, C.K. Krong, C.T.S. Leong, and S. Vijaysegaran. 1999. Catatan tanaman inang lalat buah (Diptera: Tephritidae) di Asia Tenggara. *Buletin Zoologi Raffles* 47: 1–92.
- Alvarez, P.P., B. A. Nault, and K. Poveda. 2019. Effectiveness of augmentative biological control depends on landscape context. *Scientific Reports* 9 (8664): 1-15.
- Anonim. 2009. Pedoman Budidaya Buah dan Sayur yang Baik serta Pedoman Registrasi Lahan usaha Sayuran dan Biofarmaka. Kementerian Pertanian, Jakarta.
- Aryuwandari, V. E. F., Y. A. Trisyono, Suputa, S. D. Faveri, and S. Vijaysegaran. 2020. Survey of Fruit Flies (Diptera: Tephritidae) from 23 Species of Fruits Collected in Sleman, Yogyakarta. *Jurnal Perlindungan Tanaman Indonesia* 24 (2): 122.
- Badan Pusat Statistika. 2022. Produksi Buah-buahan Menurut Jenis Tanaman Menurut Provinsi, 2022. Badan Pusat Statistik. <https://www.bps.go.id/indikator/indikator/view_data_pub/0000/api_pub/SGJsZ0s5RjRyTWN1eDNyUERzbTI0Zz09/da_05/1> diakses pada 9 November 2023.
- Begon, M., J.L. Harper, and C.R. Townsend. 2006. *Ecology: From individuals to ecosystems* (4th ed.). Blackwell Publishing, US.
- Biondi, A., X. Wang, and K.M. Daane. 2021 Host preference of three Asian larval parasitoids to closely related *Drosophila* species: implications for biological control of *Drosophila suzukii*. *Journal of Pest Science* 94: 273–283.
- Buffington, M.L. 2011. Description, circumscription and phylogenetics of the diglyphosematini belizin 1961, and the description of a new genus (Hymenoptera: Figitidae: Eucoilinae). *Proceedings of the Entomological Society of Washington* 113(3): 239-290.
- CABI (Pusat Pertanian dan Biosains Internasional). 2019f. *Bactrocera dorsalis* (Lalat buah oriental) [teks asli oleh Luc Leblanc]. Di dalam Ringkasan Spesies Invasif. CAB Internasional, Wallingford, Inggris. [http:// www.cabi.org/isc](http://www.cabi.org/isc), diakses 25/12/2023.

- CABI (Pusat Pertanian dan Biosains Internasional).2020. *Bactrocera carambolae* (Lalat Buah Belimbing). Di dalam Ringkasan Spesies Invasif. CAB Internasional, Wallingford, Inggris. <http://www.cabi.org/isc>, diakses 25/12/2023.
- Chang, C.L., G.H. Liang, and S.M. Geib. 2018. Proteomic interactions between the parasitoid *Diachasmimorpha longicaudata* and the oriental fruit fly, *Bactrocera dorsalis* during host parasitism. *Journal of Asia-Pacific Entomology* 21: 335-344.
- Copeland, R. S., Q. Luke, and R. A. Wharton. 2009. Insects reared from wild fruits of Kenya. *Journal of East African Natural History* 98:11-66.
- Cory S.T. and W.E. Synder. 2006. Species identity dominates the relationship between predator biodiversity and herbivore suppression. *Ecology* 87 (2):277-282.
- Danjuma, S., N. Thaochan, S. Permkam, and C. Satasook. 2014. Effect of temperature on the development and survival of immature stages of the carambola fruit fly, *Bactrocera carambolae*, and the Asian papaya fruit fly, *Bactrocera papayae*, reared on guava diet. *Journal of Insect Science* 14 (126): 1-16.
- Departemen Pertanian. 2008. Pedoman Pengembangan Model Penerapan Kebun GAP, Direktorat Budidaya Tanaman Buah, Direktorat Jenderal Hortikultura, Departemen Pertanian, Jakarta.
- Dongmo, M.A.K., K.K.M. Fiaboe, S. Kekeunou, S.N. Nanga, A.F. Kuate, H.E.Z. Tonnang, D. Gnanvossou, and R. Hanna. 2021. Temperature-based phenology model to predict the development, survival, and reproduction of the oriental fruit fly *Bactrocera dorsalis*. *Journal of Thermal Biology* 97.
- Drew, R. A. I. and D. L. Hancock. 1994. The *Bactrocera dorsalis* complex of fruit flies (Diptera: Tephritidae: Dacinae) in Asia. *Bulletin of Entomological Research Supplement* 2: 1-68.
- Duyck, P.F., P. David, and S. Quilici. 2004. A review of relationships between interspecific competition and invasions in fruit flies (Diptera: Tephritidae). *Ecological Entomology* 29: 511–520.
- Falcão de S.Ã.R., M.A. Castellani, A.E.L. Ribeiro, R. Perez-Maluf, A.A. Moreira, N.S. Nagamoto, and A.S.D. Nascimento. 2012. Faunal analysis of the species *Anastrepha* in the fruit growing complex Gavião River, Bahia, Brazil. *Bull Insect* 65 (1): 37-42.
- Herlinda, S., R. Mayasari, T. adam, Y. Pujiastuti, and Y. Windusari. 2007. Populasi dan Serangan Lalat Buah *Bactrocera dorsalis* (Hendel) (Diptera: Tephritidae) serta Potensi Parasitoidnya pada Pertanaman Cabai (*Capsicum annum* L.). *Kongres Ilmu Pengetahuan, Wilayah Indonesia Bagian Barat*.
- Hudiwaku, S., T. Himawan, and A. Rizali. 2021. Diversity and species composition of fruit flies (Diptera: Tephritidae) in Lombok Island, Indonesia. *Biodiversitas* 22 (10): 4608-4616.

- Junialova, H.D. 2019. Augmentarium Sebagai Sarana Konservasi Parasitoid Lalat Buah Oriental (Diptera: Tephritidae). Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Karageorgi, M., T. Matsunaga and N. K. Whiteman. 2018. Drosophila: where the wild flies are. *Current Biology* 28 (24): 1382-1384.
- Karlsson, M. F., E.O. Souza, P.M. Ayelo, J.A. Zannou, G.S.B. Mègnigbèto and A.H.B. Ganta. 2018. Interspecific competition between egg parasitoids: Native *Fopius caudatus* and exotic *Fopius arisanus*, in *Ceratitis cosyra*. *Biological Control* 117: 172-181.
- Kehrli, P., M. Lehmann, S. and Bacher. 2005. Mass-emergence devices: a biocontrol technique for conservation and augmentation of parasitoids. *Biological control* 32 (2): 191-199.
- Kependudukan DIY. 2021. Sistem Informasi Geografis Peta Kabupaten/Kota Sebaran Penduduk Daerah Istimewa Yogyakarta. <https://kependudukan.jogjaprov.go.id/petagiskabupaten.clear>. Diakses pada 1 Januari 2024.
- Khaeruddin. 2015. Identifikasi Lalat Buah (Diptera: Tephritidae) di Beberapa Kabupaten di Provinsi Sulawesi Barat. Institut Pertanian Bogor. Tesis.
- Klungness, L. M., E.B. Jang, R.F. Mau, R.I. Vargas, J.S. Sugano, and E. Fujitani. 2005. New sanitation techniques for controlling tephritid fruit flies (Diptera: Tephritidae) in Hawaii. *Journal of Applied Sciences and Environmental Management* 9(2): 5-14.
- Lawson, A. E., D. J. Mcguire, D. K. Yeates, R. A. I. Drew, and A. R. Clarke. 2003. *Dorsalis: An Interactive Identification Tool To Fruit Flies Of The Bactrocera dorsalis Complex*. Griffith University, Brisbane, Australia.
- Leblanc, L., E. Vueti, and A. Allwood. 2012. Host plant records for fruit flies (Diptera: Tephritidae: Dacini) in the Pacific Islands. *Proc Hawaii Entomol Soc* 44:11– 53.
- Loreau, MS., P.I. Naeem, J. Bengtsson, J.P. Grime, A. Hector, D.U. Hooper, M.A. Huston, D. Raffaelli, B. Schmid, D. Tilman, D.A. Wrdele. 2001. Biodiversity and ecosystem functioning: current knowledge and future challenges. *Science* 294: 804-808.
- Manrakhan, A., J.H. Daneel, P.R. Stephen, and V. Hattingh. 2022. Cold tolerance of immature stages of *Ceratitis capitata* and *Bactrocera dorsalis* (Diptera: Tephritidae). *Journal of Economic Entomology* 115: 482–492.
- Mohamed, S. A., S. Ekesi, and R. Hanna. 2010. Old and new host-parasitoid associations: parasitism of the invasive fruit fly *Bactrocera invadens* (Diptera: Tephritidae) and five African fruit fly species by *Fopius arisanus*, an Asian Opiine parasitoid. *Biocontrol Science and Technology* 20: 183-196.
- Nanga, S., S. Kekeunou, A. F. Kuate, K.K.M. Fiaboe, M. A. Dongmo, H.E. Tonnang, D. Gnanvossou, C. Djí'eto-Lordon, and R. Hanna. 2021. Temperature-

- dependent phenology of the parasitoid *Fopius arisanus* on the host *Bactrocera dorsalis*. *Journal of Thermal Biology* 100: 1-11.
- Napompeth, B. 1989. Use of Natural Enemies to Control Agricultural Pest in Thailand. FFT for Asian and Pacific Region. Book Series No. 4: 8-29, Taipei.
- Ovruski, S., M. Aluja, J. Sivinski, and R. Wharton. 2000. Hymenopteran parasitoids on fruit-infesting Tephritidae (Diptera) in Latin America and the southern United States: Diversity, distribution, taxonomic status and their use in fruit fly biological control. *Integrated Pest Management Reviews* 5:81-107.
- Peraturan Menteri Pertanian Nomor: 48/ Permentan/OT.140/10/2009 tanggal 19 Oktober 2009 tentang Pedoman Budidaya Buah dan Sayur Yang Baik (Good Agriculture Practices for fruit and vegetables).
- Peraturan Menteri Pertanian Republik Indonesia nomor 25 tahun 2020 tentang Jenis Organisme Pengganggu Tumbuhan Karantina.
- Plant Health Australia. 2011. The Australian Handbook for the Identification of Fruit Flies Version 1.0. Plant Health Australia. Canberra, ACT.
- Prabhakar, C. S. 2011. Biodiversity of fruit flies (Tephritidae: Diptera) and Utilization of Gut Bacteria in Their Management. Chaudhary Sarwan Kumar Himachal Pradesh Krishi Vishvavidyalaya, Palampur-India. Doctor of Philosophy Thesis.
- Rousse. P., E. J. Harris, and S. Quilici. 2005. *Fopius arisanus*, an egg-puppal parasitoid of Tephritidae. *Overview Biocontrol News and Information* 26: 59- 69.
- Sartika, W.D., S.B. Ginting, and D. Afriyanto. 2022. Distribusi lalat buah *Bactrosera* sp, (Diptera: Tephritidae) pada buah jambu biji di Kota Bengkulu. *Jurusan Perlindungan Tanaman Fakultas Pertanian Universitas Bengkulu* 1: 128-144.
- Sayuthi, M., A. Hasnah, Rusdy, and C.D.P.S. Noera. 2019. Persebaran lalat buah (Diptera: Tephritidae) pada pasar tradisional di Provinsi Aceh. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* 5 (1): 89-94.
- Siwi, S.S., P., Hidayat and Suputa. 2006. Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera: Tephritidae). Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumber Daya Genetik Pertanian.
- Suputa, Cahyani, A. Kustaryati, Issusulaningtyas, M. Railan, and W. P. Mardiasih. 2006. Pedoman Identifikasi Hama Lalat Buah. Direktorat Perlindungan Tanaman Hortikultura, Jakarta.
- Suputa, Y. Trisyono, E. Martono, and S.S. Siwi. 2010. Pembaruan informasi kisaran inang spesies lalat buah di Indonesia. *Jurnal Perlindungan Tanaman Indonesia* 16 (2):62-75.
- Suputa. 2010. Karakter Morfologi and Gen Sitokrom Oksidase I Mitokondria Lalat Buah di Indonesia. Pascasarjana Fakultas Pertanian, UGM. Disertasi.
- Susila, I. W., I.K. Sumiartha, I.W. Supartha, I.K.W. Yudha, I.W.E.K. Utama and P.A. Wiradana. 2022. Association of hymenoptera parasitoid with fruit flies (*Bactrocera dorsalis* Complex) attacking guava fruits (*Syzygium aqueum*) in

Gianyar, Bali Province, Indonesia. *International Journal of Agricultural Technology* 18 (6): 2645-2662.

- Syahfari, H., and Mujiyanto. 2013. Identifikasi hama lalat buah (Diptera: Tephritidae) pada berbagai macam buah-buahan. *Ziraa'ah* 36 (1): 32-40.
- Vayssières, J. F., Y. Carel., M. Coubes and P. F. Duyck. 2008. Development of immature stages and comparative demography of two cucurbit-attacking fruit flies in Reunion Island: *Bactrocera cucurbitae* and *Dacus ciliatus* (Diptera Tephritidae). *Environmental Entomology* 37 (2): 307–314.
- Wang, X. G., and R.H. Messing. 2002. Newly imported larval parasitoids pose minimal competitive risk to extant egg–larval parasitoid of tephritid fruit flies in Hawaii. *Bulletin of Entomological Research* 92 (5).
- Wharton, R. A. 1997. Parasitoids of Fruit-Infesting Tephritidae. http://paroffit.org/public/public_content/show/13323?content_template_id=54. Diakses pada 20 Desember 2023.
- White, I.M., and M.M.E. Harris. 1992. *Fruit Flies of Economic Significance: Their identification and bionomics*. CAB Publishing, Canberra (AU).
- Yang, J., P. Cai, J. Chen, H. Zhang, C. Wang, H. Xiang, J. Wu, Y. Yang, J. Chen, Q. Ji, and D. Song. 2018. Interspecific competition between *Fopius arisanus* and *Psytalia incisi* (Hymenoptera: Braconidae), parasitoids of *Bactrocera dorsalis* (Diptera: Tephritidae). *Biological Control* 121: 183-189.
- Yi, C., P. Cai, J. Lin, X. Liu, G. Ao, Q. Zhang, H. Xia, J. Yang, and Q. Ji. 2020. Life history and host preference of *Trichopria drosophilae* from Southern China, one of the effective pupal parasitoids on the *Drosophila* species. *Insects Journal* 11(2): 1-14.
- Yu, C., R. Zhao, W. Zhou, Y. Pan, H. Tian, Z. Yin, and W. Chen. 2022. Fruit fly in a challenging environment: impact of short-term temperature stress on the survival, development, reproduction, and trehalose metabolism of *Bactrocera dorsalis* (Diptera: Tephritidae). *Insect Journal* 13 (753): 1-14.