

DAFTAR PUSTAKA

- Alabi, K. P., Zhu, Z., & Sun, D. W. (2020). Transport phenomena and their effect on microstructure of frozen fruits and vegetables. In *Trends in Food Science and Technology* (Vol. 101, pp. 63–72). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.04.016>
- Alim, M. I., Firdausi, A., & Nurmalasari, M. D. (2017). *Densitas dan Porositas Batuan*.
- Anoraga, S. B., Sabarisman, I., & Ainuri, M. (2018). Effect of different pretreatments on dried chilli (*Capsicum annum* L.) quality. *IOP Conference Series: Earth and Environmental Science*, 131(1). <https://doi.org/10.1088/1755-1315/131/1/012014>
- AOAC. (2005). *Official Methods of Analysis*. AOAC International.
- Arendse, E., Fawole, O. A., Magwaza, L. S., & Opara, U. L. (2016). Estimation of the density of pomegranate fruit and their fractions using X-ray computed tomography calibrated with polymeric materials. *Biosystems Engineering*, 148, 148–156. <https://doi.org/10.1016/j.biosystemseng.2016.06.009>
- Audina, T. (2020). *Pengaruh Pertumbuhan Penjualan dan Likuiditas terhadap Profitabilitas (Studi kasus pada Perusahaan Sektor Industri Dasar Dan Kimia Pada Periode 2014-2019 Yang Terdaftar Di Bursa Efek Indonesia)*.
- Ayuningsih, I. (2023). *Komputasi Perpindahan Gas Respirasi pada Bawang Merah Berbasis X-ray Computed Tomography dan Computational Fluid Dynamics*. Universitas Gadjah Mada.
- Boukouvalas, C. J., Krokida, M. K., Maroulis, Z. B., & Marinou-Kouris, D. (2006). Density and porosity: Literature data compilation for foodstuffs. *International Journal of Food Properties*, 9(4), 715–746. <https://doi.org/10.1080/10942910600575690>
- Daud, A., Suriati, & Nuzulyanti. (2019). Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan Kadar Air Metode Thermogravimetri. *LUTJANUS*, 24(2). https://ppnp.e-journal.id/lutjanus_PPNP
- Du, Z., Hu, Y., Ali Buttar, N., & Mahmood, A. (2019). X-ray computed tomography for quality inspection of agricultural products: A review. In *Food Science and Nutrition* (Vol. 7, Issue 10, pp. 3146–3160). Wiley-Blackwell. <https://doi.org/10.1002/fsn3.1179>
- Edowai, D. N., Kairupan, S., & Rawung, H. (2016). Mutu Cabai Rawit (*Capsicum Frutescens* L) pada Tingkat Kematangan dan Suhu yang Berbeda Selama Penyimpanan. *AGROINTEK*, 10(1), 12–20.
- El-Mesery, H. S., Mao, H., & Abomohra, A. E. F. (2019). Applications of non-destructive technologies for agricultural and food products quality inspection. In *Sensors (Switzerland)* (Vol. 19, Issue 4). MDPI AG. <https://doi.org/10.3390/s19040846>
- Evert, R. Franklin., Esau, K., & Esau, K. (2006). *Esau's Plant anatomy : meristems, cells, and tissues of the plant body : their structure, function, and development*. Wiley-Interscience.

- Gazali, W., Soeparno, H., & Ohliati, ; Jenny. (2012). Penerapan Metode Konvolusi dalam Pengolahan Citra Digital. *Jurnal Mat Stat*, 12(2), 102–113.
- Harianto, K. (2014). Penerapan Interpolasi Lanjar Terhadap Piksel Gambar Digital yang Diperbesar. *Jurnal SATIN - Sains Dan Teknologi Informasi*, 3(2), 92–94.
- Harimei, B. S., Salahuddin, I., & koresponden Alamat, P. (2018). Pemetaan Porositas pada Lapisan Reservoir Karbonat dengan Menggunakan Metode Seismik Inversi. *Jurnal Geocelebes*, 2(1), 6–19.
- Hawa, L. C., Sugesti, A., Wibisono, Y., & Mardiyani, S. A. (2022). Penentuan Sifat Termal Cabai Puyang (*Piper retrofractum* Vahl.) Kering pada Tiga Tahap Kematangan. *Agrointek : Jurnal Teknologi Industri Pertanian*, 16(1), 123–133. <https://doi.org/10.21107/agrointek.v16i1.8996>
- Herremans, E., Verboven, P., Hertog, M. L. A. T. M., Cantre, D., van Dael, M., de Schryver, T., van Hoorebeke, L., & Nicolaï, B. M. (2015). Spatial development of transport structures in apple (*Malus × domestica* Borkh.) fruit. *Frontiers in Plant Science*, 6(september). <https://doi.org/10.3389/fpls.2015.00679>
- Ho, Q. T., Rogge, S., Verboven, P., Verlinden, B. E., & Nicolaï, B. M. (2016). Stochastic modelling for virtual engineering of controlled atmosphere storage of fruit. *Journal of Food Engineering*, 176, 77–87. <https://doi.org/10.1016/j.jfoodeng.2015.07.003>
- Joardder, M. U. H., Brown, R. J., Kumar, C., & Karim, M. A. (2015). Effect of cell wall properties on porosity and shrinkage of dried apple. *International Journal of Food Properties*, 18(10), 2327–2337. <https://doi.org/10.1080/10942912.2014.980945>
- Kaleemullah, S., & Kailappan, R. (2004). Thermal Properties of Chillies. *Journal of Food Science and Technology*, 41(3), 259–263.
- Kelvinsong. (2021, April 21). *Plant Development I: Tissue differentiation and function, organismal Biology*. <https://Organismalbio.Biosci.Gatech.Edu/Growth-and-Reproduction/Plant-Development-i-Tissue-Differentiation-and-Function/>.
- Kouassi, C. K., Koffi-Nevry, R., Yao Guillaume, L., YÉSSÉ, Z. N., Koussémon, M., Kablan, T., & Athanase, K. K. (2012). Profiles of Bioactive Compounds of Some Pepper Fruit (*Capsium* L.) Varieties Grown In Cote D'ivoire. *Innovative Romanian Food Biotechnology*, 11, 23–31. <http://www.bioaliment.ugal.ro/ejournal.htm>
- Kusumiyati, K., Putri, I. E., Sutari, W., & Hamdani, J. S. (2022). Kandungan karotenoid, antioksidan, dan kadar air dua varietas cabai rawit pada tingkat kematangan berbeda dan deteksi non-destruktif. *Jurnal AGRO*, 8(2), 212–225. <https://doi.org/10.15575/14650>
- Miarti, A., & Legasari, L. (2022). Ketidakpastian Pengukuran Analisa Kadar Biuret, Kadar Nitrogen, Kadar Oil pada Pupuk Urea di Laboratorium Kontrol Produksi PT Pupuk Sriwijaja Palembang. *Jurnal Cakrawala Ilmiah*, 2(3), 861–874.
- Mukama, M., Ambaw, A., & Opara, U. L. (2020). Thermophysical properties of fruit—a review with reference to postharvest handling. In *Journal of Food*

- Measurement and Characterization* (Vol. 14, Issue 5, pp. 2917–2937). Springer. <https://doi.org/10.1007/s11694-020-00536-8>
- Mulyawan, H., Zen, M., & Samsono, H. (2011). *Identifikasi dan Tracking Objek Berbasis Image Processing Secara Real Time*.
- Nugraha, B., Verboven, P., Janssen, S., & Nicolai, B. (2019). How respiratory gas diffusivity correlates with porosity of plant organ tissues. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012052>
- Nugraha, B., Verboven, P., Janssen, S., Wang, Z., & Nicolai, B. M. (2019). Non-destructive porosity mapping of fruit and vegetables using X-ray CT. *Postharvest Biology and Technology*, 150, 80–88. <https://doi.org/10.1016/j.postharvbio.2018.12.016>
- Nugraha, B., Verboven, P., Verlinden, B. E., Verreydt, C., Boone, M., Josipovic, I., & Nicolai, B. M. (2022). Gas exchange model using heterogeneous diffusivity to study internal browning in ‘Conference’ pear. *Postharvest Biology and Technology*, 191. <https://doi.org/10.1016/j.postharvbio.2022.111985>
- Nugroho, L. H. (2016). Red pepper (*Capsicum* spp.) fruit: A model for the study of secondary metabolite product distribution and its management. *AIP Conference Proceedings*, 1744. <https://doi.org/10.1063/1.4953508>
- Padapi, A., Mursalat, A., & Hasbi, A. R. (2022). Disparitas Cabai Rawit Merah di Indonesia. *AGRIOVET*, 5(1), 133–148.
- Palar, N., Pangemanan, P. A., & Tangkere, E. G. (2016). Faktor-Faktor yang Mempengaruhi Harga Cabai Rawit di Kota Manado. *Agri-Sosioekonomi*, 12(2), 105–120.
- Prasetyo, T. F., Isdiana, A. F., & Sujadi, H. (2019). Implementasi Alat Pendeteksi Kadar Air pada Bahan Pangan Berbasis Internet Of Things. *SMARTICS Journal*, 5(2), 81–96. <https://doi.org/10.21067/smartics.v5i2.3700>
- Rahman, M. S. (2005). Mass Volume Area Related Properties of Foods. *Engineering Properties of Foods*, 3, 1–36.
- Ramdhini, R. N., Manalu, A. I., Ruwaida, I. P., Isrianto, P. L., Panggabean, N. H., Wilujeng, S., Erdiandini, I., Purba, S. R. F., Sutrisno, E., Hulu, I. L., Purwanti, S., Utomo, B., & Surjaningsih, D. R. (2021). *Anatomi Tumbuhan* (A. Karim, Ed.). Yayasan Kita Menulis.
- Rohandi, M. P. (2009). *Sifat Fisik Bahan dan Aplikasinya Dalam Industri Pangan*. Semarang University Press.
- Rusli, R., Yanto, S., & Program Studi Pendidikan Teknologi Pertanian, A. (2018). Konduktivitas Panas dan Koefisien Pindah Panas pada Proses Pengeringan Gabah dengan Cabinet Dryer. *Jurnal Pendidikan Teknologi Pertanian*, 4, 126–135.
- Sahin, S., & Summu, S. G. (2006). *Physical Properties of Foods*. Springer Science+Business Media.
- Sari, M. (2021). Determination of representative elementary volume (REV) for jointed rock masses exhibiting scale-dependent behavior: a numerical investigation. *International Journal of Geo-Engineering*, 12(1). <https://doi.org/10.1186/s40703-021-00164-1>

- Singh, R. D., Mittal, A., & Bhatia, R. K. (2019). 3D convolutional neural network for object recognition: a review. *Multimedia Tools and Applications*, 78(12), 15951–15995. <https://doi.org/10.1007/s11042-018-6912-6>
- Sofyan, M. F. (2018). *Penentuan Nilai Konduktivitas Panas Buah Cabai Merah Besar (Capsicum annuum Sp)*.
- Sudjatha, W., & Wisaniyasa, N. W. (2017). *Fisiologi dan Teknologi Pascapanen*. Udayana University Press.
- Sulistiyanti, S. R., Setyawan, F. A., & Komarudin, M. (2016). *Pengolahan Citra Dasar dan Contoh Penerapannya*. TEKNOSAIN.
- Sundén, B., & Yuan, J. (2013). Evaluation of models of the effective thermal conductivity of porous materials relevant to fuel cell electrodes. *International Journal of Computational Methods and Experimental Measurements*, 1(4), 440–455. <https://doi.org/10.2495/CMEM-V1-N4-440-455>
- Sweat, V. E. (1974). Experimental Values of Thermal Conductivity of Selected Fruits and Vegetables. *Journal Of Food Science*, 39, 1080–1083.
- Tan, L., & Jiang, J. (2019). Image Processing Basics. In *Digital Signal Processing* (pp. 649–726). Elsevier. <https://doi.org/10.1016/b978-0-12-815071-9.00013-0>
- Tanaka, F., Imamura, K., Tanaka, F., & Uchino, T. (2018). Determination of thermal diffusivity of persimmon flesh tissue using three-dimensional structure model based on X-ray computed tomography. *Journal of Food Engineering*, 221, 151–157. <https://doi.org/10.1016/j.jfoodeng.2017.10.021>
- Tobing, Y. R. L. B. (2019). *Profil Sebaran Radiasi Sinar-X di Laboratorium Fisika Universitas Negeri Semarang*.
- Umaña, M., Calahorro, M., Eim, V., Rosselló, C., & Simal, S. (2022). Measurement of microstructural changes promoted by ultrasound application on plant materials with different porosity. *Ultrasonics Sonochemistry*, 88. <https://doi.org/10.1016/j.ultsonch.2022.106087>
- Wahyuni, S., & Amalia, L. (2022). Perkembangan dan Prinsip Kerja Computed Tomography (CT SCAN). *GALENICAL: Jurnal Kedokteran Dan Kesehatan Malikussaleh*, 1(2), 88–96.
- Wang, J., Carson, J. K., North, M. F., & Cleland, D. J. (2008). A new structural model of effective thermal conductivity for heterogeneous materials with co-continuous phases. *International Journal of Heat and Mass Transfer*, 51(9–10), 2389–2397. <https://doi.org/10.1016/j.ijheatmasstransfer.2007.08.028>
- Widarti, E., Wardani, B., Lutfi, M., & Nugroho, W. A. (2013). Identifikasi Sifat Fisik Buah Nangka (*Artocarpus heterophyllus*). In *Jurnal Keteknik Pertanian Tropis dan Biosistem* (Vol. 1, Issue 3).
- Xiao, H., Feng, L., Song, D., Tu, K., Peng, J., & Pan, L. (2019). Grading and sorting of grape berries using visible-near infrared spectroscopy on the basis of multiple inner quality parameters. *Sensors (Switzerland)*, 19(11). <https://doi.org/10.3390/s19112600>
- Xiao, H. W., & Gao, Z. J. (2012). *The Application of Scanning Electron Microscope (SEM) to Study the Microstructure Changes in the Field of Agricultural Products Drying*. Intechopen. www.intechopen.com
- Yudono, B. (2017). *SPEKTROMETRI. SIMETRI*.



Zhang, M. Z., Ye, G., & van Breugel, K. (2010). Un método numérico-estadístico para determinar el volumen elemental representativo (VER) de la pasta de cemento en la medición de la difusividad. *Materiales de Construcción*, 60(300), 7–20. <https://doi.org/10.3989/mc.2010.60810>