

## DAFTAR PUSTAKA

- Afonso, C., Lima, O., Segundo, I.R., Landi, S., Margalho, É., Homem, N., Pereira, M., Costa, M.F.M., Freitas, E., dan Carneiro, J., 2022, Effect of Iron-Doping on the Structure and Photocatalytic Activity of TiO<sub>2</sub> Nanoparticles, *Catalysts*, 13 (1), 1–15.
- Aguinaco, A., Manuel, J.M., Blanco, E., Domínguez, M., Litrán, R., Delgado, J.J., dan Ramírez-del-Solar, M., 2022, Fe<sub>3</sub>O<sub>4</sub>-TiO<sub>2</sub> Thin Films in Solar Photocatalytic Processes, *Materials*, 15 (19), 6718.
- Alfredo Reyes Villegas, V., Isaías De León Ramírez, J., Hernandez Guevara, E., Perez Sicairos, S., Angelica Hurtado Ayala, L., dan Landeros Sanchez, B., 2020, Synthesis and characterization of magnetite nanoparticles for photocatalysis of nitrobenzene, *J Saudi Chem Soc*, 24 (2), 223–235.
- Ali, I., Kim, S.R., Park, K., dan Kim, J.O., 2017, One-step electrochemical synthesis of graphene oxide-TiO<sub>2</sub> nanotubes for improved visible light activity, *Opt Mater Express*, 7 (5), 1535.
- Al-Salihi, S., Bayati, M., Jasim, A., Fidalgo, M.M., dan Xing, Y., 2022, Magnetic Mesoporous TiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub> Nanocomposite Adsorbent for Removal of Sulfamethazine from Water, *Environ Adv*, 9, 100283.
- Anucha, C.B., Altin, I., Bacaksiz, E., dan Stathopoulos, V.N., 2022, Titanium Dioxide (TiO<sub>2</sub>)-Based Photocatalyst Materials Activity Enhancement for Contaminants of Emerging Concern (CECs) Degradation: In The Light of Modification Strategies, *Chem Eng J Adv*, 10, 1–16.
- Arora, I., Chawla, H., Chandra, A., Sagadevan, S., dan Garg, S., 2022, Advances in the strategies for enhancing the photocatalytic activity of TiO<sub>2</sub>: Conversion from UV-light active to visible-light active photocatalyst, *Inorg Chem Commun*, 143, 109700.
- Babar, S., Gavade, N., Shinde, H., Mahajan, P., Lee, K.H., Mane, N., Deshmukh, A., Garadkar, K., dan Bhuse, V., 2018, Evolution of Waste Iron Rust into Magnetically Separable g-C<sub>3</sub>N<sub>4</sub>-Fe<sub>2</sub>O<sub>3</sub> Photocatalyst: An Efficient and Economical Waste Management Approach, *ACS Appl Nano Mater*, 1 (9), 4682–4694.
- Badmus, S.O., Amusa, H.K., Oyehan, T.A., dan Saleh, T.A., 2021, Environmental risks and toxicity of surfactants: overview of analysis, assessment, and remediation techniques, *Environ Sci Pollut Res*, 28 (44), 62085–62104.
- Banitalebi-Dehkordi, A., Shams, E., dan Farzin Nejad, N., 2018, Synthesis of iron oxide nanoparticles modified mesoporous carbon and investigation of its application for removing dibenzothiophene from fuel model, *Environ Nanotechnol Monit Manag*, 10, 179–188.

- Banner, W., Yin, S., Burns, M.M., Lucas, R., Reynolds, K.M., dan Green, J.L., 2020, Clinical characteristics of exposures to liquid laundry detergent packets, *Hum Exp Toxicol*, 39 (1), 95–110.
- Bayan, E.M., Pustovaya, L.E., dan Volkova, M.G., 2021, Recent advances in TiO<sub>2</sub>-based materials for photocatalytic degradation of antibiotics in aqueous systems, *Environ Technol Innov*, 24, 101822.
- Becagli, S., Ghedini, C., Peeters, S., Rottiers, A., Traversi, R., Udisti, R., Chiari, M., Jalba, A., Despiau, S., Dayan, U., dan Temara, A., 2011, MBAS (Methylene Blue Active Substances) and LAS (Linear Alkylbenzene Sulphonates) in Mediterranean coastal aerosols: Sources and transport processes, *Atmos Environ*, 45 (37), 6788–6801.
- Begonja, S., Rodenas, L.A.G., Borghi, E.B., dan Morando, P.J., 2012, Adsorption of cysteine on TiO<sub>2</sub> at different pH values: Surface complexes characterization by FTIR-ATR and Langmuir isotherms analysis, *Colloids Surf A Physicochem Eng Asp*, 403, 114–120.
- Behjatmanesh-Ardakani, R., 2023, Periodic hybrid-DFT study on the N-doped TiO<sub>2</sub> (001) nanotubes as solar water splitting catalysts: A comparison with the rutile and anatase bulk phases, *Int J Hydrogen Energy*, 48, 35584–35598.
- Bi, Y. guang dan Liu, D., 2019, Rapid Synthesis of Recyclable and Reusable Magnetic TiO<sub>2</sub>@Fe<sub>3</sub>O<sub>4</sub> for Degradation of Organic Pollutant, *Appl Phys A Mater Sci Process*, 125 (77), 1–8.
- Bing, L., Biao, T., Zhen, M., Hanchi, C., dan Hongbo, L., 2019, Physical and Chemical Properties of Steel Slag and Utilization Technology of Steel Slag at Home and Abroad, *IOP Conf Ser Earth Environ Sci*, 242, 1–5.
- Bohra, M., Agarwal, N., dan Singh, V., 2019, A Short Review on Verwey Transition in Nanostructured Fe<sub>3</sub>O<sub>4</sub> Materials, *J Nanomater*, 2019, 1–18.
- Boningari, T., Inturi, S.N.R., Suidan, M., dan Smirniotis, P.G., 2018, Novel one-step synthesis of sulfur doped-TiO<sub>2</sub> by flame spray pyrolysis for visible light photocatalytic degradation of acetaldehyde, *J Chem Eng*, 339, 249–258.
- Bzdon, S., Góralski, J., Maniukiewicz, W., Perkowski, J., Rogowski, J., dan Szadkowska-Nicze, M., 2012, Radiation-induced synthesis of Fe-doped TiO<sub>2</sub>: Characterization and catalytic properties, *Rad Phys Chem*, 81 (3), 322–330.
- Chaieb, Z., Zizi, Z., dan Benghalem, A., 2022, Synthesis, Characterization and Structural Study of Fe(III) Complex Derived From Sodium Dodecyl Benzene Sulfonate, *Bull Chem Soc Ethiop*, 36 (2), 353–361.
- Chavan, V.D., Aziz, J., Kim, H., Patil, S.R., Ustad, R.E., Sheikh, Z.A., Patil, C.S., Chougale, M.Y., Sabale, S.R., Patil, S.A., Sutar, S.S., Kamat, R.K., Bae, J., Dongale, T.D., dan Kim, D., 2024, Transformation of rust iron into a sustainable product for applications in the electronic, energy, biomedical, and

- environment fields: Towards a multitasking approach, *Nano Today*, 54, 102085.
- Chen, D., Cheng, Y., Zhou, N., Chen, P., Wang, Y., Li, K., Huo, S., Cheng, P., Peng, P., Zhang, R., Wang, L., Liu, H., Liu, Y., dan Ruan, R., 2020, Photocatalytic degradation of organic pollutants using TiO<sub>2</sub>-based photocatalysts: A review, *J Clean Prod*, 268, 121725.
- Chen, X. dan Mao, S.S., 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications and Applications, *Chem Rev*, 107 (7), 2891–2959.
- Chen, X., Sun, H., Zhang, J., Guo, Y., dan Kuo, D.-H., 2019, Cationic S-doped TiO<sub>2</sub>/SiO<sub>2</sub> visible-light photocatalyst synthesized by co-hydrolysis method and its application for organic degradation, *J Mol Liq*, 273, 50–57.
- Chu, A.-C., Sahu, R.S., Chou, T.-H., dan Shih, Y., 2021, Magnetic Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> nanocomposites to degrade bisphenol A, one emerging contaminant, under visible and long wavelength UV light irradiation, *J Environ Chem Eng*, 9 (4), 105539.
- Chu, C., Tang, J., Zhao, Z., Kong, Y., dan Shen, X., 2022, Fe Ions-Doped TiO<sub>2</sub> Aerogels as Catalysts of Oxygen Reduction Reactions in Alkaline Solutions, *Materials*, 15 (23), 8380.
- Collivignarelli, M.C., Carnevale Miino, M., Baldi, M., Manzi, S., Abbà, A., dan Bertanza, G., 2019, Removal of non-ionic and anionic surfactants from real laundry wastewater by means of a full-scale treatment system, *Process Saf Environ Prot*, 132, 105–115.
- Corona, R.R.B., Sad, C.M.S., da Silva, M., Lopes, D.L., Leite, J.S.D., Glória, G.M., Gonçalves, G.R., Filgueiras, P.R., dan de Castro, E.V.R., 2021, Adsorption of anionic surfactant in graphite oxide: A study for treatment of laundry wastewater, *J Environ Chem Eng*, 9 (6), 1–9.
- Crișan, M., Mardare, D., Ianculescu, A., Drăgan, N., Nițoi, I., Crișan, D., Voicescu, M., Todan, L., Oancea, P., Adomniței, C., Dobromir, M., Gabrovskaa, M., dan Vasile, B., 2018, Iron doped TiO<sub>2</sub> Films and their Photoactivity in Nitrobenzene Removal from Water, *Appl Surf Sci*, 455, 201–215.
- Dahon, N.H., Kassim, M.J., Razali, N.N., Mohd Yusslee, E.M.F., Nasrullah, A.A., dan Basri, N.F., 2018, FTIR Analysis on Phase Transformation of Rust In The Presence of Gambir, *J Glob Sci Res*, 54–62.
- Daneshvar, N., Salari, D., dan Behnasuady, M.A., 2002, Decomposition of anionic sodium dodecylbenzene sulfonate by UV/TiO<sub>2</sub> and UV/H<sub>2</sub>O<sub>2</sub> processes a-comparison of reaction rates, *Iran J Chem & Chem Eng*, 21 (1), 55–62.
- Dang, T.T.T., Le, S.T.T., Channei, D., Khanitchaidecha, W., dan Nakaruk, A., 2016, Photodegradation mechanisms of phenol in the photocatalytic process, *Res Chem Intermed*, 42 (6), 5961–5974.

- Dong, K., He, J., Liu, J., Li, F., Yu, L., Zhang, Y., Zhou, X., dan Ma, H., 2017, Photocatalytic performance of Cu<sub>2</sub>O-loaded TiO<sub>2</sub>/rGO nanoheterojunctions obtained by UV reduction, *J Mater Sci*, 52 (11), 6754–6766.
- Ebrahimi, R., Maleki, A., Rezaee, R., Daraei, H., Safari, M., McKay, G., Lee, S.M., dan Jafari, A., 2021, Synthesis and Application of Fe-Doped TiO<sub>2</sub> Nanoparticles for Photodegradation of 2,4-D from Aqueous Solution, *Arab J Sci Eng*, 46 (7), 6409–6422.
- Ellouzi, I., Regraguy, B., El Hajjaji, S., Harir, M., Schmitt-Kopplin, P., Lachheb, H., dan Laânab, L., 2022, Synthesis of Fe-doped TiO<sub>2</sub> with improved photocatalytic properties under Vis-L irradiation, *Iran J Catal*, 12, 283–293.
- Elomaa, H., Seisko, S., Junnila, T., Sirviö, T., Wilson, B., Aromaa, J., dan Lundström, M., 2017, The Effect of the Redox Potential of Aqua Regia and Temperature on the Au, Cu, and Fe Dissolution from WPCBs, *Recycling*, 2 (3), 14.
- Etacheri, V., Di Valentin, C., Schneider, J., Bahnemann, D., dan Pillai, S.C., 2015, Visible-light activation of TiO<sub>2</sub> photocatalysts: Advances in theory and experiments, *J Photochem Photobiol C: Photochem Rev*, 25, 1–29.
- Fatimah, I., Yanti, I., Wijayanti, H.K., Ramanda, G.D., Sagadevan, S., Tamyiz, M., dan Doong, R., 2023, One-pot synthesis of Fe<sub>3</sub>O<sub>4</sub>/NiFe<sub>2</sub>O<sub>4</sub> nanocomposite from iron rust waste as reusable catalyst for methyl violet oxidation, *Case Stud Chem Environ Eng*, 8, 100369.
- Faustino, E., da Silva, T.F., Cunha, R.F., Guelfi, D.R.V., Cavalheri, P.S., de Oliveira, S.C., Caires, A.R.L., Casagrande, G.A., Cavalcante, R.P., dan Junior, A.M., 2022, Synthesis and Characterization of N and Fe-Doped TiO<sub>2</sub> Nanoparticles for 2,4-Dimethylaniline Mineralization, *Nanomaterials*, 12 (15), 2538.
- Fernandes, E., Gomes, J., dan Martins, R.C., 2022, Semiconductors Application Forms and Doping Benefits to Wastewater Treatment: A Comparison of TiO<sub>2</sub>, WO<sub>3</sub>, and g-C<sub>3</sub>N<sub>4</sub>, *Catalysts*, 12 (10), 1218.
- Freyria, F.S., Blangetti, N., Esposito, S., Nasi, R., Armandi, M., Annelio, V., dan Bonelli, B., 2020, Effects of the Brookite Phase on the Properties of Different Nanostructured TiO<sub>2</sub> Phases Photocatalytically Active Towards the Degradation of N-Phenylurea, *ChemistryOpen*, 9 (9), 903–912.
- Fu, C.C., Juang, R.S., Huq, M.M., dan Hsieh, C. Te, 2016, Enhanced adsorption and photodegradation of phenol in aqueous suspensions of titania/graphene oxide composite catalysts, *J Taiwan Inst Chem Eng*, 67, 338–345.
- Ghazzaf, H., Nechchadi, B., Jouali, A., Salhi, A., El Krati, M., dan Tahiri, S., 2022, Synthesis of heterogeneous photo-Fenton catalyst from iron rust and its application to degradation of Acid Red 97 in aqueous medium, *J Environ Chem Eng*, 10 (3), 107570.

- Ghorbanpour, M. dan Feizi, A., 2019, Iron-doped TiO<sub>2</sub> Catalysts with Photocatalytic Activity, *J Water Environ Nanotechnol*, 4 (1), 60–66.
- Giahi, M., Saadat Niavol, S., Taghavi, H., dan Meskinfam, M., 2015, Synthesis and characterization of ZnO–TiO<sub>2</sub> nanopowders doped with fe via sol–gel method and their application in photocatalytic degradation of anionic surfactant, *Russ J Phys Chem A*, 89 (13), 2432–2437.
- Hanaor, D.A.H. dan Sorrell, C.C., 2011, Review of the anatase to rutile phase transformation, *J Mater Sci*, 46 (4), 855–874.
- Hoffmann, M.R., Martin, S.T., Choi, W., dan Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem Rev*, 95 (1), 69–96.
- Jariyanorasade, A. dan Junyapoon, S., 2018, Factors affecting the degradation of linear alkylbenzene sulfonate by TiO<sub>2</sub> assisted photocatalysis and its kinetics, *EnvironmentAsia*, 11 (1), 45–60.
- Jerie, S., 2016, Occupational risks associated with solid waste management in the informal sector of Gweru, Zimbabwe, *J Environ Public Health*, 2016,.
- Jia, Z.M., Zhao, Y.R., dan Shi, J.N., 2023, Adsorption kinetics of the photocatalytic reaction of nano-TiO<sub>2</sub> cement-based materials: A review, *Constr Build Mater*, 370, 130462.
- Kanan, S., Moyet, M.A., Arthur, R.B., dan Patterson, H.H., 2020, Recent advances on TiO<sub>2</sub> -based photocatalysts toward the degradation of pesticides and major organic pollutants from water bodies, *Catalysis Reviews*, 62 (1), 1–65.
- Katoch, V., Singh, P., Garg, R., Sarathi Das, P., Katoch, A., Manolata Devi, M., Kaushal, M., Pandey, A., dan Prakash, B., 2024, Continuous flow photoreduction and validation of Cr(VI) in wastewater using TiO<sub>2</sub> nanoparticles: An interplay between catalyst phase and microfluidic parameters, *Chem Eng J*, 484, 149563.
- Keshta, B.E., Gemeay, A.H., Kumar Sinha, D., Elsharkawy, S., Hassan, F., Rai, N., dan Arora, C., 2024, State of the art on the magnetic iron oxide Nanoparticles: Synthesis, Functionalization, and applications in wastewater treatment, *Results Chem*, 7, 101388.
- Khan, H. dan Swati, I.K., 2016, Fe<sup>3+</sup>-doped Anatase TiO<sub>2</sub> with d–d Transition, Oxygen Vacancies and Ti<sup>3+</sup> Centers: Synthesis, Characterization, UV–vis Photocatalytic and Mechanistic Studies, *Ind Eng Chem Res*, 55 (23), 6619–6633.
- Khashan, S., Dagher, S., Tit, N., Alazzam, A., dan Obaidat, I., 2017, Novel method for synthesis of Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> core/shell nanoparticles, *Surf Coat Technol*, 322, 92–98.



- Kim, D., Kim, J., Lee, K.W., dan Lee, T.S., 2019, Removal of sodium dodecylbenzenesulfonate using surface-functionalized mesoporous silica nanoparticles, *Micropor Mesopor Mats*, 275, 270–277.
- Komaraiah, D., Radha, E., Sivakumar, J., Ramana Reddy, M.V., dan Sayanna, R., 2019, Structural, optical properties and photocatalytic activity of Fe<sup>3+</sup> doped TiO<sub>2</sub> thin films deposited by sol-gel spin coating, *Surf Interfaces*, 17, 100368.
- Kuchariková, L., Liptáková, T., Tillová, E., Kajánek, D., dan Schmidová, E., 2018, Role of Chemical Composition in Corrosion of Aluminum Alloys, *Metals (Basel)*, 8 (8), 581.
- Kumari, M., Pittman, C.U., dan Mohan, D., 2015, Heavy metals [chromium (VI) and lead (II)] removal from water using mesoporous magnetite (Fe<sub>3</sub>O<sub>4</sub>) nanospheres, *J Colloid Interface Sci*, 442, 120–132.
- Kutuzova, A., Dontsova, T., dan Kwapinski, W., 2021, Application of TiO<sub>2</sub>-Based Photocatalysts to Antibiotics Degradation: Cases of Sulfamethoxazole, Trimethoprim and Ciprofloxacin, *Catalysts*, 11 (6), 728.
- Li, H., Yang, Y., Gao, J., Li, X., Zhou, Z., Wang, N., Du, P., Zhang, T., dan Feng, J., 2020, Degradation of sodium dodecyl benzenesulfonate by vacuum ultraviolet irradiation, *J Water Proc Eng*, 34, 101172.
- Li, X., Chen, L., Li, Q., Zhang, J., Zhang, X., Zheng, K., dan Tian, X., 2016, Structural characteristics and interfacial relaxation of nanocomposites based on polystyrene and modified layered double hydroxides, *Colloid Polym Sci*, 294 (5), 815–822.
- Li, Y., Ma, M., Chen, W., Li, L., dan Zen, M., 2011, Preparation of Ag-doped TiO<sub>2</sub> nanoparticles by a miniemulsion method and their photoactivity in visible light illuminations, *Mater Chem Phys*, 129, 501–505.
- Lin, J.C.-T., de Luna, M.D.G., Gotostos, M.J.N., dan Lu, M.-C., 2016, Effects of Doping Amounts of Potassium Ferricyanide with Titanium Dioxide and Calcination Durations on Visible-light Degradation of Pharmaceuticals, *Environ Sci Pollut Res*, 23, 22721–22733.
- Liu, D., Li, C., Ni, T., Gao, R., Ge, J., Zhang, F., Wu, W., Li, J., dan Zhao, Q., 2021, 3D interconnected porous g-C<sub>3</sub>N<sub>4</sub> hybridized with Fe<sub>2</sub>O<sub>3</sub> quantum dots for enhanced photo-Fenton performance, *Appl Surf Sci*, 555, 149677.
- Loan, T.T., Huong, V.H., Huyen, N.T., Van Quyet, L., Bang, N.A., dan Long, N.N., 2021, Anatase to rutile phase transformation of iron-doped titanium dioxide nanoparticles: The role of iron content, *Opt Mater (Amst)*, 111, 110651.
- Luong, G.K. dan Ku, Y., 2022, Enhanced photocatalytic reduction of Cr(VI) in aqueous solution by UV/TiO<sub>2</sub> process in the presence of Fe(III): Performance, kinetic, and mechanisms, *Chem Eng Process*, 181, 109135.

- Madima, N., Kefeni, K.K., Kuvarega, A.T., Mishra, S.B., dan Mishra, A.K., 2023, Visible-light-driven Z-scheme ternary Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub> nanocomposite as reusable photocatalyst for efficient removal of dyes and chromium in water, *Mater Chem Phys*, 296, 127233.
- Madima, N., Kefeni, K.K., Mishra, S.B., Mishra, A.K., dan Kuvarega, A.T., 2022, Fabrication of magnetic recoverable Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> heterostructure for photocatalytic degradation of rhodamine B dye, *Inorg Chem Commun*, 145, 109966.
- Mahadadalkar, M.A., Park, N.H., Yusuf, M., Nagappan, S., Nallal, M., dan Park, K.H., 2023, Electrospun Fe doped TiO<sub>2</sub> fiber photocatalyst for efficient wastewater treatment, *Chemosphere*, 330, 138599.
- Maimaiti, T., Hu, R., Yuan, H., Liang, C., Liu, F., Li, Q., Lan, S., Yu, B., dan Yang, S.T., 2022, Magnetic Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub>/graphene sponge for the adsorption of methylene blue in aqueous solution, *Diam Relat Mater*, 123, 108811.
- Marami, M.B., Farahmandjou, M., dan Khoshnevisan, B., 2018, Sol–Gel Synthesis of Fe-Doped TiO<sub>2</sub> Nanocrystals, *J Electron Mater*, 47 (7), 3741–3748.
- Maryamdokht Taimoory, S., F. Trant, J., Rahdar, A., Aliahmad, M., Sadeghfar, F., dan Hashemzaei, M., 2017, Importance of the Inter-Electrode Distance for the Electrochemical Synthesis of Magnetite Nanoparticles: Synthesis, Characterization, Computational Modelling, and Cytotoxicity, *e-J Surf Sci*, 15, 31–39.
- Matias, M.L., Pimentel, A., Reis-Machado, A.S., Rodrigues, J., Deuermeier, J., Fortunato, E., Martins, R., dan Nunes, D., 2022, Enhanced Fe-TiO<sub>2</sub> Solar Photocatalysts on Porous Platforms for Water Purification, *Nanomaterials*, 12 (6), 1005.
- Matthiesen, H., Hilbert, L.R., dan Gregory, D.J., 2003, Siderite as a Corrosion Product on Archaeological Iron from a Waterlogged Environment, *Stud Conserv*, 48 (3), 183–194.
- Moradi, H., Eshaghi, A., Hosseini, S.R., dan Ghani, K., 2016, Fabrication of Fe-doped TiO<sub>2</sub> nanoparticles and investigation of photocatalytic decolorization of reactive red 198 under visible light irradiation, *Ultrason Sonochem*, 32, 314–319.
- Moradi, V., Ahmed, F., Jun, M.B.G., Blackburn, A., dan Herring, R.A., 2019, Acid-treated Fe-doped TiO<sub>2</sub> as a high performance photocatalyst used for degradation of phenol under visible light irradiation, *J Environ Sci*, 83, 183–194.
- Moradi, V., Jun, M.B.G., Blackburn, A., dan Herring, R.A., 2018, Significant Improvement in Visible Light Photocatalytic Activity of Fe doped TiO<sub>2</sub> Using an Acid Treatment Process, *Appl Surf Sci*, 427, 791–799.

- Moura, A.G.L., Centurion, V.B., Okada, D.Y., Motteran, F., Delforno, T.P., Oliveira, V.M., dan Varesche, M.B.A., 2019, Laundry wastewater and domestic sewage pilot-scale anaerobic treatment: Microbial community resilience regarding sulfide production, *J Environ Manage*, 251, 109495.
- Muniyan, R., Varatharajan, S., Naz, S., Nandicoori, V.K., dan Gurunathan, J., 2017, Allium sativum Linn. Contains linear alkylbenzene sulfonates that alter membrane fluidity for the inhibition of Mycobacterium tuberculosis H37RA, *Asian J Pharm Clin Res*, 10 (9), 100–111.
- Muthukrishnan, S., Vidya, R., dan Sjøstad, A.O., 2023, Band gap engineering of anatase TiO<sub>2</sub> by ambipolar doping: A first principles study, *Mater Chem Phys*, 299, 127467.
- Natarajan, T.S., Mozhiarasi, V., dan Tayade, R.J., 2021, Nitrogen Doped Titanium Dioxide (N-TiO<sub>2</sub>): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications, *Photochem*, (3), 371–410.
- Nazari, M. dan Ayati, B., 2019, Removing Sodium Dodecyl Benzene Sulfonate Using a Hybrid Electrocoagulation/Flotation and Photocatalytic System, *J Water Environ Nanotechnol*, 4 (3), 236–243.
- Nguyen, T.T. dan Edalati, K., 2024, Brookite TiO<sub>2</sub> as an active photocatalyst for photoconversion of plastic wastes to acetic acid and simultaneous hydrogen production: Comparison with anatase and rutile, *Chemosphere*, 355, 141785.
- Nguyen, V.N., Nguyen, N.K.T., dan Nguyen, P.H., 2011, Hydrothermal Synthesis of Fe-doped TiO<sub>2</sub> Nanostructure Photocatalyst, *Adv Nat Sci: Nanosci Nanotechnol*, 2 (3), 1–4.
- Norabadi, E., Jahantigh, A., dan Kamani, H., 2023, Synthesis of Fe-TiO<sub>2</sub>@Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles as a recyclable sonocatalyst for the degradation of 2, 4-dichlorophenol, *Environ Sci Pollut Res*, 30 (11), 31446–31460.
- Palmer, M. dan Hatley, H., 2018, The role of surfactants in wastewater treatment: Impact, removal and future techniques: A critical review, *Water Res*, 147, 60–72.
- Pambudi, T., Wahyuni, E.T., dan Mudasir, M., 2020, Recoverable Adsorbent of Natural Zeolite/Fe<sub>3</sub>O<sub>4</sub> for Removal of Pb(II) in Water, *J. Mater. Environ. Sci*, 11 (1), 78.
- Patil, V. V., Gogate, P.R., Bhat, A.P., dan Ghosh, P.K., 2020, Treatment of laundry wastewater containing residual surfactants using combined approaches based on ozone, catalyst and cavitation, *Sep Purif Technol*, 239, 116594.
- Pavel, M., Anastasescu, C., State, R.-N., Vasile, A., Papa, F., dan Balint, I., 2023, Photocatalytic Degradation of Organic and Inorganic Pollutants to Harmless End Products: Assessment of Practical Application Potential for Water and Air Cleaning, *Catalysts*, 13 (2), 380.



Peraturan Daerah DIY No. 7 Tahun 2016 Baku Mutu Air Limbah.

Potapova, E., Jolsterå, R., Holmgren, A., and Grahn, M., 2014, The Effect of Inorganic Ions on Dodecylbenzenesulfonate Adsorption onto Hematite: an ATR-FTIR Study, *J Surfactants Deterg*, 17 (5), 1027–1034.

Rajput, R.B., Jamble, S.N., dan Kale, R.B., 2021, Solvothermal Synthesis of Anatase TiO<sub>2</sub> for the Detoxification of Methyl Orange Dye with Improved Photodegradation Efficiency, *Engineered Science*, 17, 176–184.

Ramcharan, T. dan Bissessur, A., 2016, Analysis of Linear Alkylbenzene Sulfonate in Laundry Wastewater by HPLC–UV and UV–Vis Spectrophotometry, *J Surfactants Deterg*, 19 (1), 209–218.

Reda, S.M., Khairy, M., dan Mousa, M.A., 2020, Photocatalytic Activity of Nitrogen and Copper Doped TiO<sub>2</sub> Nanoparticles Prepared by Microwave-Assisted Sol-Gel Process, *Arab J Chem*, 13 (1), 86–95.

Rémazeilles, C. dan Refait, Ph., 2009, Fe(II) hydroxycarbonate Fe<sub>2</sub>(OH)<sub>2</sub>CO<sub>3</sub> (chukanovite) as iron corrosion product: Synthesis and study by Fourier Transform Infrared Spectroscopy, *Polyhedron*, 28 (4), 749–756.

Ren, G., Han, H., Wang, Y., Liu, S., Zhao, J., Meng, X., dan Li, Z., 2021, Recent Advances of Photocatalytic Application in Water Treatment: A Review, *Nanomaterials*, 11 (7), 1804.

Sadriyeh, S. dan Malekfar, R., 2018, Photocatalytic performance of plasmonic Au/Ag–TiO<sub>2</sub> aerogel nanocomposites, *J Non Cryst Solids*, 489, 33–39.

Sang, Y., Liu, H., dan Umar, A., 2015, Photocatalysis from UV/Vis to Near-Infrared Light: Towards Full Solar-Light Spectrum Activity, *ChemCatChem*, 7 (4), 559–573.

Saqlain, S., Cha, B.J., Kim, S.Y., Ahn, T.K., Park, C., Oh, J.M., Jeong, E.C., Seo, H.O., dan Kim, Y.D., 2020, Visible light-responsive Fe-loaded TiO<sub>2</sub> photocatalysts for total oxidation of acetaldehyde: Fundamental studies towards large-scale production and applications, *Appl Surf Sci*, 505, 144160.

Saragi, T., Depi, B.L., Butarbutar, S., Permana, B., dan Risdiana, 2018, The impact of synthesis temperature on magnetite nanoparticles size synthesized by co-precipitation method, *J Phys Conf Ser*, 1013, 012190.

Saroj, S., Singh, L., Ranjan, R., dan Singh, S.V., 2019, Enhancement of photocatalytic activity and regeneration of Fe-doped TiO<sub>2</sub> nanocrystalline particles synthesized using inexpensive TiO<sub>2</sub> precursor, *Res Chem Intermed*, 45 (4), 1883–1906.

Schneider, J., Matsuoka, M., Takeuchi, M., Zhang, J., Horiuchi, Y., Anpo, M., dan Bahnemann, D.W., 2014, Understanding TiO<sub>2</sub> Photocatalysis: Mechanisms and Materials, *Chem Rev*, 114 (19), 9919–9986.

- Shen, Y.F., Tang, J., Nie, Z.H., Wang, Y.D., Ren, Y., dan Zuo, L., 2009, Preparation and application of magnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles for wastewater purification, *Sep Purif Technol*, 68 (3), 312–319.
- Shi, J., Chen, G., Zeng, G., Chen, A., He, K., Huang, Z., Hu, L., Zeng, J., Wu, J., dan Liu, W., 2018, Hydrothermal synthesis of graphene wrapped Fe-doped TiO<sub>2</sub> nanospheres with high photocatalysis performance, *Ceram Int*, 44 (7), 7473–7480.
- Shojaie, A., Fattahi, M., Jorfi, S., dan Ghasemi, B., 2018, Synthesis and evaluations of Fe<sub>3</sub>O<sub>4</sub>–TiO<sub>2</sub>–Ag nanocomposites for photocatalytic degradation of 4-chlorophenol (4-CP): effect of Ag and Fe compositions, *Int J Ind Chem*, 9 (2), 141–151.
- Shymanovska, V.V., Khalyavka, T.A., Manuilov, E.V., Gavrilko, T.A., Aho, A., Naumov, V.V., dan Shcherban, N.D., 2022, Effect of Surface doping of TiO<sub>2</sub> Powders with Fe Ions on the Structural, Optical and Photocatalytic Properties of Anatase and Rutile, *J Phys Chem Solids*, 160, 1–10.
- Sood, S., Umar, A., Mehta, S.K., dan Kansal, S.K., 2015, Highly effective Fe-doped TiO<sub>2</sub> nanoparticles photocatalysts for visible-light driven photocatalytic degradation of toxic organic compounds, *J Colloid Interface Sci*, 450, 213–223.
- Sukhadeve, G.K., Janbandhu, S.Y., Kumar, R., Lataye, D.H., Ramteke, D.D., dan Gedam, R.S., 2022, Visible Light Assisted Photocatalytic Degradation of Indigo Carmine Dye and NO<sub>2</sub> Removal by Fe doped TiO<sub>2</sub> Nanoparticles, *Ceram Int*, 48 (19), 29121–29135.
- Sun, S., Ding, J., Bao, J., Gao, C., Qi, Z., Yang, X., He, B., dan Li, C., 2012, Photocatalytic degradation of gaseous toluene on Fe-TiO<sub>2</sub> under visible light irradiation: A study on the structure, activity and deactivation mechanism, *Appl Surf Sci*, 258 (12), 5031–5037.
- Sun, Yu, Zhang, Yan, Lu, Zhang, dan Wang, 2019, Effect of Si Content on the Corrosion Behavior of 420 MPa Weathering Steel, *Metals (Basel)*, 9 (5), 486.
- Szabó-Bárdos, E., Markovics, O., Horváth, O., Toro, N., dan Kiss, G., 2011, Photocatalytic degradation of benzenesulfonate on colloidal titanium dioxide, *Water Res*, 45 (4), 1617–1628.
- Tadros, T., 2013, Surfactants, *Encyclopedia of Colloid and Interface Science*, 1242–1290.
- Tang, P., Ding, Y., Chen, H., dan Wang, Y., 2020, Preparation of TiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub> composite by sol-gel method and its photocatalytic activity for removal of Rhodamine B from water, *Ferroelectrics*, 562 (1), 66–72.
- Thi Lan Huong, P., Van Quang, N., Thi Huyen, N., Thu Huong, H., Anh Tuan, D., Trung Tran, M., Vinh Tran, Q., Ngoc Bach, T., Tu, N., dan Dao, V.-D., 2023, Efficiency enhancement of photocatalytic activity under UV and visible light

irradiation using ZnO/Fe<sub>3</sub>O<sub>4</sub> heteronanostructures, *Solar Energy*, 249, 712–724.

Tseng, W.J., Chuang, Y.-C., dan Chen, Y.-A., 2018, Mesoporous Fe<sub>3</sub>O<sub>4</sub>@Ag@TiO<sub>2</sub> nanocomposite particles for magnetically recyclable photocatalysis and bactericide, *Adv Powd Tech*, 29 (3), 664–671.

Tweij, W., Al-Hamdani, A.H., Al-Khafaji, A.K.A., dan Ali, F.H., 2015, Photocatalytic activity of iron doped TiO<sub>2</sub> for indoor applications via Sol-Gel technique, *NSNTAIJ*, 9 (3), 112–118.

Vinosel, V.M., Anand, S., Janifer, M.A., Pauline, S., Dhanavel, S., Praveena, P., dan Stephen, A., 2019, Preparation and performance of Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> nanocomposite with enhanced photo-Fenton activity for photocatalysis by facile hydrothermal method, *Applied Physics A*, 125 (5), 319.

Wahyuni, E.T., 2021, Photo-Processes as Effective and Low-Cost Methods for Laundry Wastewater Treatment,. Dalam, Ahmed, I., *Promising Techniques for Wastewater Treatment and Water Quality Assessment*. IntechOpen.

Wahyuni, E.T., Annur, S., Wijayana, A., Pratista, E., dan Alharissa, E.Z., 2024, Synthesis of TiO<sub>2</sub>–Fe/Fe<sub>3</sub>O<sub>4</sub> photocatalyst using iron rusty waste as Fe source for removal Pb(II) in water media under visible light with good separable property, *React Kinet, Mech Catal*, 137 (3), 1307–1319.

Wahyuni, E.T., Istiningsi, I., dan Suratman, A., 2020, Use of Visible Light for Photo Degradation of Linear Alkyl-benzene Sulfonate in Laundry Wastewater over Ag-doped TiO<sub>2</sub>, *J Environ Sci Tech*, 13 (3), 124–130.

Wahyuni, E.T., Lestari, N.D., Cinjana, I.R., Annur, S., Natsir, T.A., dan Mudasir, M., 2023, Doping TiO<sub>2</sub> with Fe from iron rusty waste for enhancing its activity under visible light in the Congo red dye photodegradation, *J Eng App Sci*, 70 (1), 1–14.

Wahyuni, E.T., Mochammad, R.S., Mahira, N.S., Lestari, N.D., Syoufian, A., dan Nasir, T.A., 2022, Enhancement of TiO<sub>2</sub> activity under visible light by doping S element from sulfur core for Pb(II) photo-oxidation, *React Kinet Mech Catal*, 135 (5), 2783–2796.

Wang, K., Zhuo, Y., Chen, J., Gao, D., Ren, Y., Wang, C., dan Qi, Z., 2020, Crystalline phase regulation of anatase–rutile TiO<sub>2</sub> for the enhancement of photocatalytic activity, *RSC Adv*, 10 (71), 43592–43598.

Wang, Q., Jin, R., Zhang, M., dan Gao, S., 2017, Solvothermal preparation of Fe-doped TiO<sub>2</sub> nanotube arrays for enhancement in visible light induced photoelectrochemical performance, *J Alloys Compd*, 690, 139–144.

Wang, Xin, Wang, W., Wang, Xuejiang, Zhao, J., Zhang, J., dan Song, J., 2016, Insight into visible light-driven photocatalytic degradation of diesel oil by doped TiO<sub>2</sub>-PS floating composites, *Env Sci Pollut Res*, 23 (18), 18145–18153.

- Xue, C., Zhang, Q., Li, J., Chou, X., Zhang, W., Ye, H., Cui, Z., dan Dobson, P.J., 2013, High Photocatalytic Activity of Fe<sub>3</sub>O<sub>4</sub>-SiO<sub>2</sub>-TiO<sub>2</sub> Functional Particles with Core-Shell Structure, *J Nanomater*, 1–8.
- Yaseen, Z.M., Zigale, T.T., Tiyyasha, D, R.K., Salih, S.Q., Awasthi, S., Tung, T.M., Al-Ansari, N., dan Bhagat, S.K., 2019, Laundry wastewater treatment using a combination of sand filter, bio-char and teff straw media., *Sci Rep*, 9 (1), 18709–18709.
- Yin, C., Li, Y., Zhang, T., Liu, J., Yuan, Y., dan Huang, M., 2020, Effects of exposure to anionic surfactants (SDBS and SDS) on nitrogen removal of aerobic denitrifier, *Water Environ Res*, 92 (12), 2129–2139.
- Yoon, J.-H., Shin, Y.G., Kim, H.S., Kirkham, M.B., dan Yang, J.E., 2022, Screening of a Novel Solvent for Optimum Extraction of Anionic Surfactants in Water, *Toxics*, 10 (2), 80.
- Yu, F., Wang, C., Ma, H., Song, M., Li, D., Li, Y., Li, S., Zhang, X., dan Liu, Y., 2020, Revisiting Pt/TiO<sub>2</sub> photocatalysts for thermally assisted photocatalytic reduction of CO<sub>2</sub>, *Nanoscale*, 12 (13), 7000–7010.
- Zafar, Z., Ali, I., Park, S., dan Kim, J.-O., 2020, Effect of Different Iron Precursors on the Synthesis and Photocatalytic Activity of Fe–TiO<sub>2</sub> Nanotubes under Visible Light, *Ceram Int*, 46 (3), 3353–3366.
- Zafar, Z. dan Kim, J.O., 2020, Optimization of hydrothermal synthesis of Fe–TiO<sub>2</sub> nanotube arrays for enhancement in visible light using an experimental design methodology, *Environ Res*, 189, 109908.
- Žener, B., Matoh, L., Reli, M., Škapin, A.S., dan Korošec, R.C., 2022, Metal and Non-Metal Modified Titania: the Effect of Phase Composition and Surface Area on Photocatalytic Activity, *Acta Chim Slov*, 69 (1), 217–226.
- Zhang, W., He, H., Li, H., Duan, L., Zu, L., Zhai, Y., Li, W., Wang, L., Fu, H., dan Zhao, D., 2021, Visible-Light Responsive TiO<sub>2</sub>-Based Materials for Efficient Solar Energy Utilization, *Adv Energy Mater*, 11 (15), 1–24.
- Zhang, Y., Yu, F., Cheng, W., Wang, J., dan Ma, J., 2017, Adsorption Equilibrium and Kinetics of the Removal of Ammoniacal Nitrogen by Zeolite X/Activated Carbon Composite Synthesized from Elutrilithe, *J Chem*, 2017, 1–9.
- Zhu, J., Chen, F., Zhang, J., Chen, H., dan Anpo, M., 2006, Fe<sup>3+</sup>-TiO<sub>2</sub> photocatalysts prepared by combining sol-gel method with hydrothermal treatment and their characterization, *J Photochem Photobiol A Chem*, 180 (1–2), 196–204.