

DAFTAR PUSTAKA

- [AACC] American Association of Cereal Chemists. (1999). AACC International Method. 61-03.01: Amylose Content of Milled Rice. Minnesota (US): *American Association of Cereal Chemists*.
- Abubakar, B., Yakasai, H. M., Zawawi, N., & Ismail, M. (2018). Compositional analyses of white, brown and germinated forms of popular Malaysian rice to offer insight into the growing diet-related diseases. *Journal of Food and Drug Analysis*, 26, 706–715.
- Al-Khayri, J.M.; Sahana, G.R.; Nagella, P.; Joseph, B.V.; Alessa, F.M.; Al-Mssallem, M.Q. (2022). Flavonoids as Potential Anti-Inflammatory Molecules: A Review. *Molecules*, 27, 2901. <https://doi.org/10.3390/molecules27092901>.
- Alkadi, H. A review on free radicals and antioxidants. *Infect. Disord. Drug Targets* 2020, 20, 16–26.
- Alkhalifioui, F., Renard, M., Vensel, W.H., Wong, J., Tanaka, C.K., Hurkman, W.J., Buchanan, B.B. and Montrichard, F. (2007) Thioredoxin-linked proteins are reduced during germination of *Medicago truncatula* seeds. *Plant Physiology* 144, 1559–1579.
- Ayernor, G. S. and Ocloo, F. C. K. (2007). Physico-chemical changes and diastatic activity associated with germinating paddy rice (PSB.Rc 34). *Afr. J. Food. Sci.* 1:37–41.
- Badan Pusat Statistik Indonesia. (16 Oktober 2023). Luas Panen dan Produksi Padi di Indonesia 2023 (Angka Sementara). Diakses pada 26 Maret 2024.
- Chaiyasut, C., Sivamaruthi, B. S., Pengkumsri, N., Saelee, M., Kesika, P., Sirilun, S., Fukngoen, P., Jampatip, K., Khongtan, S., & Peerajan, S. (2017). Optimization of conditions to achieve high content of gamma amino butyric acid in germinated black rice, and changes in bioactivities. *Food Science and Technology*, 37, 83–93. <https://doi.org/10.1590/1678-457X.33416>.
- Chu, C., Du, Y., Yu, X., *et al.*, (2020). Dynamics of antioxidant activities, metabolites, phenolic acids, flavonoids, and phenolic biosynthetic genes in germinating Chinese wild rice (*Zizania latifolia*). *Food Chemistry*. 318 (2020): 126483.
- Costa, C.; Tsatsakis, A.; Mamoulakis, C.; Teodoro, M.; Briguglio, G.; Caruso, E.; Tsoukalas, D.; Margina, D.; Dardiotis, E.; Kouretas, D.J.F.R. (2017). Current evidence on the effect of dietary polyphenols intake on chronic diseases. *Food Chem. Toxicol.* 110, 286–299.

- Crozier, A.; Jaganath, I.B.; Clifford, M.N. (2009). Dietary Phenolics: Chemistry, Bioavailability and Effects on Health. *Nat. Prod. Rep.* 26, 1001–1043.
- D. French. (1972). Fine structure of starch and its relationship to the organization of starch granules. *J. Jap. Soc. Starch Sci.*, 19, 8–25
- De Garmo, E.P., W. G. Sullivan, and C.R. Canada. (1984). Engineering Economy. 7th Edition. *Mac. Millan Publ Co. New York*.
- Dwiningsih, Y and Al-Kahtani, Jawaher. (2022). Rojolele: A Premium Aromatic Rice Variety in Indonesia. *International Journal of Agriculturak Sciences and Technology*. 2(2) 42-53. ISSN 2710-3366).
- Febby Suzanna Duka and Nur Faidah Rahman. (2023). Germinated rice; an overview of gaba, phenolic components and antioxidant activity. *IOP Conf. Ser.: Earth Environment Science*.
- Ferraz, C.R.; Carvalho, T.T.; Manchope, M.F.; Artero, N.A.; Rasquel-Oliveira, F.S.; Fattori, V.; Casagrande, R.; Verri, W.A., Jr. (2020). Therapeutic Potential of Flavonoids in Pain and Inflammation: Mechanisms of Action, Pre-Clinical and Clinical Data, and Pharmaceutical Development. *Molecules*, 25, 762.
- Fidelis, Q.C.; Ribeiro, T.A.; Araújo, M.F.; De Carvalho, M.G. (2014). Ouratea genus: Chemical and pharmacological aspects. *Rev. Bras. Farm.* 24, 1–19.
- Franco, C.M.L.; Wong, K.-S.; Yoo, S.-H.; Jane, J.-L. (2002). Structural and functional characteristics of selected soft wheat starches. *Cereal Chem.* 79, 243–248.
- Gallant, D. J.; Bouchet, B.; Baldwin, P. M. (1997). Microscopy of starch: Evidence of a new level of granule organization. *Carbohydr. Polym.* 32, 177–191.
- García-Lafuente, A.; Guillamón, E.; Villares, A.; Rostagno, M.A.; Martínez, J.A. (2009). Flavonoids as Anti-Inflammatory Agents: Implications in Cancer and Cardiovascular Disease. *Inflamm. Res.* 58, 537–552.
- Gong, E. S., Luo, S. J., Li, T., Liu, C. M., Zhang, G. W., Chen, J., . . . Liu, R. H. (2017). Phytochemical profiles and antioxidant activity of brown rice varieties. *Food Chemistry*, 227, 432–443.
- Hartawan, G., Wisaniyasa, N. & Wiadnyani. (2021). Pengaruh Lama Perkecambahan terhadap Karakteristik Fisik, Kimia dan Fungsional Tepung Kecambah Jagung Pulut (*Zea mays ceratina L.*). *Itepa: Jurnal Ilmu dan Teknologi Pangan*, 10(2), 304-314.

- Hernawan, E. & Meylani, V. (2016). Analisis Karakteristik Fisikokimia Beras Putih, Beras Merah, dan Beras Hitam (*Oryza sativa* L., *Oryza nivara* dan *Oryza sativa* L. *indica*). *Jurnal Kesehatan Bakti Tunas Husada*, 15(1), 79–91.
- Jayadeep, A., & Malleshi, N. G. (2011). Nutrients, composition of tocotrienols, tocopherols, and γ -oryzanol, and antioxidant activity in brown rice before and after biotransformation. *CyTA - Journal of Food*, 9(1), 82–87. <https://doi.org/10.1080/19476331003686866>.
- Jiamyangyuen, S and Ooraikul, Buncha. (2008). The physico-chemical, eating and sensorial properties of germinated brown rice. *Journal of Food, Agriculture & Environment*. 6 (2): 119-124.
- Junaidi, & Ahmad, F. (2021). Pengaruh Suhu Perendaman Terhadap Pertumbuhan Vigorbiji Kopi Lampung (*Coffeacanephora*). *Jurnal Inovasi Penelitian*, 2(7), 1911-1916.
- Jun, H.I., Song, S.G., Youn, Y., Yang, I.E., dan Kim, Y.S. (2012). Antioxidant Activities and Phenolic Compounds of Pigmented Rice Bran Extracts, *Journal of Food Science*.
- Kaur, M., Asthir, B., & Mahajan, G. (2017). Variation in antioxidants, bioactive compounds and antioxidant capacity in germinated and ungerminated grains of ten rice cultivars. *Rice Science*, 24, 349–359.
- Kong, X., Zhu, P., Sui, Z., Bao, J., (2015). Physicochemical properties of starches from diverse rice cultivars varying in apparent amylose content and gelatinisation temperature combinations. *Food Chemistry*. 172, 433-440.
- Lago, J.H.G.; Toledo-Arruda, A.C.; Mernak, M.; Barrosa, K.H.; Martins, M.A.; Tibério, I.F.L.C.; Prado, C.M. (2014). Structure-Activity Association of Flavonoids in Lung Diseases. *Molecules*. 19, 3570–3595.
- Lee, Y. R., Lee, S. H., Jang, G. Y., Lee, Y. J., Kim, M. Y., Kim, Y. B., Lee, J., & Jeong, H. S. (2019). Antioxidative and antidiabetic effects of germinated rough rice extract in 3T3-L1 adipocytes and C57BLKS/J-db/db mice. *Food and Nutrition Research*, 63, 1–10. <https://doi.org/10.29219/fnr.v63.3603>.
- Lu, Y., Guo, S., Zhang, F., Yan, H., Qian, D.W., Wang, H.Q., Lin, J., Duan, J.A. (2019). A Comparison of Functional Components and Antioxidant Activity of *Lycium barbarum* L. Fruits from Different Regions in China. *Molecules*, 24, 2228.

- Marrocco, I.; Altieri, F.; Peluso, I. (2017). Measurement and Clinical Significance of Biomarkers of Oxidative Stress in Humans. *Oxid. Med. Cell Longev.* 2017, 6501046.
- Mohan, B., Malleshi, N. G., & Koseki, T. (2010). Physico-chemical characteristics and non-starch polysaccharide contents of Indica and Japonica brown rice and their malts. *Lebensmittel-Wissenschaft + Technologie*, 43(5), 784-791.
- Munarko, H., Sitanggang, A.B., Kusnandar, F., Budijanto, S. (2019). Germinated brown rice: Production process and its characteristics. *Pangan.* 28(3), 239-252.
- Munarko, H., Sitanggang, A.B., Kusnandar, F., Budijanto, S. (2022). Germination of five Indonesian brown rice: evaluation of antioxidant, bioactive compounds, fatty acids and pasting properties. *Food science and Technology*. Vol. 42.
- Moongngarm, A., & Saetung, N. (2010). Comparison of chemical compositions and bioactive compounds of germinated rough rice and brown rice. *Food Chemistry*, 122 (3), 782–788.
- Nacz, M., & Shahidi, F. (1989). The effect of methanol–ammonia–water treatment on the content of phenolic acids of canola. *Food Chemistry*, 31, 159–164.
- Nimse, S.; Pal, D. (2015). Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Adv.* 5, 27986–28006.
- Ocheme, O. B., Adediji, O. E., Chinma, C. E., Yakubu, C. M., & Ajibo, U. H. (2018). Proximate composition, functional, and pasting properties of wheat and groundnut protein concentrate flour blends. *Food Science and Nutrition*, 6, 1173–1178.
- Ojha, K.; Dubey, S.; Chandrakar, J.; Minj, R.A.; Dehariya, R.; Dixit, A.K. (2018). A review on different methods of determination of antioxidant activity assay of herbal plant. *J. Sci. Bio Pharm. Chem. Sci.* 4, 707–732.
- Okpalanma, E. F., Ukpog, E. S., Chude, C. O., & Abah, R. C. (2021). Determination of malting conditions, proximate and biochemical properties of sorghum /millet grains and malts. *International Journal of Food Science and Nutrition*, 6(2), 51–58.
- Oliveira, D. M. *et al.*, (2019). Feruloyl esterases: Biocatalysts to overcome biomass recalcitrance and for the production of bioactive compounds. *Bioresource Technology*, Volume 278, pp. 408-423.

- Owolabi, I. O., Chakree, K., & Yupanqu, C. T. (2019). Bioactive components, antioxidative and anti-inflammatory properties (on RAW 264.7 macrophage cells) of soaked and germinated purple rice extracts. *International Journal of Food Science and Technology*, 54, 1–13.
- Pang, Y., Ahmed, S., Xu, Y., Beta, T., Zhu, Z., Shao, Y., & Bao, J. (2018). Bound phenolic compounds and antioxidant properties of whole grain and bran of white, red and black rice. *Food Chemistry*, 240, 212–221.
- Pinta, W.; Aninbon, C.; Kaewtaphan, P.; Kunyane, K. (2024). Effects of Parboiling on Chemical Properties, Phenolic Content and Antioxidant Capacity in Colored Landrace Rice. *Foods*. 13, 393. <https://doi.org/10.3390/foods13030393>.
- Rao, R. S. P. & Muralikrishna, G., (2006). Water soluble feruloyl arabinoxylans from rice and ragi: Changes upon malting and their consequence on antioxidant activity. *Phytochemistry*, 67(1), pp. 91-99.
- Rosental, L.; Nonogak, H.; Fait, A. (2014). Activation and regulation of primary metabolism during seed germination. *Seed Sci. Res.* 24, 1–15.
- Saleh, A.S.M., Wang, P., Wang, N., Yang, Liu., & Xiao, Z. (2019). Brown Rice Versus White Rice: Nutritional Quality, Potential Health Benefits, Development of Food Products, and Preservation Technologies. *Comprehensive Reviews in Food Science and Food Safety*. Vol. 18.
- Saputra, Dwi Adrian. (2023). Profil Komposisi Kimia, Kandungan Total Fenolik dan Aktivitas Antioksidan Beras Coklat Pragerminasi dan Beras Putih Varietas Mentik Wangi dan Rojolele. Yogyakarta. FTP UGM.
- Sari, A.K. dan Ayuchecaria. N. (2017). Penetapan Kadar Fenolik Total dan Flavonoid Total Ekstrak Beras Hitam (*Oryza sativa* L) dari Kalimantan Selatan. *Jurnal Ilmiah Ibnu Sina*.
- Sathe, S. N., Agrawal, R. S., Gaikwad, S. T., & Shere, P. D. (2020). Effect of germination on brown rice and its role in human health promotion: A review. *International Journal of Food Science and Nutrition*, 5(2), 105–107.
- Sharma, R.; Padwad, Y.J. (2020). Perspectives of the potential implications of polyphenols in influencing the interrelationship between oxi-inflammatory stress, cellular senescence and immunosenescence during aging. *Trends Food Sci. Technol.* 98, 41–52
- Seo, W. D., Kim, J. Y., Song, Y. C., Cho, J. H., Jang, K. C., Han, S. I., Nam, M. H. (2013). Comparative analysis of physicochemicals and antioxidative

properties in new red rice (*Oryza sativa* L. cv. gunganghongmi). *Journal of Crop Science & Biotechnology*, 16(1), 63–68.

Serafini, M.; Peluso, I.; Raguzzini, A. (2010). Flavonoids as Anti-Inflammatory Agents. *Proc. Nutr. Soc.* 69, 273–278.

Sirisoontaralak, P., Nakornpanom N.N., Koakietdumrongkul K., Panumaswiwath C. (2014). Development of quick cooking germinated brown rice with convenient preparation and containing health benefits. *LWT-Food Science and Technology*. Vol. 61: 138–144.

Suarti, B., Budijanto, S., Sukarno & Ardiansyah, (2022). Efek Metode Pemanasan terhadap Sifat Fisikokimia Beras Pecah Kulit Hitam Fermentasi. *Jurnal Pangan*, 31(1), pp. 33-44.

Sudarmadji, S., Haryono, B. & Suhardi, (1997). *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. 4th ed. Yogyakarta: Liberty.

Sukma, R.M., Iswantini, D., Nurhidayat, N., Rafi, M., Ariyanti, D. (2023). Antioxidant Determining Using Electrochemical Method. *Chemistry*. 1921-1941.

Syafutri, M. I., Pratama, F., Syaiful, F. & Faizal, A. (2016). Effects of Varieties and Cooking Methods on Physical and Chemical Characteristics of Cooked Rice. *Rice Science*, 23(5), 282–286.

Tian, Z. X.; Qian, Q.; Liu, Q. Q.; Yan, M. X.; Liu, X. F.; Yan, C. J.; Liu, G. F.; Gao, Z.Y.; Tang, S. Z.; Zeng, D. L.; Wang, Y. H.; Yu, J. M.; Gu, M. H.; Li, J. Y. (2009). Allelic diversities in rice starch biosynthesis lead to a diverse array of rice eating and cooking qualities. *Proc. Natl. Acad. Sci. U. S. A.* 106, 21760–21765.

Ti, H., Zhang, R., Zhang, M., Wei, Z., Li, Q., Zhang, Y., Tang, X., Deng, Y., Liu, L., Ma, Y. (2014). Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. *Food Chemistry*. 161, 337-344.

Tran, T. T. B.; Shelat, K. J.; Tang, D.; Li, E. P.; Gilbert, R. G.; Hasjim, J. (2011). Milling of rice grains. The degradation on three structural levels of starch in rice flour can be independently controlled during grinding. *J. Agric. Food Chem.* 59, 3964–3973.

Ukpong, E.S., Okpalanma, E.F., Ezegebe, C.C. (2022). Effects of Milling, Germination Durations and Germination Temperatures on Bioactive Compounds and

Nutritional Composition of FARO 57 Brown Rice Cultivar. *J Food Chem Nanotechnol* 8(4): 181-191.

Ukpong, E.S., Onyeka, E.U., Oladeji, B.S. (2023). Bioactive compounds, nutrients and pasting properties of parboiled milled rice, brown rice and germinated brown rice of selected cultivars and the effects of germination durations. *Food Chemistry Advances*.

Ukpong, E.S., Okpalanma, E.F., Ezegebe, C.C. (2024) . Effect of milling and temperature of germination on nutrients, bioactive compounds and pasting properties of FARO 44, FARO 57 and NERICA-8 brown rice cultivars. *Food Chemistry advances*.

Ullah, A.; Munir, S.; Badshah, S.L.; Khan, N.; Ghani, L.; Poulson, B.G.; Emwas, A.-H.; Jaremko, M. (2020). Important Flavonoids and Their Role as a Therapeutic Agent. *Molecules*. 25, 5243.

Wichamanee, Y., & Teerarat, I. (2012). Production of germinated red jasmine brown rice and its physicochemical properties. *International Food Research Journal*, 19(4), 1649-1654.

Williams WB, Cuvelier ME, Berset C. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT – Food Sci Technol* 28:25–30.

Wu, F., Yang, N., Touré, A., Jin, Z., & Xu, X. (2013). Germinated brown rice and its role in human health. *Critical Reviews in Food Science and Nutrition*, 53, 451–463.

Wu, X., Guo, Y., Luo, F., Lin, Q. (2023). Brown rice: a missing nutrient-rich health food. *Food Science and Human Wellness*.

Xie, Y.; Yang, W.; Tang, F.; Chen, X.; Ren, L. (2015). Antibacterial Activities of Flavonoids: Structure-Activity Relationship and Mechanism. *Curr. Med. Chem.* 22, 132–149.

Xu, J., Zhang, H., & Qian, H. (2012). The impact of germination on the characteristics of brown rice flour and starch. *Journal of the Science of Food and Agriculture*, 92, 380–387.

Yu, W.; Li, H.; Zou, W.; Tao, K.; Zhu, J.; Gilbert, R.G. (2019). Using starch molecular fine structure to understand biosynthesis-structureproperty relations. *Trends Food Sci. Technol.* 86, 530–536.

Z. Nikuni. (1969). Starch and cooking. *Sci. Cook.*, 2, 6– 14 (In Japanese)

- Zhang, L.; Liu, Y. (2020). Potential interventions for novel coronavirus in China: A systematic review. *J. Med. Virol.* 92, 479–490.
- Zheng, Y. M., He, R. G., Huang, X., Zheng, L., Hu, Q. L., and Hua, P. (2006). Effects of germination on composition of carbohydrate and activity of relevant enzymes in different varieties of brown rice. *Cereal & Feed Industry* 5:1–3.
- Zhou, Z., Robards, K., Helliwell, S., & Blanchard, C. (2004). The distribution of phenolic acids in rice. *Food Chemistry*, 87, 401–406.
- Zhou, Z. K., Robards, K., Helliwell, S., and Blanchard, C. (2002). Composition and functional properties of rice. *Int. J. Food Sci. Tech.* 37:849– 868.
- Zhu, J.; Bai, Y.; Gilbert, R.G. (2023). Effects of the Molecular Structure of Starch in Foods on Human Health. *Foods*. 12, 2263. <https://doi.org/10.3390/foods12112263>.