

## DAFTAR PUSTAKA

- Aimeur, M., Baudu, M., Zermane, F., Joussein, E., and Bouras, O., 2021, Evaluation of the Use of Free or Supported Phenalenone Based on Natural Halloysite for Phenol Photodegradation in Aqueous Solution, *J. Photochem. Photobiol. A: Chem.*, 404, 1–10.
- Ajmal, A., Majeed, I., Malik, R.N., Idriss, H., and Nadeem, M.A., 2014, Principles and Mechanisms of Photocatalytic Dye Degradation on TiO<sub>2</sub> Based Photocatalysts: A Comparative Overview, *RSC Adv*, 4, 37003–37026.
- Akpan, U.G. and Hameed, B.H., 2009, Parameters Affecting The Photocatalytic Degradation of Dyes Using TiO<sub>2</sub>-based Photocatalysts: A Review, *J Hazard Mater*, 170, 520–529.
- Alifi, A., Kurniawan, R., and Syoufian, A., 2020, Zinc-doped Titania Embedded on the Surface of Zirconia: A Potential Visible-Responsive Photocatalyst Material, *Indones. J. Chem.*, 20, 1374–1381.
- Alotaibi, A.M., Promdet, P., Hwang, G.B., Li, J., Nair, S.P., Sathasivam, S., Kafizas, A., Carmalt, C.J., and Parkin, I.P., 2021, Zn and N Codoped TiO<sub>2</sub> Thin Films: Photocatalytic and Bactericidal Activity, *ACS Appl. Mater. Interfaces.*, 13, 10480–10489.
- Al-Zaqri, N., 2023, Highly operative Near Full Spectrum Cu doped NiO/ZnO Photocatalyst: Photodegradation of Phenol and Organic Dyes, *Opt. Mater.*, 143, 110.
- Andita, K.R., Kurniawan, R., and Syoufian, A., 2019, Synthesis and Characterization of Cu-doped Zirconium Titanate as a Potential Visible-Light Responsive Photocatalyst, *Indonesian Journal of Chemistry*, 19, 761–766.
- Aware, D. V. and Jadhav, S.S., 2016, Synthesis, Characterization and Photocatalytic Applications of Zn-doped TiO<sub>2</sub> Nanoparticles by Sol–Gel Method, *Appl. Nanosci.*, 6, 965–972.
- Barrocas, B., Monteiro, O.C., Nunes, M.R., and Silvestre, A.J., 2019, Influence of Re and Ru Doping on the Structural, Optical and Photocatalytic Properties of Nanocrystalline TiO<sub>2</sub>, *SN Appl. Sci.*, 1, 1–12.
- Bashirom, N., Tan, W.K., Kawamura, G., Matsuda, A., and Lockman, Z., 2022, Formation of Self-Organized ZrO<sub>2</sub>-TiO<sub>2</sub> and ZrTiO<sub>4</sub>-TiO<sub>2</sub> Nanotube Arrays by Anodization of Ti-40Zr Foil for Cr(VI) Removal, *J. Mater. Res. Technol.*, 19, 2991–3003.

- Budiman, S., Suryasaputra, D., and Ristianti, D., 2014, Fotodegradasi Zat Warna Tekstil dengan Fotokatalis TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub> dan H<sub>2</sub>O<sub>2</sub>,. In, *SNIJA 2014.*, pp. 284–288.
- Buhani, 2005, Penerapan Model Langmuir-Hinshelwood (LH) pada Proses Adsorpsi Ion Fe(II), Mn(II), Cu(II) dan Zn(II) dengan Tanah yang Mengandung Herbisida Glifosat, *J. Sains Tek.*, 11, 11–18.
- Chakraborty, A.K., Ganguli, S., and Sabur, M.A., 2023, Nitrogen doped Titanium Dioxide (N-TiO<sub>2</sub>): Electronic Band Structure, Visible Light Harvesting and Photocatalytic Applications, *JWPE*, 55, 104183–104200.
- Chen, X., Guo, R. tang, Pan, W. guo, Yuan, Y., Hu, X., Bi, Z. xu, and Wang, J., 2022, A Novel Double S-Scheme Photocatalyst Bi<sub>7</sub>O<sub>9</sub>I<sub>3</sub>/Cdo.<sub>5</sub>Zno.<sub>5</sub>S QDs/WO<sub>3-x</sub> with Efficient Full-Spectrum-Induced Phenol Photodegradation, *Appl. Catal. B: Environ.*, 318, .
- Dong, J., Xu, L., Liu, Y., Ren, L., and Yuan, K., 2024, Biochar Enhances Microbial Degradation of Phenol in Water: Response Surface Optimization, *Biochem. Eng. J.*, 201, 1–12.
- Emeline, A. V., Zhang, X., Murakami, T., and Fujishima, A., 2012, Activity and Selectivity of Photocatalysts in Photodegradation of Phenols, *J. Hazard. Mater.*, 211, 154–160.
- Fauzi, W.P., Kurniawan, R., Sudiono, S., Prasetyo, N., and Syoufian, A., 2024a, Photodegradation of Phenol under Visible Light Irradiation Using Cu-N-codoped ZrTiO<sub>4</sub> Composite as a High-Performance Photocatalyst, *Indones. J. Chem.*, 24, 519–529.
- Fauzi, W.P., Kurniawan, R., Sudiono, S., Prasetyo, N., and Syoufian, A., 2024b, Photodegradation of Phenol under Visible Light Irradiation Using Cu-N-codoped ZrTiO<sub>4</sub> Composite as a High-Performance Photocatalyst, *Indones. J. Chem*, xx–xx.
- Fu, J., Xu, Q., Low, J., Jiang, C., and Yu, J., 2019, Ultrathin 2D/2D WO<sub>3</sub>/g-C<sub>3</sub>N<sub>4</sub> Step-Scheme H<sub>2</sub>-Production Photocatalyst, *Appl. Catal. B: Environ.*, 243, 556–565.
- Gilang Permata, D., Diantariani, N.P., Ayu, I., and Widihati, G., 2016, Degradasi Fotokatalitik Fenol Menggunakan Fotokatalis ZnO Dan Sinar UV, *Jurnal Kimia*, 10, 263–269.
- Guerrero-Araque, D., Ramírez-Ortega, D., Acevedo-Peña, P., Tzompantzi, F., Calderón, H.A., and Gómez, R., 2017, Interfacial Charge-Transfer Process Across ZrO<sub>2</sub>-TiO<sub>2</sub> Heterojunction and its Impact on Photocatalytic Activity, *J Photochem Photobiol A Chem*, 335, 276–286.

- Hamad, H., Bailón-García, E., Pérez-Cadenas, A.F., Maldonado-Hódar, F.J., and Carrasco-Marín, F., 2020, ZrO<sub>2</sub>-TiO<sub>2</sub>/Carbon Core-Shell Composites As Highly Efficient Solar-Driven Photo-Catalysts: An Approach For Removal Of Hazardous Water Pollutants, *J Environ Chem Eng*, 8, 104350.
- Han, Y. and Zhu, J., 2013, Surface Science Studies on The Zirconia-Based Model Catalysts, *Top Catal*, 56, 1525–1541.
- Hao, D., Song, Y.X., Zhang, Y., and Fan, H.T., 2021, Nanocomposites Of Reduced Graphene Oxide With Pure Monoclinic-ZrO<sub>2</sub> and Pure Tetragonal-ZrO<sub>2</sub> For Selective Adsorptive Removal Of Oxytetracycline, *Appl Surf Sci*, 543, .
- Hayati, R., Kurniawan, R., Prasetyo, N., Sudiono, S., and Syoufian, A., 2022, Codoping Effect of Nitrogen (N) to Iron (Fe) Doped Zirconium Titanate (ZrTiO<sub>4</sub>) Composite toward Its Visible Light Responsiveness as Photocatalysts, *Indones. J. Chem.*, 22, 692–702.
- Huang, F., Yan, A., and Zhao, H., 2016, Influences of Doping on Photocatalytic Properties of TiO<sub>2</sub> Photocatalyst, *InTech*.
- Huang, K., Chen, L., Xiong, J., and Liao, M., 2012, Preparation and Characterization of Visible-Light-Activated Fe-N Co-doped TiO<sub>2</sub> and Its Photocatalytic Inactivation Effect on Leukemia Tumors, *Int. J. Photoenergy*, 2012, 1–10.
- Iqbal, N., Riaz, S., Guo, Y.-J., and Naseem, S., 2016, Sol-Gel Synthesis of Biocompatible TiO<sub>2</sub> doped ZrO<sub>2</sub> Nanoparticles,. In, Jeju Island (ed), *Advances in Civil, Environmental, and Materials Research (ACEM16)*., pp. 1–10.
- Isyuniarto, Usada, W., Purwadi, A., and Suryadi, 2005, Degradasi Fenol dalam Limbah Pengolahan Minyak Bumi dengan Ozon,. In, *PPI - PDIPTN.*, pp. 76–81.
- Jeong, W.H., Lee, H.E., Ryu, M.W., Kim, K., Kim, Y.D., and Seo, H.O., 2024, Phenol Degradation on The Surface of Mesoporous TiO<sub>2</sub> Particles Via Ligand-to-Metal Charge Transfer Under Visible Light Irradiation, *Chem Phys Lett*, 840, 141162.
- Karunakaran, C., Dhanalakshmi, R., and Gomathisankar, P., 2012, Phenol-Photodegradation on ZrO<sub>2</sub> Enhancement by Semiconductors, *Spectrochim Acta A Mol Biomol Spectrosc.*, 92, 201–206.
- Khan, S., Kim, J., Sotto, A., and Van der Bruggen, B., 2015, Humic Acid Fouling in a Submerged Photocatalytic Membrane Reactor with Binary TiO<sub>2</sub>-ZrO<sub>2</sub> Particles, *Journal of Industrial and Engineering Chemistry*, 21, 779–786.

- Khezrianjoo, S. and Revanasiddappa, H.D., 2012, Langmuir-Hinshelwood Kinetic Expression for the Photocatalytic Degradation of Metanil Yellow Aqueous Solutions by ZnO Catalyst, *Chem. Sci. J.*, 2012, 1–7.
- Kilo, A. La, Umamah, T.S., and Laliyo, L.A.R., 2019, Studi Kestabilan Zirkonia Terdoping Ration Trivalen melalui Pemodelan Atomistik, *Jurnal Kimia Sains dan Aplikasi*, 22, 129–135.
- Kim, J.Y., Kim, C.S., Chang, H.K., and Kim, T.O., 2010, Effects of ZrO<sub>2</sub> Addition on Phase Stability and Photocatalytic Activity of ZrO<sub>2</sub>/TiO<sub>2</sub> Nanoparticles, *Adv. Powder Technol.*, 21, 141–144.
- Kočí, K., Matějová, L., Reli, M., Čapek, L., Matějka, V., Lacný, Z., Kustrowski, P., and Obalová, L., 2014, Sol–Gel Derived Pd Supported TiO<sub>2</sub>-ZrO<sub>2</sub> and TiO<sub>2</sub> Photocatalysts; Their Examination in Photocatalytic Reduction of Carbon Dioxide, *Catal. Today*, 230, 20–26.
- Kokporika, L., Onsuratoom, S., Puangpetch, T., and Chavadej, S., 2013, Sol–Gel-Synthesized Mesoporous-Assembled TiO<sub>2</sub>-ZrO<sub>2</sub> Mixed Oxide Nanocrystals and Their Photocatalytic Sensitized H<sub>2</sub> Production Activity Under Visible Light Irradiation, *Mater Sci Semicond Process*, 16, 667–678.
- Koohestani, H. and Sadrnezhad, S.K., 2016, Improvement in TiO<sub>2</sub> Photocatalytic Performance by ZrO<sub>2</sub> Nanocompositing and Immobilizing, *Desalination Water Treat*, 57, 28450–28459.
- Krishnan, A., Swarnalal, A., Das, D., Krishnan, M., Saji, V.S., and Shibli, S.M.A., 2024, A Review on Transition Metal Oxides Based Photocatalysts for Degradation of Synthetic Organic Pollutants, *JES*, 139, 389–417.
- Kurniawan, R., Sudiono, S., Trisunaryanti, W., and Syoufian, A., 2019, Synthesis of Iron-doped Zirconium Titanate as a Potential Visible-Light Responsive Photocatalyst, *Indonesian Journal of Chemistry*, 19, 454–460.
- Kustiningsih, I., Jayanudin, and Kartika, D., 2016, Degradasi Senyawa Fenol dengan Metode Fotokatalitik di Reaktor Tabung Berbaffle, *Jurnal TEKNIKA*, 12, 143–156.
- Lhimr, S., Bouhlassa, S., and Ammary, B., 2021, Influence Of Calcination Temperature On Size, Morphology And Optical Properties Of ZnO/C Composite Synthesized By A Colloidal Method, *Indonesian Journal of Chemistry*, 21, 537–545.
- Li, F., Jiao, Y., Liu, J., Li, Q., Guo, C., Tian, C., and Jiang, B., 2020, Promoting the Spatial Charge Separation by Building Porous ZrO<sub>2</sub>@TiO<sub>2</sub> Heterostructure Toward Photocatalytic Hydrogen Evolution, *J Colloid Interface Sci*, 561, 568–575.

- Li, P., Zheng, D., Gao, M., Zuo, X., Sun, L., Zhou, Q., and Lin, J., 2021, Bimetallic MOF-Templated Fabrication of Porous Zn,N Co-doped Mo<sub>2</sub>C for an Efficient Hydrogen Evolution Reaction, *ACS Appl. Energy Mater.*, 4, 8875–8882.
- Li, S., Sun, J., Liu, G., Zhang, S., Zhang, Z., and Wang, X., 2024, A New Keggin-Type Polyoxometallate-Based Bifunctional Catalyst for Trace Detection and pH-Universal Photodegradation of Phenol, *Chin. Chem. Lett.*, 35, 109148–109154.
- Li, Z., Cong, S., and Xu, Y., 2014, Brookite vs Anatase TiO<sub>2</sub> in the Photocatalytic Activity for Organic Degradation in Water, *ACS Catal.*, 4, 3273–3280.
- Lim, H.S., Ahmad, A., and Hamzah, H., 2013, Synthesis of Zirconium Oxide Nanoparticle by Sol-Gel Technique,. In, *AIP Conference Proceedings.*, pp. 812–816.
- Lin, C.Y., Wu, C.Y., Wang, C.C., and Lee, C.H., 2024, Exposure to Phenols Reduces Melanogenesis in B<sub>16</sub>F<sub>10</sub> Cells and Zebrafish, *Aquat. Toxicol.*, 266, 1–7.
- Liu, C., Li, X., Xu, C., Wu, Y., Hu, X., and Hou, X., 2020, Boron-Doped Rutile TiO<sub>2</sub>/Anatase TiO<sub>2</sub>/ ZrTiO<sub>4</sub> Ternary Heterojunction Photocatalyst with Optimized Phase Interface and Band Structure, *Ceram. Int.*, 46, 20943–20953.
- Liu, H., Su, Y., Hu, H., Cao, W., and Chen, Z., 2013, An Ionic Liquid Route to Prepare Mesoporous ZrO<sub>2</sub>–TiO<sub>2</sub> Nanocomposites and Study on Their Photocatalytic Activities, *Advanced Powder Technology*, 24, 683–688.
- Lu, Y., Ma, Y., Zhu, J., Lu, H., and Zou, H., 2024, Molten Salt Synthesis and Upconversion of Cubic ZrO<sub>2</sub> Submicron Phosphors for Temperature Sensor and Anticounterfeit Applications, *Cryst. Growth Des.*, 24, 499–505.
- Matějová, L., Kočí, K., Reli, M., Čapek, L., Matějka, V., Šolcová, O., and Obalová, L., 2013, On Sol–Gel Derived Au-Enriched TiO<sub>2</sub> and TiO<sub>2</sub>-ZrO<sub>2</sub> Photocatalysts and Their Investigation in Photocatalytic Reduction of Carbon Dioxide, *Appl Surf Sci*, 285, 688–696.
- Mohamed, M.A., Salleh, W.N.W., Jaafar, J., Ismail, A.F., and Nor, N.A.M., 2015, Photodegradation of Phenol by N-Doped TiO<sub>2</sub> Anatase/Rutile Nanorods Assembled Microsphere under UV and Visible Light Irradiation, *Mater. Chem. Phys.*, 162, 113–123.
- Moustafa, M., Wasnick, A., Janowitz, C., and Manzke, R., 2017, Temperature Shift Of The Absorption Edge and Urbach Tail of ZrS<sub>x</sub>Se<sub>2-x</sub> Single Crystals, *Phys Rev B*, 95, .

- Mudasir, M., Karelius, K., Aprilita, N.H., and Wahyuni, E.T., 2016, Adsorption of Mercury(II) on Dithizone-Immobilized Natural Zeolite, *J. Environ. Chem. Eng.*, 4, 1839–1849.
- Muslim, M.I., Kurniawan, R., Pradipta, M.F., Trisunaryanti, W., and Syoufian, A., 2021, The Effects of Manganese Dopant Content and Calcination Temperature on Properties of Titania-Zirconia Composite, *Indonesian Journal of Chemistry*, 21, 882–890.
- Muzammil, P., Basha, S.M., and Muhammed, G.S., 2020, Structural and Magnetic Properties of Fe-Doped GaN by Sol-Gel Technique, *J. Supercond. Nov. Magn.*, 33, 2767–2771.
- Nisha, U.M., Meeran, M.N., Sethupathi, R., Subha, V., Rajeswaran, P., and Sivakarthik, P., 2023, Studies on Chitosan Modified ZrO<sub>2</sub>-CeO<sub>2</sub> Metal Oxide and Their Photo catalytic Activity Under Solar Light Irradiation for Water Remediation, *Journal of the Indian Chemical Society*, 100, 101061.
- Novianti, H.R., Maryani, E., Eddy, D.R., Solihudin, Arifiandi, F., and Idamayanti, D., 2022, Sintesis dan Karakterisasi Nanopartikel Zirkonia Terstabilkan Kalsium (CSZ) Berbasis Prekursor Zirkonium Hidroksida dari Pasir Zirkon Menggunakan Templat Etilen Glikol, *Chimica et Natura Acta*, 10, 72–80.
- Pambayun, G.S., Yulianto, R.Y.E., Rachimoellah, M., and Putri, E.M.M., 2013, Pembuatan Karbon Aktif Dari Arang Tempurung Kelapa Dengan Aktivator ZnCl<sub>2</sub> dan Na<sub>2</sub>CO<sub>3</sub> Sebagai Adsorben Untuk Mengurangi Kadar Fenol Dalam Air Limbah, *JURNAL TEKNIK POMITS*, 2, F116–F120.
- Phattepur, H., Nagaraju, G., Shruthi, R., Sandhya, R., and C.M, B., 2023, Synthesis of Zn doped Black TiO<sub>2</sub> Nanoparticles for Degradation of 2,4,6-tri-chlorophenol Under Visible Light, *Journal of the Indian Chemical Society*, 100, 100881.
- Pirzada, B.M., Mir, N.A., Qutub, N., Mehraj, O., Sabir, S., and Muneer, M., 2015, Synthesis, Characterization, and Optimization of Photocatalytic Activity of TiO<sub>2</sub>/ZrO<sub>2</sub> Nanocomposite Heterostructures, *Materials Science and Engineering: B*, 193, 137–145.
- Prabha, I. and Lathasree, S., 2014, Photodegradation of Phenol by Zinc Oxide, Titania and Zinc Oxide-Titania Composites: Nanoparticle Synthesis, Characterization and Comparative Photocatalytic Efficiencies, *Mater. Sci. Semicond. Process.*, 26, 603–613.
- Priatmoko, S., 2021, Fotokatalis Ni-N-TiO<sub>2</sub> untuk Degradasi Metilen Biru,. In, *Inovasi Sains Dan Kesehatan.*, pp. 119–166.

- Putra, K.A., 2018, Reaksi Hidrodeoksigenasi (HDO) pada Fenol dengan Katalis Ni/Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> Menggunakan Reaktor Alir,.
- Rahmawati, L., Kurniawan, R., Prasetyo, N., Sudiono, S., and Syoufian, A., 2023, Copper-and-Nitrogen-Codoped Zirconium Titanate (Cu-N-ZrTiO<sub>4</sub>) as a Photocatalyst for Photo-Degradation of Methylene Blue under Visible-Light Irradiation, *Indones. J. Chem.*, 23, 416–424.
- Ramamoorthy, S., Das, S., Balan, R., and Lekshmi, I.C., 2021, TiO<sub>2</sub>-ZrO<sub>2</sub> Nanocomposite with Tetragonal Zirconia Phase and Photocatalytic Degradation of Alizarin Yellow GG Azo Dye Under Natural Sunlight, *Mater Today Proc*, 47, 4641–4646.
- Rehman, S., Ullah, R., Butt, A.M., and Gohar, N.D., 2009, Strategies of making TiO<sub>2</sub> and ZnO visible light active, *J Hazard Mater*, 170, 560–569.
- Sadewo, R.P., Harjito, and Priatmoko, S., 2018, Sintesis Fotokatalis Fe-N-TiO<sub>2</sub> Menggunakan Metode Sol-Gel untuk Dekomposisi Air, *J. Chem. Sci*, 7, 50–55.
- Safni, S., Wulanda, V., Khoiriah, K., and Wellia, D.V., 2019, Degradasi Senyawa Fenol Secara Fotokatalisis dengan Menggunakan Katalis C-Doped TiO<sub>2</sub>, *JLI*, 9, 51–57.
- Said, N.I., 2010, Metode Penghilangan Logam Berat (As, Cd, Cr, Ag, Cu, Pb, Ni dan Zn) di dalam Air Limbah Industri, *JAI*, 6, 136–148.
- Samarasinghe, L.V., Muthukumaran, S., and Baskaran, K., 2024, Recent Advances in Visible Light-Activated Photocatalysts For Degradation of Dyes: A Comprehensive Review, *Chemosphere*, 349, 140818–140855.
- Sari, A.P., Efhana, D.P., and Zainuri, M., 2014, Pengaruh Temperatur Kalsinasi Pada Pembentukan Lithium Iron Phosphate (Lfp) dengan Metode Solid State, *Jurnal Sains dan Seni POMITS*, 3, 2337–3520.
- Sari, M.I. and Agustina, T.E., 2019, The Effect Of Adding TiO<sub>2</sub>-Powder To COD Content In C.I. Reactive Red 2 Synthetic Waste By The Photocatalysis Method, *Jurnal Teknik Patra Akademika*, 10, 4–12.
- Scarpelli, F., Mastropietro, T.F., Poerio, T., and Godbert, N., 2018, Mesoporous TiO<sub>2</sub> Thin Films: State of the Art,. In, *Titanium Dioxide - Material for a Sustainable Environment*. InTech.
- Silalahi, I.H., Irwan, and Wahyuni, N., 2020, Fotodegradasi Fenol dalam Lempung Terpilir TiO<sub>2</sub>, *Indo. J. Pure App. Chem.*, 3, 26–35.
- Sucahya, T.N., Permatasari, N., and Nandiyanto, A.B.D., 2016, Review: Fotokatalis untuk Pengolahan Limbah Cair, *JIP*, 6, 1–15.

- Susiantini, E. and Setyadji, M., 2014, Adsorpsi Hafnium (Hf) dalam Resin Penukar Anion Dowex-1x8, *Jurnal Iptek Nuklir Ganendra*, 17, 1–8.
- Syoufian, A. and Kurniawan, R., 2023, Visible-Light-Induced Photodegradation of Methylene Blue Using Mn,N-codoped ZrTiO<sub>4</sub> as Photocatalyst, *Indones. J. Chem.*, 23, 661–670.
- Tai, C., Zhang, Z., Ji, X.Y., Ma, J., Han, X., Wang, R., Lu, Q., Wei, M., Si, C., Chen, S., and Guo, E., 2024, Ternary Heterojunction of 1D CeO<sub>2</sub>/TiO<sub>2</sub> Nanofibers Decorated with In<sub>2</sub>S<sub>3</sub> Nanosheets Boosting the Photodegradation of Organic Pollutants, *Surfaces and Interfaces*, 46, 104177.
- Van Thuan, D., Ngo, H.L., Thi, H.P., and Chu, T.T.H., 2023, Photodegradation of Hazardous Organic Pollutants Using Titanium Oxides-Based Photocatalytic: A Review, *Environ Res*, 229, 116000.
- Wang, B., Guo, Y., Li, Q., Xin, C., Tian, Y., Zhang, W., and Yu, X., 2024, Design of Porous ZrO<sub>2</sub> with Well-Tuned Band Structures and Strong Visible-Light Harvesting Via Zn doping for Enhanced Visible-Light Photocatalysis, *J. Chem. Eng.*, 481, 148489–148501.
- Xing, H., Wu, L., and Li, X., 2022, Zn/N co-doped TiO<sub>2</sub> Nanotubes for Enhancement of Photocatalytic Degradation of Pentachlorophenol, *Int. J. Electrochem. Sci.*, 17, 22066.
- Xue, Y., Zhong, H., Liu, B., Zhao, R., Ma, J., Chen, Z., Li, K., and Zuo, X., 2022, Colorimetric Sensing Strategy for Detection of Cysteine, Phenol Cysteine, and Phenol Based on Synergistic Doping of Multiple Heteroatoms Into Sponge-Like Fe/NPC Nanozymes, *Anal. Bioanal. Chem.*, 414, 4217–4225.
- Yaacob, N., Sean, G.P., Nazri, N.A.M., Ismail, A.F., Zainol Abidin, M.N., and Subramaniam, M.N., 2021, Simultaneous Oily Wastewater Adsorption and Photodegradation by ZrO<sub>2</sub>–TiO<sub>2</sub> Heterojunction Photocatalysts, *Journal of Water Process Engineering*, 39, 101644.
- Yang, J., Liu, Z., Jing, J., Zhang, X., Fu, Y., Li, M., and Wang, H., 2024, Novel Superhydrophobic Sponge with Flower-Like Architecture for Oily Emulsion Separation and Organic Pollutants Photodegradation, *J Environ Chem Eng*, 12, 112680.
- Yanti, I., Santosa, S.J., and Kartini, I., 2016, Kinetics Study of Au(III) Adsorption on Gallic Acid Intercalated Mg/ Al-Hydrotalcite, *Eksakta*, 16, 27–35.
- Yodsomnuk, P., Junjeam, K., and Termtanun, M., 2018, Photoactivity of Fe and Zn-Doped TiO<sub>2</sub> in Phenol Degradation Under Visible Light, In, *MATEC.*, pp. 1–4.

- Yoshida, T., Niimi, S., Yamamoto, M., Nomoto, T., and Yagi, S., 2014, Effective Nitrogen doping into TiO<sub>2</sub> (N-TiO<sub>2</sub>) for Visible Light Response Photocatalysis, *J. Colloid Interface Sci.*, 447, 278–281.
- Yusoff, N.A., Ong, S.A., Ho, L.N., Rashid, N.A., Wong, Y.S., Saad, F.N.M., Khalik, W.F., and Lee, S.L., 2018, Development of Simultaneous Photo-Biodegradation in the Photocatalytic Hybrid Sequencing Batch Reactor (PHSBR) For Mineralization of Phenol, *Biochem. Eng. J.*, 138, 131–140.
- Zhang, H., Wang, D., Han, Y., Tang, Q., Wu, H., and Mao, N., 2018, High Photoactivity Rutile-Type TiO<sub>2</sub> Particles co-doped with Multiple Elements under Visible Light Irradiation, *Mater. Res. Express*, 5, 1–10.
- Zhang, P., Yu, Y., Wang, E., Wang, J., Yao, J., and Cao, Y., 2014, Structure of Nitrogen and Zirconium Co-doped titania with Enhanced Visible-Light Photocatalytic Activity, *ACS Appl. Mater. Interfaces*, 6, 4622–4629.
- Zhang, Z., Zhao, C., Duan, Y., Wang, C., Zhao, Z., Wang, H., and Gao, Y., 2020, Phosphorus-Doped TiO<sub>2</sub> for Visible Light-Driven Oxidative Coupling of Benzyl Amines and Photodegradation of Phenol, *Appl. Surf. Sci.*, 527, 146693–146702.