

## DAFTAR PUSTAKA

- Akbari, M., Akbari, M., Akbari, D. & Sajedi, N. A., 2012. Influence of sodium hypochlorite on seed germination and early seedling growth of rice (*Oryza sativa* L.) variety Tarum. *Research on Crops*, 13(1), pp. 11-15.
- Arifa, A. H., Syamsir, E. & Budijanto, S., 2021. Karakterisasi Fisikokimia Beras Hitam (*Oryza sativa* L.) dari Jawa Barat, Indonesia. *agriTECH*, 41(1), pp. 15-24.
- Atmadani, O., 2023. *Profil Komposisi Kimia, Kandungan Total Fenolik dan Aktivitas Antioksidan Beras Coklat Pragerminasi dan Beras Putih Varietas IR-64 dan Sintanur*, Yogyakarta: FTP UGM.
- Badan Pusat Statistik, 2023. *Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi, 2021-2023*. [Online] Available at: <https://www.bps.go.id/id/statistics-table/2/MTQ5OCMy/luas-panen--produksi--dan-produktivitas-padi-menurut-provinsi.html>
- Balet, S., Guelpa, A., Fox, G. & Manley, M., 2019. Rapid Visco Analyser (RVA) as a Tool for Measuring Strach-Related Physicochemical Properties in Cereals: a Review. *Food Analytical Methods*, Volume 12, pp. 2344-2360.
- Başkan, K. S. *et al.*, 2016. Spectrophotometric total reducing sugars assay based on cupric reduction. *Talanta*, 147(5), pp. 162-168.
- Brand-Williams, W., Cuvelier, M. E. & Berset, C., 1995. Use of a Free Radical Method to Evaluate Antioxidant Activity. *Lebensmittel-Wissenschaft & Technologie*, 28(1), pp. 25-30.
- Brennan, J. P. & Malabayabas, A., 2011. *International Rice Research Institute's contribution to rice varietal yield improvement in South-East Asia. ACIAR impact assessment No. 74*. Canberra: Australian Centre for International Agricultural Research.
- Cáceres, P. J. *et al.*, 2017. Enhancement of biologically active compounds in germinated brown rice and the effect of sun-drying. *Journal of Cereal Science*, Volume 73, pp. 1-9.
- Chaiyasut, C. *et al.*, 2017. Germinated Thai Black Rice Extract Protects Experimental Diabetic Rats from Oxidative Stress and Other Diabetes-Related Consequences. *Pharmaceuticals*, 10(3).
- Charoenthaikij, P. *et al.*, 2009. Germination Conditions Affect Physicochemical Properties of Germinated Brown Rice Flour. *Journal of Food Science*, 74(9), pp. C658-C665.

- Cho, D. H. & Lim, S. T., 2016. Germinated brown rice and its biofunctional compounds. *Food Chemistry*, Volume 196, pp. 259-271.
- Cho, D. H. & Lim, S. T., 2018. Changes in phenolic acid composition and associated enzyme activity in shoot and kernel fractions of brown rice during germination. *Food Chemistry*, 256(1), pp. 163-170.
- Chu, C. *et al.*, 2020. Dynamics of antioxidant activities, metabolites, phenolic acids, flavonoids, and phenolic biosynthetic genes in germinating Chinese wild rice (*Zizania latifolia*). *Food Chemistry*, Volume 318, p. 126483.
- de Garmo, E. P., Sullivan, W. G. & Canada, C. R., 1984. *Engineering Economy*. 7th ed. New York: Mac. Millan Publ Co.
- de Souza, E. L. *et al.*, 2018. Potential interactions among phenolic compounds and probiotics for mutual boosting of their health-promoting properties and food functionalities – A review. *Critical Reviews In Food Science and Nutrition*, 59(10), pp. 1-15.
- Dehghan, S. *et al.*, 2014. Differential inductions of phenylalanine ammonia-lyase and chalcone synthase during wounding, salicylic acid treatment, and salinity stress in safflower, *Carthamus tinctorius*. *Bioscience Reports*, 34(3), pp. 273-282.
- Echegaray, N. *et al.*, 2021. Measurement of Antioxidant Capacity of Meat and Meat Products: Methods and Applications. *Molecules*, 26(13), p. 3880.
- García-Lafuente, A. *et al.*, 2009. Flavonoids as anti-inflammatory agents: implications in cancer and cardiovascular disease. *Inflammation Research*, Volume 58, pp. 537-552.
- Gujral, H. S., Sharma, P., Kumar, A. & Singh, B., 2012. Total Phenolic Content and Antioxidant Activity of Extruded Brown Rice. *International Journal of Food Properties*, 15(2), pp. 301-311.
- Hu, X. *et al.*, 2015. Determination of Apparent Amylose Content in Rice by Using Paper-Based Microfluidic Chips. *J. Agric. Food Chem.*, 63(44), pp. 9863-9868.
- Ikehashi, H., 2009. Why are There Indica Type and Japonica Type in Rice? -- History of the Studies and a View for Origin of Two Types. *Rice Science*, 16(1), pp. 1-13.
- Imam, M. U., Musa, S. N. A., Azmi, N. H. & Ismail, M., 2012. Effects of White Rice, Brown Rice and Germinated Brown Rice on Antioxidant Status of Type 2 Diabetic Rats. *International Journal of Molecular Sciences*, 13(10), p. 12952–12969.

- Jayadeep, A. & Malleshi, N. G., 2011. Nutrients, composition of tocotrienols, tocopherols, and  $\gamma$ -oryzanol, and antioxidant activity in brown rice before and after biotransformation. *CyTA - Journal of Food*, 9(1), pp. 82-87.
- Jiuhardi, 2023. Analisis kebijakan impor beras terhadap peningkatan kesejahteraan petani di Indonesia. *INOVASI: Jurnal Ekonomi, Keuangan dan Manajemen*, 19(1), pp. 98-110.
- Jun, H. I. *et al.*, 2012. Antioxidant Activities and Phenolic Compounds of Pigmented Rice Bran Extracts. *Journal of Food Science*, 00(0), pp. C1-C6.
- Kim, H. *et al.*, 2020. Metabolomic Analysis of Germinated Brown Rice at Different Germination Stages. *Foods*, 9(8), p. 1130.
- Koswara, S., 2009. *Teknologi Modifikasi Pati*. s.l.:eBook Pangan.
- Mackill, D. J. & Khush, G. S., 2018. IR64: a high-quality and high-yielding mega variety. *Rice*, 11(1), p. 18.
- Mohanty, S. & Singhal, K., 2018. Functional Foods As Personalised Nutrition: Definitions and Genomic Insights. In: V. Rani & U. C. S. Yadav, eds. *Functional Food and Human Health*. Singapore: Springer, pp. 513-535.
- Munarko, H., Budijanto, S., Sitanggang, A. B. & Kusnandar, F., 2021. Pengaruh Waktu Perendaman Beras terhadap Profil Pasting dan Komponen Bioaktif Tepung Beras Pecah Kulit Berkecambah. *Pangan*, 30(3), pp. 187-198.
- Munarko, H., Sitanggang, A. B., Kusnandar, F. & Budijanto, S., 2022. Germination of five Indonesian brown rice: evaluation of antioxidant, bioactive compounds, fatty acids and pasting properties. *Food Science and Technology*, Volume 42, p. e19721.
- Nishiumi, S. *et al.*, 2011. Dietary flavonoids as cancer-preventive and therapeutic biofactors. *Frontiers in Bioscience*, 3(4), pp. 1332-62.
- Oliveira, D. M. *et al.*, 2019. Feruloyl esterases: Biocatalysts to overcome biomass recalcitrance and for the production of bioactive compounds. *Bioresource Technology*, Volume 278, pp. 408-423.
- Pajak, P. *et al.*, 2014. Phenolic profile and antioxidant activity in selected seeds and sprouts. *Food Chemistry*, Volume 143, pp. 300-306.
- Rahayu, L. H., Sudrajat, R. W. & Prihanto, A., 2017. IbM Kelompok Ibu Rumah Tangga dalam Produksi Tepung Maizena di Desa Tanggungharjo, Grobogan. *Jurnal Pengabdian kepada Masyarakat*, 8(1), pp. 19-29.
- Rao, R. S. P. & Muralikrishna, G., 2006. Water soluble feruloyl arabinoxylans from rice and ragi: Changes upon malting and their consequence on antioxidant activity. *Phytochemistry*, 67(1), pp. 91-99.

- Rosniyana, A., Rukunudin, I. H. & Norin, S. A. S., 2006. Effects of milling degree on the chemical composition, physicochemical properties and cooking characteristics of brown rice. *Journal of Tropical Agriculture and Food Science*, 34(1), pp. 37-44.
- Saleh, A. S. M. *et al.*, 2019. Brown Rice Versus White Rice: NUtritional Quality, Potential Health Benefits, Development of Food Products, and Preservation Technologies. *Comprehensive Reviews in Food Science and Food Safety*, 18(4), pp. 1070-1096.
- Saman, P., Va'zquez, J. A. & Pandiella, S. S., 2008. Controlled germination to enhance the functional properties of rice. *Process Biochemistry*, 43(12), pp. 1377-1382.
- Sari, A. K. & Ayuchecaria, N., 2017. PENETAPAN KADAR FENOLIK TOTAL DAN FLAVONOID TOTAL EKSTRAK BERAS HITAM (*Oryza sativa* L) DARI KALIMANTAN SELATAN. *Jurnal Ilmiah Ibnu Sina*, 2(2), pp. 327-335.
- Scalbert, A. & Williamson, G., 2000. Dietary Intake and Bioavailability of Polyphenols. *J. Nutr.*, Volume 130, pp. 2073S-2085S.
- Seal, C. J., Courtin, M. C., Venema, K. & de Vries, J., 2021. Health benefits of whole grain: effects on dietary carbohydrate quality, the gut microbiome, and consequences of processing. *Comprehensive Reviews in Food Science and Food Safety*, 20(3), pp. 2742-2768.
- Srichuwong, S. *et al.*, 2005. Starches from different botanical sources II: Contribution of starch structure to swelling and pasting properties. *Carbohydrate Polymers*, 62(1), pp. 25-34.
- Srihari, E., Lingganingrum, F. S., Alvina, I. & Anastasia, S., 2016. Rekayasa Beras Analog Berbahan Dasar Campuran Tepung Talas, Tepung Maizena dan Ubi Jalar. *Jurnal Teknik Kimia*, 11(1), pp. 14-19.
- Suarti, B., Budijanto, S., Sukarno & Ardiansyah, 2022. Efek Metode Pemanasan terhadap Sifat Fisikokimia Beras Pecah Kulit Hitam Fermentasi. *Jurnal Pangan*, 31(1), pp. 33-44.
- Sudarmadji, S., Haryono, B. & Suhardi, 1997. *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. 4th ed. Yogyakarta: Liberty.
- Teixeira, R. S. S., da Silva, A. S., Ferreira-Leitão, V. S. & Bon, E. P. d. S., 2012. Amino acids interference on the quantification of reducing sugars by the 3,5-dinitrosalicylic acid assay mislead carbohydrase activity measurements. *Carbohydrate Research*, Volume 363, pp. 33-37.

- Tian, S., Nakamura, K. & Kayahara, H., 2004. Analysis of Phenolic Compounds in White Rice, Brown Rice, and Germinated Brown Rice. *Journal of Agricultural and Food Chemistry*, Volume 52, pp. 4808-4813.
- Ti, H. *et al.*, 2014. Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. *Food Chemistry*, Volume 161, pp. 337-344.
- Tuaño, A. P. P., Barcellano, E. C. G. & Rodriguez, M. S., 2021. Resistant starch levels and in vitro starch digestibility of selected cooked Philippine brown and milled rices varying in apparent amylose content and glycemic index. *Food Chemistry: Molecular Sciences*, Volume 2, p. 100010.
- Ukpong, E. S., Okpalanma, E. F. & Ezegebe, C. C., 2024. Effect of milling and temperature of germination on nutrients, bioactive compounds and pasting properties of FARO 44, FARO 57 and NERICA-8 brown rice cultivars. *Food Chemistry Advances*, 4(1), p. 100616.
- Ukpong, E. S., Onyeka, E. U. & Oladeji, B. S., 2023. Bioactive compounds, nutrients and pasting properties of parboiled milled rice, brown rice and germinated brown rice of selected cultivars and the effects of germination durations. *Food Chemistry Advances*, Volume 2, p. 100234.
- Wang, Y. *et al.*, 2016. Variation in Polyphenols, Tocols,  $\gamma$ -Aminobutyric Acid, and Antioxidant Properties in Whole Grain Rice (*Oryza sativa* L.) as Affected by Different Germination Time. *Cereal Chemistry*, 93(3), pp. 268-274.
- Wu, F. *et al.*, 2013b. Effect of germination time on physicochemical properties of brown rice flour and starch from different rice cultivars. *Journal of Cereal Science*, Volume 58, pp. 263-271.
- Wu, F. *et al.*, 2013a. Germinated Brown Rice and Its Role in Human Health. *Critical Reviews in Food Science and Nutrition*, 53(5), pp. 451-463.
- Wu, N. *et al.*, 2018. Free and bound phenolic profiles of the bran from different rice varieties and their antioxidant activity and inhibitory effects on  $\alpha$ -amylase and  $\alpha$ -glucosidase. *Journal of Cereal Science*, Volume 82, pp. 206-212.
- Wu, N., Li, R., Li, Z. & Tan, B., 2022. Effect of germination in the form of paddy rice and brown rice on their phytic acid, GABA,  $\gamma$ -oryzanol, phenolics, flavonoids and antioxidant capacity. *Food Research International*, Volume 159, p. 111603.
- Wu, X., Guo, T., Luo, F. & Lin, Q., 2023. Brown rice: a missing nutrient-rich health food. *Food Science and Human Wellness*, 12(5), pp. 1458-1470.
- Xia, Q. *et al.*, 2018. Innovative processing techniques for altering the physicochemical properties of wholegrain brown rice (*Oryza sativa* L.) -

opportunities for enhancing food quality and health attributes. *Critical Reviews in Food Science and Nutrition*, 59(20), pp. 3349-3370.

Xu, J., Zhang, H., Guo, X. & Qian, H., 2012. The impact of germination on the characteristics of brown rice flour and starch. *Journal of the Science of Food and Agriculture*, 92(2), pp. 380-387.

Xu, M. *et al.*, 2019. Effect of germination on the chemical composition, thermal, pasting, and moisture sorption properties of flours from chickpea, lentil, and yellow pea. *Food Chemistry*, Volume 295, pp. 579-587.

Zhang, G.-q., 2020. Prospects of utilization of inter-subspecific heterosis between indica and japonica rice. *Journal of Integrative Agriculture*, 19(1), pp. 1-10.

Zhou, X. *et al.*, 2023. Analysis of anthocyanins and total flavonoids content in functional rice and its recombination inbred lines. *Frontiers in Plant Science*, Volume 14, p. 1113618.

Zulaidah, A., 2012. Peningkatan Nilai Guna Pati Alami Melalui Proses Modifikasi Pati. *Majalah Ilmiah Universitas Pandanaran*, 10(22).