

DAFTAR PUSTAKA

- Abid, N., Khan, A. M., Shujait, S., Chaudhary, K., Ikram, M., Imran, M., Haider, J., Khan, M., Khan, Q., & Maqbool, M. (2022). Synthesis of nanomaterials using various top-down and bottom-up approaches, influencing factors, advantages, and disadvantages: A review. In *Advances in Colloid and Interface Science* (Vol. 300). Elsevier B.V. <https://doi.org/10.1016/j.cis.2021.102597>
- Acquah, C., Ekezie, F. G., & Udenigwe, C. C. (2021). Potential applications of microalgae-derived proteins and peptides in the food industry. In *Cultured Microalgae for the Food Industry: Current and Potential Applications* (pp. 97–126). Elsevier. <https://doi.org/10.1016/B978-0-12-821080-2.00011-3>
- Ahmad, M., Gani, A., Masoodi, F. A., & Rizvi, S. H. (2020). Influence of *ball milling* on the production of starch nanoparticles and its effect on structural, thermal and functional properties. *International Journal of Biological Macromolecules*, 151, 85–91. <https://doi.org/10.1016/j.ijbiomac.2020.02.139>
- Ahmed, J., Al-Jassar, S., & Thomas, L. (2015). A comparison in rheological, thermal, and structural properties between Indian Basmati and Egyptian Giza rice flour dispersions as influenced by particle size. *Food Hydrocolloids*, 48, 72–83. <https://doi.org/10.1016/j.foodhyd.2015.02.012>
- An, Y., Sun, Y., Zhang, M., Adhikari, B., & Li, Z. (2019). Effect of *ball milling* time on physicochemical properties of Cordyceps militaris ultrafine particles. *Journal of Food Process Engineering*, 42(4). <https://doi.org/10.1111/jfpe.13065>
- Anvar, A. A., & Nowruzi, B. (2021). Bioactive Properties of Spirulina: A Review. *Microbial Bioactives*, 4(1), 134–142. <https://doi.org/10.25163/microbbioacts.412117B0719110521>
- Baig, N., Kammakakam, I., Falath, W., & Kammakakam, I. (2021). Nanomaterials: A review of synthesis methods, properties, recent progress, and challenges. In *Materials Advances* (Vol. 2, Issue 6, pp. 1821–1871). Royal Society of Chemistry. <https://doi.org/10.1039/d0ma00807a>
- Bashir, S., & Liu, J. (2015). Overviews of Synthesis of Nanomaterials. In *Advanced Nanomaterials and Their Applications in Renewable Energy* (pp. 51–115). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-801528-5.00002-6>
- Batista, A. P., Niccolai, A., Fradinho, P., Fragoso, S., Bursic, I., Rodolfi, L., Biondi, N., Tredici, M. R., Sousa, I., & Raymundo, A. (2017). Microalgae biomass as an alternative ingredient in cookies: Sensory, physical and chemical properties, antioxidant activity and in vitro digestibility. *Algal Research*, 26, 161–171. <https://doi.org/10.1016/j.algal.2017.07.017>
- Becker, E. W. (2007). Micro-algae as a source of protein. In *Biotechnology Advances* (Vol. 25, Issue 2, pp. 207–210). <https://doi.org/10.1016/j.biotechadv.2006.11.002>

- Bekele, D. W., & Emire, S. A. (2023). Effects of pre-drying treatment and particle sizes on physicochemical and structural properties of pumpkin flour. *Heliyon*, 9(11). <https://doi.org/10.1016/j.heliyon.2023.e21609>
- Benelhadj, S., Gharsallaoui, A., Degraeve, P., Attia, H., & Ghorbel, D. (2016). Effect of pH on the functional properties of *Arthrospira* (*Spirulina*) *platensis* protein isolate. *Food Chemistry*, 194, 1056–1063. <https://doi.org/10.1016/j.foodchem.2015.08.133>
- Böcker, L., Hostettler, T., Diener, M., Eder, S., Demuth, T., Adamcik, J., Reineke, K., Leeb, E., Nyström, L., & Mathys, A. (2020). Time-temperature-resolved functional and structural changes of phycocyanin extracted from *Arthrospira platensis*/Spirulina. *Food Chemistry*, 316. <https://doi.org/10.1016/j.foodchem.2020.126374>
- Bortolini, D. G., Maciel, G. M., Fernandes, I. de A. A., Pedro, A. C., Rubio, F. T. V., Branco, I. G., & Haminiuk, C. W. I. (2022). Functional properties of bioactive compounds from *Spirulina* spp.: Current status and future trends. *Food Chemistry: Molecular Sciences*, 5. <https://doi.org/10.1016/j.fochms.2022.100134>
- Boz, H. (2019). Effect of flour and sugar particle size on the properties of cookie dough and cookie. *Czech Journal of Food Sciences*, 37(2), 120–127. <https://doi.org/10.17221/161/2017-CJFS>
- Çelekli, A., Yavuzatmaca, M., & Bozkurt, H. (2010). An eco-friendly process: Predictive modelling of copper adsorption from aqueous solution on *Spirulina platensis*. *Journal of Hazardous Materials*, 173(1–3), 123–129. <https://doi.org/10.1016/j.jhazmat.2009.08.057>
- Chen, X., Guo, M., Sang, Y., & Sun, J. (2022). Effect of ball-milling treatment on the structure, physicochemical properties and allergenicity of proteins from oyster (*Crassostrea gigas*). *LWT*, 166. <https://doi.org/10.1016/j.lwt.2022.113803>
- Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. In *Encyclopedia of Analytical Chemistry*. Wiley. <https://doi.org/10.1002/9780470027318.a5606>
- Dotto, G. L., Costa, J. A. V., & Pinto, L. A. A. (2013). Kinetic studies on the biosorption of phenol by nanoparticles from *Spirulina* sp. LEB 18. *Journal of Environmental Chemical Engineering*, 1(4), 1137–1143. <https://doi.org/10.1016/j.jece.2013.08.029>
- Dotto, G. L., Lima, E. C., & Pinto, L. A. A. (2012). Biosorption of food dyes onto *Spirulina platensis* nanoparticles: Equilibrium isotherm and thermodynamic analysis. *Bioresource Technology*, 103(1), 123–130. <https://doi.org/10.1016/j.biortech.2011.10.038>
- Dungani, R., Sumardi, I., Suhaya, Y., Aditiawati, P., Dody, S., Rosamah, E., Islam, Md. N., Hartati, S., & Karliati, T. (2021). Reinforcing Effects of Seaweed Nanoparticles

in Agar based Biopolymer Composite: Physical, Water Vapor Barrier, Mechanical, and Biodegradable Properties. *BioResources*, 16(3), 5118–5132.

- El-Eskandarany, M. S. (2015). Controlling the powder milling process. In *Mechanical Alloying* (pp. 48–83). Elsevier. <https://doi.org/10.1016/b978-1-4557-7752-5.00003-6>
- Ersyah, D., Jaziri, A. A., & Setijawati, D. (2022). Effect of Spirulina (*Arthrospira platensis*) Powder on The Physico-chemical and Sensory Characterization of Dry Noodle. *Journal of Aquaculture and Fish Health*, 11(3), 277–288. <https://doi.org/10.20473/jafh.v11i3.20908>
- Gan, L. J., You, Q., Luo, Y., Ye, Y., Lei, L., Deng, Z., & Rong, H. (2022). Effect of superfine grinding Sargassum fusiforme residue powder on sponge cakes properties. *LWT*, 165. <https://doi.org/10.1016/j.lwt.2022.113735>
- Gao, W., Chen, F., Zhang, L., & Meng, Q. (2020). Effects of superfine grinding on asparagus pomace. Part I: Changes on physicochemical and functional properties. *Journal of Food Science*, 85(6), 1827–1833. <https://doi.org/10.1111/1750-3841.15168>
- Garcia, E. S., van Leeuwen, J. J. A., Safi, C., Sijtsma, L., van den Broek, L. A. M., Eppink, M. H. M., Wijffels, R. H., & van den Berg, C. (2018). Techno-Functional Properties of Crude Extracts from the Green Microalga *Tetraselmis suecica*. *Journal of Agricultural and Food Chemistry*, 66(29), 7831–7838. <https://doi.org/10.1021/acs.jafc.8b01884>
- Ghribi, A. M., Maklouf, I., Blecker, C., Attia, H., & BESBES, S. (2015). Nutritional and Compositional Study of Desi and Kabuli Chickpea (*Cicer Arietinum* L.) Flours from Tunisian Cultivars. *Advanced in Food Technology and Nutritional Sciences - Open Journal*, 1(2), 38–47. <https://doi.org/10.17140/AFTNSOJ-1-107>
- Han, N., Fan, J. L., Chen, N., & Chen, H. Q. (2022). Effect of *ball milling* treatment on the structural, physicochemical and digestive properties of wheat starch, A- and B-type starch granules. *Journal of Cereal Science*, 104. <https://doi.org/10.1016/j.jcs.2022.103439>
- Harish, V., Ansari, M. M., Tewari, D., Gaur, M., Yadav, A. B., García-Betancourt, M. L., Abdel-Haleem, F. M., Bechelany, M., & Barhoum, A. (2022). Nanoparticle and Nanostructure Synthesis and Controlled Growth Methods. In *Nanomaterials* (Vol. 12, Issue 18). MDPI. <https://doi.org/10.3390/nano12183226>
- Hassanzadeh, H., Ghanbarzadeh, B., Galali, Y., & Bagheri, H. (2022). The physicochemical properties of the spirulina-wheat germ-enriched high-protein functional beverage based on pear-cantaloupe juice. *Food Science and Nutrition*, 10(11), 3651–3661. <https://doi.org/10.1002/fsn3.2963>
- He, S., Tang, M., Sun, H., Ye, Y., Cao, X., & Wang, J. (2019). Potential of water dropwort (*Oenanthe javanica* DC.) powder as an ingredient in beverage: Functional,

thermal, dissolution and dispersion properties after superfine grinding. *Powder Technology*, 353, 516–525. <https://doi.org/10.1016/j.powtec.2019.05.048>

- Iqbal, P., Preece, J. A., & Mendes, P. M. (2012). Nanotechnology: The “Top-Down” and “Bottom-Up” Approaches. In *Supramolecular Chemistry*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/9780470661345.smc195>
- Ismail, H. A., El-Sawah, T. H., Ayyash, M., Adhikari, B., & Elkot, W. F. (2023). Functionalization of Ricotta cheese with powder of spirulina platensis: physicochemical, sensory, and microbiological properties. *International Journal of Food Properties*, 26(1), 1968–1983. <https://doi.org/10.1080/10942912.2023.2238916>
- Jafari, S. M., & McClements, D. J. (2017). Nanotechnology Approaches for Increasing Nutrient Bioavailability. In *Advances in Food and Nutrition Research* (Vol. 81, pp. 1–30). Academic Press Inc. <https://doi.org/10.1016/bs.afnr.2016.12.008>
- Jayasundara, C. T., Yang, R. Y., Yu, A. B., & Rubenstein, J. (2010). Effects of disc rotation speed and media loading on particle flow and grinding performance in a horizontal stirred mill. *International Journal of Mineral Processing*, 96(1–4), 27–35. <https://doi.org/10.1016/j.minpro.2010.07.006>
- Jiang, Z., Zhang, M., Huang, Y., Ma, C., Mu, S., Li, H., Liu, X., Ma, Y., Liu, Y., & Hou, J. (2022). Comparison and Characterization of the Structure and Physicochemical Properties of Three Citrus Fibers: Effect of *Ball milling* Treatment. *Foods*, 11(17). <https://doi.org/10.3390/foods11172665>
- Joudeh, N., & Linke, D. (2022). Nanoparticle classification, physicochemical properties, characterization, and applications: a comprehensive review for biologists. In *Journal of Nanobiotechnology* (Vol. 20, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s12951-022-01477-8>
- Koru, E. (2012). Earth Food Spirulina (*Arthrospira*): Production and Quality Standarts. In *Food Additive*. InTech. <https://doi.org/10.5772/31848>
- Kwon, Y.-S., Gerasimov, K. B., & Yoon, S.-K. (2002). Ball temperatures during mechanical alloying in planetary mills. In *Journal of Alloys and Compounds* (Vol. 346). www.elsevier.com/locate/jallcom
- Lafarga, T., Fernández-Sevilla, J. M., González-López, C., & Acién-Fernández, F. G. (2020). Spirulina for the food and functional food industries. In *Food Research International* (Vol. 137). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2020.109356>
- Lee, J. E., Jun, J. Y., Kang, W.-S., Lim, J. D., Kinr, D. E., Lee, K. Y., & Ko, S. (2008). Effect of Particle Size on the Solubility and Dispersibility of Endosperm, Bran, and Husk Powders of Rice. *Food Sci. Biotechnol.*, 17(4), 833–838.

- Li, G., Guo, W., Gao, X., Wang, Y., & Sun, S. (2020). Effect of superfine grinding on physicochemical and antioxidant properties of soybean residue powder. *Food Science and Nutrition*, 8(2), 1208–1214. <https://doi.org/10.1002/fsn3.1409>
- Li, S., Liu, Z., Hei, X., Wu, C., Ma, X., Hu, H., Jiao, B., Zhu, J., Adhikari, B., Wang, Q., & Shi, A. (2023). Effect of Physical Modifications on Physicochemical and Functional Properties of Walnut Protein. *Foods*, 12(19). <https://doi.org/10.3390/foods12193709>
- Li, T., Yin, Z., & Wu, G. (2021). Study on heat transfer behavior and thermal breakage characteristic of the charge in ball mills. *Advances in Mechanical Engineering*, 13(3). <https://doi.org/10.1177/1687814021994964>
- Liestianty, D., Rodianawati, I., Arfah, R. A., Assa, A., Patimah, Sundari, & Muliadi. (2019). Nutritional analysis of spirulina sp to promote as superfood candidate. *IOP Conference Series: Materials Science and Engineering*, 509(1). <https://doi.org/10.1088/1757-899X/509/1/012031>
- Liu, B., Wang, H., Hu, T., Zhang, P., Zhang, Z., Pan, S., & Hu, H. (2017). Ball-milling changed the physicochemical properties of SPI and its cold-set gels. *Journal of Food Engineering*, 195, 158–165. <https://doi.org/10.1016/j.jfoodeng.2016.10.006>
- Liu, Z., Zheng, Z., Zhu, G., Luo, S., Zhang, D., Liu, F., & Shen, Y. (2021). Modification of the structural and functional properties of wheat gluten protein using a planetary ball mill. *Food Chemistry*, 363. <https://doi.org/10.1016/j.foodchem.2021.130251>
- Loubes, M. A., & Tolaba, M. P. (2014). Thermo-mechanical rice flour modification by planetary ball milling. *LWT*, 57(1), 320–328. <https://doi.org/10.1016/j.lwt.2013.12.048>
- Menegotto, A. L. L., Souza, L. E. S. de, Colla, L. M., Costa, J. A. V., Sehn, E., Bittencourt, P. R. S., Moraes Flores, É. L. de, Canan, C., & Colla, E. (2019). Investigation of techno-functional and physicochemical properties of *Spirulina platensis* protein concentrate for food enrichment. *LWT*, 114. <https://doi.org/10.1016/j.lwt.2019.108267>
- Mhadhbi, M. (2021). Modelling of the High-Energy Ball milling Process. *Advances in Materials Physics and Chemistry*, 11(01), 31–44. <https://doi.org/10.4236/ampc.2021.111004>
- Mohamed, A. A., Sameeh, M. Y., & El-Beltagi, H. S. (2023). Preparation of Seaweed Nanopowder Particles Using Planetary Ball milling and Their Effects on Some Secondary Metabolites in Date Palm (*Phoenix dactylifera* L.) Seedlings. *Life*, 13(1). <https://doi.org/10.3390/life13010039>
- Morais, M. G. de, Alvarenga, A. G. P., Vaz, B. da S., & Costa, J. A. V. (2021). Nanoencapsulation of *Spirulina* biomass by electrospraying for development of

functional foods a review. *Biotechnology Research and Innovation*, 5(2), e2021009. <https://doi.org/10.4322/biori.21050204>

- Mshayisa, V. V., van Wyk, J., & Zozo, B. (2022). Nutritional, Techno-Functional and Structural Properties of Black Soldier Fly (*Hermetia illucens*) Larvae Flours and Protein Concentrates. *Foods*, 11(5). <https://doi.org/10.3390/foods11050724>
- Nabil, B., Ouaabou, R., Ouhammou, M., Saadouni, L., & Mahrouz, M. (2020). Impact of particle size on functional, physicochemical properties and antioxidant activity of cladode powder (*Opuntia ficus-indica*). *Journal of Food Science and Technology*, 57(3), 943–954. <https://doi.org/10.1007/s13197-019-04127-4>
- Nakib, D. M. El, Ibrahim, M. M., Mahmoud, N. S., Rahman, E. N. A. El, & Ghaly, A. E. (2019). Incorporation of Spirulina (*Athrospira platensis*) in Traditional Egyptian Cookies as a Source of Natural Bioactive Molecules and Functional Ingredients: Preparation and Sensory Evaluation of Nutrition Snack for School Children. *European Journal of Nutrition & Food Safety*, 372–397. <https://doi.org/10.9734/ejnfs/2019/v9i430084>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Narsimhan, G., & Xiang, N. (2018). Role of Proteins on Formation, Drainage, and Stability of Liquid Food Foams. *Annu. Rev. Food Sci. Technol.*, 9, 45–63. <https://doi.org/10.1146/annurev-food-030216>
- Neikov, O. D. (2019). Mechanical Alloying. In *Handbook of Non-Ferrous Metal Powders* (pp. 91–124). Elsevier. <https://doi.org/10.1016/B978-0-08-100543-9.00003-8>
- Neri-Torres, E. E., Chanona-Pérez, J. J., Calderón, H. A., Torres-Figueroa, N., Chamorro-Cevallos, G., Calderón-Domínguez, G., & Velasco-Bedrán, H. (2016). Structural and physicochemical characterization of spirulina (*Arthrospira maxima*) nanoparticles by high-resolution electron microscopic techniques. *Microscopy and Microanalysis*, 22(4), 887–901. <https://doi.org/10.1017/S1431927616011442>
- Pang, J., Guan, E., Yang, Y., Li, M., & Bian, K. (2021). Effects of wheat flour particle size on flour physicochemical properties and steamed bread quality. *Food Science and Nutrition*, 9(9), 4691–4700. <https://doi.org/10.1002/fsn3.2008>
- Pan-Utai, W., Atkonghan, J., Onsamark, T., & Imthalay, W. (2020). Effect of arthrospira microalga fortification on physicochemical properties of yogurt. *Current Research in Nutrition and Food Science*, 8(2), 531–540. <https://doi.org/10.12944/CRNFSJ.8.2.19>
- Parwani, L., & Singh, J. (2019). Effect of Temperature on Nutritional Values of Spirulina: Useful for Nutrient Sustainable Food Preparations to Combat Malnutrition.

Proceedings of the National Academy of Sciences India Section B - Biological Sciences, 89(4), 1259–1265. <https://doi.org/10.1007/s40011-018-1033-6>

- Pazesh, S., Gråsjö, J., Berggren, J., & Alderborn, G. (2017). Comminution-amorphisation relationships during *ball milling* of lactose at different milling conditions. *International Journal of Pharmaceutics*, 528(1–2), 215–227. <https://doi.org/10.1016/j.ijpharm.2017.05.043>
- Pereira, A. M., Lisboa, C. R., & Costa, J. A. V. (2018). High protein ingredients of microalgal origin: Obtainment and functional properties. *Innovative Food Science and Emerging Technologies*, 47, 187–194. <https://doi.org/10.1016/j.ifset.2018.02.015>
- Prasad Yadav, T., Manohar Yadav, R., & Pratap Singh, D. (2012). Mechanical Milling: a *Top down* Approach for the Synthesis of Nanomaterials and Nanocomposites. *Nanoscience and Nanotechnology*, 2(3), 22–48. <https://doi.org/10.5923/j.nn.20120203.01>
- Prasedya, E. S., Frediansyah, A., Martyasari, N. W. R., Ilhami, B. K., Abidin, A. S., Padmi, H., Fahrurrozi, Juanssilfero, A. B., Widyastuti, S., & Sunarwidhi, A. L. (2021). Effect of particle size on phytochemical composition and antioxidant properties of *Sargassum cristaefolium* ethanol extract. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-95769-y>
- Pulz, O., & Gross, W. (2004). Valuable products from biotechnology of microalgae. In *Applied Microbiology and Biotechnology* (Vol. 65, Issue 6, pp. 635–648). <https://doi.org/10.1007/s00253-004-1647-x>
- Purnama, F. N. W., Agustini, T. W., & Kurniasih, R. A. (2020). The effect of different temperature on the stability of phycocyanin on microcapsule *Spirulina platensis*. *IOP Conference Series: Earth and Environmental Science*, 530(1). <https://doi.org/10.1088/1755-1315/530/1/012008>
- Ramsden, J. J. (2016). What is nanotechnology? In *Nanotechnology*. Elsevier. <https://doi.org/10.1016/b978-0-323-39311-9.00007-8>
- Roduner, E. (2006). Size matters: Why nanomaterials are different. *Chemical Society Reviews*, 35(7), 583–592. <https://doi.org/10.1039/b502142c>
- Sakr, H., Ammar, A., Zaki, H., Salama, M. A., & Ali, M. (2023). Impact of *ball milling* on physicochemical, structural, and functional properties of *Moringa oleifera* L. leaf powders. *Journal of Food Measurement and Characterization*. <https://doi.org/10.1007/s11694-023-02167-1>
- Sang, J., Li, L., Wen, J., Gu, Q., Wu, J., Yu, Y., Xu, Y., Fu, M., & Lin, X. (2021). Evaluation of the structural, physicochemical and functional properties of dietary fiber extracted from newhall navel orange by-products. *Foods*, 10(11). <https://doi.org/10.3390/foods10112772>

- Savlak, N., Türker, B., & Yeşilkanat, N. (2016). Effects of particle size distribution on some physical, chemical and functional properties of unripe banana flour. *Food Chemistry*, 213, 180–186. <https://doi.org/10.1016/j.foodchem.2016.06.064>
- Schmidt, R., Martin Scholze, H., & Stolle, A. (2016). Temperature progression in a mixer ball mill. *International Journal of Industrial Chemistry*, 7(2), 181–186. <https://doi.org/10.1007/s40090-016-0078-8>
- Seghiri, R., Kharbach, M., & Essamri, A. (2019). Functional composition, nutritional properties, and biological activities of moroccan spirulina microalga. *Journal of Food Quality*, 2019. <https://doi.org/10.1155/2019/3707219>
- Selvamani, V. (2018). Stability Studies on Nanomaterials Used in Drugs. In *Characterization and Biology of Nanomaterials for Drug Delivery: Nanoscience and Nanotechnology in Drug Delivery* (pp. 425–444). Elsevier. <https://doi.org/10.1016/B978-0-12-814031-4.00015-5>
- Setyawan, H. Y., Safira, L., Mulyarto, A. R., Wijana, S., & Pranowo, D. (2023). The effect of pyrolysis temperature and ball-milling duration on characteristics of micro bio-char derived from oil palm empty fruit bunches. *Sustainable Environment*, 9(1). <https://doi.org/10.1080/27658511.2023.2173041>
- Singh, T., Shukla, S., Kumar, P., Wahla, V., & Bajpai, V. K. (2017). Application of nanotechnology in food science: Perception and overview. In *Frontiers in Microbiology* (Vol. 8, Issue AUG). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2017.01501>
- Soni, R. A., Sudhakar, K., & Rana, R. S. (2017). Spirulina – From growth to nutritional product: A review. In *Trends in Food Science and Technology* (Vol. 69, pp. 157–171). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2017.09.010>
- Sun, C., Liu, R., Ni, K., Wu, T., Luo, X., Liang, B., & Zhang, M. (2016). Reduction of particle size based on superfine grinding: Effects on structure, rheological and gelling properties of whey protein concentrate. *Journal of Food Engineering*, 186, 69–76. <https://doi.org/10.1016/j.jfoodeng.2016.03.002>
- Takacs, L. (2002). Self-sustaining reactions induced by ball milling. In *Progress in Materials Science* (Vol. 47). www.elsevier.com/locate/pmatsci
- Takacs, L., & McHenry, J. S. (2006). Temperature of the milling balls in shaker and planetary mills. *Journal of Materials Science*, 41(16), 5246–5249. <https://doi.org/10.1007/s10853-006-0312-4>
- Theivandran, G., Ibrahim, S. M., & Murugan, M. (2015). Fourier Transform Infrared (Ft-Ir) Spectroscopic Analysis of Spirulina Fusiformis. *Journal of Medicinal Plants Studies*, 3(4), 30–32.
- Vo, T. S., Ngo, D. H., & Kim, S. K. (2015). Nutritional and Pharmaceutical Properties of Microalgal Spirulina. In *Handbook of Marine Microalgae: Biotechnology*

Advances (pp. 299–308). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800776-1.00019-4>

- Vogel, C., Scherf, K. A., & Koehler, P. (2018). Effects of thermal and mechanical treatments on the physicochemical properties of wheat flour. *European Food Research and Technology*, 244(8), 1367–1379. <https://doi.org/10.1007/s00217-018-3050-3>
- Waliullah, M. H., Mu, T., Ma, M., & Chen, J. (2021). Effects of particle size on structural, physicochemical, and functional properties of potato residue from starch isolation and quality characteristics of residue-based starch noodles. *Food Science and Technology International*, 27(5), 392–403. <https://doi.org/10.1177/1082013220954606>
- Wang, J., Zhang, M., Devahastin, S., & Liu, Y. (2020). Influence of low-temperature *ball milling* time on physicochemical properties, flavor, bioactive compounds contents and antioxidant activity of horseradish powder. *Advanced Powder Technology*, 31(3), 914–921. <https://doi.org/10.1016/j.appt.2019.12.011>
- Wang, Z., Chang, S., Li, Y., Kong, L., Wu, D., Qin, L., Yu, C., Wu, C., & Du, M. (2018). Effects of *ball milling* treatment on physicochemical properties and digestibility of Pacific oyster (*Crassostrea gigas*) protein powder. *Food Science and Nutrition*, 6(6), 1582–1590. <https://doi.org/10.1002/fsn3.705>
- Wu, D., Wu, C., Chen, H., Wang, Z., Yu, C., & Du, M. (2018). Effect of ball mill treatment on the physicochemical properties and digestibility of protein extracts generated from scallops (*Chlamys farreri*). *International Journal of Molecular Sciences*, 19(2). <https://doi.org/10.3390/ijms19020531>
- Wu, Y., Zhang, Y., Duan, W., Wang, Q., An, F., Luo, P., & Huang, Q. (2022). Ball-milling is an effective pretreatment of glycosylation modified the foaming and gel properties of egg white protein. *Journal of Food Engineering*, 319. <https://doi.org/10.1016/j.jfoodeng.2021.110908>
- Wu, Z., Ameer, K., & Jiang, G. (2021). Effects of superfine grinding on the physicochemical properties and antioxidant activities of Sanchi (*Panax notoginseng*) flower powders. *Journal of Food Science and Technology*, 58(1), 62–73. <https://doi.org/10.1007/s13197-020-04514-2>
- Xu, Q., Huang, R., Yang, P., Wang, L., Xing, Y., Liu, H., Wu, L., Che, Z., & Zhang, P. (2021). Effect of different superfine grinding technologies on the physicochemical and antioxidant properties of tartary buckwheat bran powder. *RSC Advances*, 11(49), 30898–30910. <https://doi.org/10.1039/d1ra05093a>
- Yousif, E. S., Yaseen, A., Abdel-Fatah, A. F., Shouk, A. H., Gdallah, M., & Mohammad, A. (2022). Antioxidant and anticancer properties of nano and fermented-nano powders of wheat and rice by-products. *Discover Food*, 2(1). <https://doi.org/10.1007/s44187-022-00032-6>

- Yu, S., Wu, Y., Li, Z., Wang, C., Zhang, D., & Wang, L. (2023). Effect of different milling methods on physicochemical and functional properties of mung bean flour. *Frontiers in Nutrition*, 10. <https://doi.org/10.3389/fnut.2023.1117385>
- Zhang, M., Wang, F., Liu, R., Tang, X., Zhang, Q., & Zhang, Z. (2014). Effects of superfine grinding on physicochemical and antioxidant properties of Lycium barbarum polysaccharides. *LWT*, 58(2), 594–601. <https://doi.org/10.1016/j.lwt.2014.04.020>
- Zhang, Q., Yang, L., Hu, S., Liu, X., & Duan, X. (2019). Consequences of ball-milling treatment on the physicochemical, rheological and emulsifying properties of egg phosvitin. *Food Hydrocolloids*, 95, 418–425. <https://doi.org/10.1016/j.foodhyd.2019.04.064>
- Zhao, W., Fang, M., Wu, F., Wu, H., Wang, L., & Chen, G. (2010). Preparation of graphene by exfoliation of graphite using wet ball milling. *Journal of Materials Chemistry*, 20(28), 5817–5819. <https://doi.org/10.1039/c0jm01354d>
- Zhao, X., Yang, Z., Gai, G., & Yang, Y. (2009). Effect of superfine grinding on properties of ginger powder. *Journal of Food Engineering*, 91(2), 217–222. <https://doi.org/10.1016/j.jfoodeng.2008.08.024>
- Zhao, X., Zhu, H., Zhang, G., & Tang, W. (2015). Effect of superfine grinding on the physicochemical properties and antioxidant activity of red grape pomace powders. *Powder Technology*, 286, 838–844. <https://doi.org/10.1016/j.powtec.2015.09.025>