

DAFTAR PUSTAKA

- Abioye, A. M., Noorden, Z. A., & Ani, F. N. (2017). Synthesis and Characterizations of Electroless Oil Palm Shell Based-Activated Carbon/Nickel Oxide Nanocomposite Electrodes for Supercapacitor Applications. *Electrochimica Acta*, 225, 493–502. <https://doi.org/10.1016/j.electacta.2016.12.101>
- Adinaveen, T., John Kennedy, L., Judith Vijaya, J., & Sekaran, G. (2015). Surface and porous characterization of activated carbon prepared from pyrolysis of biomass (rice straw) by two-stage procedure and its applications in supercapacitor electrodes. *Journal of Material Cycles and Waste Management*, 17(4), 736–747. <https://doi.org/10.1007/s10163-014-0302-6>
- Armand, M., Endres, F., MacFarlane, D. R., Ohno, H., & Scrosati, B. (2009). Ionic-liquid materials for the electrochemical challenges of the future. *Nature Materials*, 8(8), 621–629. <https://doi.org/10.1038/nmat2448>
- Arshad, N., Usman, M., Adnan, M., Ahsan, M. T., Rehman, M. R., Javed, S., Ali, Z., Akram, M. A., Demopoulos, G. P., & Mahmood, A. (2023). Nanoengineering of NiO/MnO₂/GO Ternary Composite for Use in High-Energy Storage Asymmetric Supercapacitor and Oxygen Evolution Reaction (OER). *Nanomaterials*, 13(1). <https://doi.org/10.3390/nano13010099>
- Azam, M. A., Fujiwara, A., & Shimoda, T. (2013). Significant capacitance performance of vertically aligned single-walled carbon nanotube supercapacitor by varying potassium hydroxide concentration. *International Journal of Electrochemical Science*, 8(3), 3902–3911. [https://doi.org/10.1016/s1452-3981\(23\)14440-3](https://doi.org/10.1016/s1452-3981(23)14440-3)
- Aziz, H., Tetra, O. N., Alif, A., Syukri, & Ramadhan, W. (2016). Electrical properties of supercapacitor electrode-based on activated carbon from waste palm kernel shells. *Der Pharma Chemica*, 8(15), 227–232.
- Barakat, N. A. M., & Irfan, O. M. (2023). H₃PO₄/KOH Activation Agent for High Performance Rice Husk. *Molecules*, 28(296), 1–20. <https://doi.org/https://doi.org/10.3390/molecules28010296>
- Beguín, F., & Frackowiak, E. (Eds.). (2013). *Supercapacitors Materials, Systems, and Applications*. Wiley-VCH Verlag GmbH & Co. KGaA.
- Bhat, T. S., Patil, P. S., & Rakhi, R. B. (2022). Recent trends in electrolytes for supercapacitors. *Journal of Energy Storage*, 50(November 2021), 104222. <https://doi.org/10.1016/j.est.2022.104222>
- Bhoyate, S., Ranaweera, C. K., Zhang, C., Morey, T., Hyatt, M., Kahol, P. K., Ghimire, M., Mishra, S. R., & Gupta, R. K. (2017). Eco-Friendly and High Performance Supercapacitors for Elevated Temperature Applications Using Recycled Tea Leaves. *Global Challenges*, 1(8), 1–12. <https://doi.org/10.1002/gch2.201700063>
- Cai, J., Zhang, D., Ding, W. P., Zhu, Z. Z., Wang, G. Z., He, J. R., Wang, H. B., Fei, P., & Si, T. L. (2020). Promising rice-husk-derived carbon/Ni(OH)₂ composite materials as a high-performing supercapacitor electrode. *ACS Omega*, 5(46), 29896–29902. <https://doi.org/10.1021/acsomega.0c04117>
- Canales, C. P. (2010). Electrochemical Impedance Spectroscopy and Its

- Applications. *Intech*, 34(8), 57–67. <https://doi.org/10.1007/s12559-021-09926-6><https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics><http://dx.doi.org/10.1016/j.compmedimag.2010.07.003>
- Cao, J. P., He, S., Wu, Y., Zhao, X. Y., Wei, X. Y., & Takarada, T. (2017). Synthesis of NiO/activated carbon composites and their application as electrode materials for capacitors. *International Journal of Electrochemical Science*, 12(4), 2704–2718. <https://doi.org/10.20964/2017.04.39>
- Cao, P., Wang, L., Xu, Y., Fu, Y., & Ma, X. (2015). Facile hydrothermal synthesis of mesoporous nickel oxide/reduced graphene oxide composites for high performance electrochemical supercapacitor. *Electrochimica Acta*, 157, 359–368. <https://doi.org/10.1016/j.electacta.2014.12.107>
- Chai, Y., Li, Z., Wang, J., Mo, Z., & Yang, S. (2018). Construction of hierarchical holey graphene/MnO₂ composites as potential electrode materials for supercapacitors. *Journal of Alloys and Compounds*, 775, 1206–1212. <https://doi.org/10.1016/j.jallcom.2018.10.259>
- Chao, D., Zhou, W., Xie, F., Ye, C., Li, H., Jaroniec, M., & Qiao, S. Z. (2020). Roadmap for advanced aqueous batteries: From design of materials to applications. *Science Advances*, 6(21). <https://doi.org/10.1126/sciadv.aba4098>
- Charoensook, K., Huang, C. L., Tai, H. C., Lanjapalli, V. V. K., Chiang, L. M., Hosseini, S., Lin, Y. T., & Li, Y. Y. (2021). Preparation of porous nitrogen-doped activated carbon derived from rice straw for high-performance supercapacitor application. *Journal of the Taiwan Institute of Chemical Engineers*, 120, 246–256. <https://doi.org/10.1016/j.jtice.2021.02.021>
- Chen, J., Huang, Y., Li, C., Chen, X., & Zhang, X. (2016). Synthesis of NiO@MnO₂ core/shell nanocomposites for supercapacitor application. *Applied Surface Science*, 360, 534–539. <https://doi.org/10.1016/j.apsusc.2015.10.187>
- Cheng, F., Yang, X., Zhang, S., & Lu, W. (2020). Boosting the supercapacitor performances of activated carbon with carbon nanomaterials. *Journal of Power Sources*, 450(June 2019), 227678. <https://doi.org/10.1016/j.jpowsour.2019.227678>
- Chhabra, V., & Mehta, C. M. (2019). Rice straw management for sustainable agriculture-a review. *Plant Archives*, 19(December), 47–49.
- Chodankar, N. R., Pham, H. D., Nanjundan, A. K., Fernando, J. F. S., Jayaramulu, K., Golberg, D., Han, Y. K., & Dubal, D. P. (2020). True Meaning of Pseudocapacitors and Their Performance Metrics: Asymmetric versus Hybrid Supercapacitors. *Small*, 16(37). <https://doi.org/10.1002/sml.202002806>
- Choi, C., Ashby, D. S., Butts, D. M., DeBlock, R. H., Wei, Q., Lau, J., & Dunn, B. (2020). Achieving high energy density and high power density with pseudocapacitive materials. *Nature Reviews Materials*, 5(1), 5–19. <https://doi.org/10.1038/s41578-019-0142-z>
- Choi, J. R., Lee, J. W., Yang, G., Heo, Y.-J., & Park, S.-J. (2020). Activated Carbon/MnO₂ Composites as Electrode for High Performance Supercapacitors. *Catalysts*, 10(256), 1–10.
- Chuminjak, Y., Daothong, S., Reanpang, P., Mensing, J. P., Phokharatkul, D., Jakmune, J., Wisitsorrat, A., Tuantranont, A., & Singja, P. (2015). Multi-

- phase semicrystalline microstructures drive exciton dissociation in neat plastic semiconductors. *J. Mater. Chem. C*, *3*, 10715–10722. <https://doi.org/10.1039/b000000x>
- Cychosz, K. A., & Thommes, M. (2018). Progress in the Physisorption Characterization of Nanoporous Gas Storage Materials. *Engineering*, *4*(4), 559–566. <https://doi.org/10.1016/j.eng.2018.06.001>
- Dai, K., Liang, C., Dai, J., Lu, L., Zhu, G., Liu, Z., Liu, Q., & Zhang, Y. (2014). High-yield synthesis of carbon nanotube-porous nickel oxide nanosheet hybrid and its electrochemical capacitance performance. *Materials Chemistry and Physics*, *143*(3), 1344–1351. <https://doi.org/10.1016/j.matchemphys.2013.11.045>
- Dawoud, H. D., Al Tahtamouni, T., & Bensalah, N. (2019). Sputtered manganese oxide thin film on carbon nanotubes sheet as a flexible and binder-free electrode for supercapacitors. *International Journal of Energy Research*, *43*(3), 1245–1254. <https://doi.org/10.1002/er.4364>
- Devaraj, S., & Munichandraiah, N. (2008). Effect of Crystallographic Structure of MnO₂ on Its Electrochemical Capacitance Properties. *The Journal of Physical Chemistry*, *112*(11), 4406–4417. <https://doi.org/10.1021/jp7108785>
- Devi, R., Kumar, V., Kumar, S., Bulla, M., & Mishra, A. K. (2024). Performance optimization of the symmetric supercapacitors based on paddy straw-derived porous activated carbon. *Journal of Energy Storage*, *79*(August 2023), 110167. <https://doi.org/10.1016/j.est.2023.110167>
- Dhas, S. D., Maldar, P. S., Patil, M. D., Nagare, A. B., Waikar, M. R., Sonkawade, R. G., & Moholkar, A. V. (2020). Synthesis of NiO nanoparticles for supercapacitor application as an efficient electrode material. *Vacuum*, *181*(July). <https://doi.org/10.1016/j.vacuum.2020.109646>
- Diantoro, M., Istiqomah, I., Fath, Y. Al, Mufti, N., Nasikhudin, N., Meevasana, W., & Alias, Y. B. (2022). Hierarchical Activated Carbon–MnO₂ Composite for Wide Potential Window Asymmetric Supercapacitor Devices in Organic Electrolyte. *Micromachines*, *13*(11). <https://doi.org/10.3390/mi13111989>
- Dieu, H. T. T., Charoensook, K., Tai, H. C., Lin, Y. T., & Li, Y. Y. (2021). Preparation of activated carbon derived from oil palm empty fruit bunches and its modification by nitrogen doping for supercapacitors. *Journal of Porous Materials*, *28*(1), 9–18. <https://doi.org/10.1007/s10934-020-00957-2>
- Doloksaribu, M. E. (2019). *Fabrikasi dan Karakterisasi Superkapasitor Berbasis Karbon Aktif Nanopori dan Logam Transisi Oksida*. Universitas Gadjah Mada.
- Doloksaribu, M., Harsojo, Triyana, K., & Prihandoko, B. (2017). The effect of concentration nanoparticles MnO₂ DOPED in activated carbon as supercapacitor electrodes. *International Journal of Applied Engineering Research*, *12*(19), 8625–8631.
- Dongale, T. D., Jadhav, P. R., Navathe, G. J., Kim, J. H., Karanjkar, M. M., & Patil, P. S. (2015). Development of nano fiber MnO₂ thin film electrode and cyclic voltammetry behavior modeling using artificial neural network for supercapacitor application. *Materials Science in Semiconductor Processing*, *36*, 43–48. <https://doi.org/10.1016/j.mssp.2015.02.084>

- Farma, R., Deraman, M., Talib, I. A., Awitdrus, Omar, R., Ishak, M. M., Taer, E., Basri, N. H., & Dolah, B. N. M. (2015). Effect of electrolyte concentration on performance of supercapacitor carbon electrode from fibers of oil palm empty fruit bunches. *AIP Conference Proceedings*, 1656, 1–6. <https://doi.org/10.1063/1.4917095>
- Feroldi, D., & Carignano, M. (2016). Sizing for fuel cell / supercapacitor hybrid vehicles based on stochastic driving cycles. *Applied Energy*, 183, 645–658. <https://doi.org/10.1016/j.apenergy.2016.09.008>
- Fujishige, M., Yoshida, I., Toya, Y., Banba, Y., Oshida, K. ichi, Tanaka, Y. suke, Dulyaseree, P., Wongwiriyan, W., & Takeuchi, K. (2017). Preparation of activated carbon from bamboo-cellulose fiber and its use for EDLC electrode material. *Journal of Environmental Chemical Engineering*, 5(2), 1801–1808. <https://doi.org/10.1016/j.jece.2017.03.011>
- Ghosh, S., Mathews, T., Gupta, B., Das, A., Gopala Krishna, N., & Kamruddin, M. (2017). Supercapacitive vertical graphene nanosheets in aqueous electrolytes. *Nano-Structures and Nano-Objects*, 10(October), 42–50. <https://doi.org/10.1016/j.nanoso.2017.03.008>
- Gulzar, U., Goriparti, S., Miele, E., Li, T., Maidecchi, G., Toma, A., De Angelis, F., Capiglia, C., & Zaccaria, R. P. (2016). Next-generation textiles: From embedded supercapacitors to lithium ion batteries. *Journal of Materials Chemistry A*, 4(43), 16771–16800. <https://doi.org/10.1039/c6ta06437j>
- Guo, Y., Tan, C., Sun, J., Li, W., Zhang, J., & Zhao, C. (2020). Porous activated carbons derived from waste sugarcane bagasse for CO₂ adsorption. *Chemical Engineering Journal*, 381(July 2019), 122736. <https://doi.org/10.1016/j.cej.2019.122736>
- Hamouda, H. A., Ramadan, A., Mokhtar, L. M., Ageeb, S. A., Ibrahim, M. H., Ajab, A. E., Hussein, M. B., Farah, A. A., Hassan, E. A., & Ma, G. (2024). Improving of the electrochemical performance of acacia wood porous carbon/MnO₂ nanocomposite as an advanced electrode for supercapacitor and oxygen evolution reaction. *Electrochimica Acta*, 495(May), 144459. <https://doi.org/10.1016/j.electacta.2024.144459>
- Harak, C., Kadam, V., Gavhane, R., Balgude, S., Rakshe, A., Brahmanekar, N., Uke, S., Satpute, D., Pawar, H., & Mardikar, S. (2024). Enhanced supercapacitor performance of a Cu-Fe₂O₃/g-C₃N₄ composite material: synthesis, characterization, and electrochemical analysis. *RSC Advances*, 14(7), 4917–4929. <https://doi.org/10.1039/d3ra08428k>
- Horax, K. M., Bao, S., Wang, M., & Li, Y. (2017). Analysis of graphene-like activated carbon derived from rice straw for application in supercapacitor. *Chinese Chemical Letters*, 28(12), 2290–2294. <https://doi.org/10.1016/j.ccllet.2017.11.004>
- Haupt, D. N. (2020). *SYNTHESIS OF HIGH-PERFORMANCE SUPERCAPACITOR ELECTRODES USING A CNT-ZIF-MOS₂ FRAMEWORK* (Issue May). PURDUE UNIVERSITY.
- Hu, S., & Hsieh, Y. Lo. (2014). Preparation of activated carbon and silica particles from rice straw. *ACS Sustainable Chemistry and Engineering*, 2(4), 726–734. <https://doi.org/10.1021/sc5000539>

- Huang, J., Zhu, N., Yang, T., Zhang, T., Wu, P., & Dang, Z. (2015). Nickel oxide and carbon nanotube composite (NiO/CNT) as a novel cathode non-precious metal catalyst in microbial fuel cells. *Biosensors and Bioelectronics*, *72*, 332–339. <https://doi.org/10.1016/j.bios.2015.05.035>
- Huynh, L. T. N., Pham, T. N., Nguyen, T. H., Le, V. H., Nguyen, T. T., Nguyen, T. D. K., Tran, T. N., Ho, P. A. V., Co, T. T., Nguyen, T. T. T., Vo, T. K. A., Nguyen, T. H., Vu, T. T., Luong, V. M., Uyama, H., Pham, G. V., Hoang, T., & Tran, D. L. (2020). Coconut shell-derived activated carbon and carbon nanotubes composite: a promising candidate for capacitive deionization electrode. *Synthetic Metals*, *265*(March), 116415. <https://doi.org/10.1016/j.synthmet.2020.116415>
- Iro, Z. S., Subramani, C., & Dash, S. S. (2016). A brief review on electrode materials for supercapacitor. *International Journal of Electrochemical Science*, *11*(12), 10628–10643. <https://doi.org/10.20964/2016.12.50>
- Istiqomah, Diantoro, M., Fath, Y. Al, Nasikhudin, & Meevasana, W. (2023). Activated Carbon-MnO₂ Composite on Nickel Foam as Supercapacitors Electrode in Organic Electrolyte. *E3S Web of Conferences*, *400*, 1–6. <https://doi.org/10.1051/e3sconf/202340001014>
- Jia, L., Shi, Y., Zhang, Q., & Xu, X. (2018). *Applied Surface Science Green synthesis of ultra fine Methyl-cellulose-derived porous carbon / MnO₂ nanowires for asymmetric supercapacitors and flexible pattern stamping*. *462*(June), 923–931. <https://doi.org/10.1016/j.apsusc.2018.08.213>
- Jiang, J., Zhang, Y., Nie, P., Xu, G., Shi, M., Wang, J., Wu, Y., Fu, R., Dou, H., & Zhang, X. (2017). Progress of Nanostructured Electrode Materials for Supercapacitors. *Advanced Sustainable Systems*, *2*(1), 1–24. <https://doi.org/10.1002/adsu.201700110>
- Jiang, Y., & Liu, J. (2019). Definitions of Pseudocapacitive Materials: A Brief Review. *Energy and Environmental Materials*, *2*(1), 30–37. <https://doi.org/10.1002/eem2.12028>
- Jin, H., Hu, J., Wu, S., Wang, X., Zhang, H., Xu, H., & Lian, K. (2018). Three-dimensional interconnected porous graphitic carbon derived from rice straw for high performance supercapacitors. *Journal of Power Sources*, *384*(February), 270–277. <https://doi.org/10.1016/j.jpowsour.2018.02.089>
- Kar, K. K. (2020). Handbook of Nanocomposite Supercapacitor Materials I Characteristics. In *Springer Series in Materials Science*. https://doi.org/10.1007/978-3-030-43009-2_13
- Karnan, M., Subramani, K., Srividhya, P. K., & Sathish, M. (2017). Electrochemical Studies on Corn cob Derived Activated Porous Carbon for Supercapacitors Application in Aqueous and Non-aqueous Electrolytes. *Electrochimica Acta*, *228*, 586–596. <https://doi.org/10.1016/j.electacta.2017.01.095>
- Karthikeyan, S., Narenthiran, B., Sivanantham, A., Bhatlu, L. D., & Maridurai, T. (2021). Supercapacitor: Evolution and review. *Materials Today: Proceedings*, *46*, 3984–3988. <https://doi.org/10.1016/j.matpr.2021.02.526>
- Koehlert, K. (2017). Activated carbon: Fundamentals and new applications. *Chemical Engineering (United States)*, *124*(7), 32–40.

- Koseoglou, M., Tsioumas, E., Papagiannis, D., Jabbour, N., & Mademlis, C. (2021). A Novel On-Board Electrochemical Impedance Spectroscopy System for Real-Time Battery Impedance Estimation. *IEEE Transactions on Power Electronics*, 36(9), 10776–10787. <https://doi.org/10.1109/TPEL.2021.3063506>
- Kotz, R., & Carlen, M. (2000). Advertising as multilingual communication. *Electrochimica Acta*, 45, 2483–2498. <https://doi.org/10.1057/9780230503014>
- Kour, S., Tanwar, S., & Sharma, A. L. (2022a). A review on challenges to remedies of MnO₂ based transition-metal oxide, hydroxide, and layered double hydroxide composites for supercapacitor applications. *Materials Today Communications*, 32(July), 104033. <https://doi.org/10.1016/j.mtcomm.2022.104033>
- Kour, S., Tanwar, S., & Sharma, A. L. (2022b). MnO₂ nanorod loaded activated carbon for high-performance supercapacitors. *Journal of Alloys and Compounds*, 910, 164834. <https://doi.org/10.1016/j.jallcom.2022.164834>
- Kumar, R., Soam, A., & Sahajwalla, V. (2020). Sucrose-derived carbon-coated nickel oxide (SDCC-NiO) as an electrode material for supercapacitor applications. *Materials Advances*, 1(4), 609–616. <https://doi.org/10.1039/d0ma00323a>
- Lee, J. H., Yang, G., Kim, C. H., Mahajan, R. L., Lee, S. Y., & Park, S. J. (2022). Flexible solid-state hybrid supercapacitors for the internet of everything (IoE). *Energy and Environmental Science*, 15(6), 2233–2258. <https://doi.org/10.1039/d1ee03567c>
- Lee, K. S., Park, M. S., & Kim, J. D. (2017). Nitrogen doped activated carbon with nickel oxide for high specific capacitance as supercapacitor electrodes. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 533(August), 323–329. <https://doi.org/10.1016/j.colsurfa.2017.09.008>
- Leon, K. L. (2020). *Pra Rancang Bangun Pabrik Pupuk Biochar dari Jerami Padi dengan Kapasitas 9.800 Ton/Tahun* (Vol. 2017, Issue 1) [Universitas Tribhuwana Tungadewi Malang]. <http://190.119.145.154/handle/20.500.12773/11756>
- Li, M., Yu, J., Wang, X., & Yang, Z. (2020). 3D porous MnO₂@carbon nanosheet synthesized from rambutan peel for high-performing supercapacitor electrodes materials. *Applied Surface Science*, 530(July), 147230. <https://doi.org/10.1016/j.apsusc.2020.147230>
- Li, Z., Liu, Z., Li, D., Li, B., Li, Q., Huang, Y., & Wang, H. (2015). Facile synthesis of α -MnO₂ nanowires/spherical activated carbon composite for supercapacitor application in aqueous neutral electrolyte. *Journal of Materials Science: Materials in Electronics*, 26(1), 353–359. <https://doi.org/10.1007/s10854-014-2407-z>
- Li, Z., Wang, R., Zhong, R., Zhou, A., Wang, X., & Yang, Z. (2022). A quasi-solid asymmetric supercapacitor based on MnO₂-coated and N-doped pinecone porous carbon. *Journal of Materials Science: Materials in Electronics*, 33(4), 1899–1909. <https://doi.org/10.1007/s10854-021-07391-3>
- Liang, Q., Ye, L., Huang, Z. H., Xu, Q., Bai, Y., Kang, F., & Yang, Q. H. (2014). A honeycomb-like porous carbon derived from pomelo peel for use in high-

- performance supercapacitors. *Nanoscale*, 6(22), 13831–13837. <https://doi.org/10.1039/c4nr04541f>
- Lianto, M., Kiniasih, S. D., Ardiani, I. S., Baqiya, M. A., & Pratiwi, V. M. (2019). Nanocarbon from rice straw as supercapacitor electrode. *Materials Science Forum*, 964, 180–184. <https://doi.org/10.4028/www.scientific.net/MSF.964.180>
- Lin, X. Q., Lü, Q. F., Li, Q., Wu, M., & Liu, R. (2018). Fabrication of Low-Cost and Ecofriendly Porous Biocarbon Using Konjaku Flour as the Raw Material for High-Performance Supercapacitor Application [Research-article]. *ACS Omega*, 3(10), 13283–13289. <https://doi.org/10.1021/acsomega.8b01718>
- Lokhande, P. E., Chavan, U. S., & Pandey, A. (2020). Materials and Fabrication Methods for Electrochemical Supercapacitors: Overview. In *Electrochemical Energy Reviews* (Vol. 3, Issue 1). Springer Singapore. <https://doi.org/10.1007/s41918-019-00057-z>
- Ma, L., Wang, L., Ma, X., & Li, J. (2020). In situ hydrothermal synthesis of MnO₂ nanowires/wood derived activated carbon hollow fibers composite and its application in supercapacitor. *Wood Research*, 65(5), 737–746. <https://doi.org/10.37763/WR.1336-4561/65.5.737746>
- Madhu, R., Veeramani, V., Chen, S. M., Veerakumar, P., & Liu, S. Bin. (2015). Functional porous carbon/nickel oxide nanocomposites as binder-free electrodes for supercapacitors. *Chemistry - A European Journal*, 21(22), 8200–8206. <https://doi.org/10.1002/chem.201500247>
- Magar, H. S., Hassan, R. Y. A., & Mulchandani, A. (2021). Electrochemical impedance spectroscopy (Eis): Principles, construction, and biosensing applications. *Sensors*, 21(19). <https://doi.org/10.3390/s21196578>
- Mahmood, M., Rasheed, A., Ayman, I., Rasheed, T., Munir, S., Ajmal, S., Agboola, P. O., Warsi, M. F., & Shahid, M. (2021). Synthesis of ultrathin MnO₂ nanowire-intercalated 2D-MXenes for high-performance hybrid supercapacitors. *Energy and Fuels*, 35(4), 3469–3478. <https://doi.org/10.1021/acs.energyfuels.0c03939>
- Makgopa, K., Bello, A., Raju, K., Modibane, K. D., & Hato, M. J. (2019). *Nanostructured Metal Oxides for Supercapacitor Applications*. https://doi.org/10.1007/978-3-030-04474-9_6
- Manohar, A. K., Bretschger, O., Neelson, K. H., & Mansfeld, F. (2008). The use of electrochemical impedance spectroscopy (EIS) in the evaluation of the electrochemical properties of a microbial fuel cell. *Bioelectrochemistry*, 72(2), 149–154. <https://doi.org/10.1016/j.bioelechem.2008.01.004>
- Mashhadi, S., Sohrabi, R., Javadian, H., Ghasemi, M., Tyagi, I., Agarwal, S., & Gupta, V. K. (2016). Rapid removal of Hg (II) from aqueous solution by rice straw activated carbon prepared by microwave-assisted H₂SO₄ activation: Kinetic, isotherm and thermodynamic studies. *Journal of Molecular Liquids*, 215, 144–153. <https://doi.org/10.1016/j.molliq.2015.12.040>
- Mendhe, A., & Panda, H. S. (2023). A review on electrolytes for supercapacitor device. *Discover Materials*, 3(1). <https://doi.org/10.1007/s43939-023-00065-3>
- Miller, J. R., & Simon, P. (2008). Materials science: Electrochemical capacitors for

- energy management. *Science*, 321(5889), 651–652. <https://doi.org/10.1126/science.1158736>
- More, P. D., Dhole, I. A., Navale, Y. H., Navale, S. T., & Patil, V. B. (2019). Impact of electrolyte concentration on the supercapacitive properties of spray pyrolyzed CdO thin film electrode. *Solid State Ionics*, 334(October 2018), 56–64. <https://doi.org/10.1016/j.ssi.2019.01.038>
- Mothoa, S. S. (2010). *Synthesis and Characterization of nanostructured α -MnO₂ electrodes for Supercapacitors Applications* By (Issue November). University of the Western Cape.
- Nam, H., Choi, W., Genuino, D. A., & Capareda, S. C. (2018). Development of rice straw activated carbon and its utilizations. *Journal of Environmental Chemical Engineering*, 6(4), 5221–5229. <https://doi.org/10.1016/j.jece.2018.07.045>
- Nappu, M. B. (2013). Sebaran Potensi Limbah Tanaman Padi dan Jagung Serta Pemanfaatannya di Sulawesi Selatan. *Prosiding Seminar Nasional Inovasi Teknologi Pertanian*, 284–296.
- Nguyen, T. K., Aberoumand, S., & Dao, D. V. (2021). Advances in Si and SiC Materials for High-Performance Supercapacitors toward Integrated Energy Storage Systems. *Small*, 17(49). <https://doi.org/10.1002/sml.202101775>
- Nirmaladevi, S., Boopathiraja, R., Kandasamy, S. K., Sathishkumar, S., & Parthibavarman, M. (2021). Wood based biochar supported MnO₂ nanorods for high energy asymmetric supercapacitor applications. *Surfaces and Interfaces*, 27(October), 101548. <https://doi.org/10.1016/j.surfin.2021.101548>
- Nithya, V. D., Selvan, R. K., Kalpan, D., Vasylechko, L., & Sanjeeviraj, C. (2013). Synthesis of Bi₂WO₆ nanoparticles and its electrochemical properties in different electrolytes for pseudocapacitor electrodes. *Electrochimica Acta*, 109, 720–731. <https://doi.org/10.1016/j.electacta.2013.07.138>
- Omokafe, S. M., Adeniyi, A. A., Igbafen, E. O., Oke, S. R., & Olubambi, P. A. (2020). Fabrication of Activated Carbon from Coconut Shells and its Electrochemical Properties for Supercapacitors. *International Journal of Electrochemical Science*, 15(11), 10854–10865. <https://doi.org/10.20964/2020.11.10>
- Özcan, S., Güler, A., Cetinkaya, T., Guler, M. O., & Akbulut, H. (2017). Freestanding graphene/MnO₂ cathodes for Li-ion batteries. *Beilstein Journal of Nanotechnology*, 8(1), 1932–1938. <https://doi.org/10.3762/bjnano.8.193>
- Pal, B., Yang, S., Ramesh, S., Thangadurai, V., & Jose, R. (2019). Electrolyte selection for supercapacitive devices: A critical review. *Nanoscale Advances*, 1(10), 3807–3835. <https://doi.org/10.1039/c9na00374f>
- Pattanayak, B., Le, P. A., Panda, D., Simanjuntak, F. M., Wei, K. H., Winie, T., & Tseng, T. Y. (2022). Ion accumulation-induced capacitance elevation in a microporous graphene-based supercapacitor. *RSC Advances*, 12(42), 27082–27093. <https://doi.org/10.1039/d2ra04194d>
- Porciúncula, C. B., Marcilio, N. R., Tessaro, I. C., & Gerchmann, M. (2012). Production of hydrogen in the reaction between aluminum and water in the presence of NaOH and KOH. *Brazilian Journal of Chemical Engineering*, 29(2), 337–348. <https://doi.org/10.1590/S0104-66322012000200014>
- Racik, K. M., Guruprasad, K., Mahendiran, M., Madhavan, J., Maiyalagan, T., &

- Raj, M. V. A. (2019). Enhanced electrochemical performance of MnO₂/NiO nanocomposite for supercapacitor electrode with excellent cycling stability. *Journal of Materials Science: Materials in Electronics*, 30(5), 5222–5232. <https://doi.org/10.1007/s10854-019-00821-3>
- Rajagopal, S., Pulapparambil Vallikkattil, R., Mohamed Ibrahim, M., & Velev, D. G. (2022). Electrode Materials for Supercapacitors in Hybrid Electric Vehicles: Challenges and Current Progress. *Condensed Matter*, 7(1). <https://doi.org/10.3390/condmat7010006>
- Rajasekaran, S. J., Grace, A. N., Jacob, G., Alodhayb, A., Pandiaraj, S., & Raghavan, V. (2023). Investigation of Different Aqueous Electrolytes for Biomass-Derived Activated Carbon-Based Supercapacitors. *Catalysts*, 13(2). <https://doi.org/10.3390/catal13020286>
- Ranjusha, R., Sreekumaran Nair, A., Ramakrishna, S., Anjali, P., Sujith, K., Subramanian, K. R. V., Sivakumar, N., Kim, T. N., Nair, S. V., & Balakrishnan, A. (2012). Ultra fine MnO₂ nanowire based high performance thin film rechargeable electrodes: Effect of surface morphology, electrolytes and concentrations. *Journal of Materials Chemistry*, 22(38), 20465–20471. <https://doi.org/10.1039/c2jm35027k>
- Raut, S. D., Mane, H. R., Shinde, N. M., Lee, D., Shaikh, S. F., Kim, K. H., Kim, H. J., Al-Enizi, A. M., & Mane, R. S. (2020). Electrochemically grown MnO₂ nanowires for supercapacitor and electrocatalysis applications. *New Journal of Chemistry*, 44(41), 17864–17870. <https://doi.org/10.1039/d0nj03792c>
- Rochani, S. (2020). *Kupas Tuntas Limbah Jerami Padi untuk Pakan Ternak*. <https://dkpp.jabarprov.go.id/post/603/kupas-tuntas-limbah-jerami-padi-untuk-pakan-ternak>
- Roy, A., Ray, A., Saha, S., Ghosh, M., Das, T., Satpati, B., Nandi, M., & Das, S. (2018). NiO-CNT composite for high performance supercapacitor electrode and oxygen evolution reaction. *Electrochimica Acta*, 283, 327–337. <https://doi.org/10.1016/j.electacta.2018.06.154>
- Saha, S., Potphode, D., & Sharma, C. S. (2022). Borassus flabellifer Fruit Flesh Derived Hierarchical Porous Partly Graphitic Carbon as a Sustainable Electrode for Supercapacitors [Research-article]. *Energy and Fuels*, 36(1), 638–654. <https://doi.org/10.1021/acs.energyfuels.1c03235>
- Sajjad, M., Khan, M. I., Cheng, F., & Lu, W. (2021). A review on selection criteria of aqueous electrolytes performance evaluation for advanced asymmetric supercapacitors. *Journal of Energy Storage*, 40(May), 102729. <https://doi.org/10.1016/j.est.2021.102729>
- Sari, P. D., Puri, W. A., & Hanum, D. (2018). Delignifikasi Bonggol Jagung Dengan Metode Microwave Alkali. *Agrika*, 12(2). <https://doi.org/10.31328/ja.v12i2.767>
- Sarno, M. (2020). Nanotechnology in energy storage: The supercapacitors. *Studies in Surface Science and Catalysis*, 179, 431–458. <https://doi.org/10.1016/B978-0-444-64337-7.00022-7>
- Seman, R. N. A. R., Azam, M. A., Aziz, M. F. A., Izamshah, R., & Kasim, M. S. (2020). Electrochemical Performance of Molybdenum Disulfide Supercapacitor Electrode in Potassium Hydroxide and Sodium Sulfate

- Electrolytes. *International Journal of Recent Technology and Engineering (IJRTE)*, 8(6), 5499–5503. <https://doi.org/10.35940/ijrte.f7602.038620>
- Sevilla, M., & Fuertes, A. B. (2014). Direct synthesis of highly porous interconnected carbon nanosheets and their application as high-performance supercapacitors. *ACS Nano*, 8(5), 5069–5078. <https://doi.org/10.1021/nn501124h>
- Shah, S. S., & Aziz, A. (2024). *Properties of Electrode Materials and Electrolytes in Supercapacitor Technology. February*.
- Shah, S. S., Cevik, E., Aziz, M. A., Qahtan, T. F., Bozkurt, A., & Yamani, Z. H. (2021). Jute Sticks Derived and Commercially Available Activated Carbons for Symmetric Supercapacitors with Bio-electrolyte: A Comparative Study. *Synthetic Metals*, 277(March), 116765. <https://doi.org/10.1016/j.synthmet.2021.116765>
- Shao, G., Su, C., Shi, C., Xu, Z., Ye, M., Chen, N., Yu, R., & Liu, X. Y. (2022). Highly flexible and high energy density fiber supercapacitors based upon spiral silk composite membranes encapsulation. *Electrochimica Acta*, 404, 139611. <https://doi.org/10.1016/j.electacta.2021.139611>
- Shin, J., Seo, J. K., Yaylian, R., Huang, A., & Meng, Y. S. (2020). A review on mechanistic understanding of MnO₂ in aqueous electrolyte for electrical energy storage systems. *International Materials Reviews*, 65(6), 356–387. <https://doi.org/10.1080/09506608.2019.1653520>
- Shmelev, V., Nikolaev, V., Lee, J. H., & Yim, C. (2016). Hydrogen production by reaction of aluminum with water. *International Journal of Hydrogen Energy*, 41(38), 16664–16673. <https://doi.org/10.1016/j.ijhydene.2016.05.159>
- Shrestha, D. (2022). Activated carbon and its hybrid composites with manganese (IV) oxide as effectual electrode materials for high performance supercapacitor. *Arabian Journal of Chemistry*, 15(7), 103946. <https://doi.org/10.1016/j.arabjc.2022.103946>
- Singha, D. K., Mohanty, R. I., Bhanja, P., & Jena, B. K. (2023). Metal-organic framework and graphene composites: advanced materials for electrochemical supercapacitor applications. *Materials Advances*, 4(20), 4679–4706. <https://doi.org/10.1039/d3ma00523b>
- Sudhan, N., Subramani, K., Karnan, M., Ilayaraja, N., & Sathish, M. (2017). Biomass-derived activated porous carbon from rice straw for a high-energy symmetric supercapacitor in aqueous and nonaqueous electrolytes. *Energy and Fuels*, 31(1), 977–985. <https://doi.org/10.1021/acs.energyfuels.6b01829>
- Taer, E., Harahap, E. W., Apriwandi, A., & Taslim, R. (2022). High-performance aqueous electrolyte symmetrical supercapacitor using porous carbon derived cassava peel waste. *Applied Materials and Technology*, 4(1), 1–10.
- Tagsin, P., Suksangrat, P., Klangtakai, P., Srepusharawoot, P., Ruttanapun, C., Kumnorkaew, P., Pimanpang, S., & Amornkitbamrung, V. (2021). Electrochemical mechanisms of activated carbon, α -MnO₂ and composited activated carbon- α -MnO₂ films in supercapacitor applications. *Applied Surface Science*, 570(August), 151056. <https://doi.org/10.1016/j.apsusc.2021.151056>
- Taslim, R., Dewi, T. R., Taer, E., Apriwandi, A., Agustino, A., & Setiadi, R. N.

- (2018). Effect of physical activation time on the preparation of carbon electrodes from pineapple crown waste for supercapacitor application. *Journal of Physics: Conference Series*, 1120(1). <https://doi.org/10.1088/1742-6596/1120/1/012084>
- Tetra, N. O., Aziz, H., Emriadi, Ibrahim, S., & Alif, A. (2018). Review: Superkapasitor Berbahan Dasar Karbon Aktif Dan Larutan Ionik Sebagai Elektrolit. *Jurnal Zarah*, 6(1), 39–46. <https://doi.org/10.31629/zarah.v6i1.293>
- Thida, R. K., Shilpa, C. C. H., Madhuri, S., Sai Ram, E., & Ravi, K. (2021). Microwave-irradiated novel mesoporous nickel oxide carbon nanocomposite electrodes for supercapacitor application. *Journal of Materials Science: Materials in Electronics*, 32(15), 20374–20383. <https://doi.org/10.1007/s10854-021-06547-5>
- Utami, A. W. N. (2017). *Sintesis Nanopartikel Mangan Dioksida (MnO₂) Secara Sonokimia Sebagai Adsorben Ion Logam Timbal (Pb²⁺)* [Universitas Islam Negeri Alauddin Makassar]. <http://elib.bsu.by/handle/123456789/181531>
- Verma, S., Padha, B., Mahajan, P., & Arya, S. (2022). Effect of Electrolyte on the Performance of Supercapacitors. *ECS Transactions*, 107(1), 10821–10829. <https://doi.org/10.1149/10701.10821ecst>
- Wagner, N. (2011). Electrochemical impedance spectroscopy. In *PEM Fuel Cell Diagnostic Tools*. <https://doi.org/10.1201/b11100-5>
- Wang, R., Li, Q., Cheng, L., Li, H., Wang, B., Zhao, X. S., & Guo, P. (2014). Electrochemical properties of manganese ferrite-based supercapacitors in aqueous electrolyte: The effect of ionic radius. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 457(1), 94–99. <https://doi.org/10.1016/j.colsurfa.2014.05.059>
- Wang, R., Li, X., Nie, Z., Zhao, Y., & Wang, H. (2021). Metal/Metal Oxide Nanoparticles-Composited Porous Carbon for High-Performance Supercapacitors. *Journal of Energy Storage*, 38(April), 102479. <https://doi.org/10.1016/j.est.2021.102479>
- Wang, X., Chu, J., Yan, H. J., & Zhang, H. K. (2022). Synthesis and characterization of MnO₂/Eggplant carbon composite for enhanced supercapacitors. *Heliyon*, 8(9), e10631. <https://doi.org/10.1016/j.heliyon.2022.e10631>
- Wang, Z., Wen, S., Ma, J., Li, Z., Wang, J., & Liu, X. (2023). Bamboo fiber-derived porous carbon microspheres decorated with MnO₂ for enhanced supercapacitor performance. *Diamond and Related Materials*, 140(PA), 110451. <https://doi.org/10.1016/j.diamond.2023.110451>
- Wei, H., Wang, X., Zhang, D., Du, W., Sun, X., Jiang, F., & Shi, T. (2019). Facile synthesis of lotus seedpod-based 3D hollow porous activated carbon/manganese dioxide composite for supercapacitor electrode. *Journal of Electroanalytical Chemistry*, 853(June), 113561. <https://doi.org/10.1016/j.jelechem.2019.113561>
- Xie, W., Wang, J., Long, X., Wang, X., Zou, S., Zhang, L., Xu, H., Fu, Y., Liu, D., Li, Y., Li, J., & He, D. (2021). One-step construction of δ-MnO₂ cathodes with an interconnected nanosheet structure on graphite paper for high-performance aqueous asymmetric supercapacitors. *Journal of Energy Storage*,

- 35(November 2020), 102308. <https://doi.org/10.1016/j.est.2021.102308>
- Xie, X., Zhang, J., Du, X., Kimura, H., Ni, C., Hou, C., Zhang, Y., Sun, X., Yang, X., & Du, W. (2024). Morphology evolution of bacterial cellulose carbon and loaded with MnO₂ microspheres for high performance supercapacitors. *Journal of Alloys and Compounds*, 994(January), 174713. <https://doi.org/10.1016/j.jallcom.2024.174713>
- Xiong, S., Zhang, X., Chu, J., Wang, X., Zhang, R., Gong, M., & Wu, B. (2018). Hydrothermal Synthesis of Porous Sugarcane Bagasse Carbon/MnO₂ Nanocomposite for Supercapacitor Application. *Journal of Electronic Materials*, 47(11), 6575–6582. <https://doi.org/10.1007/s11664-018-6569-y>
- Yadav, G. G., Wei, X., Huang, J., Turney, D., Nyce, M., & Banerjee, S. (2018). Accessing the second electron capacity of MnO₂ by exploring complexation and intercalation reactions in energy dense alkaline batteries. *International Journal of Hydrogen Energy*, 43(17), 8480–8487. <https://doi.org/10.1016/j.ijhydene.2018.03.061>
- Yadav, M. S., & Tripathi, S. K. (2017). Synthesis and characterization of nanocomposite NiO/activated charcoal electrodes for supercapacitor application. *Ionics*, 23(10), 2919–2930. <https://doi.org/10.1007/s11581-017-2026-9>
- Yang, M., Kim, D. S., Hong, S. B., Sim, J. W., Kim, J., Kim, S. S., & Choi, B. G. (2017). MnO₂ Nanowire/Biomass-Derived Carbon from Hemp Stem for High-Performance Supercapacitors. *Langmuir*, 33(21), 5140–5147. <https://doi.org/10.1021/acs.langmuir.7b00589>
- Yin, J., Zhu, Y., Yue, X., Wang, L., Zhu, H., & Wang, C. (2016). Electrochimica Acta From environmental pollutant to activated carbons for high-performance supercapacitors. *Electrochimica Acta*, 201, 96–105. <https://doi.org/10.1016/j.electacta.2016.03.196>
- Yu, D., Qian, Q., Wei, L., Jiang, W., Goh, K., Wei, J., Zhang, J., & Chen, Y. (2015). Emergence of fiber supercapacitors. *Chemical Society Reviews*, 44(3), 647–662. <https://doi.org/10.1039/c4cs00286e>
- Yu, G., Xie, X., Pan, L., Bao, Z., & Cui, Y. (2013). Hybrid nanostructured materials for high-performance electrochemical capacitors. *Nano Energy*, 2(2), 213–234. <https://doi.org/10.1016/j.nanoen.2012.10.006>
- Yuan, C., Lin, H., Lu, H., Xing, E., Zhang, Y., & Xie, B. (2016). Synthesis of hierarchically porous MnO₂/rice husks derived carbon composite as high-performance electrode material for supercapacitors. *Applied Energy*, 178, 260–268. <https://doi.org/10.1016/j.apenergy.2016.06.057>
- Zakir, M., Kasim, H., Raya, I., Lamba, Y., Nuratisah, & Belen Jorge, A. (2019). Performance of Candlenut Shell (*Alleurus moluccana*) Based Supercapacitor Electrode with Acid Electrolytes and Their Salts. *IOP Conference Series: Materials Science and Engineering*, 619(1). <https://doi.org/10.1088/1757-899X/619/1/012042>
- Zekenova, A., Nazhipkyzy, M., Li, W., Kalybayeva, A., Zhumanova, G., & Zubova, O. (2022). Advances of Biowaste-Derived Porous Carbon and Carbon–Manganese Dioxide Composite in Supercapacitors: A Review. *Inorganics*, 10(10). <https://doi.org/10.3390/inorganics10100160>

- Zhai, S. (2018). *1D fiber/yarn supercapacitors for wearable energy storage* [Nanyang Technological University]. <http://hdl.handle.net/10220/46757>
- Zhang, L. L., & Zhao, X. S. (2009). Carbon-based materials as supercapacitor electrodes. *Chemical Society Reviews*, 38(9), 2520–2531. <https://doi.org/10.1039/b813846j>
- Zhang, X., Shi, W., Zhu, J., Zhao, W., Ma, J., Mhaisalkar, S., Maria, T. L., Yang, Y., Zhang, H., Hng, H. H., & Yan, Q. (2010). Synthesis of porous NiO nanocrystals with controllable surface area and their application as supercapacitor electrodes. *Nano Research*, 3(9), 643–652. <https://doi.org/10.1007/s12274-010-0024-6>
- Zhang, Y., Li, L., Su, H., Huang, W., & Dong, X. (2015). Binary metal oxide: Advanced energy storage materials in supercapacitors. *Journal of Materials Chemistry A*, 3(1), 43–59. <https://doi.org/10.1039/c4ta04996a>
- Zhao, W., Rubio, S. J. B., Dang, Y., & Suib, S. L. (2022). Green Electrochemical Energy Storage Devices Based on Sustainable Manganese Dioxides. *ACS ES and T Engineering*, 2(1), 20–42. <https://doi.org/10.1021/acsestengg.1c00317>
- Zhao, Z., Shen, T., Liu, Z., Zhong, Q., & Qin, Y. (2020). Facile fabrication of binder-free reduced graphene oxide/MnO₂/Ni foam hybrid electrode for high-performance supercapacitors. *Journal of Alloys and Compounds*, 812, 152124. <https://doi.org/10.1016/j.jallcom.2019.152124>
- Zhong, C., Deng, Y., Hu, W., Qiao, J., Zhang, L., & Zhang, J. (2015). A review of electrolyte materials and compositions for electrochemical supercapacitors. *Chemical Society Reviews*, 44(21), 7484–7539. <https://doi.org/10.1039/c5cs00303b>
- Zhu, L., Shen, F., Smith, R. L., Yan, L., Li, L., & Qi, X. (2017). Black liquor-derived porous carbons from rice straw for high-performance supercapacitors. *Chemical Engineering Journal*, 316, 770–777. <https://doi.org/10.1016/j.cej.2017.02.034>