

## DAFTAR PUSTAKA

- Afoakwa, E. O. (2010). *Chocolate Science and Technology*. Wiley Blackwell Oxford. <https://doi.org/10.1002/9781444319880>
- Afoakwa, E. O. (2016). *Chocolate Science and Technology Second Edition*. Wiley Blackwell Oxford. <https://doi.org/10.1002/9781118913758>
- Afoakwa, E. O., Paterson, A., Fowler, M., & Vieira, J. (2008). Particle size distribution and compositional effects on textural properties and appearance of dark chocolates. *Journal of Food Engineering*, 87(2), 181–190. <https://doi.org/10.1016/j.jfoodeng.2007.11.025>
- Ahmed, E. M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal of Advanced Research*, 6(2), 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>
- Aidoo, R. P., Depypere, F., Afoakwa, E. O., & Dewettinck, K. (2013). Industrial manufacture of sugar-free chocolates – Applicability of alternative sweeteners and carbohydrate polymers as raw materials in product development. *Trends in Food Science & Technology*, 32(2), 84–96. <https://doi.org/10.1016/j.tifs.2013.05.008>
- Al-Baarri, A. N., Legowo, A. M., Rizqiaty, H., Widayat, Septianingrum, A., Sabrina, H. N., Arganis, L. M., Saraswati, R. O., & Mochtar, R. C. P. R. (2018). Application of iota and kappa carrageenans to traditional several food using modified cassava flour. *IOP Conference Series: Earth and Environmental Science*, 102, 012056. <https://doi.org/10.1088/1755-1315/102/1/012056>
- Ardakani, H. A., Mitsoulis, E., & Hatzikiriakos, S. G. (2014). Capillary flow of milk chocolate. *Journal of Non-Newtonian Fluid Mechanics*, 210, 56–65. <https://doi.org/10.1016/j.jnnfm.2014.06.001>
- Arifin, M. H., Suyatma, N. E., & Indrasti, D. (2022). Karakterisasi Kitoooligosakarida yang Didepolimerisasi dengan Metode Berbeda dan Kajiannya sebagai Active Film: Chito-oligosaccharide Characterization Depolymerized by Different Method and Its Study as Active Film. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 25(1), 18–33. <https://doi.org/10.17844/jphpi.v25i1.39632>
- Ariyanti, M., Ramlah, S., & Yumas, M. (2019). PENGARUH LAMA FERMENTASI DAN PENGEPRESAN BERULANG TERHADAP MUTU KAKAO BUBUK. *Indonesian Journal of Industrial Research*, 14(1), 21–27. <https://doi.org/10.33104/jihp.v14i1.4849>
- Astutik, D. M., Sulmartiwi, L., Saputra, E., & Pujiastuti, D. Y. (2020). The effect addition of kappa carrageenan flour to the level of gel strength and acceptability of dumpling from threadfin bream fish (*Nemipterus nematophorus*) surimi. *IOP Conference Series: Earth and Environmental Science*, 441(1), 012003. <https://doi.org/10.1088/1755-1315/441/1/012003>
- Azhari, A. A., Nyura, Y., & Najib, A. (2018). Perbandingan Metode Saw dan Topsis Pada Penerimaan Siswa Praktek Kerja Lapangan. *Prosiding Seminar Nasional Ilmu Komputer dan Teknologi Informasi*, 3(1), 71–77.
- Bauer, A.-S., Leppik, K., Galić, K., Anestopoulos, I., Panayiotidis, M. I.,

- Agriopoulou, S., Milousi, M., Uysal-Unalan, I., Varzakas, T., & Krauter, V. (2022). Cereal and Confectionary Packaging: Background, Application and Shelf-Life Extension. *Foods*, 11(5), 697. <https://doi.org/10.3390/foods11050697>
- Beckett, S., T. (2008). *The Science of Chocolate 2nd Edition*. The Royal Society of Chemistry.
- Beg, M. S., Ahmad, S., Jan, K., & Bashir, K. (2017). Status, supply chain and processing of cocoa—A review. *Trends in Food Science & Technology*, 66, 108–116. <https://doi.org/10.1016/j.tifs.2017.06.007>
- Belščak-Cvitanović, A., Komes, D., Dujmović, M., Karlović, S., Biškić, M., Brnčić, M., & Ježek, D. (2015). Physical, bioactive and sensory quality parameters of reduced sugar chocolates formulated with natural sweeteners as sucrose alternatives. *Food Chemistry*, 167, 61–70. <https://doi.org/10.1016/j.foodchem.2014.06.064>
- Bertuzzi, M. A., Castro Vidaurre, E. F., Armada, M., & Gottifredi, J. C. (2007). Water vapor permeability of edible starch based films. *Journal of Food Engineering*, 80(3), 972–978. <https://doi.org/10.1016/j.jfoodeng.2006.07.016>
- Blakemore, W. R. (2016). Polysaccharide Ingredients: Carrageenan. In *Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.03251-0>
- Blanco, E., Hodgson, D. J. M., Hermes, M., Besseling, R., Hunter, G. L., Chaikin, P. M., Cates, M. E., Van Damme, I., & Poon, W. C. K. (2019). Conching chocolate is a prototypical transition from frictionally jammed solid to flowable suspension with maximal solid content. *Proceedings of the National Academy of Sciences*, 116(21), 10303–10308. <https://doi.org/10.1073/pnas.1901858116>
- Böhme, B., Schneider, Y., Leiteritz, L., & Rohm, H. (2011). Tailoring alcoholic fillings for praline production with one-shot depositors. *LWT - Food Science and Technology*, 44(5), 1261–1265. <https://doi.org/10.1016/j.lwt.2010.12.014>
- Bolenz, S., Holm, M., & Langkrär, C. (2014). Improving particle size distribution and flow properties of milk chocolate produced by ball mill and blending. *European Food Research and Technology*, 238(1), 139–147. <https://doi.org/10.1007/s00217-013-2094-7>
- Briones-Labarca, V., Aguilera, J., & Brown, C. (2006). Effect of surface topography on color and gloss of chocolate samples. *Journal of Food Engineering*, 77, 776–783. <https://doi.org/10.1016/j.jfoodeng.2005.08.004>
- Bui, L. T. T., & Coad, R. (2014). Military ration chocolate: The effect of simulated tropical storage on sensory quality, structure and bloom formation. *Food Chemistry*, 160, 365–370. <https://doi.org/10.1016/j.foodchem.2014.03.084>
- Caligiani, A., Marseglia, A., & Palla, G. (2016). Cocoa: Production, Chemistry, and Use. In B. Caballero, P. M. Finglas, & F. Toldrá (Eds.), *Encyclopedia of Food and Health* (pp. 185–190). Academic Press. <https://doi.org/10.1016/B978-0-12-384947-2.00177-X>
- Calva-Estrada, S. J., Utrilla-Vázquez, M., Vallejo-Cardona, A., Roblero-Pérez, D.

- B., & Lugo-Cervantes, E. (2020). Thermal properties and volatile compounds profile of commercial dark-chocolates from different genotypes of cocoa beans (*Theobroma cacao* L.) from Latin America. *Food Research International*, 136, 109594. <https://doi.org/10.1016/j.foodres.2020.109594>
- Castro-Alayo, E. M., Torrejón-Valqui, L., Medina-Mendoza, M., Cayo-Colca, I. S., & Cárdenas-Toro, F. P. (2022). Kinetics Crystallization and Polymorphism of Cocoa Butter throughout the Spontaneous Fermentation Process. *Foods*, 11(12), 1769. <https://doi.org/10.3390/foods11121769>
- Cavella, S., Miele, N. A., Fidaleo, M., Borriello, A., & Masi, P. (2020). Evolution of particle size distribution, flow behaviour and stability during mill ball refining of a white chocolate flavouring paste. *LWT-Food Science and Technology*, 132, 109910. <https://doi.org/10.1016/j.lwt.2020.109910>
- Čekon, M., Struhala, K., & Slávik, R. (2017). Cardboard-Based Packaging Materials as Renewable Thermal Insulation of Buildings: Thermal and Life-Cycle Performance. *Journal of Renewable Materials*, 5(1), 84–93. <https://doi.org/10.7569/JRM.2017.634135>
- Chen, Y., Zhou, X., Qian, S., & Yu, J. (2022). Effect of Sugar and Milk Powder Addition on the Mechanical Properties and Texture of Chocolate. *Journal of Oleo Science*, 71(11), 1577–1589. <https://doi.org/10.5650/jos.ess22148>
- Chun Lin, Y., & Meng Choong, Y. (2022). Characterization and Yield of Crude Cocoa Butter Extracted from Taiwanese Cocoa Beans under Different Fermentation Degree and Roasting Conditions. *Journal of Food and Nutrition Research*, 10(2), 151–157.
- Coles, R. (2003). Introduction. In *Food Packaging Technology* (pp. 1–31). lackwell Publishing, CRC Press.
- Dahlenborg, H., Millqvist-Fureby, A., & Bergenståhl, B. (2015). Effect of particle size in chocolate shell on oil migration and fat bloom development. *Journal of Food Engineering*, 146, 172–181. <https://doi.org/10.1016/j.jfoodeng.2014.09.008>
- Deshwal, G. K., Panjagari, N. R., & Alam, T. (2019). An overview of paper and paper based food packaging materials: Health safety and environmental concerns. *Journal of Food Science and Technology*, 56(10), 4391–4403. <https://doi.org/10.1007/s13197-019-03950-z>
- Dias, J., Alvarenga, N., & Sousa, I. (2015). Effect of hydrocolloids on low-fat chocolate fillings. *Journal of Food Science and Technology*, 52(11), 7209–7217. <https://doi.org/10.1007/s13197-015-1841-0>
- Dias, J., Alvarenga, N., & Sousa, I. (2017). Shelf-life of reduced-fat white chocolate fillings using iota-carrageenan. *Emirates Journal of Food and Agriculture*, 29(11), 893. <https://doi.org/10.9755/ejfa.2017.v29.i11.1498>
- Djaafar, T. F., Monika, D. C., Marwati, T., Triwitono, P., & Rahayu, E. S. (2020). Microbiology, Chemical, and Sensory Characteristics of Cocoa Powder: The Effect of *Lactobacillus plantarum* HL-15as Culture Starter and Fermentation Box Variation. *Digital Press Life Sciences*, 2, 00008. <https://doi.org/10.29037/digitalpress.22332>
- Duncan, S. E., & Hannah, S. (2012). Light-protective Packaging Materials for Foods and Beverages. In *Emerging Food Packaging Technologies* (pp. 303–

- 322). Woodhead Publishing Limited.  
[doi.org/10.1533/9780857095664.3.303](https://doi.org/10.1533/9780857095664.3.303)
- El Sayed, M. M. (2023). Production of Polymer Hydrogel Composites and Their Applications. *Journal of Polymers and the Environment*, 31(7), 2855–2879. <https://doi.org/10.1007/s10924-023-02796-z>
- Ergun, R., Lietha, R., & Hartel, R. W. (2010). Moisture and Shelf Life in Sugar Confections. *Critical Reviews in Food Science and Nutrition*, 50(2), 162–192. <https://doi.org/10.1080/10408390802248833>
- Fathimahhayati, L. D., Halim, C. I., Widada, D., & No, J. S. (2019). *Perancangan Kemasan Kerupuk Ikan Dengan Menggunakan Metode Kansei Engineering*. 7(2).
- Fibrianto, K., Azhar, L. O. M. F., Widyotomo, S., & Harijono, H. (2021). Effect of cocoa bean origin and conching time on the physicochemical and microstructural properties of Indonesian dark chocolate. *Brazilian Journal of Food Technology*, 24, e2019249. <https://doi.org/10.1590/1981-6723.24919>
- Fikry, M., Aniza Yusof, Y., Al-Awaadh, A. M., Abdul Rahman, R., Ling Chin, N., Mousa, E., & Sin Chang, L. (2019). Kinetics Modelling of the Colour, Hardness, Grinding Energy Consumption and Oil Yield Changes during the Conventional Roasting of Palm Date Seeds. *Food Science and Technology Research*, 25(3), 351–362. <https://doi.org/10.3136/fstr.25.351>
- Francis, F. P., & Chidambaram, R. (2019). Hybrid hydrogel dispersed low fat and heat resistant chocolate. *Journal of Food Engineering*, 256, 9–17. <https://doi.org/10.1016/j.jfoodeng.2019.03.012>
- Franke, K., Middendorf, D., Heinz, V., & Bindrich, U. (2022). Alcohol in *praline* fillings influences the water migration within the surrounding chocolate shell. *Journal of Food Engineering*, 315, 110805. <https://doi.org/10.1016/j.jfoodeng.2021.110805>
- Furtado, D. C., Garcia, L. G. C., Peres, D. S., Silva, F. A. D., & Santos, P. A. D. (2021). Influence of different packaging on the storage of milk candy in tablets. *Food Science and Technology*, 41(suppl 2), 414–422. <https://doi.org/10.1590/fst.06920>
- Garti, N., & Aserin, A. (2012). 12—Effect of Emulsifiers on Cocoa Butter and Chocolate Rheology, Polymorphism, and Bloom. In N. Garti & N. R. Widlak (Eds.), *Cocoa Butter and Related Compounds* (pp. 275–305). AOCS Press. <https://doi.org/10.1016/B978-0-9830791-2-5.50015-3>
- Glicerina, V., Balestra, F., Dalla Rosa, M., & Romani, S. (2015). Effect of manufacturing process on the microstructural and rheological properties of milk chocolate. *Journal of Food Engineering*, 145, 45–50. <https://doi.org/10.1016/j.jfoodeng.2014.06.039>
- Glicerina, V., Balestra, F., Dalla Rosa, M., & Romani, S. (2016). Microstructural and rheological characteristics of dark, milk and white chocolate: A comparative study. *Journal of Food Engineering*, 169, 165–171. <https://doi.org/10.1016/j.jfoodeng.2015.08.011>
- Gregersen, S. B., Miller, R. L., Hammershøj, M., Andersen, M. D., & Wiking, L. (2015). Texture and microstructure of cocoa butter replacers: Influence of



- composition and cooling rate. *Food Structure*, 4, 2–15. <https://doi.org/10.1016/j.foostr.2015.03.001>
- Gürsoy, B., & Heperkan, Z. D. (2020). Chocolate Production, Nutrients and Health BenefitS. *International Journal of Food Engineering Research*, 6(2), 121–134.
- Hantoro, M. R., & Soewito, B. M. (2018). Eksplorasi Desain Kemasan Berbahan Bambu sebagai Produk Oleh-oleh Premium dengan Studi Kasus Produk Makanan UKM Purnama Jati Jember. *Jurnal Sains dan Seni ITS*, 7(1), 67–71. <https://doi.org/10.12962/j23373520.v7i1.30041>
- Hartuti, S., Bintoro, N., Karyadi, J. N. W., & Pranoto, Y. (2019). Characteristics of Dried Cocoa Beans (*Theobroma cacao* L.) Color Using Response Surface Methodology. *Planta Tropika: Journal of Agro Science*, 7(1). <https://doi.org/10.18196/pt.2019.097.82-92>
- Heriyanto, H., Kustiningsih, I., & Sari, D. K. (2018). The effect of temperature and time of extraction on the quality of Semi Refined Carrageenan (SRC). *MATEC Web of Conferences*, 154, 01034. <https://doi.org/10.1051/mateconf/201815401034>
- Hinne, M., Abotsi, E. E., Van de Walle, D., Tzompa-Sosa, D. A., De Winne, A., Simonis, J., Messens, K., Van Durme, J., Afoakwa, E. O., De Cooman, L., & Dewettinck, K. (2020). Pod storage with roasting: A tool to diversifying the flavor profiles of dark chocolates produced from ‘bulk’ cocoa beans? (Part II: Quality and sensory profiling of chocolates). *Food Research International*, 132, 109116. <https://doi.org/10.1016/j.foodres.2020.109116>
- Hinne, M., Van De Walle, D., Haek, J., Abotsi, E. E., De Winne, A., Saputro, A. D., Messens, K., Van Durme, J., Afoakwa, E. O., De Cooman, L., & Dewettinck, K. (2019). Applicability of the melanger for chocolate refining and Stephan mixer for conching as small-scale alternative chocolate production techniques. *Journal of Food Engineering*, 253, 59–71. <https://doi.org/10.1016/j.jfoodeng.2019.02.016>
- Hřivná, L., Machálková, L., Burešová, I., Nedomová, Š., & Gregor, T. (2021). Texture, color, and sensory changes occurring in chocolate bars with filling during storage. *Food science & nutrition*, 9(9), 4863–4873. <https://doi.org/10.1002/fsn3.2434>
- Indarti, E., & Arpi, N. (2013). *Kajian pembuatan cokelat batang dengan metode tempering dan tanpa tempering*.
- Indiarto, R., Inayah, D. N., Wulansari, Ramadhani, A. P., Yarlina, V. P., & Pangawikan. (2021). Chocolate’s Blooming Phenomenon: A Brief Review of The Formation Process and Its Influencing Factors. *International Journal of Emerging Trends in Engineering Research*, 9(8), 1156–1161. <https://doi.org/10.30534/ijeter/2021/21982021>
- Indiarto, R., Subroto, E., & Sukri, N. (2021). The Chocolate Conching Technique and Its Impact on Physicochemical Properties: A Mini-Review. *International Journal of Emerging Trends in Engineering Research*, 9(6), 785–790. <https://doi.org/10.30534/ijeter/2021/25962021>
- Jati, M. (2011). Effects of Fructose and Tapioca Flour on physical and Sensory Properties of Chocolate Bar. *Pelita Perkebunan (a Coffee and Cocoa*

- Research Journal*), 27(3), 216–229.  
<https://doi.org/10.22302/icri.jur.pelitaperkebunan.v27i3.158>
- Jinap, S., Ali, A. A., Che Man, Y. B., & Suria. (2000). Use of palm mid-fraction in dark chocolate as base filling centre at different storage temperatures. *International Journal of Food Sciences and Nutrition*, 51(6), 489–499.  
<https://doi.org/10.1080/09637480050208107>
- Kamphuis, H. J. (2017). Production of Cocoa Mass, Cocoa Butter, and Cocoa Powder. In *Beckett's Industrial Chocolate Manufacture and Use, Fifth Edition* (pp. 50–71). John Wiley & Sons Ltd. 0.1002/9781118923597.ch3  
10.1002/9781118923597.ch3
- Keijbets, E. L., Chen, J., & Vieira, J. (2010). Chocolate demoulding and effects of processing conditions. *Journal of Food Engineering*, 98(1), 133–140.  
<https://doi.org/10.1016/j.jfoodeng.2009.12.019>
- Kita, A., Lachowicz, S., & Filutowska, P. (2020). Effects of package type on the quality of fruits and nuts panned in chocolate during long-time storage. *LWT*, 125, 109212. <https://doi.org/10.1016/j.lwt.2020.109212>
- Kortei, N. K., Odamtten, G. T., Obodai, M., Appiah, V., & Akonor, P. T. (2015). Determination of color parameters of gamma irradiated fresh and dried mushrooms during storage. *Biotechnology and Nutrition*.
- Kowalski, R., Rosochacki, M., Wyrostek, J., & Islam, M. T. (2023). Evaluating the Quality of Raw Chocolate as an Alternative to Commercial Products. *Applied Sciences*, 13(3), 1274. <https://doi.org/10.3390/app13031274>
- Kozłowska, J., Pauter, K., & Sionkowska, A. (2018). Carrageenan-based hydrogels: Effect of sorbitol and glycerin on the stability, swelling and mechanical properties. *Polymer Testing*, 67, 7–11.  
<https://doi.org/10.1016/j.polymertesting.2018.02.016>
- Kusnandar, F. (2019). *Kimia Pangan: Komponen Makro*. Bumi Aksara.
- Kusumadevi, Z., Saputro, A. D., Dewi, A. K., Irmandharu, F., Oetama, T., Setiowati, A. D., Rahayoe, S., & Bintoro, N. (2021). Physical characteristics of compound chocolate made with various flavouring agents produced using melanger as a small scale chocolate processing device. *IOP Conference Series: Earth and Environmental Science*, 653(1), 012036.  
<https://doi.org/10.1088/1755-1315/653/1/012036>
- Kusumawardani, I. N. S., Saputro, A. D., Kusuma, M. C., Fadilah, M. A. N., Setiowati, A. D., & Rahayoe, S. (2022). *Melting and Textural Characteristics of Dark Chocolate Formulated with Carrageenan-based Hydrogel Sweetened with Sucrose*: International Conference on Sustainable Environment, Agriculture and Tourism (ICOSEAT 2022), Bangka, Indonesia. [https://doi.org/10.2991/978-94-6463-086-2\\_55](https://doi.org/10.2991/978-94-6463-086-2_55)
- Li, D., Zhou, L., Wang, X., He, L., & Yang, X. (2019). Effect of Crystallinity of Polyethylene with Different Densities on Breakdown Strength and Conductance Property. *Materials*, 12(11), 1746.  
<https://doi.org/10.3390/ma12111746>
- Machálková, L., Hřivná, L., Nedomová, Š., & Jůzl, M. (2015). The effect of storage temperature on the quality and formation of blooming defects in chocolate confectionery. *Potravinárstvo Slovak Journal of Food Sciences*, 9(1), 39–

47. <https://doi.org/10.5219/425>
- Manalu, L. P., Djafar, M. Y., Wibawa, T. Y., & Himawan. (2017). Proses Pintas Pengolahan Kakao Skala UKM Studi Kasus di Luwu Sul-Sel. *Majalah Ilmiah Pengkajian Industri*, 11(1), 51–60. <https://doi.org/10.29122/mipi.v11i1.2093>
- Marsh, K., & Bugusu, B. (2007). Food Packaging—Roles, Materials, and Environmental Issues. *Journal of Food Science*, 72(3). <https://doi.org/10.1111/j.1750-3841.2007.00301.x>
- Marvig, C. L., Kristiansen, R. M., Madsen, M. G., & Nielsen, D. S. (2014). Identification and characterisation of organisms associated with chocolate pralines and sugar syrups used for their production. *International Journal of Food Microbiology*, 185, 167–176. <https://doi.org/10.1016/j.ijfoodmicro.2014.05.017>
- Marwati, T., & Lesmaningsih, A. (2019). *Kajian Teknologi Pengemasan Bubuk Dan Permen Cokelat di TTP Nglanggeran Yogyakarta*. 3(1).
- Meier, B. P., Noll, S. W., & Molokwu, O. J. (2017). The sweet life: The effect of mindful chocolate consumption on mood. *Appetite*, 108, 21–27. <https://doi.org/10.1016/j.appet.2016.09.018>
- Mexis, S. F., Badeka, A. V., Riganakos, K. A., & Kontominas, M. G. (2010). Effect of active and modified atmosphere packaging on quality retention of dark chocolate with hazelnuts. *Innovative Food Science & Emerging Technologies*, 11(1), 177–186. <https://doi.org/10.1016/j.ifset.2009.09.001>
- Miller, K. B., Hurst, W. J., Payne, M. J., Stuart, D. A., Apgar, J., Sweigart, D. S., & Ou, B. (2008). Impact of Alkalization on the Antioxidant and Flavanol Content of Commercial Cocoa Powders. *Journal of Agricultural and Food Chemistry*, 56(18), 8527–8533. <https://doi.org/10.1021/jf801670p>
- Mredha, Md. T. I., Pathak, S. K., Tran, V. T., Cui, J., & Jeon, I. (2019). Hydrogels with superior mechanical properties from the synergistic effect in hydrophobic–hydrophilic copolymers. *Chemical Engineering Journal*, 362, 325–338. <https://doi.org/10.1016/j.cej.2018.12.023>
- Muchlisyyah, J., Laeliocattleya, R. A., & Putri, W. D. R. (2017). *Kimia Fisik Pangan*. UB Press.
- Muzeza, C., Ngole-Jeme, V., & Msagati, T. A. M. (2023). The Mechanisms of Plastic Food-Packaging Monomers' Migration into Food Matrix and the Implications on Human Health. *Foods*, 12(18), 3364. <https://doi.org/10.3390/foods12183364>
- Nath, P. C., Debnath, S., Sridhar, K., Inbaraj, B. S., Nayak, P. K., & Sharma, M. (2023). A Comprehensive Review of Food Hydrogels: Principles, Formation Mechanisms, Microstructure, and Its Applications. *Gels*, 9(1). <https://doi.org/10.3390/gels9010001>
- Nautiyal, U., Sahu, N., & Gupta, D. (2020). Hydrogel: Preparation, Characterization and Applications. *Asian Pacific Journal of Nursing and Health Sciences*, 3. <https://doi.org/10.46811/apjnh/3.1.1>
- Nisa, N. H., Saputro, A. D., Kusumawardani, I. N. S., Fadilah, M. A. N., Setiowati, A. D., & Rahayoe, S. (2023). The appearance and textural characteristic of couverture praline chocolate filled with carrageenan-based hydrogel. *IOP*

- Conference Series: Earth and Environmental Science*, 1200(1), 012018.  
<https://doi.org/10.1088/1755-1315/1200/1/012018>
- Nugraheni, M. (2018). *Kemasan Pangan*. Plantaxia.
- Oba, S., Toker, O. S., Palabiyik, İ., Konar, N., Goktas, H., Cukur, Y., Artik, N., & Sagdic, O. (2017). Rheological and melting properties of sucrose-free dark chocolate. *International Journal of Food Properties*, 1–11.  
<https://doi.org/10.1080/10942912.2017.1362652>
- Pajin, B., Zarić, D., Dokic, L., Šereš, Z., Dragana, Š., Simović, Omorjan, R., & Lončarević, I. (2011). Influence of emulsifiers on the optimization of processing parameters of refining milk chocolate in the ball mill. *Acta Periodica Technologica*, 42, 101–110.  
<https://doi.org/10.2298/APT1142101P>
- Patel, N., Jayswal, S., & Maitreya, D. B. B. (2019). Dark chocolate: Consumption for human health. *Journal of Pharmacognosy and Phytochemistry*, 8(3), 2887–2890.
- Pelsmaecker, S., Gellynck, X., Delbaere, C., De Clercq, N., Januszewska, R., Hegyi, A., Küti, T., Depypere, F., & Dewettinck, K. (2013). The influence of different storage conditions and fat bloom on sensory characteristics of pralines. *Food Science and Law*, 4(2), 45–51.
- Perez, M., Lopez-Yerena, A., & Vallverdú-Queralt, A. (2022). Traceability, authenticity and sustainability of cocoa and chocolate products: A challenge for the chocolate industry. *Critical Reviews in Food Science and Nutrition*, 62(2), 475–489. <https://doi.org/10.1080/10408398.2020.1819769>
- Pertiwi, R., Suhartatik, N., & Mustofa, A. (2020). Estimasi Umur Simpan Snack Bars Beras Ketan Hitam (*Oryza sativa* var. *Glutinosa*) dan Labu Kuning (*Cucurbita moschata*) Dengan Metode ASS (Accelerated Storage Studies). *Jurnal Teknologi Hasil Pertanian*, 13(2), 104.  
<https://doi.org/10.20961/jthp.v13i2.42844>
- Popov-Raljić, J. V., Laličić-Petronijević, J. G., Georgijev, A. S., Popov, V. S., & Mladenović, M. A. (2010). Sensory Evaluation of *Pralines* Containing Different Honey Products. *Sensors*, 10(9), 7913–7933.  
<https://doi.org/10.3390/s100907913>
- Rauf, R. F. (2021). Pemodelan Kinetika Pengeringan Rumput Laut *Eucheuma cottonii* Menggunakan Pengering Surya Efek Rumah Kaca. *Jurnal Pendidikan Teknologi Pertanian*, 7(1), 139–152.  
<https://doi.org/10.26858/jptp.v7i1.19312>
- Robertson, G., L. (2013). *Food Packaging Principles and Practice*. Taylor & Francis Group, CRC Press.
- Rocha, I. S., Santana, L. R. R. de, Soares, S. E., & Bispo, E. da S. (2017). Effect of the roasting temperature and time of cocoa beans on the sensory characteristics and acceptability of chocolate. *Food Science and Technology*, 37(4), 522–530. <https://doi.org/10.1590/1678-457x.16416>
- Rosmindari, S., Saputro, A. D., & Bintoro, N. (2023). Changes of Dark Couverture Chocolate Hardness During Storage Tempered Using Automatic Tempering Machine with Tank and Tempering Temperature as Variables. *BIO Web of Conferences*, 80, 04002. <https://doi.org/10.1051/bioconf/20238004002>



- R. Ergun , R. Lietha & R. W. Hartel (2010) Moisture and Shelf Life in Sugar Confections, *Critical Reviews in Food Science and Nutrition*, 50:2, 162-192, <https://doi.org/10.1080/10408390802248833>
- Ruban, A., Hrivna, L., Machalkova, L., & Sotnikova, V. (2016). *Effect Of Storage Regime on Texture and Other Sensory Properties of Chocolate*.
- Saputro, A. D., Muhammad, D. R. A., Sunarharum, W. B., Kusumadevi, Z., & Irmandharu, F. (2021). Physical characteristics of chocolate made from cocoa bean fermented at different duration: A preliminary study. *IOP Conference Series: Earth and Environmental Science*, 653(1), 012039. <https://doi.org/10.1088/1755-1315/653/1/012039>
- Saputro, A. D., Nur Fadilah, M. A., Keegen Bangun, S., Rahayoe, S., Wahyu Karyadi, J. N., & Setiowati, A. D. (2022). Physical Characteristic of Heat Resistant Chocolate Formulated with Konjac Glucomannan and Xanthan Gum-Based Hydrogel at Various Fat Content during Period of Crystal Growth (Maturation). *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 11(4), 658. <https://doi.org/10.23960/jtep-l.v11i4.658-670>
- Saputro, A. D., Van de Walle, D., Caiquo, B. A., Hinneh, M., Kluczykoff, M., & Dewettinck, K. (2019). Rheological behaviour and microstructural properties of dark chocolate produced by combination of a ball mill and a liquefier device as small scale chocolate production system. *LWT*, 100, 10–19. <https://doi.org/10.1016/j.lwt.2018.10.039>
- Saputro, A. D., Walle, D. V. de, Kadivar, S., Sintang, M. D. B., Meeren, P. V. der, & Dewettinck, K. (2017). Investigating the rheological, microstructural and textural properties of chocolates sweetened with palm sap-based sugar by partial replacement. *European Food Research and Technology*, 243, 1729–1738. <https://doi.org/doi.org/10.1007/s00217-017-2877-3>
- Sedlacekova, Z. (2017). *Food Packaging Materials Comparison of Materials Used for Packaging Purposes* [International Business and Logistics Bachelor's degree, Metropolia University of Applied Sciences]. <https://api.semanticscholar.org/CorpusID:198951799>
- Shafi, F., Reshi, M., & Bashir, I. (2018). *Chocolate Processing*. 8, 408–419. <https://www.researchgate.net/publication/330171165>
- Sinclair, J. (2007). *A comparison of material preferences by chocolatiers and consumers* [Master of Science Degree Thesis]. Rochester Institute of Technology.
- Siregar, S. Z., Saputro, A. D., Edi, Fadilah, M. A. N., Susanti, D. Y., & Setiowati, A. D. (2023). The impact of shell formation duration during manual tempering process on the hardness and melting point of couverture praline chocolate. *IOP Conference Series: Earth and Environmental Science*, 1200(1), 012017. <https://doi.org/10.1088/1755-1315/1200/1/012017>
- Škrabal, S., Ačkar, Đ., Babić, J., Miličević, B., Jozinović, A., & Šubarić, D. (2019). Effect of Different Storage Conditions on Fat Bloom Formation in Different Types of Chocolate. *Food in Health and Disease : Scientific-Professional Journal of Nutrition and Dietetics*, 8(2), 97–104.
- Slettengren, K. (2010). *Crack formation in chocolate pralines*. Chalmers University

of Technology.

- Stephen, T.B., Mark, S.F., & Gregory, R.Z. (2017). *Beckett's industrial chocolate manufacture and use*. Chichester, West Sussex: John Wiley & Sons Ltd.
- Stortz, T. A., & Marangoni, A. G. (2011). Heat resistant chocolate. *Trends in Food Science & Technology*, 22(5), 201–214. <https://doi.org/10.1016/j.tifs.2011.02.001>
- Subramaniam, P. (2011). 25—The stability and shelf life of confectionery products. In D. Kilcast & P. Subramaniam (Eds.), *Food and Beverage Stability and Shelf Life* (pp. 716–742). Woodhead Publishing. <https://doi.org/10.1533/9780857092540.3.716>
- Suri, T., & Basu, S. (2022). Heat resistant chocolate development for subtropical and tropical climates: A review. *Critical Reviews in Food Science and Nutrition*, 62(20), 5603–5622. <https://doi.org/10.1080/10408398.2021.1888690>
- Svanberg, L., Ahrné, L., Lorén, N., & Windhab, E. (2013). Impact of pre-crystallization process on structure and product properties in dark chocolate. *Journal of Food Engineering*, 114(1), 90–98. <https://doi.org/10.1016/j.jfoodeng.2012.06.016>
- Svanberg, L., Lorén, N., & Ahrné, L. (2012). Chocolate Swelling during Storage Caused by Fat or Moisture Migration. *Journal of Food Science*, 77(11), E328–E334. <https://doi.org/10.1111/j.1750-3841.2012.02945.x>
- Tolve, R., Tchenbou-Magaia, F. L., Sportiello, L., Bianchi, F., Radecka, I., & Favati, F. (2022). Shelf-Life Prediction and Thermodynamic Properties of No Added Sugar Chocolate Spread Fortified with Multiple Micronutrients. *Foods*, 11(15), 2358. <https://doi.org/10.3390/foods11152358>
- Verde, A. B., Alvim, I. D., Luccas, V., Marangoni, L., & Alves, R. M. V. (2022). The influence of formulation and packaging material on the rheological properties of milk chocolate. *Applied Food Research*, 2(2), 100199. <https://doi.org/10.1016/j.afres.2022.100199>
- Verde, A. B., Alvim, I. D., Luccas, V., & Vercelino Alves, R. M. (2021). Stability of milk chocolate with hygroscopic fibers during storage. *LWT*, 137, 110477. <https://doi.org/10.1016/j.lwt.2020.110477>
- Wang, J., Gardner, D. J., Stark, N. M., Bousfield, D. W., Tajvidi, M., & Cai, Z. (2018). Moisture and Oxygen Barrier Properties of Cellulose Nanomaterial-Based Films. *ACS Sustainable Chemistry & Engineering*, 6(1), 49–70. <https://doi.org/10.1021/acssuschemeng.7b03523>
- Wang, Y., Zhang, X., Gao, Y., Yuan, F., & Mao, L. (2023). Development of  $\kappa$ -carrageenan hydrogels with mechanically stronger structures *via* a solvent-replacement method. *Food Innovation and Advances*, 2(4), 313–323. <https://doi.org/10.48130/FIA-2023-0031>
- Watanabe, S., Yoshikawa, S., & Sato, K. (2021). Formation and properties of dark chocolate prepared using fat mixtures of cocoa butter and symmetric/asymmetric stearic-oleic mixed-acid triacylglycerols: Impact of molecular compound crystals. *Food Chemistry*, 339, 127808. <https://doi.org/10.1016/j.foodchem.2020.127808>
- Wulandari, A., & Waluyo, S. (2013). (Prediction of Self Life of Kemplang Crackers

- Packaged in Polypropylene Plastic with Thicknesses). *Jurnal Teknik Pertanian Lampung*, 2(2), 105–114.
- Zafirah, A. M. D., Roselina, K., Jinap, S., & Norhayati, H. (2018). Effects of fat content and grinding level of cocoa nibs on physicochemical characteristics of espresso cocoa. *International Food Research Journal*, 25(3), 1239–1245.
- Žaimis, U., Petronienė, J. J., Dzedzickis, A., & Bučinskas, V. (2023). Biodegradable Carrageenan-Based Force Sensor: An Experimental Approach. *Sensors*, 23(23), 9423. <https://doi.org/10.3390/s23239423>