

DAFTAR PUSTAKA

- Alonso Gabino. (2013). *ltjournal-v23n3-05-di-ltspice-gabinoalonso*.
- American Diabetes Association. (t.t.). *Type 2 and Blood Glucose Checks / ADA*. Diambil 4 Juli 2024, dari <https://diabetes.org/about-diabetes/devices-technology/blood-sugar-checks-type-2>
- Blackledget, J. M. (2006). The Fourier Transform. *Digital Signal Processing*, 75–113. <https://doi.org/10.1533/9780857099457.1.75>
- Chetpattananondh, K., Tapoanoi, T., Phukpattaranont, P., & Jindapetch, N. (2014). A self-calibration water level measurement using an interdigital capacitive sensor. *Sensors and Actuators A: Physical*, 209, 175–182. <https://doi.org/10.1016/J.SNA.2014.01.040>
- Chiang, C. T., & Huang, Y. C. (2006a). A semicylindrical capacitive sensor with interface circuit used for flow rate measurement. *IEEE Sensors Journal*, 6(6), 1564–1570. <https://doi.org/10.1109/JSEN.2006.883847>
- Chiang, C. T., & Huang, Y. C. (2006b). A Semicylindrical Capacitive Sensor With Interface Circuit Used for Flow Rate Measurement. *IEEE Sensors Journal*, 6(6), 1564–1570. <https://doi.org/10.1109/JSEN.2006.883847>
- Chris Baker. (2007). *Dielectric Behavior / UniversityWafer, Inc.* <https://www.universitywafer.com/dielectric-behavior.html>
- Cuzzocrea, S., & Crupi, R. (2023). To Go Where Nature Leads: Focus on Palmitoylethanolamide and Related ALIAMides as Innovative Approach to Neuroinflammatory and Pain-Related Disease States in Honor of Doctor Francesco Della Valle. *Biomolecules* 2023, Vol. 13, Page 1583, 13(11), 1583. <https://doi.org/10.3390/BIOM13111583>
- David R, L. (2006). CRC Handbook of Chemistry and Physics, 87th ed Editor-in-Chief: David R. Lide (National Institute of Standards and Technology). CRC Press/Taylor and Francis Group: Boca Raton, FL. 2006. 2608 pp. \$139.95. ISBN 0-8493-0487-3. *Journal of the American Chemical Society*, 129(3), 724–724. <https://doi.org/10.1021/JA069813Z>
- del Río, J. A., Zimmerman, R. W., & Dawe, R. A. (1998). Formula for the conductivity of a two-component material based on the reciprocity theorem. *Solid State Communications*, 106(4), 183–186. [https://doi.org/10.1016/S0038-1098\(98\)00051-9](https://doi.org/10.1016/S0038-1098(98)00051-9)
- Desouza, C. V., Bolli, G. B., & Fonseca, V. (2010). Hypoglycemia, Diabetes, and Cardiovascular Events. *Diabetes Care*, 33(6), 1389–1394. <https://doi.org/10.2337/dc09-2082>
- Dicristina, J. (2010). *Blood Glucose Meters*. www.maximintegrated.com/glucose.
- Doblas-Reyes, F. J., & Déqué, M. (1998). A Flexible Bandpass Filter Design Procedure Applied to Midlatitude Intraseasonal Variability. *Monthly Weather Review*, 126(12), 3326–3335. [https://doi.org/10.1175/1520-0493\(1998\)126<3326:AFBFDP>2.0.CO;2](https://doi.org/10.1175/1520-0493(1998)126<3326:AFBFDP>2.0.CO;2)

- Dutta, A., Chandra Bera, S., & Das, K. (2019). A non-invasive microcontroller based estimation of blood glucose concentration by using a modified capacitive sensor at low frequency. *AIP Advances*, 9(10), 105027. https://doi.org/10.1063/1.5116059/12967667/105027_1_ONLINE.PDF
- Fadlioni, & Asriyadi. (t.t.). *Eksperimen dan Simulasi Rangkaian Band Pass Filter (BPF) dengan Resistor dan Kapasitor*. 1(2).
- Fernández, D. P., Mulev, Y., Goodwin, A. R. H., & Sengers, J. M. H. L. (1995). A Database for the Static Dielectric Constant of Water and Steam. *Journal of Physical and Chemical Reference Data*, 24(1), 33–70. <https://doi.org/10.1063/1.555977>
- Firdausi, F. M., & Ayu Saraswati, D. (t.t.). *Rancang Bangun Alat Ukur Kadar Gula Darah Secara Non-Invasive*.
- Frydlewicz, W., Michalec, Ł., Kostyla, P., Kaczorowska, D., & Sikorski, T. (2024). Influence of the Supply Voltage Variation on the Conducted Emission in the Frequency Range up to 150 kHz Injected into the Power Grid by CFL and LED Lamps—Case Study. *Applied Sciences* 2024, Vol. 14, Page 2590, 14(6), 2590. <https://doi.org/10.3390/APP14062590>
- Giyantara, A., Mudeng, V., Ramadhani, R., & Wulandari, R. (2019). Analisis Rangkaian Full Wave Rectifier dengan Filter Kapasitor, Pembagi Tegangan, Buffer dan Penguat Differensial pada Sensor Arus. *SPECTA Journal of Technology*, 3(2), 1–9. <https://doi.org/10.35718/SPECTA.V3I2.44>
- Gowda, H., Rk, R., Boraganve, S., S, Y. B., & Yakkala, M. (2020). Design and Implementation of Single/Multiple Frequency Notch Filter using Adaptive Noise Canceller for Communication Applications. *International Journal of Future Generation Communication and Networking*, 13(3), 1118–1127. <https://www.researchgate.net/publication/342832694>
- Gun, L., Ning, D., & Liang, Z. (2017). Effective Permittivity of Biological Tissue: Comparison of Theoretical Model and Experiment. *Mathematical Problems in Engineering*, 2017(1), 7249672. <https://doi.org/10.1155/2017/7249672>
- Gurung, P., Zubair, M., & Jialal, I. (2024). *Plasma Glucose*.
- Gyamfi, D., & Danquah, K. O. (2016). Nutrients and Liver Metabolism. *Molecular Aspects of Alcohol and Nutrition: A Volume in the Molecular Nutrition Series*, 3–15. <https://doi.org/10.1016/B978-0-12-800773-0.00001-X>
- Healy, W. P. (2001). *Electrodynamics, Quantum*.
- Henri, K. M. (2023). Study on the behavior of a bandpass filter at low frequency and high frequency. *International Journal of Innovation and Applied Studies*, 40(3), 1044–1051. <http://www.ijias.issr-journals.org/abstract.php?article=IJIAS-23-239-01>
- Hua, T., Xiang, Z., Xia, X., Li, Z., Sun, D., Wu, Y., Liu, Y., Shang, J., Chen, J., & Li, R. (2023). A Sensitivity-Optimized Flexible Capacitive Pressure Sensor with Cylindrical

- Ladder Microstructural Dielectric Layers. *Sensors*, 23(9), 4323. <https://doi.org/10.3390/S23094323/S1>
- Ilyas, R. A., Sapuan, S. M., Ibrahim, R., Abral, H., Ishak, M. R., Zainudin, E. S., Atikah, M. S. N., Mohd Nurazzi, N., Atiqah, A., Ansari, M. N. M., Syafri, E., Asrofi, M., Sari, N. H., & Jumaidin, R. (2019). Effect of sugar palm nanofibrillated cellulose concentrations on morphological, mechanical and physical properties of biodegradable films based on agro-waste sugar palm (*Arenga pinnata* (Wurm.) Merr) starch. *Journal of Materials Research and Technology*, 8(5), 4819–4830. <https://doi.org/10.1016/j.jmrt.2019.08.028>
- Jin, Y. Q. L. (2001). Effective Permittivity of Dielectric Mixture Based on the Electric-Circuit Model. *Electromagnetics*, 21(4), 341–350. <https://doi.org/10.1080/027263401750158216>
- Kaminski, C. Y., Galindo, R. J., Navarrete, J. E., Zabala, Z., Moazzami, B., Gerges, A., McCoy, R. G., Fayfman, M., Vellanki, P., Idrees, T., Peng, L., & Umpierrez, G. E. (2024). Assessment of Glycemic Control by Continuous Glucose Monitoring, Hemoglobin A1c, Fructosamine, and Glycated Albumin in Patients With End-Stage Kidney Disease and Burnt-Out Diabetes. *Diabetes Care*, 47(2), 267–271. <https://doi.org/10.2337/dc23-1276>
- Liao, X., Raghavan, G. S. V., Dai, J., & Yaylayan, V. A. (2003). Dielectric properties of α -d-glucose aqueous solutions at 2450 MHz. *Food Research International*, 36(5), 485–490. [https://doi.org/10.1016/S0963-9969\(02\)00196-5](https://doi.org/10.1016/S0963-9969(02)00196-5)
- Manaf, M. N., & Triyana, K. (2016). *Analytical solutions for capacitance of a semi-cylindrical capacitive sensor*. 020002. <https://doi.org/10.1063/1.4958467>
- Marioli, D., Sardini, E., & Taroni, A. (1993). High-accuracy measurement techniques for capacitance transducers. *Measurement Science and Technology*, 4(3), 337–343. <https://doi.org/10.1088/0957-0233/4/3/012>
- Mouri, Mi., & Badireddy, M. (2024). *Hyperglycemia*.
- National Diabetes Statistics. (t.t.). *National Diabetes Statistics Report | Diabetes | CDC*. Diambil 4 Juli 2024, dari https://www.cdc.gov/diabetes/php/data-research/?CDC_AAref_Val=https://www.cdc.gov/diabetes/data/statistics-report/index.html
- Rahamoni, M. T., Kabir, S., Parvez, M. H., Islam, S., & Chowdhury, M. I. B. (2020). Towards the Portability of a Capacitive-sensor based Non-invasive Glucometer: A Simulation Approach. *Proceedings of 2020 IEEE International Women in Engineering (WIE) Conference on Electrical and Computer Engineering, WIECON-ECE 2020*, 94–97. <https://doi.org/10.1109/WIECON-ECE52138.2020.9398027>
- Ram, N., & Sabach, S. (2024). A Globally Convergent Inertial First-Order Optimization Method for Multidimensional Scaling. *Journal of Optimization Theory and Applications*, 1–26. <https://doi.org/10.1007/S10957-024-02486-3/FIGURES/7>

- Reverter, F., & Casas, Ò. (2008). Direct interface circuit for capacitive humidity sensors. *Sensors and Actuators A: Physical*, 143(2), 315–322. <https://doi.org/10.1016/J.SNA.2007.11.018>
- Schwartz, A. V., Vittinghoff, E., Sellmeyer, D. E., Feingold, K. R., Rekeneire, N. de, Strotmeyer, E. S., Shorr, R. I., Vinik, A. I., Odden, M. C., Park, S. W., Faulkner, K. A., & Harris, T. B. (2008). Diabetes-Related Complications, Glycemic Control, and Falls in Older Adults. *Diabetes Care*, 31(3), 391–396. <https://doi.org/10.2337/dc07-1152>
- Semiconductor Inc, F. (2013). *Glucose Meter - Fundamentals and Design*.
- Shafinaz, I., & Razak, A. (2016). *A Design of Single Phase Bridge Full-wave Rectifier*. <https://www.researchgate.net/publication/308788220>
- Sidney, C. (2004). *A GUIDE TO PHYSICS PROBLEMS part 1 Mechanics, Relativity, and Electrodynamics*.
- Sparkfun Electronics. (t.t.-a). *Coin Cell Battery - 24.5mm (Rechargeable CR2450) - PRT-10319 - SparkFun Electronics*. Diambil 4 Juli 2024, dari <https://www.sparkfun.com/products/retired/10319>
- Sparkfun Electronics. (t.t.-b). *Custom Small Size LCD Segment Code LCD Screen, Blood Glucose Meter Medical Equipment - China Small Appliances Display and Positive Mode price*. Diambil 4 Juli 2024, dari <https://szshareway.en.made-in-china.com/product/VdMfbJDBHnWG/China-Custom-Small-Size-LCD-Segment-Code-LCD-Screen-Blood-Glucose-Meter-Medical-Equipment.html>
- Tian, R. F., Du, L. P., Zhang, P. F., & Ning, D. L. (2011). Experimental research on steam wetness measurement by capacitance sensor. *Asia-Pacific Power and Energy Engineering Conference, APPEEC*. <https://doi.org/10.1109/APPEEC.2011.5749020>
- von Hippel, A. R., & Morgan, S. O. (1955). *Dielectric Materials and Applications* (Vol. 102). <https://doi.org/10.1149/1.2430014>
- Wang, X., Guo, H., Zhou, C., & Bai, J. (2021). High-resolution probe design for measuring the dielectric properties of human tissues. *BioMedical Engineering Online*, 20(1). <https://doi.org/10.1186/s12938-021-00924-1>
- Watson, R. R., & Dokken, B. B. (2014). Glucose Intake and Utilization in Pre-Diabetes and Diabetes: Implications for Cardiovascular Disease. *Glucose Intake and Utilization in Pre-Diabetes and Diabetes: Implications for Cardiovascular Disease*, 1–414. <https://doi.org/10.1016/C2013-1-13458-2>
- Wei, J., Yue, C., Van Der Velden, M., Chen, Z. L., Liu, Z. W., Makinwa, K. A. A., & Sarro, P. M. (2010). Design, fabrication and characterization of a femto-farad capacitive sensor for pico-liter liquid monitoring. *Sensors and Actuators A: Physical*, 162(2), 406–417. <https://doi.org/10.1016/J.SNA.2010.03.021>

- Whitmer, R. A. (2007). Type 2 diabetes and risk of cognitive impairment and dementia. *Current Neurology and Neuroscience Reports*, 7(5), 373–380. <https://doi.org/10.1007/s11910-007-0058-7>
- World Health Organization. (t.t.). *Diabetes*. Diambil 4 Juli 2024, dari https://www.who.int/health-topics/diabetes#tab=tab_1
- Yamaden. (2020). *Table of dielectric constants of substances / Level meters and level switches by Yamaden*. http://www.ydic.co.jp/english/technology/table_E.html
- Zubair, M., & Tang, T. B. (2014). A High Resolution Capacitive Sensing System for the Measurement of Water Content in Crude Oil. *Sensors 2014, Vol. 14, Pages 11351-11361*, 14(7), 11351–11361. <https://doi.org/10.3390/S140711351>