

## DAFTAR PUSTAKA

- Agarwal, S., Singh Chauhan, E., & Ekta Singh Chauhan, C. (2019). Extrusion processing: The effect on nutrients and based products. ~ 464 ~ *The Pharma Innovation Journal*, 8(4), 464–470. [www.thepharmajournal.com](http://www.thepharmajournal.com)
- Agathian, G., Semwal, A. D., & Sharma, G. K. (2015). Optimization of barrel temperature and kidney bean flour percentage based on various physical properties of extruded snacks. *Journal of Food Science and Technology*, 52(7), 4113–4123. <https://doi.org/10.1007/s13197-014-1483-7>
- Alam, M. R., Scampicchio, M., Angeli, S., & Ferrentino, G. (2019). Effect of hot melt extrusion on physical and functional properties of insect based extruded products. *Journal of Food Engineering*, 259, 44–51. <https://doi.org/10.1016/j.jfoodeng.2019.04.021>
- Amalia, R., Ismoyowati, D., & Mulyati, G. T. (2022). Nutritional Content in Snack Food: Consumer Perceptions and Behaviors. *Agroindustrial Journal*, 8(2), 560. <https://doi.org/10.22146/aij.v8i2.76731>
- Arora, B., Singha, P., & Rizvi, S. S. H. (2021a). Supercritical fluid extrusion: Die design and physicochemical properties of milk protein extrudates. *Innovative Food Science and Emerging Technologies*, 68. <https://doi.org/10.1016/j.ifset.2021.102637>
- Arora, B., Singha, P., & Rizvi, S. S. H. (2021b). Supercritical fluid extrusion: Die design and physicochemical properties of milk protein extrudates. *Innovative Food Science and Emerging Technologies*, 68. <https://doi.org/10.1016/j.ifset.2021.102637>
- Beakawi Al-Hashemi, H. M., & Baghabra Al-Amoudi, O. S. (2018). A review on the angle of repose of granular materials. In *Powder Technology* (Vol. 330, pp. 397–417). Elsevier B.V. <https://doi.org/10.1016/j.powtec.2018.02.003>
- Boakye, P. G., Okyere, A. Y., Bharathi, R., Murai, T., & Annor, G. A. (2023). Physicochemical and nutritional properties of extruded products from cereals of the Triticeae tribe – A review. In *Food Chemistry Advances* (Vol. 3). Elsevier Ltd. <https://doi.org/10.1016/j.focha.2023.100379>
- Boakye, P. G., Okyere, A. Y., Koumbenou, I., Kowalski, R., Ismail, B. P., & Annor, G. A. (2022). Optimizing the extrusion conditions for the production of

- expanded intermediate wheatgrass (*Thinopyrum intermedium*) products. *Journal of Food Science*, 87(8), 3496–3512. <https://doi.org/10.1111/1750-3841.16238>
- Bordoloi, R. (2014). *EXTRUSION TECHNIQUE IN FOOD PROCESSING AND A REVIEW ON ITS VARIOUS TECHNOLOGICAL PARAMETERS*. <http://www.indjsrt.com>
- Brewbaker, J. L. (2003). Corn production in the tropics: The Hawaii experience. University of Hawaii.
- Budijanto, S., Sitanggang, A. B., Wiaranti, H., & Koesbiantoro, D. B. (2012). PENGEMBANGAN TEKNOLOGI SEREAL SARAPAN BEKATUL DENGAN MENGGUNAKAN TWIN SCREW EXTRUDER. In *J. Pascapanen* (Vol. 9, Issue 2).
- Chen, G., Oladeji Alamu, E., Sameem Javed, M., F-u-H, S., & D-e-S, S. (n.d.). *OPEN ACCESS EDITED BY Nutritional characterization of the extrusion-processed micronutrient-fortified corn snacks enriched with protein and dietary fiber*.
- Choton, S., Gupta, N., Bandral, J. D., Anjum, N., & Choudary, A. (2020a). Extrusion technology and its application in food processing: A review. *The Pharma Innovation*, 9(2), 162–168. <https://doi.org/10.22271/tpi.2020.v9.i2d.4367>
- Choton, S., Gupta, N., Bandral, J. D., Anjum, N., & Choudary, A. (2020b). Extrusion technology and its application in food processing: A review. *The Pharma Innovation*, 9(2), 162–168. <https://doi.org/10.22271/tpi.2020.v9.i2d.4367>
- Dalbhat, C. G., Mahato, D. K., & Mishra, H. N. (2019). Effect of extrusion processing on physicochemical, functional and nutritional characteristics of rice and rice-based products: A review. In *Trends in Food Science and Technology* (Vol. 85, pp. 226–240). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2019.01.001>
- Haase, M., and Tekkaya, A. E., (2015) *Cold Extrusion of Hot Extruded Aluminium Chips*. *Journal of Materials Processing Technology*. Vol 217. Pages 356-367.

- Kalman, H. (2021). Effect of moisture content on flowability: Angle of repose, tilting angle, and Hausner ratio. *Powder Technology*, 393, 582–596. <https://doi.org/10.1016/j.powtec.2021.08.010>
- Kesre, C., & Masatcioglu, M. T. (2022). Physical characteristics of corn extrudates supplemented with red lentil bran. *LWT*, 153. <https://doi.org/10.1016/j.lwt.2021.112530>
- Levine, L. (n.d.). *Open and surface areas of extrusion dies*. <https://www.researchgate.net/publication/297569337>
- Lu, X., Brennan, M. A., Narciso, J., Guan, W., Zhang, J., Yuan, L., Serventi, L., & Brennan, C. S. (2020). Correlations between the phenolic and fibre composition of mushrooms and the glycaemic and textural characteristics of mushroom enriched extruded products. *LWT*, 118. <https://doi.org/10.1016/j.lwt.2019.108730>
- Macho, O., Demková, K., Gabrišová, Ľ., Čierny, M., Mužíková, J., Galbavá, P., Nižnanská, Ž., Blaško, J., Peciar, P., Fekete, R., & Peciar, M. (2020). Analysis of static angle of repose with respect to powder material properties. *Acta Polytechnica*, 60(1), 73–80. <https://doi.org/10.14311/AP.2020.60.0073>
- Maula, A., Faridah, D. N., & Muhandri, T. (2019). OPTIMASI PROSES MI JAGUNG VARIETAS LOKAL DENGAN TEKNOLOGI EKSTRUSI. *Jurnal Teknologi Dan Industri Pangan*, 30(2), 110–118. <https://doi.org/10.6066/jtip.2019.30.2.110>
- Maurya, A. K., Said, P. P., (2014) *Extrusion Processing on Physical and Chemical Properties of Protein Rich Products*. *Journal of Bioresources Engineering and Technology*. Vol 2. Pages 61-67
- Mohamad Mazlan, M., Talib, R. A., Mail, N. F., Taip, F. S., Chin, N. L., Sulaiman, R., Shukri, R., & Mohd Nor, M. Z. (2019). Effects of extrusion variables on corn-mango peel extrudates properties, torque and moisture loss. *International Journal of Food Properties*, 22(1), 54–70. <https://doi.org/10.1080/10942912.2019.1568458>
- Mugabi, R., Byakika, S., & Mukisa, I. M. (2022). Effects of Feed Moisture Content, Soybean Ratio and Barrel Temperature on Physical and Functional Properties

- of Extruded Maize-Soybean Flour Blends. *Tanzania Journal of Science*, 48(2), 447–459. <https://doi.org/10.4314/tjs.v48i2.19>
- Navaneetha .E., and Lakshmi. A. A., (2023). *Cold extrusion on bulk materials: A review. Journal Material Today: Proceedings.*
- Nurilmala, M., Suptijah, P., Subagja, Y., & Hidayat, T. (2014). Nomor 2 Pemanfaatan Ikan Patin pada Snack Ekstrusi. In *JPHPI* (Vol. 17).
- Oduntan, O. B., Bamgboye, A. I., & Oduntan, A. O. (2022). Experimental Research on Optimization Extruder Process Parameters for Pineapple Pomace-Based Fish Feed. *Jurnal Keteknikan Pertanian Tropis Dan Biosistem*, 10(3), 213–225. <https://doi.org/10.21776/ub.jkptb.2022.010.03.05>
- Oikonomou, N. A., & Krokida, M. K. (2011). Literature data compilation of WAI and WSI of extrudate food products. *International Journal of Food Properties*, 14(1), 199–240. <https://doi.org/10.1080/10942910903160422>
- Oke, M. O., Awonorin, S. O., & Workneh, T. S. (2013). *African Journal of Agricultural Research Expansion ratio of extruded water yam (Dioscorea alata) starches using a single screw extruder.* 8(9), 750–762. <https://doi.org/10.5897/AJAR12.1091>
- Oliveira, L. C., Schmiele, M., & Steel, C. J. (2017). Development of whole grain wheat flour extruded cereal and process impacts on color, expansion, and dry and bowl-life texture. *LWT*, 75, 261–270. <https://doi.org/10.1016/j.lwt.2016.08.064>
- Patel, G. R., & Pandya, T. C. (2018). Effect of particle size, shape and temperature on the volume thermal expansion and bulk modulus of nanocrystalline germanium. *AIP Conference Proceedings*, 1942. <https://doi.org/10.1063/1.5028692>
- Panjabari, N. R., Arora, S., Meena, G. S., & Borad, S. (2018). *Effect of extrusion processing parameters on hardness and crispiness of milk protein-maize based extrudates.* <https://www.researchgate.net/publication/346623871>
- Pawar, S. G., Pardeshi, I. L., Borkar, P. A., & Rajput, M. R. (n.d.). Optimization of Process Parameters of Microwave Puffed Sorghum Based Ready-to-Eat (RTE) Food. In *Journal of Ready to Eat Food* (Issue 2). [www.jakraya.com/journal/jref](http://www.jakraya.com/journal/jref)

- H., Suci, K., Utari, T., Dewi, N., Program, R., Teknologi, S., Perikanan, H., Perikanan, J., Perikanan, F., Kelautan, I., Diponegoro, U., & Prof, J. (2016). *SIFAT FISIKA KIMIA FISH SNACK EKSTRUSI IKAN NILA (Oreochromis niloticus) DENGAN PENAMBAHAN GRIT BUAH LINDUR (Bruguiera gymnorizha)*. 5. <http://www.ejournal-s1.undip.ac.id/index.php/>
- Prabha, K., Ghosh, P., S, A., Joseph, R. M., Krishnan, R., Rana, S. S., & Pradhan, R. C. (2021). Recent development, challenges, and prospects of extrusion technology. In *Future Foods* (Vol. 3). Elsevier B.V. <https://doi.org/10.1016/j.fufo.2021.100019>
- Ramachandra Rao, H. G., & Thejaswini, M. L. (2015). Extrusion Technology: A Novel Method of Food Processing. In *IJSET-International Journal of Innovative Science, Engineering & Technology* (Vol. 2, Issue 4). [www.ijiset.com](http://www.ijiset.com)
- Rich, J. J., & Rosentrater, K. A. (2016). Properties of Extrusion Processed Corn and Corn Coproducts. *Journal of Food Research*, 5(6), 21. <https://doi.org/10.5539/jfr.v5n6p21>
- Rao R. H., Thejaswini L. M., (2015) *Extrusion Technology: A Novel Method of Food Processing. International Journal of Innovative Science, Engineering & Technology*. Vol 2. Pages 358-369.
- Shah. F. U., Sharif. M. K., Ahmad. Z., Amjad. A., JAved. M. S., Suleman. R., Sattar. D. S., Amir. M., and Anwar. M. J., (2022) *Nutritional Characterization of The Extrusion – Processed Micronutrient – Fortified Corn Snacks Enriched with Protein and Dietart Fiber. Frontiers in Nutrition*. Vol 9. Pages 1-12.
- Setiana, I., Utomo, D. B., & Ramli, N. (2015). Pengaruh Ukuran Partikel Jagung Terhadap Kecernaan Pati: in Vitro. *Buletin Ilmu Makanan Ternak*, 102(1), 27.
- Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1). <https://doi.org/10.1016/j.afres.2022.100072>
- Salahudin, F., & Syamsixman, D. (n.d.). *PENGARUH BAHAN PENGISI TERHADAP MUTU SNACK FOOD EKSTRUDAT DARI PADATAN KEDELAI INDUSTRI TAHU*.

- Santoso, R., & Risyanto, P. (n.d.). *Pengaruh Metode Ekstrusi-Sferonisasi Dalam Pembuatan Pelet*.
- Sharma, C., Singh, B., Hussain, S. Z., & Sharma, S. (2017). Investigation of process and product parameters for physicochemical properties of rice and mung bean (*Vigna radiata*) flour based extruded snacks. *Journal of Food Science and Technology*, 54(6), 1711–1720. <https://doi.org/10.1007/s13197-017-2606-8>
- Singha, P., Singh, S. K., Muthukumarappan, K., & Krishnan, P. (2018). Physicochemical and nutritional properties of extrudates from food grade distiller's dried grains, garbanzo flour, and corn grits. *Food Science and Nutrition*, 6(7), 1914–1926. <https://doi.org/10.1002/fsn3.769>
- Suryanti, S., Haryati, S., Putra, A. N., & Heryana, R. (2018). Karakteristik Makanan Ringan Ekstrudat dari Kepala Udang Vannamei (*Litopenaeus vannamei*). *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 13(1), 61. <https://doi.org/10.15578/jpbkp.v13i1.500>
- Teferra, T. F. (2019). Engineering Properties of Food Materials. Handbook of Farm, Dairy and Food Machinery Engineering, 45–89. <https://doi.org/10.1016/B978-0-12-814803-7.00003-8>
- Yi, C., Qiang, N., Zhu, H., Xiao, Q., & Li, Z. (2022). Extrusion processing: A strategy for improving the functional components, physicochemical properties, and health benefits of whole grains. *Food Research International*, 160(July), 111681. <https://doi.org/10.1016/j.foodres.2022.111681>