



## DAFTAR PUSTAKA

- Aday, M. S., Caner, C., & Rahvalı, F. (2011). Effect of oxygen and carbon dioxide absorbers on strawberry quality. *Postharvest Biology and Technology*, 62(2), 179–187.
- Alam Patwary, M. M., Rahman, M. H., Barua, H., Sarkar, S., & Alam, M. S. (n.d.). *Study on the Growth and Development of two Dragon Fruit (*Hylocereus undatus*) Genotypes*.
- Alvionita, L. (2017). Pengaruh Leverage Terhadap Price To Book Value Pada PT Pelayaran Tempura Emas Tbk Dan Entitas Anak. *Jurnal FinAcc*, 1(12), 2042–2054.
- Amanto, B. S., Atmaka, W., & Affandi, D. R. (2011). Prediksi umur simpan tepung jagung (*Zea mays L.*) Instan di dalam kemasan plastik. *Jurnal Teknologi Hasil Pertanian*, 4(2).
- Badillo, G. M., & Segura-Ponce, L. A. (2020). Classic and Reaction-Diffusion Models Used in Modified Atmosphere Packaging (MAP) of Fruit and Vegetables. In *Food Engineering Reviews* (Vol. 12, Issue 2, pp. 209–228). Springer. <https://doi.org/10.1007/s12393-020-09214-3>
- Beaudry, R. M. (1993). Effect of carbon dioxide partial pressure on blueberry fruit respiration and respiratory quotient. In *Postharvest Biology and Technology* (Vol. 3).
- Belay, Z. A., Caleb, O. J., & Opara, U. L. (2016). Modelling approaches for designing and evaluating the performance of modified atmosphere packaging (MAP) systems for fresh produce: A review. *Food Packaging and Shelf Life*, 10, 1–15. <https://doi.org/10.1016/J.FPSL.2016.08.001>
- Bi, J., Yang, F., Harbottle, D., Pensini, E., Tchoukov, P., Simon, S., Sjöblom, J., Dabros, T., Czarnecki, J., Liu, Q., & Xu, Z. (2015). Interfacial Layer Properties of a Polyaromatic Compound and its Role in Stabilizing Water-in-Oil Emulsions. *Langmuir*, 31(38), 10382–10391. <https://doi.org/10.1021/acs.langmuir.5b02177>
- Bioplastik Dari K-Karegenan, K., Nurhabibah, ...., 82, K., Nurhabibah, S. A., & Kusumaningrum, W. B. (2021). KARAKTERISASI BIOPLASTIK DARI K-KARAGENAN EUCHEUMA COTTONII TERPLASTISASI BERPENGUAT NANOSELULOSA. *Jurnal Kimia Dan Kemasan*, 43(2), 82–94. <https://doi.org/10.24817/jkk.v42i2.6808>
- Castellarin, S. D., Gambetta, G. A., Wada, H., Shackel, K. A., & Matthews, M. A. (2011). Fruit ripening in *Vitis vinifera*: Spatiotemporal relationships among turgor, sugar accumulation, and anthocyanin biosynthesis. *Journal of Experimental Botany*, 62(12), 4345–4354. <https://doi.org/10.1093/jxb/err150>
- Castro, A., Leuven, K. U., Esguerra, E., Kay, R., Franco, G., Castro, A. C., Esguerra, E. B., & Franco, G. (2020). Modified Atmosphere Packaging And Low Temperature Storage of Red-Fleshed Dragon Fruit (*Hylocereus polyrhizus* (Weber) Britton & Rose). In *Philippine Journal of Crop Science* (Vol. 45, Issue 1). PJCS. <https://www.researchgate.net/publication/344451095>
- Chen, Z., Zhong, B., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. (2021). Identification of phenolic compounds in Australian grown dragon fruits by LC-



- ESI-QTOF-MS/MS and determination of their antioxidant potential. *Arabian Journal of Chemistry*, 14(6). <https://doi.org/10.1016/j.arabjc.2021.103151>
- Chinenye, N. M., Manuwa, S. I., Olukunle, O. J., & Oluwalana, I. B. (2013). *Development of an active evaporative cooling system for short-term storage of fruits and vegetable in a tropical climate* (Vol. 15, Issue 4). <http://www.cigrjournal.org>
- D'amelia, R. P., Gentile, S., Nirode, W. F., & Huang, L. (2016). Quantitative Analysis of Copolymers and Blends of Polyvinyl Acetate (PVAc) Using Fourier Transform Infrared Spectroscopy (FTIR) and Elemental Analysis (EA). *World Journal of Chemical Education*, 4(2), 25–31. <https://doi.org/10.12691/wjce-4-2-1>
- Daniel Kristanto. (2014). *Berkebun Buah Naga*. Penebar Swadaya.
- de Freitas, S. T., & Mitcham, E. J. (2013). Quality of pitaya fruit (*Hylocereus undatus*) as influenced by storage temperature and packaging. *Scientia Agricola*, 70(4), 257–262. <https://doi.org/10.1590/S0103-90162013000400006>
- Devgan, K., Kaur, P., Kumar, N., & Kaur, A. (2019). Active modified atmosphere packaging of yellow bell pepper for retention of physico-chemical quality attributes. *Journal of Food Science and Technology*, 56, 878–888.
- Dinas Pertanian dan Pangan Kabupaten Banyuwangi. (2021). *Luas Panen, Rata-Rata Produksi, dan Total Produksi Buah Naga di Kabupaten Banyuwangi*.
- Direktorat Jenderal Hortikultura Kementerian Pertanian. (2020). *PROSPEK EKSPOR BUAH NAGA KABUPATEN BANYUWANGI KE CINA*. <Https://Hortikultura.Pertanian.Go.Id/Prospek-Ekspor-Buah-Naga-Kabupaten-Banyuwangi-Ke-Cina/>.
- Dogan, F. (2012). *Polypropylene*. BoD—Books on Demand.
- Emil, S. (2011). *Untung berlipat dari bisnis buah naga unggul*. Lily Publisher.
- Fagundes, C., Moraes, K., Pérez-Gago, M. B., Palou, L., Maraschin, M., & Monteiro, A. R. (2015). Effect of active modified atmosphere and cold storage on the postharvest quality of cherry tomatoes. *Postharvest Biology and Technology*, 109, 73–81. <https://doi.org/10.1016/j.postharvbio.2015.05.017>
- Fao. (n.d.). *Crop production manual A guide to fruit and vegetable production in the Federated States of Micronesia*.
- Femenia, A., Sánchez, E. S., Simal, S., & Rosselló, C. (1998). Modification of Cell Wall Composition of Apricots (*Prunus armeniaca*) during Drying and Storage under Modified Atmospheres. *Journal of Agricultural and Food Chemistry*, 46(12), 5248–5253. <https://doi.org/10.1021/jf9804037>
- Gardjito, M. , & Swasti, Y. R. (2017). *Fisiologi Pascapanen Buah & Sayur*. Gadjah Mada University Press.
- George, G., Simon, S. M., Prakashan, V., Sajna, M., Faisal, M., Wilson, R., Chandran, A., Biju, P. R., Joseph, C., & Unnikrishnan, N. V. (2018). Green and facile approach to prepare polypropylene/: In situ reduced graphene oxide nanocomposites with excellent electromagnetic interference shielding properties. *RSC Advances*, 8(53), 30412–30428. <https://doi.org/10.1039/c8ra05007d>
- GUNASENA DRAGON FRUIT BRITTON AND ROSE. (n.d.).



- Gunasena, H. P. M., Pushpakumara, D., & Kariyawasam, M. (2007). dragon fruit *Hylocereus undatus* (Haw.) Britton and Rose. *Underutilized Fruit Trees in Sri Lanka*, 1, 110–141.
- Gupta, P. (2024). Role of oxygen absorbers in food as packaging material, their characterization and applications. *Journal of Food Science and Technology*, 61(2), 242–252.
- Harun, N., Efendi, R., & Hasibuan, S. H. (2012). Penggunaan lilin untuk memperpanjang umur simpan buah naga merah (*Hylocereus polyrhizus*). *Journal of the Japanese Society of Pediatric Surgeons*, 11(2), 1–14. [https://doi.org/10.11164/jjsps.4.1\\_156\\_2](https://doi.org/10.11164/jjsps.4.1_156_2)
- Herbach, K. M., Rohe, M., Stintzing, F. C., & Carle, R. (2006). Structural and chromatic stability of purple pitaya (*Hylocereus polyrhizus* [Weber] Britton & Rose) betacyanins as affected by the juice matrix and selected additives. *Food Research International*, 39(6), 667–677. <https://doi.org/10.1016/j.foodres.2006.01.004>
- Ho, P. L., Tran, D. T., Hertog, M. L. A. T. M., & Nicolaï, B. M. (2020). Modelling respiration rate of dragon fruit as a function of gas composition and temperature. *Scientia Horticulturae*, 263. <https://doi.org/10.1016/j.scienta.2019.109138>
- Ho, P. L., Tran, D. T., Hertog, M. L. A. T. M., & Nicolaï, B. M. (2021). Effect of controlled atmosphere storage on the quality attributes and volatile organic compounds profile of dragon fruit (*Hylocereus undatus*). *Postharvest Biology and Technology*, 173. <https://doi.org/10.1016/j.postharvbio.2020.111406>
- Ichwan, M., Dewi, I. A., & S, Z. M. (2019). Klasifikasi Support Vector Machine (SVM) Untuk Menentukan TingkatKemanisan Mangga Berdasarkan Fitur Warna. *MIND Journal*, 3(2), 16–23. <https://doi.org/10.26760/mindjournal.v3i2.16-23>
- Ini, R. (2022). Sistem Pendukung Keputusan Pemilihan Lokasi Objek Wisata Di Aceh Tengah Menggunakan Metode TOPSIS. *Jurnal Multimedia Dan Teknologi Informasi (Jatilima)*, 4(02), 92–97.
- Iskandar, R. (2022). *Multi-criteria Policy Analysis in Sustainable Development of Dragon Fruit Agribusiness A Case Study in Banyuwangi Regency*.
- Istianingsih, T., & Efendi, D. (2013). Pengaruh umur panen dan suhu simpan terhadap umur simpan buah naga super red (*Hylocereus costaricensis*). *Jurnal Hortikultura Indonesia*, 4(1), 54–61.
- Jalgaonkar, K., Mahawar, M. K., Bibwe, B., & Kannaujia, P. (2022). Postharvest Profile, Processing and Waste Utilization of Dragon Fruit (*Hylocereus Spp .*): A Review. *Food Reviews International*, 38(4), 733–759. <https://doi.org/10.1080/87559129.2020.1742152>
- Jiang, Y. L., Liao, Y. Y., Lin, M. T., & Yang, W. J. (2016). Bud development in response to night-breaking treatment in the noninductive period in red pitaya (*Hylocereus* sp.). *HortScience*, 51(6), 690–696. <https://doi.org/10.21273/hortsci.51.6.690>
- Ji, Y., Xu, M., & Wang, A. (2021). Recent Advances In The Regulation Of Climacteric Fruit Ripening: Hormone, Transcription Factor And Epigenetic Modifications. *Frontiers of Agricultural Science and Engineering*, 8(2), 314–334. <https://doi.org/10.15302/J-FASE-2021386>



- Joshi, K., Warby, J., Valverde, J., Tiwari, B., Cullen, P. J., & Frias, J. M. (2018). Impact of cold chain and product variability on quality attributes of modified atmosphere packed mushrooms (*Agaricus bisporus*) throughout distribution. *Journal of Food Engineering*, 232, 44–55. <https://doi.org/10.1016/J.JFOODENG.2018.03.019>
- Jung, M. R., Horgen, F. D., Orski, S. V., Rodriguez C., V., Beers, K. L., Balazs, G. H., Jones, T. T., Work, T. M., Brignac, K. C., Royer, S. J., Hyrenbach, K. D., Jensen, B. A., & Lynch, J. M. (2018). Validation of ATR FT-IR to identify polymers of plastic marine debris, including those ingested by marine organisms. *Marine Pollution Bulletin*, 127, 704–716. <https://doi.org/10.1016/j.marpolbul.2017.12.061>
- Kabar Banyuwangi. (2024). *Buah Naga Banyuwangi Diekspor ke Asia dan Eropa*. <Https://Kabarbanyuwangi.Co.Id/Buah-Naga-Banyuwangi-Diekspor-Ke-Asia-Dan-Eropa.> .
- Kandasamy, P., & Kandasamy, P. (2022). *Respiration rate of fruits and vegetables for modified atmosphere packaging: a mathematical approach*. [www.jpht.in](http://www.jpht.in)
- Kargwal, R., Garg, M., Singh, V., Garg, R., & Kumar, N. (2020). Principles of modified atmosphere packaging for shelf life extension of fruits and vegetables: An overview of storage conditions. *International Journal of Chemical Studies*, 8(3), 2245–2252. <https://doi.org/10.22271/chemi.2020.v8.i3af.9545>
- Kirtil, E., Kilercioglu, M., & Oztop, M. H. (2016). Modified Atmosphere Packaging of Foods. *Reference Module in Food Science*. <https://doi.org/10.1016/B978-0-08-100596-5.03218-2>
- Kontominas, M. G. (2014). PACKAGING | Modified Atmosphere Packaging of Foods. *Encyclopedia of Food Microbiology: Second Edition*, 1012–1016. <https://doi.org/10.1016/B978-0-12-384730-0.00432-8>
- Kristina, T. (2018). Sistem Pendukung Keputusan Dengan Menggunakan Metode TOPSIS Untuk Pemilihan Lokasi Pendirian Grosir Pulsa. *Paradigma*, 20(1), 8–12.
- Krupa, T., & Tomala, K. (2021). Effect of oxygen and carbon dioxide concentration on the quality of minikiwi fruits after storage. *Agronomy*, 11(11). <https://doi.org/10.3390/agronomy11112251>
- Kubík, L., & Zeman, S. (2013). *Determination of oxygen permeability of polyethylene and polypropylene nonwoven fabric foils*.
- Kumar Sen, S., & Raut, S. (2015). Microbial degradation of low density polyethylene (LDPE): A review. *Journal of Environmental Chemical Engineering*, 3(1), 462–473. <https://doi.org/10.1016/J.JECE.2015.01.003>
- Kunnika, S., & Pranee, A. (2011). Influence of enzyme treatment on bioactive compounds and colour stability of betacyanin in flesh and peel of red dragon fruit *Hylocereus polyrhizus* (Weber) Britton and Rose. *International Food Research Journal*, 18(4), 1437.
- Lastriyanto, A., Sumarlan, S. H., & Rahmawati, S. R. (2018). Studi karakteristik fisik keripik pepaya ( *Carica papaya* L .) hasil *vacuum frying* terhadap tingkat kematangan dan perlakukan *blansing*. *Jurnal Keteknikan Pertanian Tropis Dan Biosistem*, 6(2), 135–144.



- Lestari, N. (2023). *Kinetika Pengeringan Kunyit Menggunakan Cabinet Dryer yang Memanfaatkan Panas Terbuang Kondensor Pendingin Udara Drying Kinetics of Turmeric Using a Cabinet Dryer Utilizing Wasted Heat from an Air Conditioning Condenser*. 6(1), 1–13.
- Levitian, L. (2016). *IDENTIFYING COMMON PLASTICS USED IN AGRICULTURE*. <http://recycleagriculturalplastics.net/>
- Liu, K., Yuan, C., Feng, S., Zhong, S., Li, H., Zhong, J., Shen, C., & Liu, J. (2017). Genome-wide analysis and characterization of Aux/IAA family genes related to fruit ripening in papaya (*Carica papaya* L.). *BMC Genomics*, 18(1). <https://doi.org/10.1186/s12864-017-3722-6>
- Louise, M., Pascual, P., Peralta, E. K., Yaptenco, K. F., Elauria, J. C., & Esguerra, E. B. (n.d.). *Passive Modified Atmosphere Packaging for Low Temperature Storage of White Flesh Variety Dragon Fruit (*Hylocereus undatus* (Haw.) Britton & Rose)*.
- Lutfiyah, I., Sudarti, S., & Bektiarso, S. (2022). Analisis perubahan ph dan tekstur daging buah naga merah (*hylocereus polyrhizus*) oleh pengaruh paparan medan magnet extremely low frequency (elf). *ORBITA: Jurnal Pendidikan Dan Ilmu Fisika*, 8(1), 143–149.
- Maddah, H. A. (2016). Polypropylene as a promising plastic: A review. *Am. J. Polym. Sci*, 6(1), 1–11.
- Mangaraj, S., Tridib, •, & Goswami, K. (2009). *Modified Atmosphere Packaging of Fruits and Vegetables for Extending Shelf-Life: A Review*. <http://www.lol.org.ua/eng/showart.php>
- Mareta, D. T., & Shofia, N. A. (2011). *Pengemasan Produk Sayuran Dengan Bahan Kemas Plastik Pada Penyimpanan Suhu Ruang Dan Suhu Dingin* (Vol. 7).
- Massey, L. K. (2003). *Permeability Properties of Plastics and Elastomers: A Guide to Packaging and Barrie Materials*. Plastics Design Library/ William Andrew .
- McGuire, R. G. (1992). Reporting of Objective Color Measurements. *Hortscience*, 27(12), 1254–1255.
- Murmu, S. B., & Mishra, H. N. (2017). Engineering evaluation of thickness and type of packaging materials based on the modified atmosphere packaging requirements of guava (Cv. Baruipur). *Lwt*, 78, 273–280.
- Nakamura, H., & Hoshino, J. (1983). *Techniques for the preservation of food by employment of an oxygen absorber*. Sanyu Publishing Company.
- Nazir Mir, & Randolph M. Beaudry. (2016). *Modified Atmosphere Packaging*. In: *USDA Agriculture Handbook No. 66: Commercial storage of fruits, Vegetables, and Florist and Nursery Stocks*. (Gross KC, Wang CY, & Saltveit M, Eds.). Agricultural Research Service.
- Niazmand, R., & Yeganehzad, S. (2020). Capability of oxygen-scavenger sachets and modified atmosphere packaging to extend fresh barberry shelf life. *Chemical and Biological Technologies in Agriculture*, 7(1). <https://doi.org/10.1186/s40538-020-00195-3>
- Ni Wayan Sedani, Pande Ketut Diah Kencana, & I Made Anom Sutrisna Wijaya. (2013). Pengaruh Jenis dan Ketebalan Plastik Terhadap Laju Perubahan Konsentrasi O<sub>2</sub> Selama Penyimpanan Jagung Manis (*Zea mays* var. *saccharata* Sturt). *Beta (Biosistem Dan Teknik Pertanian)*, 1(1).



- Nur Azza Nik Adik, N., Hui Lin, O., Akil, H., Victor Sandu, A., Rey Villagracia, A., & Nonato Santos, G. (2016). *Effects of Stearic Acid on Tensile, Morphological and Thermal Analysis of Polypropylene (PP)/Dolomite (Dol) Composites* (Vol. 53, Issue 1). <http://www.revmaterialeplastice.ro>
- Nurul, S. R., & Asmah, R. (2014). Variability in nutritional composition and phytochemical properties of red pitaya (*Hylocereus polyrhizus*) from Malaysia and Australia. *International Food Research Journal*, 21(4), 1689–1697.
- Oliveira, M., Abadias, M., Usall, J., Torres, R., Teixidó, N., & Viñas, I. (2015). Application of modified atmosphere packaging as a safety approach to fresh-cut fruits and vegetables - A review. In *Trends in Food Science and Technology* (Vol. 46, Issue 1, pp. 13–26). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2015.07.017>
- Olsen, C. H., Augestad, M., Helland, I., Moldestad, B. M. E., & Eikeland, M. S. (2020). Diffusion of CO<sub>2</sub> through polymer membranes. *WIT Transactions on Ecology and the Environment*, 245(2020-July), 211–222. <https://doi.org/10.2495/EID200201>
- Pramuda, M., Sirodz, N., & Balqis, L. (2021). *PERANCANGAN COLD STORAGE UNTUK SAYURAN BUNCIS DENGAN KAPASITAS 10 TON (STUDI KASUS DI LEMBANG, JAWA BARAT)* (Vol. 01, Issue 01).
- Purwanto, E. G. M. (2011). Kajian penyimpanan buah Naga (*Hylocereus costaricensis*) dalam kemasan atmosfer termodifikasi. *Jurnal Keteknikan Pertanian*, 25(2).
- Qin, Y., Liu, Y., Zhang, X., & Liu, J. (2020). Development of active and intelligent packaging by incorporating betalains from red pitaya (*Hylocereus polyrhizus*) peel into starch/polyvinyl alcohol films. *Food Hydrocolloids*, 100. <https://doi.org/10.1016/j.foodhyd.2019.105410>
- Quraisy, A. (2020). Data Normality Using Kolmogorov-Smirnov and Shapiro-Wilk Tests. *J-HEST Journal of Health Education Economics Science and Technology*, 3(1), 7–11.
- Rahayoe, S. (2015). *PENGENDALIAN KARAKTERISTIK FILM KITOSAN SEBAGAI COATING BUAH DENGAN VARIASI JENIS DAN KOMPOSISI ADITIF PADA PEMBUATAN LARUTAN COATING*.
- Ramli, N. S., Ismail, P., & Rahmat, A. (2014). Influence of conventional and ultrasonic-assisted extraction on phenolic contents, betacyanin contents, and antioxidant capacity of red dragon fruit (*Hylocereus polyrhizus*). *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/964731>
- Rodrigo, M. J., Alquezar, B., & Zacarías, L. (2006). Cloning and characterization of two 9-cis-epoxycarotenoid dioxygenase genes, differentially regulated during fruit maturation and under stress conditions, from orange (*Citrus sinensis* L. Osbeck). *Journal of Experimental Botany*, 57(3), 633–643. <https://doi.org/10.1093/jxb/erj048>
- Rohanah, Ratumas Ratih Puspita, & Rafika Dora Wijaya. (2023). *Khasiat Buah Naga dan Buah Bit Untuk Mencegah dan Mengobati Anemia*. SELAT MEDIA PARTNERS.
- Rozana. (2013). *Aplikasi penyerap oksigen (Oxygen scavenger) dalam teknologi pengemasan*. IPB.



- Samad Bodbodak, & Mohammad Moshfeghifar. (2016). Advances in modified atmosphere packaging of fruits and vegetables. *Eco-Friendly Technology for Postharvest Produce Quality*, 127–183.
- Sandhya. (2010a). Modified atmosphere packaging of fresh produce: Current status and future needs. *LWT-Food Science and Technology*, 43(3), 381–392.
- Sandhya. (2010b). Modified atmosphere packaging of fresh produce: Current status and future needs. *LWT - Food Science and Technology*, 43(3), 381–392. <https://doi.org/10.1016/J.LWT.2009.05.018>
- Sanjaya, A. S., & Agustine, R. P. (2015). STUDI KINETIKA ADSORPSI Pb MENGGUNAKAN ARANG AKTIF DARI KULIT PISANG. *Konversi*, 4(1), 17. <https://doi.org/10.20527/k.v4i1.261>
- Sen, S. K., & Raut, S. (2015). Microbial degradation of low density polyethylene (LDPE): A review. *Journal of Environmental Chemical Engineering*, 3(1), 462–473.
- Setiyoko, A., & Putri, S. K. (2023). The Effect of Carrageenan Concentration on the Physical, Chemical Characteristics and Preference Levels of Watermelon Albedo and Red Dragon Fruit Sheet Jam. *Indonesian Journal of Food Technology*, 2(2), 133–146.
- Sheng, K., Wei, S., Mei, J., & Xie, J. (2021). Chilling injury, physicochemical properties, and antioxidant enzyme activities of red pitahaya (*Hylocereus polyrhizus*) fruits under cold storage stress. *Phyton*, 90(1), 291–305. <https://doi.org/10.32604/phyton.2020.012985>
- Sianturi, R. (2022). Uji homogenitas sebagai syarat pengujian analisis. *Jurnal Pendidikan, Sains Sosial, Dan Agama*, 8(1), 386–397. <https://doi.org/10.53565/pssa.v8i1.507>
- Souza, R., Peruch, G., & Santos Pires, A. C. dos. (2012). Oxygen Scavengers: An Approach on Food Preservation. In *Structure and Function of Food Engineering*. InTech. <https://doi.org/10.5772/48453>
- Susanty, A., & Sampepana, E. (2017). PENGARUH MASA SIMPAN BUAH TERHADAP KUALITAS SARI BUAH NAGA MERAH (*Hylocereus polyrhizus*). *Jurnal Riset Teknologi Industri*, 12(2), 100–105.
- Suyadi, S. (2010). Kaji Eksperimen Kekuatan Tarik Produk-produk Berbahan Plastik Daur Ulang. *Seminar Nasional Sains Dan Teknologi Fakultas Teknik UNWAHAS*, 104–111.
- Triardianto, D., & Bintoro, N. (2021). KINETIKA PERUBAHAN KUALITAS FISIK PISANG KEPOK (*Musa acuminata*) DIBAWAH PENGARUH VARIASI LAMA WAKTU PEMAPARAN OZON DAN SUHU RUANG PENYIMPANAN. *Agrointek: Jurnal Teknologi Industri Pertanian*, 15(2), 452–458.
- Usmadi, U. (2020). Pengujian Persyaratan Analisis (Uji Homogenitas Dan Uji Normalitas). *Inovasi Pendidikan*, 7(1), 50–62. <https://doi.org/10.31869/ip.v7i1.2281>
- Wang, Y., Luo, Z., & Du, R. (2015). Nitric oxide delays chlorophyll degradation and enhances antioxidant activity in banana fruits after cold storage. *Acta Physiologiae Plantarum*, 37(4). <https://doi.org/10.1007/s11738-015-1821-z>



- Wei, W., Lv, P., Xia, Q., Tan, F., Sun, F., Yu, W., Jia, L., & Cheng, J. (2017). Fresh-keeping effects of three types of modified atmosphere packaging of pine-mushrooms. *Postharvest Biology and Technology*, 132, 62–70. <https://doi.org/10.1016/J.POSTHARVBIO.2017.05.020>
- Widyasanti, A., Nurlaily, N., & Wulandari, E. (2018). KARAKTERISTIK FISIKOKIMIA ANTOSIANIN EKSTRAK KULIT BUAH NAGA MERAH MENGGUNAKAN METODE UAE (Physicochemical Characteristics of Red Dragon Fruit Skin Anthocyanin Extracts using UAE Method). *Jurnal Ilmiah Rekayasa Pertanian Dan Biosistem*, 6(1), 27–38. <https://doi.org/10.29303/jrbp.v6i1.63>
- Wullandari, P., & Fitriani, D. (2013). Application of Modified Atmosphere Packaging (Map) on Fresh Fish. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 7(1), 39. <https://doi.org/10.15578/squalen.v7i1.14>
- Yee, L. P., Ping, T. C., Kui, L. P., & Wah, C. S. (2017). Application of red pitaya powder as a natural food colourant in fruit pastille. *Jurnal Gizi Klinik Indonesia*, 13(3), 111–120.
- Zhang, Q., Chen, H., Zhang, Y., Chen, W., Chen, Y., & Lin, Y. (2018). Effects of Packaging Methods on The Quality of Dragon Fruit (*Hylocereus Undatus*) during Refrigerated Storage. *Journal of Food Quality*, 1–8.
- Zvekic, M., R., L. C., T., & Krogh, E. T. (2022). Characterizing photochemical ageing processes of microplastic materials using multivariate analysis of infrared spectra. *Environmental Science: Processes & Impacts*, 24(1), 52–61.