

DAFTAR PUSTAKA

- Andriyanti, W., Arsyad, B., Ravendianto, R., Sujitno, T., Suprpto, S., & Priantoro, D. (2020). The Effect Of Ratio Of Gas Mixture For Mechanical Properties And Crystal Structures On 316l Stainless Steel Biomaterial Using Dc Sputtering Technique. *Jurnal Sains Materi Indonesia*, 21(1), 13. <https://doi.org/10.17146/jsmi.2019.21.1.5657>
- Andriyanti, W., Prama, S. H., & Priantoro, D. D. (2017). *Deposisi Lapisan Tipis Titanium Nitrida Pada Stainless Steel 316 Menggunakan Metode DC Sputtering*.
- Arsyad, B., Andriyanti, W., & Priantoro, D. (2018). *Pengaruh Perbandingan Campuran Gas Terhadap Sifat Mekanik Dan Struktur Kristal Pada Biomaterial Stainless Steel 316l Dengan Teknik DC Sputtering*.
- ASTM E-647. (2008). *Standard Test Method for Measurement of Fatigue Crack Growth Rates*. ASTM International.
- Atmono, T. M., Nuraini, E., & Simbolon, S. (2002). *Deposisi Lapisan Tipis SiN Menggunakan Teknik Sputtering untuk Pelindung Korosi pada Logam Besi*.
- Barsom, J. M., & Rolfe, S. T. (Stanley T. (1999). *Fracture and fatigue control in structures : applications of fracture mechanics*. ASTM.
- Callister, W. D., & Rethwisch, D. G. (2018). *Materials Science and Engineering*. Hachette Livre - Département Pratique.
- Carrasco, C., Segers, L., Benavente, B., & Vergara, V. (2004). Titanium nitride coatings on copper alloy prepared by dc reactive magnetron sputtering. *Journal of Materials Processing Technology*, 145(3), 371–376. <https://doi.org/10.1016/j.jmatprotec.2003.09.001>
- Deligianni, D. D., Katsala, N. D., Koutsoukos, P. G., & Missirlis, Y. F. (2000). Effect of Surface Roughness of Hydroxyapatite on Human Bone Marrow Cell Adhesion, Proliferation, Differentiation and Detachment Strength. *Biomaterials*, 22(1), 87–96. [https://doi.org/10.1016/S0142-9612\(00\)00174-5](https://doi.org/10.1016/S0142-9612(00)00174-5)
- DeLosRios, E., Walley, A., Milan, M., & Hammersley, G. (1995). Fatigue Crack Initiation and Propagation on Shot Peened Surfaces in A316 Stainless Steel. *International Journal of Fatigue*, 17(7), 493–499.

[https://doi.org/10.1016/0142-1123\(95\)00044-T](https://doi.org/10.1016/0142-1123(95)00044-T)

Deng, G.-J., Tu, S.-T., Zhang, X.-C., Wang, Q.-Q., & Qin, C.-H. (2015). Grain size effect on the small fatigue crack initiation and growth mechanisms of nickel-based superalloy GH4169. *Engineering Fracture Mechanics*, 134, 433–450. <https://doi.org/10.1016/j.engfracmech.2015.01.002>

Dieter, G. E., Bacon Professor, D., & -New Delhi -Panama-Paris -San Juan -Sao Paulo, M. (1988). *Mechanical Metallurgy SI Metric Edition*.

Fine, M., & Chung, Y.-W. (1996). Fatigue Failure in Metals. *ASM Handbook for Fatigue and Fracture*, 19.

Gervais, B., Vadean, A., Raison, M., & Brochu, M. (2016). Failure Analysis of a 316L Stainless Steel Femoral Orthopedic Implant. *Case Studies in Engineering Failure Analysis*, 5–6, 30–38. <https://doi.org/10.1016/j.csefa.2015.12.001>

Gibbons, D. (2012). Introduction to Medical Implant Materials. *ASM Handbook - Materials for Medical Devices*, 23.

Groover, M. P. (2012). *Fundamentals of Modern Manufacturing Materials Processes-and Systems*.

Han, M., Du, J., Chen, Y., Sun, Q., & Hu, K. (2024). Influence of ultrasonic shot peening on the microstructure and corrosion behavior of AZ80M magnesium alloy. *Journal of Alloys and Compounds*, 980, 173633. <https://doi.org/10.1016/j.jallcom.2024.173633>

Hasani, I. A., & Iswanto, P. T. (2023). Pengaruh Shot Peening dengan Tekanan Tinggi terhadap Sifat Fisik dan Mekanik Stainless Steel 316L. *Prosiding Seminar Nasional Inovasi Teknologi*, 7(1).

He, B. Y., Soady, K. A., Mellor, B. G., Harrison, G., & Reed, P. A. S. (2016). Fatigue crack growth behaviour in the LCF regime in a shot peened steam turbine blade material. *International Journal of Fatigue*, 82, 280–291. <https://doi.org/10.1016/j.ijfatigue.2015.03.017>

Hiromoto, S. (2010). Corrosion of Metallic Biomaterials. Dalam *Metals for Biomedical Devices* (hlm. 99–121). Elsevier. <https://doi.org/10.1533/9781845699246.2.99>

Hotz, H., Kirsch, B., Zhu, T., Smaga, M., Beck, T., & Aurich, J. C. (2020). Surface

layer hardening of metastable austenitic steel – Comparison of shot peening and cryogenic turning. *Journal of Materials Research and Technology*, 9(6), 16410–16422. <https://doi.org/10.1016/j.jmrt.2020.11.109>

Iswanto, P. T., Akhyar, H., & Faqihudin, A. (2018). Effect of Shot Peening on Microstructure, Hardness, and Corrosion Resistance of AISI 316L. *Journal of Achievements in Materials and Manufacturing Engineering*, 89(1).

Jian Wei Hoon, Chan, K., Krishnasamy, J., Hin Yong Wong, & Teck Yong Tou. (2011). SEM-EDX investigations of magnetron sputtered ZnO thin films. *2011 2nd International Conference on Photonics*, 1–3. <https://doi.org/10.1109/ICP.2011.6106835>

Kostilnik, T. (1994). Shot Peening. *ASM Handbook for Surface Engineering*, 5.

Kovacı, H., Bozkurt, Y. B., Yetim, A. F., Aslan, M., & Çelik, A. (2019). The Effect of Surface Plastic Deformation Produced by Shot Peening on Corrosion Behavior of a Low-Alloy Steel. *Surface and Coatings Technology*, 360, 78–86. <https://doi.org/10.1016/j.surfcoat.2019.01.003>

Krupp, U. (2007). *Fatigue Crack Propagation in Metals and Alloys*. Wiley. <https://doi.org/10.1002/9783527610686>

Lukáš, P. (1996). Fatigue Crack Nucleation and Microstructure. *ASM Handbook for Fatigue and Fracture*, 19.

Maliwemu, E. U. K., Malau, V., & Iswanto, P. T. (2018). Effect of Shot Peening in Different Shot Distance and Shot Angle on Surface Morphology, Surface Roughness and Surface Hardness of 316L Biomaterial. *IOP Conference Series: Materials Science and Engineering*, 299, 012051. <https://doi.org/10.1088/1757-899X/299/1/012051>

McGuire, M. (2008). Stainless Steels for Design Engineers. Dalam *Stainless Steels for Design Engineers*. ASM International.

Miao, H. Y., Demers, D., Larose, S., Perron, C., & Lévesque, M. (2010). Experimental study of shot peening and stress peen forming. *Journal of Materials Processing Technology*, 210(15), 2089–2102. <https://doi.org/10.1016/j.jmatprotec.2010.07.016>

Murphy, W., Black, J., & Hastings, G. (Ed.). (2016). *Handbook of Biomaterial Properties*. Springer New York. <https://doi.org/10.1007/978-1-4939-3305-1>

- Olayinka, A., Esther, A., & Philip, O. (2021). Process parameters optimization to maximize surface roughness using response surface methodology of TiC thin film grown by radio frequency magnetron sputtering. *Materials Today: Proceedings*, 44, 1221–1226. <https://doi.org/10.1016/j.matpr.2020.11.243>
- Pramudia, M., & Romadhon, A. (2018). Pengaruh Variasi Ukuran Bola Baja pada Proses Dry Shot Peening terhadap Mikrostruktur dan Kekerasan Material Implan AISI 316L. *Jurnal Rekayasa Mesin*, 9(3), 169–172. <https://doi.org/10.21776/ub.jrm.2018.009.03.3>
- Priyambodo, B. H., Malau, V., Iswanto, P. T., Sujitno, T., & Suprpto. (2017). The Influence of TiN-Sputtering on Hardness and Corrosion Rate of AISI 304 for Biomaterials Application. *The Journal of Corrosion Science and Engineering*, 20(101).
- Puchi-Cabrera, E. S., Matínez, F., Herrera, I., Berríos, J. A., Dixit, S., & Bhat, D. (2004). On the fatigue behavior of an AISI 316L stainless steel coated with a PVD TiN deposit. *Surface and Coatings Technology*, 182(2–3), 276–286. <https://doi.org/10.1016/j.surfcoat.2003.07.003>
- Qin, Z., Li, B., Zhang, H., Youani Andre Wilfried, T., Gao, T., & Xue, H. (2022). Effects of shot peening with different coverage on surface integrity and fatigue crack growth properties of 7B50-T7751 aluminum alloy. *Engineering Failure Analysis*, 133, 106010. <https://doi.org/10.1016/j.engfailanal.2021.106010>
- Qu, S., Duan, C., Hu, X., Jia, S., & Li, X. (2021). Effect of shot peening on microstructure and contact fatigue crack growth mechanism of shaft steel. *Materials Chemistry and Physics*, 274, 125116. <https://doi.org/10.1016/j.matchemphys.2021.125116>
- Revie, R. W., & Uhlig, H. H. (2008). *Corrosion and Corrosion Control. An Introduction to Corrosion Science and Engineering*.
- Rohde, S. (1994). Sputter Deposition. *ASM Handbook for Surface Engineering*, 5.
- Rohi, J. R., Iswanto, P. T., Sujitno, T., & Kondi, E. U. (2019). Pengaruh Sputtering TiN Terhadap Kekasaran, Kekerasan Permukaan Material AISI 316L. *Jurnal Poli-Teknologi*, 18(3), 331–338. <https://doi.org/10.32722/pt.v18i3.2412>
- Sachs, N. W. (2007). *Practical Plant Failure Analysis A Guide to Understanding Machinery Deterioration and Improving Equipment Reliability*.
- Sahabudin, N. N., Mukaromah, U. A., Andriyanti, W., & Sutanto, H. (2024). The

Effect Of The Dc-Sputtering Process On Changes In The Hardness Value And Elements Composition Of Biocompatible Stainless Steel 316l Material. *Ganendra Majalah IPTEK Nuklir*, 26(1), 53. <https://doi.org/10.55981/gnd.2023.6834>

Sakuri, S., Agung, M., Prabowo, N. R., Sutisna, U., & Al Hakim, R. A. N. (2023). The Effect of Shot Peening Hardening Treatment on Pressure Variation on Mechanical Properties and Microstructure of S45C Steel. *Jurnal Rekayasa Mesin*, 18(2), 213. <https://doi.org/10.32497/jrm.v18i2.4307>

Samih, Y., Beausir, B., Bolle, B., & Grosdidier, T. (2013). In-depth quantitative analysis of the microstructures produced by Surface Mechanical Attrition Treatment (SMAT). *Materials Characterization*, 83, 129–138. <https://doi.org/10.1016/j.matchar.2013.06.006>

Selvabharathi, R., & Muralikannan, R. (2018). Influence of shot peening and plasma ion nitriding on tensile strength of 2205 duplex stainless steel using A-PAW. *Materials Science and Engineering: A*, 709, 232–240. <https://doi.org/10.1016/j.msea.2017.10.068>

Slat, W. S., Malau, V., & Iswanto, P. T. (2018). The Effects of Shot Peening Treatment on the Hardness and Fatigue Strength of HQ 805. *2018 International Conference on Applied Science and Technology (iCAST)*, 142–145. <https://doi.org/10.1109/iCAST1.2018.8751516>

Stephens, R. I. (Ralph I., & Fuchs, H. O. (Henry O. (2001). *Metal Fatigue in Engineering*. Wiley.

Subramanian, B., Ananthakumar, R., Vidhya, V. S., & Jayachandran, M. (2011). Influence of Substrate Temperature on The Materials Properties of Reactive DC Magnetron Sputtered Ti/TiN Multilayered Thin Films. *Materials Science and Engineering: B*, 176(1), 1–7. <https://doi.org/10.1016/j.mseb.2010.08.004>

Sujita. (2011). *Pengaruh Perlakuan Shot Peening Terhadap Korosi Retak Tegang Baja Karbon Rendah Pada Lingkungan Korosif* (Vol. 1).

Sujitno, T., Andriyanti, W., & Priyantoro, D. (t.t.). *Pelapisan TiN Pada Biomaterial Berbasis Logam Tipe SS 316 Menggunakan Teknik DC Sputtering*.

Suliali, N. J., Goosen, W. E., Janse van Vuuren, A., Olivier, E. J., Bakhit, B., Högberg, H., Darakchieva, V., & Botha, J. R. (2022). Ti thin films deposited by high-power impulse magnetron sputtering in an industrial system: Process

parameters for a low surface roughness. *Vacuum*, 195, 110698. <https://doi.org/10.1016/j.vacuum.2021.110698>

Tracton, A. A. (2005). *Coatings Technology Handbook*. Taylor & Francis.

Tushinsky, L. I., Kovensky, I., Plokhov, A., Sineyev, V., & Reshedko, P. (2002). *Coated Metal*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-662-06276-0>

Umbu Kondi Maliwemu, E., Malau, V., Tri Iswanto, P., Kambali, I., & Sujitno, T. (2021). Corrosion Fatigue Crack Propagation Of Aisi 316l By Nitrogen Ion Implantation In Simulated Body Fluid. Dalam *43 Metalurgija* (Vol. 60).

Unal, O., & Varol, R. (2015). Surface severe plastic deformation of AISI 304 via conventional shot peening, severe shot peening and re-peening. *Applied Surface Science*, 351, 289–295. <https://doi.org/10.1016/j.apsusc.2015.05.093>

Vaško, A., Belan, J., & Kuchariková, L. (2017). Comparison of low and high frequency fatigue tests. *Production Engineering Archives*, 17(17), 14–17. <https://doi.org/10.30657/pea.2017.17.03>

Whitehouse, D. J. (2023). *Handbook of Surface Metrology*. Routledge. <https://doi.org/10.1201/9780203752609>

Wibowo, T. N., Iswanto, P. T., Priyambodo, B. H., & Amin, N. (2016). Pengaruh Variasi Waktu Shot Peening Terhadap Struktur Mikro dan Kekerasan Permukaan Pada Material Implan AISI 304. *Jurnal Rotor*. <https://jurnal.unej.ac.id/index.php/RTR/article/view/4803>

Widodo, S. (2012). Teknologi Pendeposisian Film Tipis Metal Dengan Metode DC-Sputtering. Dalam *Seminar Nasional Fisika*.

Xu, Q., Cao, Y., Cai, J., Yu, J., & Si, C. (2021). The influence of ultrasonic shot peening on the surface roughness, microstructure, and mechanical properties of TC2 thin-sheet. *Journal of Materials Research and Technology*, 15, 384–393. <https://doi.org/10.1016/j.jmrt.2021.08.029>

Yang, S., Zeng, W., & Yang, J. (2020). Characterization of shot peening properties and modelling on the fatigue performance of 304 austenitic stainless steel. *International Journal of Fatigue*, 137. <https://doi.org/10.1016/j.ijfatigue.2020.105621>

Yaqin, R. I., Iswanto, P. T., Priyambodo, B. H., & Maliwemu, E. U. K. (2017).

Pengaruh Durasi Shot Peening Terhadap Struktur Mikro dan Kekerasan Permukaan Pada AISI 316L. *Conference SENATIK STT Adisutjipto Yogyakarta*, 3. <https://doi.org/10.28989/senatik.v3i0.120>

Zaugg, L. K., Astasov-Frauenhoffer, M., Braissant, O., Hauser-Gerspach, I., Waltimo, T., & Zitzmann, N. U. (2017). Determinants of biofilm formation and cleanability of titanium surfaces. *Clinical Oral Implants Research*, 28(4), 469–475. <https://doi.org/10.1111/clr.12821>

Zhao, B., Lv, Y., Ding, Y., Wang, L., & Lu, W. (2018). The grain refinement mechanisms of various phases in shot-peened Nickel-Aluminum bronze (NAB) alloy. *Materials Characterization*, 144, 77–85. <https://doi.org/10.1016/j.matchar.2018.07.002>

Zhou, Y., Rao, G. B., Wang, J. Q., Zhang, B., Yu, Z. M., Ke, W., & Han, E. H. (2011). Influence of Ti/TiN bilayered and multilayered films on the axial fatigue performance of Ti46Al8Nb alloy. *Thin Solid Films*, 519(7), 2207–2212. <https://doi.org/10.1016/j.tsf.2010.10.025>

Zhu, L., Guan, Y., Wang, Y., Xie, Z., & Lin, J. (2017). Influence of process parameters of ultrasonic shot peening on surface nanocrystallization and hardness of pure titanium. *The International Journal of Advanced Manufacturing Technology*, 89(5–8), 1451–1468. <https://doi.org/10.1007/s00170-016-9181-4>