

DAFTAR PUSTAKA

- Agustin, E. F. dan N. Hendrawati. 2022. Pengaruh variasi natrium hidroksida (NaOH) terhadap pembuatan sabun mandi padat sari mentimun. *Distilat*. 8(4): 850-858.
- Ahmad, S., A. Khaliq, T. N. Pasha, S. Mehmood, K. Hussain, S. Ahmad, M. S. Shaheen, M. Naeem, and M. Shafiq. 2017. Effect of *Moringa oleifera* (Lam.) pods as feed additive on egg antioxidants, chemical composition and performance of commercial layers. *S. Afr. Anim. Sci.* 47(6): 864-874.
- Alemneh, W., A. Melesse, dan and K. Berihun. 2021. Comparative study on egg quality traits of indigenous chickens and their f1-crosses with the sasso chicken breed in sheka zone south western ethiopia. *Int. J. Food Sci. Agr.* 5(3): 430-439.
- Almeida, G. R. de, M. de O. Mendonça, L. C. de C. Weitzel, T. M. Bittencourt, A. S. de Matos, J. K. Valentim, M. L. de Araújo, and A. Q. C. de Oliveira. 2021. Physical quality of eggs of four strains of poultry. *Acta Sci. Anim. Sci.* 43(1): e52738.
- Anton, M. 2007. *Bioactive Egg Compounds*. Ed. 1. Springer-Verlag, BerlinHeidelberg. Berlin.
- Antova, G., V. T. Gerzilov, Z. Y. Petkova, V. N. Boncheva, I. N. Bozhichkova, D. Ar Penkov, and P. B. Petrov. 2019. Comparative analysis of nutrient content and energy of eggs from different chicken genotypes. *J. Sci. Food Agr.* 99(13): 5890-5898.
- AOAC. 2005. *Official Methods of Analysis*. Association of official analytical chemist. 12th Ed. AOAC, Washington DC.
- Aprianto, M.A., A. Kurniawati, C. Hanim, B. Ariyadi, and M. Al Anas. 2023. Effect supplementation of black soldier fly larvae oil (*Hermetia illucens* L.) calcium salt on performance, blood biochemical profile, carcass characteristic, meat quality, and gene expression in fat metabolism broilers. *J. Poult. Sci.* 102(10): 102984.
- Argo, L. B., T. Tristiarti, dan I. Mangisah. 2013. Kualitas fisik telur ayam arab petelur fase I dengan berbagai level *Azolla microphylla*. *Anim. Agr. J.* 2(1): 445-457.
- Aryee, G., G. Adu-Aboagye, M. E. Shiburah, T. Nkrumah, dan and D. Amedorme. 2020. Correlation between egg weight and egg characteristics in Japanese quail. *J. Anim. Vet. Sci.* 8(3): 51-54.
- Aygun, A. dan and D. Sert. 2013. Effects of prestorage application of propolis and storage time on eggshell microbialactivity, hatchability, and chick performance in Japanese quail (*Coturnix coturnix japonica*) eggs. *J. Poult. Sci.* 92: 3330-3337.

- Aziz, Z., S. Cyriac, V. Beena and P. T. Philomina. 2012. Comparison of cholesterol content in chicken, duck and quail eggs. *J. Vet. Anim. Sci.* 43: 64-66.
- Baião, N.C. and L. J. C. Lara. 2005. Oil and fat in broiler nutrition. *Brazilian. J. Poult. Sci.* 7: 129-141.
- Baltić, B., M. Starčević, J. Đorđević, B. M Mrdović, dan and R. Marković. 2017. Importance of medium chain fatty acids in animal nutrition. *IOP Conf. Ser. Earth Environ. Sci.* 85: 012048.
- Bibin, M., A. Ardian, dan A. N. Mecca. 2021. Pelatihan budidaya maggot sebagai alternatif pakan ikan desa carawali. *Mallomo.* 1(2): 73-79.
- Biesiada–Drzazga, B., D. Banaszewska, K. Wielogórska, and S. Kaim-Mirowski. 2020. The effect of the genetic origin of hens on selected egg traits. *Act. Sci. Pol. Tech. Alim.* 19(1): 101-107.
- Borel, P., F. Hammaz, L. Morand-Laffargue, B. Creton, C. Halimi, D. Sabatier, dan and C. Desmarchelier. 2021. Using black soldier fly larvae reared on fruits and vegetables waste as a sustainable dietary source of provitamin a carotenoids. *Food Chem.* 359: 129911.
- Botelho, G.G., M. K. Falbo, P. R. Ost, Z. M. Czekoski, A. E. Raviolo, F. M. Giotto, E. C. Goldoni, dan and R. N. Morais. 2015. 'Physiological performance of quails that underwent dietary and pharmacological manipulation of cholesterol. *J. Anim. Physiol. Anim. Nut.* 99(3): 424–429.
- Cai, H., M. Liu, J. Ki, C. Cai, M. Zhao, and F. Feng. 2020. Effects of long-term dietary glycerol monolaurate supplementation on productivity, egg quality, intestinal mucosal morphology and serum parameters of laying hens. *J. Food Sci. Tech.* 5(1): 8–17.
- Carneiro Baião, N. 2005. Brazilian Journal of Poultry Science Revista Brasileira de Ciência Avícola Oil and Fat in Broiler Nutrition. *Braz. J. Poult. Sci.* 7(3): 129-141.
- Chen, D., Y. Liu, and S. Xu. 2023. Supplemental methionine selenium effects on egg yolk physicochemical, functional, and protein structure during storage. *Front. in Nut.* 10: 1207754.
- Cui, Z., R. Zhang, B. Dai, C. Fu, G. Zhao, Y. Xu, and C. Yang. .2023. Effects of glyceryl monolaurate on production performance, egg quality, oviduct cytokines and intestinal microflora of 66 weeks old laying hens. *Animals.* 13(2): 215.
- Cullere, M., G. Tasoniero, V. Giaccone, R. Miotti-Scapin, E. Claeys, S. De Smet, and A. Dalle Zotte. 2016. Black soldier fly as dietary protein source for broiler quails: Apparent digestibility, excreta microbial load, feed choice, performance, carcass and meat traits. *Animal* 10:1923–1930.

- Darmawati, D., Rukmiasih dan R. Afnan. 2016. Daya tetas telur itik cihateup danalabio. J. I. Produksi Teknol. Hasil Peternakan. 4(1): 257-263.
- Das, S. and D. Choudhuri. 2021. Role of dietary calcium and its possible mechanism against metabolic disorders: a concise review. J. Food Biochem. 45(4).
- Dudusola, I. O., E. A. Adeyemi, dan and S. I. Ayodele. 2019. Prediction of japanese quail egg weight using egg components as regressors. Nig. J. Anim. Prod. 46(5): 34-39.
- Dumas, A., T. Raggi, J. Barkhouse, E. Lewis, dan and E. Weltzien. 2018. The oil fraction and partially defatted meal of black soldier fly larvae (*Hermetia illucens*) affect differently growth performance, feed efficiency, nutrient deposition, blood glucose and lipid digestibility of rainbow trout (*Oncorhynchus mykiss*). Aquaculture. 492: 24-34.
- Eberlé, D., B. Hegarty, P. Bossard, P. Ferré, and F. Foufelle. 2004. SREBP transcription factors: master regulators of lipid homeostasis. Biochimie, 86(11): 839–848.
- English, G., Wanger G. dan and Colombo, S.M. 2021. A review of advancements in black soldier fly (*Hermetia illucens*) production for dietary inclusion in salmonid feeds. J. Agri. Food Res. 5:1-9.
- Ergun, O. F. dan U. S. Yamak. 2017. The effect of eggshell thickness on hatchability of quail eggs. Veterinary World. 10(9): 1114-1117.
- Ewald, N., A. Vidakovic, M. Langeland, A. Kiessling, S. Sampels, and C. Lalander. 2020. Fatty acid composition of black soldier fly larvae (*Hermetia illucens*) – Possibilities and limitations for modification through diet. J. Waste Manag. 102:40–47.
- Faitarone, A. B. G., A. C. Pavan, C. Mori, L. S. Batista, R. P. Oliveira, E. A. Garcia, C. C. Pizzolante, A. A. Mendes, dan and M. R. Sherer. 2005. Economic traits and performance of Italian quails reared at different cage stocking densities. Braz. J. Poult. Sci. 7(1): 19-22.
- Febrianti, A. 2016. Pengaruh pemberian diet *virgin coconut oil* (VCO) terhadap kadar serum kolesterol total pada tikus putih jantan (*Rattus norvegicus*) hiperkolesterolemik. J. Masker Medika. 4(2): 183-196.
- François, D. K., A. E. Akana, R. M. Radu-Rusu, A. Teodorescu, M. G. Usturoi, F. Ngoula, dan and A. Tegua. 2021. Effect of the quail phenotype and breeding age on egg laying and characteristics. Open J. Anim. Sci. 11(2): 208-221.
- Gado, R.A.E., G. R. El-sayed, dan and M. G. Elsebaai. 2017. Effects of calcium salt of fatty acids on growth performance and biochemical parameters in broiler chicken. Mansoura Vet. Med. J. 18: 209-220.
- Genchev, A. 2012. Quality and composition of Japanese quail eggs (*Coturnix japonica*). Trak. J. Sci. 10(2): 91-101.

- Gubali, S. I., M. Nusi, E. J. Saleh, dan J. Pakaya. 2021. Pertumbuhan burung puyuh (*Coturnix coturnix japonica*) umur 3 minggu dengan perbedaan kepadatan di dalam kandang. J. Jambura Anim. Sci. 4(1): 79-87.
- Hadi, J. R., K. Tjahjono, R. Halleyantoro, P. K. Dewi, F. Fulyani, and A. N. Setyawati. 2023. Combination of *Nigella sativa* and *Curcuma xanthorrhiza* Roxb. reduces hyperlipidemia in Nephrotic syndrome. J. Pharm. Negat. Results. 14(2): 1804-1812.
- Hanusová, E., C. Hrnčár, A. Hanuš, and M. Oravcová. 2016. Egg traits in japanese quails. Acta Fytotechn. et Zootechn. 19: 62-67.
- Hao, J., M. Nie, Z. Dai, Y. Xiao, J. Song, Z. Zhang, C. Zhou, dan and D. Li. 2023. Identification of carotenoids from fruits and vegetables with or without saponification and evaluation of their antioxidant activities. J. Food Sci. 88(6): 2693-2703.
- Hasbullah, I., Z. Wulandari, dan D. M. Suci. 2020. Suplemen jus daun Afrika (*Vernonia amygdalina*) dalam air minum terhadap komposisi kimia dan kadar malondialdehid telur puyuh (*Coturnix coturnix japonica*). J. Ilmu Nutrien dan Teknol. Pakan. 18(2): 43-48.
- Hassan, M. R, H. S. Choe, Y. D. Jeong, J. Hwangbo, dan and K. S. Ryu. 2013. Effect of dietary energy and protein on the performance, egg quality, bone mineral density, blood properties and yolk fatty acid composition of organic laying hens. Ital. J. Anim. Sci. 12(1): 60–65.
- Hejdysz, M., S. Kaczmarek, D. Józefiak, D. Jamroz, dan and A. Rutkowski. 2018. Effect of different medium chain fatty acids, calcium butyrate, and salinomycin on performance, nutrient utilization, and fermentation products in gastrointestinal tracts of broiler chickens. J. Anim. Plant Sci. 28(2):377-387.
- Heuel, M., C. C. Sandrock, F. Leiber, A. Mathys, M. Gold, C. Zurbrügg, I. D. M. Gangnat, M. Kreuzer, dan and M. Terranova. 2021. Black soldier fly larvae meal and fat can completely replace soybean cake and oil in diets for laying hens. Poult. Sci. 100(4): 101034.
- Hiramatsu N, T. Todo, C. V. Sullivan, J. Schilling, B. J. Reading, T. Matsubara, Y. W. Ryu, H. Mizuta, W. Luo, O. Nishimiya, M. Wu, Y. Mushiobira, O. Yilmaz, dan and A. Hara. 2015. Ovarian yolk formation in fishes: molecular mechanisms underlying formation of lipid droplets and vitellogenin-derived yolk proteins. Gen Comp. Endocrinol. 221: 9–15.
- Ismail, A. A., E. F. Lisnanti, dan A. Mukmin. 2023. Pengaruh penambahan tepung daun jambu biji dan arang aktif pada ransum puyuh petelur (*Cortunix cortunix japonica*) terhadap kualitas telur masa awal produksi. Seminar Nasional Cendekia Peternakan. 2(1): 155-163.

- Jatoi, A. S., A. W. Sahota, M. Akram, K. Javed, J. Hussain, S. Mehmood, dan and M. H. Jaspal. 2013. Response of different body weights on blood serum chemistry values in fourclose-bred flocks of adult Japanese quails (*Coturnix coturnix japonica*). Pak. J. Zool. 45(5): 1215-1220
- Juby, A. G., S. C. Cunnane, dan and D. R. Mager. 2023. Refueling the post COVID-19 brain: potential role of ketogenic medium chain triglyceride supplementation: An hypothesis. Front. Nutr. 10: 1126534.
- Juliambarwati, M., A. Ratriyanto, dan A. Hanifa. 2012. Pengaruh penggunaan tepung limbah udang dalam ransum terhadap kualitas telur itik. Sains Peternakan.10(1): 1694-8828.
- Jumadin, L., A. S. Satyaningtjas, dan K. Santoso. 2017. Ekstrak daun singkong baik sebagai antioksidan pada burung puyuh dewasa yang mendapat paparan panas singkat. Jurnal Veteriner. 18(36): 135-143.
- Kalsum, U., H. Soetanto, Achmanu, dan and O. Sjoifjan. 2012. Influence of a Probiotic containing *Lactobacillus fermentum* on the laying performance and egg quality of Japanese quails. Int. J. Poult. Sci. 11(4): 311-315.
- Kawasaki, K., Y. Hashimoto, A. Hori, T. Kawasaki, H. Hirayasu, S. I. Iwase, A. Hashizume, A. Ido, C. Miura, T. Miur, S. Nakamura, T. Seyama, Y. Matsumoto, K. Kasai, dan and Y. Fujitani. 2019. Evaluation of black soldier fly (*Hermetia illucens*) larvae and pre-pupae raised on household organic waste, as potential ingredients for poultry feed. Animals. 9(3): 98.
- Keum, M., B. An, K. Shin, and K. Lee. 2018. Influence of dietary fat sources and conjugated fatty acid on egg quality, yolk cholesterol, and yolk fatty acid composition of laying hens. Rev. Bras. De Zoo. 47: e20170303.
- Khaskheli, A. A., and L. Chou. 2020. Evaluation of fatty acids composition, metabolizable energy, nutrients digestibility of crude palm oil fat crystals in turkeys. Anim. Feed Sci. Tech. 270: 114734.
- Khaleel, R. 2019. Prediction of haugh unit by egg weight and albumen height. Mesopotamia Journal of Agriculture. 47(3): 37-43.
- Khatibjoo, A., M. Mahmoodi, F. Fattahnia, M. Akbari-Gharaei, A. N. Shokri, dan and S. Soltani. 2018. Effects of dietary short-and medium-chain fatty acids on performance, carcass traits, jejunum morphology, and serum parameters of broiler chickens. Journal of. Applied. Animal. Research. 46(1):492-498.
- Khatun, J., T. C. Loh, H. Akit, H. L. Foo, dan and R. Mohamad. 2017. Fatty acid composition, fat deposition, lipogenic gene expression and performance of broiler fed diet supplemented with different sources of oil. J. Anim. Sci. 88(9):1406-1413.

- Kim J, dan and Y. H. Choi. 2014. Differential abundance of egg white proteins in laying hens treated with corticosterone. *J. Agric. Food Chem.* 62(51):12346-12359.
- Kim, B., H. T. Bang, K. H. Kim, M. J. Kim, J. Y. Jeong, J. L. Chun, dan and S. Y. Ji. 2020. Evaluation of black soldier fly larvae oil as a dietary fat source in broiler chicken diets. *J. Anim. Sci. Tech.* 62(2): 187–197.
- Kim, B., M. Kim, J. Y. Jeong, H. R. Kim, S. Y. Ji, H. Jung, dan and S. H. Park. 2022. Black soldier fly (*Hermetia illucens*) larvae oil as an alternative fat ingredient to soybean oil in laying hen diets. *Anim. Bio.* 35(9): 1408–1417.
- Kim, Y. B., S. Y. Lee, K. H. Yum, W. T. Lee, S. N. Y. Choi. S. Y. Jang, J. S. CHoi, and J. H. Kim. 2024. Effects of storage temperature and egg washing on egg quality and physicochemical properties. *Disc. Appl. Sci.* 6(3): 111.
- Kleiner, I.S. and B. Dotti. 1962. *Laboratory Instruction in Biochemistry*. 6th Ed. The C.V Mosby Co, New York.
- Kruenti F., M.A. Okai, V.K. Lamptey, G. Adu-Aboagye, A. D. Oduro-Owusu, A. D. Suurbesig, and B. Mewu. 2023. Age effect on quality traits of breeder Japanese quail eggs. *Ghana J. Agr. Science*. 58 (2):167-181.
- Kurnia, S. D., K. Praseno, dan K. Kasiyati. 2012. Indeks kuning telur (IKT) dan haugh unit (HU) telur puyuh hasil pemeliharaan dengan pemberian kombinasi larutan mikromineral (Fe, Co, Cu, Zn) dan vitamin (A, B1, B12, C) sebagai drinking water. *Jurnal Anatomi Dan Fisiologi*. 20(2): 24-31.
- Laloučková, K., L. Malá, P. Slaničková, dan and E. Skřivanová. 2019. In vitro antimicrobial effect of palm oils rich in medium-chain fatty acids against mastitis-causing gram-positive bacteria. *Czech J Anim. Sci.* 64(8): 325-331.
- Li, S., Ji, H., B. Zhang, J. T. Zhou, dan and H. Yu. 2016. Influence of black soldier fly (*Hermetia illucens*) larvae oil on growth performance, body composition, tissue fatty acid composition and lipid deposition in juvenile Jian carp (*Cyprinus carpio* var. *Jian*). *Aquaculture*. 465(1): 43-52.
- Liscum, L. 2008. *Biochemistry of Lipids, Lipoproteins and Membranes*. 5th Ed. Elsevier Science, Amsterdam.
- Liu, H., W. Zeng, A. Cao, dan C. Zhang. 2010. Follicle-stimulating hormone promotes proliferation of cultured chicken ovarian germ cells through protein kinases A and C activation. *J. Zhejiang univ Sci B.* 11(12): 952-957.
- Lopez, D. A., F. Infante-Rodriguez, O. G. Nájera-Pedraza, H. B. Barrios-García, dan and J. Salinas-Chavira. 2020. Effect of dietary frying fat,

- vegetable oil and calcium soaps of palm oil on the productive behavior and carcass yield of broiler chickens. *Braz. J. Poult. Sci.* 22: 1-8.
- Luthfiana, N. A., Santoso, dan A. Rahayu. 2020. Korelasi genetik antara bobot telur dengan indeks telur itik Magelang di Dusun Sempu, Desa Ngadirojo, Kecamatan Secang, Kabupaten Magelang. Disertasi. Program Doktorat, Universitas Sebelas Maret, Jawa Tengah.
- Marten, B., M. Pfeuffer, and J. Schrezenmeir, 2006. Medium-chain triglycerides. *Int. Dairy J.* 16(11): 1374-1382.
- Meireles, B. R. L. d. A., S. B. da Fonseca, C. V. B. Grisi, M. S. Madruga, J. J. Filho, L. A. F. Pascoal, L. E. B. Soledade, dan and J. H. V. da Silva. 2022. Shark liver and flaxseed oils as alternatives to soybean oil in the lipid quality of japanese quail eggs. *Brit. Food J.* 125(7): 2558-2571.
- Minvielle, F. 2004. The future of Japanese quail for research and production. *W. Poult. Sci. J.* 60: 500-507.
- Mirnita, D. A. I., R. Dewanti, M. Cahyadi, dan A. K. Wati. 2022. Line crossing's effect on the hatching performance of japanese quail. *IOP Conference Series: Earth and Environ. Sci.* 1001(1): 012019.
- Moretta, A., R. Salvia, C. Scieuzo, A. Di Somma, H. Vogel, P. Pucci, A. Sgambato, M. Wolff, dan and P. Falabella. 2020. A bioinformatic study of antimicrobial peptides identified in the Black Soldier Fly (BSF) *Hermetia illucens* (Diptera: Stratiomyidae). *Sci. Reports.* 10:16875.
- Mori, H., M. Takaya, K. Nishimura, and T. Goto. 2020 Breed and feed affect amino acid contents of egg yolk and eggshell color in chickens. *Poult. Sci.* 99(1): 172-178.
- Mosavat, N. 2011. Use of Soybean Fatty Acids and Soybean Calcium Salt Fatty Acids in Broiler Chickens Diets Nima Mosavat: Use of Soybean Fatty Acids and Soybean Calcium Salt Fatty Acids in Broiler Chickens Diets. *Adv. Environ. Biol.* 5:3068–3071.
- Mulet-Cabero, A. dan and P.J. Wilde. 2023. Role of calcium on lipid digestion and serum lipids: a review. *Crit. Rev. Food Sci. Nutr.* 6: 813-826.
- Mustakim, M., M. Munir, dan I. Irmayani. 2023. Warna dan indeks kuning telur puyuh (*Coturnix coturnix japonica*) yang diberi tepung daun singkong (*Manihot esculenta*) dengan level yang berbeda. *Journal Gallus Gallus.* 1(3). 88-98.
- Nasar, A., A. Rahman, N. Hoque, A. K. Talukder, dan and Z. C. Das. 2016. A survey of Japanese quail (*Coturnix coturnix japonica*) farming in selected areas of Bangladesh. *Vet. World.* 9(9): 940-947.
- Nisa, R.K., T. R. Saraswati, dan E. Y. W. Yuniwanti. 2017. Kadar kolesterol dan vitamin A pada telur itik pengging, itik tegal dan itik magelang. *Buletin Anatomi dan Fisiologi.* 2(2): 114.

- Ondrušiková, S., Š. Nedomová, R. Pytel, O. Cwиковá, dan and V. Kumbár. 2018. Effect of different storage times on japanese quail egg quality characteristics. *Potr. S. J. F. Sci.* 12(1): 560-565.
- Ophir, A. G., K. N. Persaud, dan and B. G. Jr. Galef. 2005. Avoidance of relatively aggressive male Japanese quail (*Coturnix coturnix japonica*) by sexually experienced conspecific females. *J. Comp. Psychol.* 119(1): 3-7.
- Ortiz, D., T. Lawson, R. Jarrett, A. Ring, K. L. Scoles, L. Hoverman, E. Rocheford, D. M. Karcher, dan and T. Rocheford. 2022. The impact of orange corn in laying hen diets on yolk pigmentation and xanthophyll carotenoid concentrations on a percent inclusion rate basis. *J. Appl. Poult. Res.* 31(1). 13-19.
- Pappas, J. 2002. *Coturnix Japonica*. Available at https://animaldiversity.org/site/accounts/information/Coturnix_japonica.html. Accession date 17th Mey 2024.
- Paryanta, P., D. Sudrajat, dan A. Anggraeni. Kalitas telur burung puyuh (*Coturnix coturnix japonica*) yang diberi larutan daun kelor (*Moringa oleifera* L.). *Jurnal Peternakan Nusantara*. 5(1): 13-19.
- Patterson, P. H., N. Acar, A. D. Ferguson, L. D. Trimble, H. B. Sciubba, dan and E. A. Koutsos. 2021. The impact of dietary black soldier fly larvae oil and meal on laying hen performance and egg quality. *Poult. Sci.* 100(8): 101272.
- Permana, D., M. Lamid, dan S. Mulyati. 2014. Perbedaan potensi pemberian bahan substitusi tepung limbah udang dan cangkang kepiting terhadap berat telur dan kerabang telur itik. *Jurnal Agro Veteriner*. 2(2): 81-88.
- Pieroni, C. A., M. C. D. Oliveira, W. L. R. D. Santos, L. B. Mascarenhas, dan and M. A. D. Oliveira. 2020. Effect of green propolis on the productivity, nutrient utilisation, and intestinal morphology of Japanese laying quail. *Revista. Brasileira. de Zootecnia*. 49: e20190198.
- Popeijus, H.E., W. Zwaan, J. Z. Tayyeb, dan and J. Plat. 2021. Potential contribution of short chain fatty acids to hepatic apolipoprotein a-1 production', *Int. J. Mol. Sci.* 22(11): 5986.
- Pramono, A., K. Kustono, D. T. Widayati, P. P. Putro, E. Handayanta, dan H. Hartadi. 2013. Evaluasi proteksi sabun kalsium sebagai pakan suplemen berdasarkan pencernaan bahan kering, pencernaan bahan organik dan pH in vitro di dalam rumen dan pasca rumen. *Sains Peternakan: Jurnal Penelitian Ilmu Peternakan*. 11(2): 70-78.
- Prelipcean, A. A. dan and V. Teusan. 2012. Invertigations on the structure, chemical composition and caloricity of the quail eggs, deposited at the plateau phase of the laying period. *Ser. Zoot.* 57:113-120.

- Putri D. A. M., M. A. Djaelani, dan S. M. Mardiaty. 2016. Bobot indeks kuning telur dan haugh unit telur ayam ras. *Jurnal Bioma*.18(1):7-13.
- Rahayu, S. 2017. Pengaruh Kombinasi Tepung Tomat (*Solanum Lycopersicum*) Dan Tepung Kunyit (*Curcuma Longa* L) Sebagai Feed Additive Terhadap Kadar Lemak Dan Kolesterol Telur Puyuh (*Coturnix Coturnix Japonica*). Thesis. Program Pascasarjana, Universitas Brawijaya, Malang, Jawa Timur.
- Rahmawati, N. dan A. C. Irawan. 2021. Pengaruh penambahan herba fit dalam pakan terhadap kualitas fisik telur ayam ras petelur. *Jurnal Nutrien Ternak Tropis*, 4(1): 1-14.
- Raji, A.O., J. Alyu, J.U. Igwebuike, dan and S. Chiroma. 2009. Effect of storage and time on egg quality traits of laying hens in a hot dry climate. *ARPN. J. Agric. Biol. Sci.* 4(4):1-7.
- Rhode, C., R. Badenhorst, K. L. Hull, M. P. Greenwood, A. E. B. D. Merwe, A. A. Andere, C. J. Picard, and C. Richards. 2020. Genetic and phenotypic consequences of early domestication in black soldier flies (*Hermetia illucens*). *Ani. Gen.* 51(5): 752–762.
- Rondonuwu, C. R., J. L. P. Saerang, W. Utiah, dan M. N. Regar. 2017. Pengaruh pemberian tepung Keong Sawah (*Pila ampulacea*) sebagai pengganti tepung ikan dalam pakan terhadap kualitas telur burung puyuh (*Coturnix coturnix japonica*). *ZOOTEC.* 38(1): 1-8.
- Rowghani, E., M. Aab, S. Nazifi, dan and Z. Bakhari. 2007. Effect of canola oil on cholesterol and fatty acid composition of egg yolk of laying hens. *International. J. of Poult. Sci.* 6(2): 111-114.
- Salinas, J., R. G. Ramirez, M. M. Domínguez, N. Reyes-Bernal, N. Trinidad-Larraga, M. F. Montano. 2006. Effect of calcium soaps of tallow on growth performance and carcass characteristics of Pelibuey lambs. *Small Ruminant Research.* 66(1-3):135-139.
- Saponaro, C., M. Gaggini, F. Carli, dan and A. Gastaldelli. 2015. The subtle balance between lipolysis and lipogenesis: A critical point in metabolic homeostasis. *Nutrients.* 7:9453–9474.
- Sastrawan, I. P., I. P. Astawa, dan I. G. Mahardika. 2020. Pengaruh suplementasi (asam amino, mineral, dan vitamin) melalui air minum terhadap kualitas telur yang disimpan sampai 21 hari. *Jurnal Peternakan Tropika.* 8(1): 189-201.
- Satria, W, A. E. Harahap, dan T. Adelina. 2021. Kualitas telur puyuh yang diberikan ransum dengan penambahan silase tepung daun ubi kayu. *Jurnal Sains Peternakan Indonesia.* 16(1): 26-33.
- Shan, Y., M. Ma, X. Huang, Y. Guo, G. Jin, and Y. Jin. 2012. Simple pH treatment as an effective tool to improve the functional properties of ovomucin. *J. Food Sci.* 77(7).

- Shkembi, B. and T. Huppertz. 2021. Calcium absorption from food products: Food matrix effects. *Nutrients*. 14(1): 180.
- Shokrollahi, B., Yavari, Z. dan and Kordestani, A.H. 2014. Effects of dietary mediumchain fatty acids on performance, carcass characteristics, and some serum parameters of broiler chickens. *British Poult. Sci.* 55(5): 662-667.
- Siswara, H. N., K. Huda, dan L. N. Aini. Penurunan kualitas telur ayam ras petelur yang disimpan pada suhu ruang di Kabupaten Tuban. *Jurnal Ilmu dan Industri Peternakan*. 9(2): 130-145.
- Soeparno, R. A., I. Rihastutidan, dan S. Triatmojo. 2011. *Dasar Teknologi Hasil Ternak*. Universitas Gadjah Mada, Yogyakarta.
- Soliman, G. A. 2018. Dietary cholesterol and the lack of evidence in cardiovascular disease. *Nutrients*;.10(6): 780.
- Subekti, E. dan D. Hastuti. 2013. Budidaya puyuh (*Coturnix japonica*) dipekarangan sebagai sumber protein hewani dan penambah income keluarga. *Mediagro Jurnal Ilmu-Ilmu Pertanian*. 9(1): 1-10.
- Sudrajat, D., D. Kardaya, E. Dihansih, dan P. SFS. 2014. Performa produksi telur burung puyuh yang diberi ransum mengandung kromium organik. *JITV*. 19(4): 257-262.
- Sugiura, K., K. Fushimi, T. Takehisa, M. Miwa, T. Saito, Y. Uchida, and T. Onodera. 2009. An outbreak of H7N6 low pathogenic avian influenza in quails in Japan. *Vet. Ital.* 45(4): 481-489.
- Sujana, E., A. Anang, I. Setiawan, dan and T. Widjastuti, 2020. The egg characteristics of malon broiler, japanese quails and their cross. *Biodiversitas*. 21(3): 889-895
- Sulaiman, A. dan S. N. Rahmatullah. 2018. Karakteristik eksterior, produksi dan kualitas telur itik alabio (*Anas platyrhynchos borneo*) di Sentra Peternakan Itik Kalimantan Selatan. *Bioscientiae*. 8(2): 46-61.
- Sun, C., J. Liu, N. Yang, and G. Xu. 2019. Egg quality and egg albumen property of domestic chicken, duck, goose, turkey, quail, and pigeon. *Poult. Sci.* 98(10): 4516-4521.
- Sun, Y., N. Neelakantan, Y. Wu, R. Lote-Oke, A. Pan, dan and R. M. van Dam. 201. Palm oil consumption increase LDL cholesterol compared with vegetables oils low in saturated fat in a metaanalysisi of clinical trials. *J. Nutr.* 145: 1549-1558.
- Sundari, D., A. Almasyhuri, dan A. Lamid. 2015. Pengaruh proses pemasakan terhadap komposisi zat gizi bahan pangan sumber protein. *Media Penelitian Dan Pengembangan Kesehatan*. 25(4).
- Suparman, S. Purwanti, and N. Nahariah. 2020. Substitution of fish meal with black soldier fly larvae (*Hermetia illucens*) meal to eggs

- production and physical quality of quail (*Coturnix coturnix japonica*) eggs. *Earth and Environ. Sci.* 492(1): 012014.
- Suripta, H. dan P. Astuti. 2007. Pengaruh penggunaan minyak lemuru dan minyak sawit dalam ransum terhadap rasio asam lemak omega-3 dan omega-6 dalam telur burung puyuh (*Coturnix coturnix japonica*). *J. Ind. Trop. Anim. Agri.* 32(1): 22-27.
- Thomas, K. S., P. R. Jagatheesan, T. L. Reetha, dan and D. Rajendran, 2016. Nutrient composition of Japanese quail eggs. *Inter. J. Scie, Enviromn. And Tech.* 5(3):1293-1295.
- Trabelsi, S., S. O. Nelson, and D. R. Jones. 2007. Storage effects on dielectric properties of eggs from 10 to 1800 mhz. *J. Food Sci.* 72(5). 335-340.
- Tuleun, C. D., A. Y. Adenkola, dan and F. G. Yenle. 2013. Performance and erythrocyte osmotic membrane stability of laying japanese quails (*Coturnix coturnix japonica*) fed varying dietary protein levels in a hot-humid tropics. *Agr. Biol. J. North Am.* 4(1): 6-13.
- Tunsaringkarn, T., W. Tungjaroenchai, dan and W. Siriwong. 2013. Nutrient benefits of quail (*Coturnix coturnix japonica*) eggs. *Int. J. Sci. Res. Pub.* 3(5): 1-8.
- USDA. 2000. Egg-Grading Manual. Agricultural Handbook Number 75, United States.
- Vidal, N.P., O.A. Adigun, T.H. Pham, A. Mumtaz, C. Manful, G. Callahan, P. Stewart, D. Keogh, dan and R. H. Thomas. 2018. The effects of cold saponification on the unsaponified fatty acid composition and sensory perception of commercial natural herbal soaps. *Molecules.* 23(9): 2356.
- Wahju, J. 2004. Ilmu Nutrien Unggas. Gadjah Mada University Press, Yogyakarta.
- Wang, B., J. Fu, L. Li, D. Gong, X. Wen, P. Yu, and Z. Zeng. 2016. Medium-chain fatty acid reduces lipid accumulation by regulating expression of lipid-sensing genes in human liver cells with steatosis. *Int J Food Sci Nutr.* 67:288–297.
- Wang, Y., Y. Wang, X. Lin, Z. Gou, Q. Fan, dan and S. Jiang. 2021. Effects of clostridium butyricum, sodium butyrate, and butyric acid glycerides on the reproductive performance, egg quality, intestinal health, and offspring performance of yellow-feathered breeder hens. *Front. Micro.* 12: 657542.
- Wang, Y.S., dan and M. Shelomi. 2017. Review of black soldier fly (*Hermetia illucens*) as animal feed and human food. *Foods* 6(91):1-23.
- Wheindrata, H.S. 2014. Panduan Lengkap Beternak Burung Puyuh Petelur. Lily Publisher. Yogyakarta.

- Widyantara, P. R. A., G. A. M. K. Dewi, dan I. N. T. Ariana. 2017. Pengaruh lama penyimpanan terhadap kualitas telur konsumsi ayam kampung dan ayam lohman brown. *Majalah Ilmiah Peternakan*. 20(1): 5-11.
- Wijaya, Y., E. Suprijatna dan S. Kismiati. 2017. Penggunaan limbah industri jamu dan bakteri asam laktat (*Lactobacillus* Sp.) sebagai sinbiotik untuk aditif pakan terhadap kualitas interior telur ayam ras petelur. *Jurnal Peternakan Indonesia*. 19(2): 47-54.
- Winarno. 2004. Kimia pangan dan gizi. PT. Gramedia Pustaka Utama, Jakarta.
- Worang, P., E. H. B. Sondakh, C. K. M. Palar, D. B. J. Rumondor, dan I. Wahyuni. 2022. Kualitas telur ayam ras yang dijual di pasar tradisional dan pasar modern Kota Manado. *Zootec*. 42(1): 138-143.
- Xia, J., P. Yu, Z. Zeng, M. Ma, G. Zhang, D. Wan, D. Gong, S. Deng, dan and J. Wang. 2021. High dietary intervention of lauric triglyceride might be harmful to its improvement of cholesterol metabolism in obese rats. *J. Agr. Food Chem*. 69(15): 4453-4463.
- Xu, E., C. Chen, J. Fu, L. Zhu, J. Shu, M. Jin, Y. Wang, dan and X. Zong. 2021. Dietary fatty acids in gut health: absorption, metabolism and function. *J. Anim. Nutr*. 7:1337–1344.
- Yosi, F., N. Hidayah, Jurlinda, dan M. L. Sari. 2016. Kualitas fisik telur asin itik pegagan yang diproses dengan menggunakan abu pelapah kelapa sawit dan asap cair. *Buletin Peternakan*. 40(1):66-74.
- Zaman, M. A., P. Sorensen, dan and M. A. R. Howlader. 2004. Egg production performances of a breed and three crossbreeds under semi-scavenging system of management. *LRRD*. 16(8):1-4.
- Zhang, Y., L. Yin, dan and F. B. Hillgartner, 2003. SREBP-1 integrates the actions of thyroid hormone, insulin, cAMP, and medium-chain fatty acids on ACC α transcription in hepatocytes. *J. Lipid Res*. 44(2): 356-368.
- Zhou, H., B. Zheng, Z. Zhang, R. Zhang, L. He, dan and D. J. McClements. 2021. Fortification of plant-based milk with calcium may reduce vitamin D bioaccessibility: an in vitro digestion study. *J. Agr. Food Chem*. 69(14): 4223-4233
- Zotte, A. D., Y. Singh, J. Michiels, dan and M. Cullere. 2019. Black soldier fly (*Hermetia illucens*) as dietary source for laying quails: live performance, and egg physico-chemical quality, sensory profile and storage stability. *Animals*. 9(3): 115.