

DAFTAR ISI

HALAMAN NOMOR PERSOALAN.....	i
HALAMAN PENGESAHAN.....	ii
SURAT PERNYATAAN BEBAS PLAGIASI.....	iii
LEMBAR PERSEMBAHAN.....	iv
KATA PENGANTAR.....	v
<i>ABSTRACT</i>	vii
INTISARI.....	viii
DAFTAR ISI.....	ix
DAFTAR GAMBAR.....	xii
DAFTAR TABEL.....	xv
BAB I PENDAHULUAN.....	1
1.1 Latar Belakang	1
1.2 Perumusan Masalah.....	4
1.3 Tujuan Penelitian.....	5
1.4 Batasan Masalah.....	5
1.5 Manfaat Penelitian.....	6
1.6 Sistematika Penelitian.....	6
BAB II TINJAUAN PUSTAKA DAN LANDASAN TEORI	8
2.1 Tinjauan Pustaka.....	8
2.2 <i>Maintenance</i>	10
2.2.1 Pengertian <i>Maintenance</i>	10
2.2.2 Jenis <i>Maintenance</i>	11
2.3 <i>Run to Failure</i>	14
2.4 <i>Underground Truck</i>	15
2.4.1 Komponen <i>Underground Truck</i>	15
2.4.2 Cara Kerja <i>Underground Truck</i>	16
2.5 Silinder Hidrolik.....	19
2.5.1 <i>Cylinder Steering</i>	20
2.5.2 Konstruksi <i>Cylinder Steering</i>	21
2.6 Teori Keandalan (<i>Reliability</i>)	26

2.6.1	Fungsi Keandalan (<i>Reliability</i>).....	27
2.6.2	<i>Cumulative Distribution Function</i> (CDF).....	29
2.6.3	<i>Probability Density Function</i> (PDF).....	30
2.6.4	<i>Failure Rate</i>	31
2.6.5	Konsep <i>Availability</i>	32
2.6.6	Konsep <i>Maintainability</i>	32
2.7	Laju Kerusakan.....	33
2.8	Distribusi Kegagalan.....	34
2.8.1	Distribusi Weibull.....	35
2.8.2	Distribusi Normal.....	36
2.8.3	Distribusi Lognormal.....	38
2.8.4	Distribusi Eksponensial.....	39
2.9	Identifikasi Distribusi Kegagalan.....	40
2.10	<i>Physical Availability</i> (PA).....	45
2.11	<i>Age Replacement</i> dan <i>Total Minimum Downtime</i>	46
2.12	Peningkatan <i>Reliability</i> Komponen.....	48
2.13	<i>Maintenance Cost</i>	49
BAB III METODOLOGI PENELITIAN.....		50
3.1	Diagram Alir Penelitian.....	50
3.2	Alat dan Bahan Penelitian.....	51
3.3	Jenis Data.....	51
3.4	Pengumpulan Data.....	52
3.6	Pengolahan Data.....	53
3.6.1	Identifikasi pola data.....	53
3.6.2	Pengujian distribusi data	58
3.6.3	Identifikasi nilai parameter distribusi terpilih	61
3.6.4	Perhitungan <i>Mean Time To Failure</i> dan <i>Mean Time To Repair</i>	62
3.6.5	Perhitungan nilai <i>reliability</i> (keandalan) <i>rod cylinder steering</i>	63
3.6.6	Perhitungan tingkat <i>failure rate rod cylinder steering</i>	63
3.6.7	Perhitungan interval waktu penggantian pencegahan komponen ...	63
3.7	Analisis.....	63
BAB IV HASIL DAN PEMBAHASAN.....		64

4.1	Analisis Masalah	64
4.2	Pengumpulan Data.....	65
4.3	Identifikasi Data	67
4.4	Identifikasi Distribusi Data.....	72
4.5	Identifikasi Nilai Parameter Distribusi Data.....	75
4.6	Nilai <i>Mean Time To Failure</i> dan <i>Mean Time To Repair</i>	76
4.7	Nilai <i>Reliability Rod Cylinder Steering</i>	77
4.8	Nilai <i>Failure Rate Rod Cylinder Steering</i>	78
4.9	Perhitungan Interval Waktu Penggantian Pencegahan.....	80
4.10	Perhitungan Nilai <i>Reliability</i> Setelah <i>Preventive Replacement</i>	83
4.11	Perhitungan Nilai <i>Physical Availability</i>	86
4.12	Perhitungan Biaya Perawatan	88
BAB V	PENUTUP	92
5.1	Kesimpulan	92
5.2	Saran.....	93
LAMPIRAN.....		94
DAFTAR PUSTAKA		98

DAFTAR GAMBAR

Gambar 1.1	Pemutakhiran jumlah lokasi potensi mineral logam di Indonesia tahun 2021-2022.....	1
Gambar 1.2	Penggantian <i>major component</i> unit <i>underground truck</i> CAT AD60 periode Januari 2022 - September 2023.....	3
Gambar 1.3	Masa <i>downtime</i> akibat kerusakan komponen <i>cylinder steering</i> periode Januari 2022 – September 2023.....	3
Gambar 2.1	Jenis <i>maintenance</i> (Priyanta, 2000).....	13
Gambar 2.2	Unit <i>underground truck</i> CAT AD60 (https://trakindo.co.id/ad60).....	15
Gambar 2.3	Komponen <i>underground truck</i> CAT AD60 (https://trakindo.co.id/ad60).....	16
Gambar 2.4	Proses <i>loading material</i> (https://trakindo.co.id/ad60).....	17
Gambar 2.5	Proses <i>hauling material</i> (https://trakindo.co.id/ad60).....	18
Gambar 2.6	Proses <i>dumping material</i> (https://trakindo.co.id/ad60).....	19
Gambar 2.7	Ilustrasi sistem hidrolik (Totten and Victor, 2012).....	20
Gambar 2.8	<i>Cylinder steering underground truck</i> CAT AD60 (https://parts.cat.com).....	21
Gambar 2.9	Konstruksi silinder hidrolik (Andrew Parr, 2011).....	22
Gambar 2.10	<i>Double acting cylinder barrel</i> (https://parts.cat.com).....	23
Gambar 2.11	<i>Piston cylinder</i> (https://parts.cat.com).....	23
Gambar 2.12	<i>Rod cylinder</i> (https://parts.cat.com).....	24
Gambar 2.13	<i>Hydraulics seal</i> (Duffy dkk, 2019).....	25
Gambar 2.14	<i>End cap cylinder</i> (https://parts.cat.com).....	26
Gambar 2.15	Konsep <i>reliability</i> (Hoyland dkk, 2021).....	27
Gambar 2.16	Grafik fungsi <i>reliability</i> (Ebeling, 1997).....	28
Gambar 2.17	Grafik <i>cumulative distribution function</i> (CDF) (Ebeling, 1997).....	30
Gambar 2.18	Grafik <i>probability density function</i> (PDF) (Ebeling, 1997).....	31
Gambar 2.19	Gambar <i>bath up curve</i> (Smith, 2011).....	33
Gambar 2.20	<i>Probability density function</i> distribusi weibull (Ebeling, 1997).....	35
Gambar 2.21	<i>Probability density function</i> distribusi normal (Ebeling, 1997)	37
Gambar 2.22	<i>Probability density function</i> distribusi lognormal (Ebeling, 1997).....	38
Gambar 2.23	<i>Reliability function exponential distribution</i> (Ebeling, 1997)...	40
Gambar 2.24	Alur identifikasi distribusi (Louit dkk, 2009).....	42

Gambar 2.25	Grafik <i>plot cumulative failures vs time plots</i> (Louit dkk, 2009).....	42
Gambar 2.26	<i>Scatter plots of successive service life</i> (Louit dkk, 2009).....	43
Gambar 2.27	<i>Age replacement</i> (Jardine dan Tsang, 2013).....	46
Gambar 2.28	<i>Siklus age replacement</i> (Jardine dan Tsang, 2013).....	46
Gambar 2.29	Model <i>total minimum downtime</i> (Jardine dan Tsang, 2013)....	47
Gambar 2.30	Perbandingan nilai <i>reliability</i> sebelum dan sesudah dilakukan tindakan <i>maintenance</i> (Ebeling, 1997).....	48
Gambar 3.1	Diagram alir penelitian tugas akhir.....	50
Gambar 3.2	<i>Scatter plots data</i>	53
Gambar 3.3	<i>Select data scatter plots</i>	54
Gambar 3.4	<i>Input data scatter plots</i>	54
Gambar 3.5	<i>Scatter plots successive service life test</i>	55
Gambar 3.6	<i>Select data scatter plots successive service life test</i>	56
Gambar 3.7	<i>Input data scatter plots successive service life test</i>	56
Gambar 3.8	<i>Input data uji auto korelasi Minitab 17</i>	57
Gambar 3.9	<i>Uji auto korelasi Minitab 17</i>	57
Gambar 3.10	<i>Setting uji auto korelasi Minitab 17</i>	57
Gambar 3.11	<i>Input data uji Index of Fit Minitab 17</i>	58
Gambar 3.12	<i>Uji Index of Fit Minitab 17</i>	59
Gambar 3.13	<i>Setting uji Index of Fit Minitab 17</i>	59
Gambar 3.14	<i>Input data uji Goodness Of Fit Minitab 17</i>	60
Gambar 3.15	<i>Uji Goodness Of Fit Minitab 17</i>	60
Gambar 3.16	<i>Setting uji Goodness Of Fit Minitab 17</i>	61
Gambar 3.17	<i>Input data pengujian nilai parameter distribusi Minitab 17</i>	61
Gambar 3.18	<i>Penentuan nilai parameter distribusi Minitab 17</i>	62
Gambar 3.19	<i>Setting penentuan nilai parameter distribusi Minitab 17</i>	62
Gambar 4.1	<i>CAT AD60 loading point area</i>	64
Gambar 4.2	<i>Ilustrasi penyebab kerusakan rod cylinder steering</i>	65
Gambar 4.3	<i>Plot grafik cumulative time to failure vs time plots</i>	67
Gambar 4.4	<i>Plot grafik cumulative time to repair vs time plots</i>	68
Gambar 4.5	<i>Scatter plot successive service life time to failure</i>	69
Gambar 4.6	<i>Scatter plot successive service life time to repair</i>	69
Gambar 4.7	<i>Uji auto korelasi TTF Minitab 17</i>	71
Gambar 4.8	<i>Uji auto korelasi TTR Minitab 17</i>	71
Gambar 4.9	<i>Index of fit time to failure Minitab 17</i>	73
Gambar 4.10	<i>Index of fit time to repair Minitab 17</i>	73
Gambar 4.11	<i>Goodness of fit time to failure Minitab 17</i>	74
Gambar 4.12	<i>Goodness of fit time to repair Minitab 17</i>	74

Gambar 4.13	Penentuan nilai parameter distribusi weibull data <i>time to failure</i>	74
Gambar 4.14	Penentuan nilai parameter distribusi lognormal data <i>time to repair</i>	75
Gambar 4.15	Grafik nilai <i>reliability rod cylinder steering</i>	78
Gambar 4.16	Grafik nilai <i>failure rate rod cylinder steering</i>	79
Gambar 4.17	Nilai <i>reliability</i> sebelum dan setelah <i>preventive replacement</i> ...	85
Gambar 4.18	Perbandingan <i>physical availability</i> unit <i>rod cylinder steering breakdown</i> metode <i>preventive replacement</i> dan <i>run to failure</i> ..	87

DAFTAR TABEL

Tabel 4.1	Data riwayat penggantian <i>rod cylinder steering</i> Januari 2022 - September 2023	66
Tabel 4.2	Penggantian <i>major component</i> unit <i>underground truck</i> CAT AD60 periode Januari 2022 - September 2023	70
Tabel 4.3	Uji auto korelasi <i>time to failure</i>	71
Tabel 4.4	Uji auto korelasi <i>time to repair</i>	72
Tabel 4.5	Hasil pengujian <i>index of fit</i> Minitab 17	74
Tabel 4.6	Pengujian <i>goodness of fit</i> data Minitab 17	75
Tabel 4.7	Penentuan nilai parameter distribusi data	76
Tabel 4.8	Perhitungan <i>probability downtime (Dt)</i> perawatan pencegahan..	80
Tabel 4.9	Rekomendasi jadwal penggantian <i>rod cylinder steering</i>	82
Tabel 4.10	Perbandingan nilai <i>reliability</i> sebelum dan setelah <i>preventive replacement</i>	83
Tabel 4.11	Interval waktu penggantian <i>rod cylinder steering</i> metode <i>run to failure</i>	89
Tabel 4.12	Perhitungan biaya perawatan metode <i>run to failure</i>	90
Tabel 4.13	Interval waktu penggantian <i>rod cylinder steering</i> metode <i>preventive replacement</i>	90
Tabel 4.14	Perhitungan biaya perawatan metode <i>preventive replacement</i>	91