

DAFTAR PUSTAKA

- Asiah, N., Cempaka, L., David, W., (2018). *Panduan Praktis Pendugaan Umur Simpan*. Jakarta: Penerbitan Universitas Bakrie.
- Azevedo, G., Hilliou, L., Bernardo, G., Sousa-Pinto, I., Adams, R. W., Nilsson, M., & Villanueva, R. D. (2013). Tailoring kappa/iota-hybrid carrageenan from *Mastocarpus stellatus* with desired gel quality through pre-extraction alkali treatment. *Food Hydrocolloids*, 31(1), 94-102.
- Azhar, B., Gunawan, S., Setyadi, E.R.F., Majidah, L., Taufany, F., Atmaja, L. and Apamarta, H.W., 2023. Purification and separation of glucomannan from porang tuber flour (*Amorphophallus muelleri*) using microwave assisted extraction as an innovative gelatine substituent. *Heliyon*, 9(11).
- Bai, Y., Zhou, X., Li, N., Zhao, J., Ye, H., Zhang, S., Yang, H., Pi, Y., Tao, S., Han, D. and Zhang, S., (2021). In vitro fermentation characteristics and fiber-degrading enzyme kinetics of cellulose, arabinoxylan, β -glucan and glucomannan by pig fecal microbiota. *Microorganisms*, 9(5), p.1071.
- BeMiller, J.N., (2019). *Carbohydrate Chemistry for Food Scientists (3rd Edition)*. Elsevier.
- Buck, R.P., Rondinini, S., Covington, A.K., Baucke, F.G.K., Brett, C.M., Camoes, M.F., Milton, M.J.T., Mussini, T., Naumann, R., Pratt, K.W. and Spitzer, P., (2002). Measurement of pH. Definition, standards, and procedures (IUPAC Recommendations 2002). *Pure and applied chemistry*, 74(11), pp.2169-2200.
- Chen, H.L., Cheng, H.C., Liu, Y.J., Liu, S.Y. and Wu, W.T., (2006). Konjac acts as a natural laxative by increasing stool bulk and improving colonic ecology in healthy adults. *Nutrition*, 22(11-12), pp.1112-1119.
- Chen, J., Li, J. and Li, B., (2011). Identification of molecular driving forces involved in the gelation of konjac glucomannan: Effect of degree of deacetylation on hydrophobic association. *Carbohydrate Polymers*, 86(2), pp.865-871.
- Chen, Y., Li, Y., Li, S., Yao, Y., Zhu, H., & Chen, Y. (2017). Quality change of fresh noodles during room temperature storage. *Food Science*, 38, 258-262.
- Choi, S. Y., Cho, J. H., & Koh, B. K. (2012). A rice noodle making procedure for evaluating rice flour noodle-making potential. *Journal of the Korean Society of Food Science and Nutrition*, 41(12), 1823-1829.

- Chua, M., Hocking, T. J., Chan, K., & Baldwin, T. C. (2013). Temporal and spatial regulation of glucomannan deposition and mobilization in corms of *Amorphophallus konjac* (Araceae). *American Journal of Botany*, 100(2), 337-345.
- Commission Internationale de l'Eclairage (CIE) (1986) Colorimetry. 2nd Edition, Publication CIE No. 15.2. Commission Internationale de l'Eclairage, Vienna.
- Divayana, F.N., Nurmalina, R. and Suprehatin, S., (2022). Faktor–Faktor yang Memengaruhi Niat Pembelian Mi Shirataki Instan: Aplikasi Extended Theory of Planned Behavior. In *Forum Agribisnis: Agribusiness Forum* (Vol. 12, No. 2, pp. 161-170).
- Erkmen, Osman; Bozoglu, T. Faruk (2016). *Food Microbiology: Principles into Practice // Factors Affecting Microbial Growth in Foods*, 91–106. doi:10.1002/9781119237860.ch5
- Farhad, A. and Mohammadi, Z., (2005). Calcium hydroxide: a review. *International dental journal*, 55(5), pp.293-301.
- Fukuzawa, S., Ogawa, T., Nakagawa, K., & Adachi, S. (2016). Changes in color and texture of wheat noodles during chilled storage. *Bioscience, Biotechnology, and Biochemistry*, 80(12), 2418-2424.
- Han, L., Cheng, Y., Zhang, Q., Ma, H., Tatsumi, E., & Li, L. (2014). Synergistic effects of calcium hydroxide and 959 konjac glucomannan (KGM) on the thermomechanical properties of buckwheat flour and the quality of 960 buckwheat noodles. *Journal of Texture Studies*, 45(6), 420–429.
- Haryadi. (2014). *Teknologi Mi, Bihun, Sohun*. Yogyakarta: Gadjah Mada University Press.
- Herawati, H., (2008). Penentuan umur simpan pada produk pangan. *Jurnal Litbang Pertanian*, 27(4), pp.124-130.
- Herawati, E.R.N., Ariani, D., Yosieto, E., Angwar, M. and Pranoto, Y., (2017). Sensory and textural characteristics of noodle made of ganyong flour (*Canna edulis* Kerr.) and arenga starch (*Arenga pinnata* Merr.). In *IOP Conference Series: Earth and Environmental Science* (Vol. 101, No. 1, p. 012020). IOP Publishing.
- Huang, D.W., Chan, Y.J., Huang, Y.C., Chang, Y.J., Tsai, J.C., Mulio, A.T., Wu, Z.R., Hou, Y.W., Lu, W.C. and Li, P.H., (2021). Quality Evaluation, Storage Stability, and Sensory Characteristics of Wheat Noodles Incorporated with Isomaltodextrin. *Plants*, 10(3), p.578.
- Isworo, J.T., (2007). Pengaruh Penambahan Tawas Terhadap Sifat Mikrobiologi, Fisik dan Lama Simpan Mie. *Jurnal Litbang*, 3(2).

Indonesian Trade Promotion Centre (ITPC) Osaka, 2014. *Market Brief Konnyaku (HS Code 1212.19)*, Osaka: ITPC Osaka.

Jufri, R. F. (2020). The effect of environmental factors on microbial growth. *Journal La Lifesci*, 1(1), 12-17.

Koswara, S., (2013). *Teknologi Pengolahan Umbi-Umbian Bagian 2: Pengolahan Umbi Porang*. Bogor: Research and Community Service Institution IPB.

Kumalasari, R., Sholichah, E., Haryanto, A., Hanifah, U., Mayasti, N.K.I. and Yuniar, A.D., (2022). Evaluation of uniformity of physical and texture quality in manufacture of gluten-free noodles using single-screw extruders: A case study on local SMEs in Subang district-Indonesia. *Food Science and Technology*, 42.

Li, M., Ma, M., Zhu, K.-X., Guo, X.-N., & Zhou, H.-M. (2017). Critical conditions accelerating the deterioration of fresh noodles: A study on temperature, pH, water content, and water activity. *Journal of Food Processing and Preservation*, 41(4), e13173.

Li, Y., Wu, K., Li, Z., Wang, X., & Chen, Z. (2022). Quality characteristics of fresh noodles as affected by modified atmosphere packaging. *Food Science and Technology*, 42, e58822.

Lu, Y. G., Chen, J., Li, X. Q., Ren, L., He, Y. Q., & Qu, L. B. (2014). Study on processing and quality improvement of frozen noodles. *LWT-Food Science and Technology*, 59(1), 403-410.

Maekaji, K., (1974). The mechanism of gelation of konjac mannan. *Agricultural and Biological Chemistry*, 38(2), pp.315-321.

Maturin, L., dan Peeler, J. T., (2001). *Bacteriological Analytical Manual*. Diakses pada 14 September 2023 dari <https://www.fda.gov/food/laboratory-methods-food/bam-chapter-3-aerobic-plate-count>

Miftakhussolikhah, M., Ariani, D., Ervika, R.N.H., Angwar, M., Wardah, W., Karlina, L.L. and Pranoto, Y., (2017). Cooking characterization of arrowroot (*Maranta arundinaceae*) noodle in various arenga starch substitution [Karakteristik pemasakan mie garut (*Maranta arundinaceae*) pada variasi substitusi pati aren]. *Berita Biologi*, 15(2), pp.141-148.

Mubarok, A. Z., & Ananda, F. Y. (2020). Effect of concentration of porang flour and temperature on rheological properties of tomato ketchup. In *IOP Conference Series: Earth and Environmental Science* (Vol. 475, No. 1, p. 012034). IOP Publishing.

Murray, J.C.F., (2009). Cellulosics dalam *Handbook of Hydrocolloids 2nd edition-G.O. Phillips dan P.A. Williams (Ed)*. Washington DC: CRC Press.

- Novais, C., Molina, A. K., Abreu, R. M., Santo-Buelga, C., Ferreira, I. C., Pereira, C., & Barros, L. (2022). Natural food colorants and preservatives: A review, a demand, and a challenge. *Journal of agricultural and food chemistry*, 70(9), 2789-2805.
- Obadi, M., Li, Y. and Xu, B., (2023). Recent advances in extending the shelf life of fresh wet noodles: Influencing factors and preservation technologies. *Journal of Food Science*, 88(9), pp.3626-3648.
- Ohtsuki, T., (1968). Studies on reserve carbohydrates of four *Amorphophallus* species, with special reference to mannan. *Bot. Mag. Tokyo*, 81(119-126).
- Palacios, C., Cormick, G., Hofmeyr, G. J., Garcia-Casal, M. N., Peña-Rosas, J. P., & Betrán, A. P. (2021). Calcium-fortified foods in public health programs: Considerations for implementation. *Annals of the New York Academy of Sciences*, 1485(1), 3–21.
- Park, J.W., Lee, S., Yoo, B. and Nam, K., (2020). Effects of texture properties of semi-solid food on the sensory test for pharyngeal swallowing effort in the older adults. *BMC geriatrics*, 20, pp.1-5.
- Pathare, P.B., Opara, U.L. and Al-Said, F.A.J., (2013). Colour measurement and analysis in fresh and processed foods: a review. *Food and bioprocess technology*, 6, pp.36-60.
- Phimolsiripol, Y. and Suppakul, P., (2016). Techniques in shelf-life evaluation of food products.
- Tim Pusat Data dan Sistem Informasi Pertanian – Susenas. (2003). *Statistik Konsumsi Pangan*. Jakarta: Kementerian Pertanian
- Qiao, C. C., Tian, X. H., Wang, L. X., Jiang, P., Zhai, X. T., Wu, N. N., & Tan, B. (2022). Quality characteristics, texture properties and moisture migration of fresh brown rice noodles under different storage and temperatures conditions. *Journal of Cereal Science*, 104, 103434.
- Qiu, Y., Zhou, Y., Chang, Y., Liang, X., Zhang, H., Lin, X., Qing, K., Zhou, X. and Luo, Z., (2022). The effects of ventilation, humidity, and temperature on bacterial growth and bacterial genera distribution. *International Journal of Environmental Research and Public Health*, 19(22), p.15345.
- Rachtanapun, P. and Tangnonthaphat, T., (2011). Effects of packaging types and storage temperatures on the shelf life of fresh rice noodles under vacuum conditions. *Chiang Mai J. Sci*, 38(4), pp.579-589.
- Rauf, R., & Muna, Z. (2018, August). Elongation, Cooking Loss and Acceptance of Wet Noodles Substituted with Fennel Leaves Flour. In *Proceeding*

ICTESS (Internasional Conference on Technology, Education and Social Sciences).

- Russell, N. J. (2002). Bacterial membranes: the effects of chill storage and food processing. An overview. *International Journal of Food Microbiology*, 79(1-2), 27-34.
- Sari, P. M. (2012). Pengaruh Substitusi Karaginan dengan Glukomanan Umbi Porang (*Amorphophallus oncophyllus*) terhadap Sifat Fisikokimiawi dan Sensoris Jelly. *Skripsi*, Jurusan Teknologi Pangan dan Hasil Pertanian. Yogyakarta: Universitas Gadjah Mada.
- Sarifudin, L. Ratnawati, N. Indrianti, R. Ekafitri, E. Sholichah, N. Afifah, D. Desnilasari, P. Nugroho, A.D. Yuniar, Evaluation of some analytical methods for determination of calcium oxalate in *Amorphophallus muelleri* flour, *Food Sci. Technol.* 42 (2022), <https://doi.org/10.1590/fst.09522>.
- Sharma, H., Njintang, N., Singhal, R., & Kaushal, P. (2016). *Tropical Roots and Tubers: Production, Processing and Technology* (p. 595). Chichester: John Wiley & Sons.
- Sa'adah, S., Candra, O.M., Nugrahani, G., Pramono, A. and Afifah, D.N., 2018. Nutritional composition, glycemic index, glycemic load, and organoleptical quality of glucomannan-enriched soy milk ice cream. In *IOP Conference Series: Earth and Environmental Science* (Vol. 102, No. 1, p. 012014). IOP Publishing.
- Sari, R., & Suhartati, S. (2015). Tumbuhan porang: prospek budidaya sebagai salah satu sistem agroforestry. *Buletin Eboni*, 12(2), 97-110.
- Šimat, V., Čagalj, M., Skroza, D., Gardini, F., Tabanelli, G., Montanari, C., Hassoun, A. and Ozogul, F., (2021). Sustainable sources for antioxidant and antimicrobial compounds used in meat and seafood products. In *Advances in food and nutrition research* (Vol. 97, pp. 55-118). Academic Press.
- Sun, Y., Xu, X., Zhang, Q., Zhang, D., Xie, X., Zhou, H., Wu, Z., Liu, R. and Pang, J., (2023). Review of konjac glucomannan structure, properties, gelation mechanism, and application in medical biology. *Polymers*, 15(8), p.1852.
- Suriati, L., & Singapurwa, N. M. A. S. (2020). Characteristics of the Physicochemical Aloe Vera Gel as Edible Coating on Strawberry Fruit. *Journal of Life Sciences and Chemistry*.
- Suwaibah, G., Abdulamir, A.S., Fatimah, A.B., Roselina, K. and Nazamid, S., (2009). Microbial growth, sensory characteristic and pH as potential spoilage indicators of Chinese yellow wet noodles from commercial processing plants. *American Journal of Applied Sciences*, 6(6), pp.1059-1066.

- Teramoto, A. and Fuchigami, M., 2000. Changes in temperature, texture, and structure of konnyaku (konjac glucomannan gel) during high-pressure-freezing. *Journal of Food Science*, 65(3), pp.491-497.
- Tuersuntuoheti, T., Wang, Z., Zheng, Y., Wang, S., Wang, Z., Wu, Y., Liang, S., Li, X. and Zhang, M., (2019). Study on the shelf life and quality characteristics of highland barley fresh noodles as affected by microwave treatment and food preservatives. *Food Science & Nutrition*, 7(9), pp.2958-2967.
- Valero, A., Rodríguez, M. Y., Posada-Izquierdo, G. D., Pérez-Rodríguez, F., Carrasco, E., & García-Gimeno, R. M. (2016). Risk factors influencing microbial contamination in food service centers. *Significance, prevention and control of food related diseases*, 27.
- Wardhani, D.H., Puspitosari, D., Ashidiq, M.A., Aryanti, N. and Prasetyaningrum, A., (2017), June. Effect of deacetylation on functional properties of glucomannan. In *AIP Conference Proceedings* (Vol. 1855, No. 1). AIP Publishing.
- Widyaningsih, T. D. dan Murtini, E. S., (2006). *Alternatif Pengganti Formalin pada Produk Pangan*. Surabaya : Trubus Agrisarana.
- Wu D, Yu S, Liang H, Eid M, Li B, et al. (2022). An innovative konjac glucomannan/κ-carrageenan mixed tensile gel. *Journal of the Science of Food and Agriculture* 102(7):3057
- Xiong, X., Wang, J., Liu, C., Zheng, X., Bian, K., & Guan, E. (2021). Quality changes in fresh noodles prepared by different heat treatments during storage. *Journal of Food Processing and Preservation*, 45(9), e15506.
- Yang, W. Z., Beauchemin, K. A., & Vedres, D. D. (2002). Effects of pH and fibrolytic enzymes on digestibility, bacterial protein synthesis, and fermentation in continuous culture. *Animal Feed Science and Technology*, 102(1-4), 137-150.
- Yang, S., Jin, L., Xu, X. H., Shan, C. S., & Chen, Z. G. (2022). Long-term storage and temperature induced quality changes of industrial-scale wet starch noodles. *LWT*, 153, 112504.
- Yaşar, K., Kahyaoglu, T., & Şahan, N. (2009). Dynamic rheological characterization of salep glucomannan/galactomannan-based milk beverages. *Food Hydrocolloids*, 23(5), 1305-1311.
- Ying, J., Kexue, Z., Haifeng, Q., & Huiming, Z. 2007. Effect of water activity and temperature on growth of *Penicillium citreoviride* and *Penicillium citrinum*

on MiGao (rice cake). *Canadian Journal of Microbiology*, 53(2), 231–236.
<https://doi.org/10.1139/W06-096>

Yuliani, Y., Sari, R.A., Emmawati, A. and Candra, K.P., (2020). The shelf life of wet noodle added by Gendarussa (*Justicia gendarussa burm. F.*) leaves extract. *Indonesian Journal of Agricultural Research*, 3(1), pp.23-30.

Yunita, Merisa, Yusuf Hendrawan, Rini Yulianingsih. (2015). Quantitative Analysis of Microbiology in Aerofood ACS of Garuda Indonesia Based on TPC (Total Plate Count) By Pour Plate Method. *Journal of Tropical Agriculture and Biosystem Engineering*. 3(3): 237-248.

Zhou, Y., Jiang, R., Perkins, W.S. and Cheng, Y., (2018). Morphology evolution and gelation mechanism of alkali induced konjac glucomannan hydrogel. *Food chemistry*, 269, pp.80-88.

Zhu, K., Yang, W., & Guo, X. (2022). Effect of bacteria content in wheat flour on storage stability of fresh wet noodles. *Foods*, 11(19), 3093.