



DAFTAR PUSTAKA

- [1] G. A. Oktantiningrum, A. Surjanto, and B. Y. Prasetyo, “Analisis Kenyamanan Berdasarkan Aspek Termal Pada Ruang Pamer Bangunan Bersejarah”.
- [2] S. Saraoui, A. Belakehal, A. Attar, and A. Bennadji, “Evaluation of the Thermal Comfort in the Design of the Museum Routes: The Thermal Topology,” *J. Contemp. Urban Aff.*, vol. 2, no. 3, pp. 122–136, Dec. 2018, doi: 10.25034/ijcua.2018.4727.
- [3] H. Elkadi, S. Al-Maiyah, K. Fielder, I. Kenawy, and D. B. Martinson, “The regulations and reality of indoor environmental standards for objects and visitors in museums,” *Renew. Sustain. Energy Rev.*, vol. 152, p. 111653, Dec. 2021, doi: 10.1016/j.rser.2021.111653.
- [4] “ANSI/ASHRAE Addendum d to ANSI/ASHRAE Standard 55-2017”.
- [5] H. B. Kusuma, “KENYAMANAN TERMAL PADA RUANG PAMERAN TETAP DI MUSEUM NASIONAL INDONESIA – JAKARTA,” *J. Muara Ilmu Sos. Hum. Dan Seni*, vol. 1, no. 2, p. 500, Feb. 2018, doi: 10.24912/jmishumsen.v1i2.1475.
- [6] F. Ikramina, L. H. Sari, and H. Sawab, “Evaluasi Tingkat Kenyamanan Termal Bangunan Museum Tsunami Aceh,” vol. 4, 2020.
- [7] A. Millatina and N. Imam Syafii, “Thermal Comfort Condition in Affandi Museum Yogyakarta,” *Built Environ. Stud.*, vol. 2, no. 1, pp. 20–27, Apr. 2021, doi: 10.22146/best.v2i1.996.
- [8] D. R. Oughton, S. Hodgkinson, and O. Faber, Eds., *Faber and Kell’s heating and air-conditioning of buildings*, 10th ed. in Air-conditioning. Oxford: Butterworth-Heinemann, 2008.
- [9] E. I. Santoso, “KENYAMANAN TERMAL INDOOR PADA BANGUNAN DI DAERAH BERIKLIM TROPIS LEMBAB,” vol. 1, no. 1, 2012.
- [10] R. O. Nuraini and S. Raidi, “IDENTIFIKASI KENYAMANAN TERMAL PADA BANGUNAN”.
- [11] A. Alauddin and T. Mustamin, “Karakteristik Temperatur Udara Terhadap Kenyamanan Termal Di Masjid Agung Luwuk Banggai,” *J. Linears*, vol. 2, no. 2, pp. 49–54, Feb. 2020, doi: 10.26618/j-linears.v2i2.3121.
- [12] A. N. Edar and A. Wahyuni, “Pengaruh Suhu dan Kelembaban Terhadap Rasio Kelembaban dan Entalpi (Studi Kasus: Gedung UNIFA Makassar),” *LOSARI J. Arsit. Kota Dan Pemukim.*, pp. 102–114, Aug. 2021, doi: 10.33096/losari.v6i2.311.
- [13] P. O. Fanger, “FUNDAMENTALS OF THERMAL COMFORT,” in *Advances In Solar Energy Technology*, W. H. BLOSS and F. PFISTERER, Eds., Oxford: Pergamon, 1988, pp. 3056–3061. doi: 10.1016/B978-0-08-034315-0.50562-0.
- [14] “ANSI/ASHRAE Standard 55-2017”.
- [15] L. Lan, Z. Lian, W. Liu, and Y. Liu, “Investigation of gender difference in thermal comfort for Chinese people,” *Eur. J. Appl. Physiol.*, vol. 102, pp. 471–80, Apr. 2008, doi: 10.1007/s00421-007-0609-2.
- [16] S. Tamrakar, L. Chen, and B. R. Sørensen, “Variation of Mean Radiant Temperature in Rooms for Summer and Winter Conditions,” *Energies*, vol. 16, no. 15, p. 5609, Jul. 2023, doi: 10.3390/en16155609.





- [17] H. Guo, D. Aviv, M. Loyola, E. Teitelbaum, N. Houchois, and F. Meggers, "On the understanding of the mean radiant temperature within both the indoor and outdoor environment, a critical review," *Renew. Sustain. Energy Rev.*, vol. 117, p. 109207, Jan. 2020, doi: 10.1016/j.rser.2019.06.014.
- [18] R. J. de Dear and G. S. Brager, "Developing an Adaptive Model of Thermal Comfort and Preference".
- [19] J. F. Nicol and M. A. Humphreys, "Adaptive thermal comfort and sustainable thermal standards for buildings," *Spec. Issue Therm. Comf. Stand.*, vol. 34, no. 6, pp. 563–572, Jul. 2002, doi: 10.1016/S0378-7788(02)00006-3.
- [20] B. E. Tredre, "ASSESSMENT OF MEAN RADIANT TEMPERATURE IN INDOOR ENVIRONMENTS," *Occup. Environ. Med.*, vol. 22, no. 1, pp. 58–66, Jan. 1965, doi: 10.1136/oem.22.1.58.
- [21] I. Atmaca, O. Kaynakli, and A. Yigit, "Effects of radiant temperature on thermal comfort," *Build. Environ.*, vol. 42, no. 9, pp. 3210–3220, Sep. 2007, doi: 10.1016/j.buildenv.2006.08.009.
- [22] F. Lindberg, S. Onomura, and C. S. B. Grimmond, "Influence of ground surface characteristics on the mean radiant temperature in urban areas," *Int. J. Biometeorol.*, vol. 60, no. 9, pp. 1439–1452, Sep. 2016, doi: 10.1007/s00484-016-1135-x.
- [23] Furqaan Hamsyani, Herijanto Thamrin, and Nurul Asiyah, "KELEMBABAN UDARA DENGAN ALAT HUMYDIMETER PADA LAHAN SAWAH DI KELURAHAN TANAH MERAH," *J. AGRIMENT*, vol. 6, no. 2, Dec. 2021, doi: 10.51967/jurnalagrimet.v6i2.585.
- [24] F. Ananda, "ASPEK KENYAMANAN TERMAL RUANG BELAJAR GEDUNG SEKOLAH MENENGAH UMUM," vol. 7, no. 2, 2017.
- [25] E. Nurochman and R. Widiastuti, "Analisis Pengaruh Temperatur dan Kelembaban Ruang Kelas terhadap Kelelahan pada Mahasiswa," vol. 6, no. 1, 2022.
- [26] A. Melikov, R. Cermak, and M. Majer, "Personalized ventilation: Evaluation of different air terminal devices," *Energy Build.*, vol. 34, pp. 829–836, Sep. 2002, doi: 10.1016/S0378-7788(02)00102-0.
- [27] E. Arens, H. Zhang, and C. Huizenga, "Partial- and whole-body thermal sensation and comfort— Part I: Uniform environmental conditions," *J. Therm. Biol. - J THERM BIOL*, vol. 31, pp. 53–59, Jan. 2006, doi: 10.1016/j.jtherbio.2005.11.028.
- [28] H. Zhang, E. Arens, D. Kim, E. Buchberger, F. Bauman, and C. Huizenga, "Comfort, perceived air quality, and work performance in a low-power task–ambient conditioning system," *Build. Environ.*, vol. 45, no. 1, pp. 29–39, Jan. 2010, doi: 10.1016/j.buildenv.2009.02.016.
- [29] A. P. Gagge, A. C. Burton, and H. C. Bazett, "A Practical System of Units for the Description of the Heat Exchange of Man with His Environment," *Science*, vol. 94, no. 2445, pp. 428–430, Nov. 1941, doi: 10.1126/science.94.2445.428.
- [30] G. Havenith, "Interaction of Clothing and Thermoregulation," *Exog. Dermatol.*, vol. 1, pp. 221–230, Jan. 2002, doi: 10.1159/000068802.





- [31] K. Parsons, *Human Thermal Environments: The Effects of Hot, Moderate, and Cold Environments on Human Health, Comfort, and Performance, Third Edition*. 2014, p. 586. doi: 10.1201/b16750.
- [32] J. E. Olesen and M. Bindi, “Consequences of climate change for European agricultural productivity, land use and policy,” *Eur. J. Agron.*, vol. 16, no. 4, pp. 239–262, Jun. 2002, doi: 10.1016/S1161-0301(02)00004-7.
- [33] M. Sawka, L. Leon, S. Montain, and L. Sonna, “Integrated Physiological Mechanisms of Exercise Performance, Adaptation, and Maladaptation to Heat Stress,” *Compr. Physiol.*, vol. 1, pp. 1883–928, Oct. 2011, doi: 10.1002/cphy.c100082.
- [34] Y. Guo and Y. Wang, “Investigative Study on Adaptive Thermal Comfort in Office Buildings with Evaporative Cooling Systems (ECS) under Dry Hot Climate,” *Buildings*, vol. 12, no. 11, p. 1827, Oct. 2022, doi: 10.3390/buildings12111827.
- [35] S. S., T. Kesavaperumal, and M. Noguchi, “An adaptive thermal comfort model for naturally ventilated classrooms of technical institutions in Madurai,” *Open House Int.*, vol. 46, no. 4, pp. 682–696, Nov. 2021, doi: 10.1108/OHI-03-2021-0075.
- [36] F. Nicol, “Adaptive thermal comfort standards in the hot–humid tropics,” *Energy Build.*, vol. 36, no. 7, pp. 628–637, Jul. 2004, doi: 10.1016/j.enbuild.2004.01.016.
- [37] S. M. Moossavi, “Adaptive Thermal Comfort Model,” 2014.
- [38] J. Boeke, U. Knaack, and M. Hemmerling, “Superposition matrix for the assessment of performance- relevant adaptive façade functions”.
- [39] Y. Epstein and D. Moran, “Thermal Comfort and the Heat Stress Indices,” *Ind. Health*, vol. 44, pp. 388–98, Aug. 2006, doi: 10.2486/indhealth.44.388.
- [40] N. Bonifacius and S. N. N. Ekasiwi, “SMALL SCALE EXPERIMENT: THERMAL PERFORMANCE COMPARISON BETWEEN FIBER-CEMENT ROOF AND PHOTOVOLTAIC ROOF IN MALANG, INDONESIA,” *MAKARA J. Technol. Ser.*, vol. 16, no. 2, Apr. 2013, doi: 10.7454/mst.v16i2.1506.
- [41] Z. Lin and S. Deng, “A study on the thermal comfort in sleeping environments in the subtropics—Developing a thermal comfort model for sleeping environments,” *Build. Environ.*, vol. 43, no. 1, pp. 70–81, Jan. 2008, doi: 10.1016/j.buildenv.2006.11.026.
- [42] F. Nicol, M. Humphreys, and R. S., *Adaptive Thermal Comfort: Principles and Practice*. 2012, p. 175. doi: 10.4324/9780203123010.
- [43] M. Kazkaz and M. Pavelek, “OPERATIVE TEMPERATURE AND GLOBE TEMPERATURE,” *Eng. Mech.*.
- [44] P. Ole Fanger and J. Toftum, “Extension of the PMV model to non-air-conditioned buildings in warm climates,” *Spec. Issue Therm. Comf. Stand.*, vol. 34, no. 6, pp. 533–536, Jul. 2002, doi: 10.1016/S0378-7788(02)00003-8.
- [45] E. O. B. Ogedengbe, “A Modified PMV Model for Indoor Thermal Comfort Analysis: Case Study of a University Cafeteria,” *Open Renew. Energy J.*, vol. 6, no. 1, pp. 29–40, Dec. 2013, doi: 10.2174/1876387101306010029.





- [46] H. Zhang, E. Arens, D. Kim, E. Buchberger, F. Bauman, and C. Huizenga, “Comfort, perceived air quality, and work performance in a low-power task–ambient conditioning system,” *Build. Environ.*, vol. 45, no. 1, pp. 29–39, Jan. 2010, doi: 10.1016/j.buildenv.2009.02.016.
- [47] J. Y. Lee, E. Stone, H. Wakabayashi, and Y. Tochihiro, “Issues in combining the categorical and visual analog scale for the assessment of perceived thermal sensation: Methodological and conceptual considerations,” *Appl. Ergon.*, vol. 41, pp. 282–90, Sep. 2009, doi: 10.1016/j.apergo.2009.07.007.
- [48] R. McGill, J. W. Tukey, and W. A. Larsen, “Variations of Box Plots,” *Am. Stat.*, vol. 32, no. 1, pp. 12–16, 1978, doi: 10.2307/2683468.
- [49] L. Wilkinson, “Statistical Methods in Psychology Journals,” *Am. Psychol.*, 1999.
- [50] J. Cohen, *Statistical power analysis for the behavioral sciences*, 2nd ed. Hillsdale, NJ: Lawrence Erlbaum Associates, 1988.
- [51] R. Thapa and H. B. Rijal, “Study on thermal environment and thermal comfort in autumn season of temporary shelters in Nepal after massive earthquake 2015,” *Lowl. Technol. Int.*
- [52] A. Bittner, *Analysis-of-variance (ANOVA) Assumptions Review: Normality, Variance Equality, and Independence*. 2022, p. 33. doi: 10.47461/isoes.2022_bittner.
- [53] C. Huizenga, S. Abbaszadeh, L. Zagreus, and E. Arens, “Air quality and thermal comfort in office buildings: Results of a large indoor environmental quality survey,” *HB 2006 - Healthy Build. Creat. Healthy Indoor Environ. People Proc.*, vol. 3, Jan. 2006.
- [54] A. R. Al Rosali, A. Sasmito, and T. R. Nuzuluddin, “ART GALLERY WITH A MODERN ARCHITECTURAL APPROACH GALERI SENI DENGAN PENDEKATAN ARSITEKTUR MODERN,” *Arsit. Univ. Pandanaran J.*, vol. 2, no. 2, pp. 13–18, Oct. 2022, doi: 10.54325/arsip.v2i2.25.
- [55] S. Yendra, “Museum dan Galeri (Tantangan dan Solusi),” *J. TATA KELOLA SENI*, vol. 4, no. 2, pp. 103–108, Aug. 2019, doi: 10.24821/jtks.v4i2.3088.
- [56] O. F. Ngabito, “Pengelolaan Galeri Seni Langgeng Art Space dan Cemeti Art House di Yogyakarta,” *J. TATA KELOLA SENI*, vol. 6, no. 1, pp. 43–52, Jul. 2020, doi: 10.24821/jtks.v6i1.4114.
- [57] C. Marpaung, “PROGRAM STUDI TEKNIK ARSITEKTUR FAKULTAS TEKNIK UNIVERSITAS MEDAN AREA”.
- [58] A. Santoso, L. Mulyadi, and P. H. Pramitasari, “GALERI SENI RUPA DI KOTA MALANG,” vol. 2, 2018.
- [59] I. Makrygiannis and K. Karalis, “Optimizing Building Thermal Insulation: The Impact of Brick Geometry and Thermal Coefficient on Energy Efficiency and Comfort,” 2023.
- [60] P. Boobal Krishnan *et al.*, “Thermal management of metal roof building using phase change material (PCM),” *Int. Conf. Sustain. Mater. Manuf. Renew. Technol.* 2021, vol. 47, pp. 5052–5058, Jan. 2021, doi: 10.1016/j.matpr.2021.05.012.





- [61] M. Kameni Nematchoua, P. Ricciardi, S. Reiter, S. Asadi, and C. M. Demers, "Thermal comfort and comparison of some parameters coming from hospitals and shopping centers under natural ventilation: The case of Madagascar Island," *J. Build. Eng.*, vol. 13, pp. 196–206, Sep. 2017, doi: 10.1016/j.jobbe.2017.07.014.
- [62] Y. H. Yau and B. T. Chew, "Thermal comfort study of hospital workers in Malaysia," *Indoor Air*, vol. 19, no. 6, pp. 500–510, Dec. 2009, doi: 10.1111/j.1600-0668.2009.00617.x.
- [63] A. Pourshaghaghay and M. Omidvari, "Examination of thermal comfort in a hospital using PMV-PPD model," *Appl. Ergon.*, vol. 43, pp. 1089–95, May 2012, doi: 10.1016/j.apergo.2012.03.010.
- [64] C. Vasilikou and M. Nikolopoulou, "Outdoor thermal comfort for pedestrians in movement: thermal walks in complex urban morphology," *Int. J. Biometeorol.*, vol. 64, no. 2, pp. 277–291, Feb. 2020, doi: 10.1007/s00484-019-01782-2.
- [65] Y. Mulia, G. Hardiman, and K. A. Arif, "The Relation between Thermal Performance and Architecture Design Aspects in Lowland Warm Humid Tropics Ward," *Int. J. Eng. Technol.*, vol. 10, no. 4, pp. 1181–1190, Aug. 2018, doi: 10.21817/ijet/2018/v10i4/181004061.
- [66] B. Grassi, E. A. Piana, A. M. Lezzi, and M. Pilotelli, "A Review of Recent Literature on Systems and Methods for the Control of Thermal Comfort in Buildings," *Appl. Sci.*, vol. 12, no. 11, p. 5473, May 2022, doi: 10.3390/app12115473.
- [67] F. Faridah *et al.*, "Feasibility study to detect occupant thermal sensation using a low-cost thermal camera for indoor environments in Indonesia," *Build. Serv. Eng. Res. Technol.*, vol. 42, no. 4, pp. 389–404, Jul. 2021, doi: 10.1177/0143624421994015.

