

DAFTAR PUSTAKA

- [1] D. Yadav and P. Kumar, “Phytoremediation of Hazardous Radioactive Wastes,” in *Assessment and Management of Radioactive and Electronic Wastes*, H. El-Din Saleh, Ed., IntechOpen, 2020. doi: 10.5772/intechopen.88055.
- [2] *Criteria for radionuclide activity concentrations for food and drinking water*. Vienna: International Atomic Energy Agency, 2016.
- [3] D. Pangestu and A. Setyawan, “Desain Awal Transit Shelter Untuk Penyimpanan Sementara Limbah Radioaktif Hasil Clean Up Kontaminasi Radioaktif Batan Indah,” *Pros. Has. Penelit. Dan Kegiat. PLTR*, 2019.
- [4] H. Harmesa, “Teknik-teknik Remediasi Sedimen Terkontaminasi Logam Berat,” *OSEANA*, vol. 45, no. 1, pp. 1–16, Apr. 2020, doi: 10.14203/oseana.2020.Vol.45No.1.50.
- [5] S. Susanti and E. Rusmiyanto, “Respon Pertumbuhan Sorghum (*Sorghum bicolor* (L.)) Varietas Kawali Pada Tanah Bekas Pertambangan Emas Rakyat,” *Protobiont*, vol. 6, no. 3, pp. 290–294, 2017.
- [6] X. Wang, C. Chen, and J. Wang, “Cs phytoremediation by *Sorghum bicolor* cultivated in soil and in hydroponic system,” *Int. J. Phytoremediation*, vol. 19, no. 4, pp. 402–412, Apr. 2017, doi: 10.1080/15226514.2016.1244158.
- [7] D. Bossemeyer, A. Schlösser, and E. P. Bakker, “Specific cesium transport via the *Escherichia coli* Kup (TrkD) K⁺ uptake system,” *J. Bacteriol.*, vol. 171, no. 4, pp. 2219–2221, Apr. 1989, doi: 10.1128/jb.171.4.2219-2221.1989.
- [8] H. E. Osman, R. S. Fadhlallah, W. M. Alamoudi, E. M. Eid, and A. A. Abdelhafez, “Phytoremediation Potential of Sorghum as a Bioenergy Crop in Pb-Amendment Soil,” *Sustainability*, vol. 15, no. 3, p. 2178, Jan. 2023, doi: 10.3390/su15032178.
- [9] S. Djedidi *et al.*, “Stable cesium uptake and accumulation capacities of five plant species as influenced by bacterial inoculation and cesium distribution in the soil,” *J. Plant Res.*, vol. 127, no. 5, pp. 585–597, Sep. 2014, doi:



- 10.1007/s10265-014-0647-x.
- [10] S. Kato *et al.*, “Enrichment and isolation of Flavobacterium strains with tolerance to high concentrations of cesium ion,” *Sci. Rep.*, vol. 6, no. 1, p. 20041, Feb. 2016, doi: 10.1038/srep20041.
 - [11] A. Ghosh, V. K. Singh, K. Dey, M. Patel, and A. Pal, “Phytoremediation: A Cost-Effective Tool for Solid Waste Management,” in *Handbook of Solid Waste Management*, C. Baskar, S. Ramakrishna, S. Baskar, R. Sharma, A. Chinnappan, and R. Sehrawat, Eds., Singapore: Springer Singapore, 2021, pp. 1–30. doi: 10.1007/978-981-15-7525-9_47-1.
 - [12] A. Yan, Y. Wang, S. N. Tan, M. L. Mohd Yusof, S. Ghosh, and Z. Chen, “Phytoremediation: A Promising Approach for Revegetation of Heavy Metal-Polluted Land,” *Front. Plant Sci.*, vol. 11, p. 359, Apr. 2020, doi: 10.3389/fpls.2020.00359.
 - [13] L. S. Napitupulu and I. F. Purwanti, “Kajian Fitostabilisasi Limbah Hasil Tambang Tembaga (Tailing),” *J. Tek. ITS*, vol. 11, no. 3, pp. F99–F104, Dec. 2022, doi: 10.12962/j23373539.v11i3.94358.
 - [14] B. V. Tangahu, S. R. Sheikh Abdullah, H. Basri, M. Idris, N. Anuar, and M. Mukhlisin, “A Review on Heavy Metals (As, Pb, and Hg) Uptake by Plants through Phytoremediation,” *Int. J. Chem. Eng.*, vol. 2011, pp. 1–31, 2011, doi: 10.1155/2011/939161.
 - [15] L. Sidauruk, “Phytoremediation of Contaminated Land at Medan Industrial Area by Ornamental Plants,” *J. Pertan. Trop.*, vol. 2, no. 2, pp. 178–186, Aug. 2015, doi: 10.32734/jpt.v2i2.2901.
 - [16] P. Ahmadpour, F. Ahmadpour, S. Sadeghi, F. H. Tayefeh, M. Soleimani, and A. B. Abdu, “Evaluation of Four Plant Species for Phytoremediation of Copper-Contaminated Soil,” in *Soil Remediation and Plants*, Elsevier, 2015, pp. 147–205. doi: 10.1016/B978-0-12-799937-1.00007-3.
 - [17] N. D. Takarina and T. G. Pin, “Bioconcentration Factor (BCF) and Translocation Factor (TF) of Heavy Metals in Mangrove Trees of Blanakan Fish Farm,” *Makara J. Sci.*, vol. 21, no. 2, pp. 77–81, Jul. 2017, doi: 10.7454/mss.v21i2.7308.



- [18] R. Sikanna and N. K. Sumarni, “Fitoakumulasi Merkuri Oleh Akar Tanaman Bayam Duri (*Amarantus Spinosa* Linn) Pada Tanah Tercemar,” *Online J. Nat. Sci.*, vol. 3, no. 1, pp. 31–39, 2014.
- [19] S. Majid, A. Khwakaram, G. Mam-Rasul, and Z. Ahmed, “Bioaccumulation, Enrichment and Translocation Factors of some Heavy Metals in *Typha Angustifolia* and *Phragmites Australis* Species Growing along Qalyasan Stream in Sulaimani City /IKR,” *J. Zankoy Sulaimani - Part A*, vol. 16, no. 4, pp. 93–109, Oct. 2014, doi: 10.17656/jzs.10350.
- [20] O. T. Aladesanmi, J. G. Oroboade, C. P. Osiogun, and A. O. Osewale, “Bioaccumulation Factor of Selected Heavy Metals in *Zea mays*,” *J. Health Pollut.*, vol. 9, no. 24, p. 191207, Dec. 2019, doi: 10.5696/2156-9614-9.24.191207.
- [21] H. Bakari *et al.*, “Sorghum (*Sorghum bicolor* L. Moench) and Its Main Parts (By-Products) as Promising Sustainable Sources of Value-Added Ingredients,” *Waste Biomass Valorization*, vol. 14, no. 4, pp. 1023–1044, Apr. 2023, doi: 10.1007/s12649-022-01992-7.
- [22] N. F. Aryani, K. Khatimah, F. N. Tajuddin, A. I. Khairunnisa, N. Magfira, and N. W. Aminuddin, *BUDIDAYA TANAMAN SORGUM (Sorghum bicolor (L.) Moench)*. Makassar: Tim Balitsereal Biologi UNM, 2022.
- [23] P. Soudek, Š. Petrová, R. Vaňková, J. Song, and T. Vaněk, “Accumulation of heavy metals using *Sorghum* sp.,” *Chemosphere*, vol. 104, pp. 15–24, Jun. 2014, doi: 10.1016/j.chemosphere.2013.09.079.
- [24] GRDC, *Sorghum Section 4 Plant Growth and Physiology*. Australia: Australian Government: Grains Research and Development Corporation, 2017. Accessed: Jun. 10, 2024. [Online]. Available: https://grdc.com.au/_data/assets/pdf_file/0030/370596/GrowNote-Sorghum-North-04-Physiology.pdf
- [25] K. L. Anderson, J. E. Whitlock, and V. J. Harwood, “Persistence and Differential Survival of Fecal Indicator Bacteria in Subtropical Waters and Sediments,” *Appl. Environ. Microbiol.*, vol. 71, no. 6, pp. 3041–3048, Jun. 2005, doi: 10.1128/AEM.71.6.3041-3048.2005.



- [26] D. Kojima, S. Tanaka, A. Kurosaki, X. Zhiyu, and M. Ito, "Isolation and Cs⁺ resistance mechanism of Escherichia coli strain ZX-1," *Front. Microbiol.*, vol. 14, p. 1340033, Jan. 2024, doi: 10.3389/fmicb.2023.1340033.
- [27] Y.-Y. Lee and K.-S. Cho, "Isolation and Characterization of Plant Growth-Promoting Bacteria for the Phytoremediation of Diesel- and Heavy Metal-Contaminated Soil," *Microbiol. Biotechnol. Lett.*, vol. 51, no. 4, pp. 484–499, Dec. 2023, doi: 10.48022/mbl.2308.08003.
- [28] L. Nirwani, Minarni, and Buchari, "Konsentrasi Radionuklida Alam Dan ¹³⁷Cs Dalam Beras Di Kabupaten Jepara Serta Perkiraan Dosis Interna Yang Diterima Penduduk," *Pros. Semin. Nas. Keselam. Kesehat. Dan Lingkungan*, pp. 273–278, 2001.
- [29] A. S. Abdel-Razek, M. T. Shaaban, S. A. Mahmoud, and E. M. Kandeel, "Bioaccumulation of ¹³⁷Cs by Immobilized Bacterial Species Isolated from Radioactive Wastewater," *Environ. Microbiol.*
- [30] Kara G. Eby, "Application Of Bayesian And Geostatistical Modeling To The Environmental Monitoring Of Cs-137 At The Idaho National Laboratory," Idaho National Laboratory, Idaho, INL/EXT-10-19532, 991915, Aug. 2010. doi: 10.2172/991915.
- [31] E. Ratnawati and J. Iman, "Uji Akurasi Alat Pencacah Spektrometer Gamma Dengan Menggunakan Sumber Standar," *Pros. Semin. Nas. Teknol. Dan Apl. Reakt. Nukl.*, 2015.
- [32] D. Arnold, K. Debertin, A. Heckel, G. Kanisch, H. Wershofen, and C. Wilhelm, *Fundamentals of gamma spectrometry*. Germany: Physikalisch-Technische Bundesanstalt, Federal Office for Radiation Protection, Thünen Institute of Fisheries Ecology, 2018.
- [33] N. Luhur and Subiharto, "Evaluasi Unjuk Kerja Memori Sistem Spektrometer Gamma," *Pros. Semin. Nas. Teknol. Dan Apl. Reakt. Nukl.*, 2016.
- [34] P. J. Wallbrink, D. E. Walling, and Q. He, "Radionuclide Measurement Using HPGe Gamma Spectrometry," in *Handbook for the Assessment of*



- Soil Erosion and Sedimentation Using Environmental Radionuclides*, F. Zapata, Ed., Dordrecht: Kluwer Academic Publishers, 2003, pp. 67–96. doi: 10.1007/0-306-48054-9_5.
- [35] N. Tsoulfanidis and S. Landsberger, *Measurement and Detection of Radiation 4th Edition*, 4th ed. Boca Raton: CRS Press, 2015.
- [36] D. Demir and M. Erog, “Studying of characteristics of the HPGe detector for radioactivity measurements,” *J. Instrum.*, 2013.
- [37] I. Kusmartini, D. P. D. Atmodjo, S. Kurniawati, and D. Dwiana, “Penentuan Aktivitas Sumber Radioaktif Pemancar Gamma Eu-152 Di Laboratorium PTNBR,” *Pros. Semin. Nas. Sains Dan Teknol. Nukl.*, 2013.
- [38] J. Caroline and G. A. Moa, “Tanaman Melati Air (Echinodorus Palaefolius) Pada Limbah,” *Semin. Nas. Sains Dan Teknol. Terap. III*, 2015.
- [39] H. Hardiani, “Potensi Tanaman Dalam Mengakumulasi Logam Cu Pada Media Tanah Terkontaminasi Limbah Padat Industri Kertas,” *J. BS*, vol. 44, no. 1, pp. 27–40, Jun. 2009.
- [40] B. S. M. Singh *et al.*, “Phytoremediation of ¹³⁷Cs: factors and consequences in the environment,” *Radiat. Environ. Biophys.*, vol. 61, no. 3, pp. 341–359, Aug. 2022, doi: 10.1007/s00411-022-00985-3.
- [41] M. Wróbel, W. Śliwakowski, P. Kowalczyk, K. Kramkowski, and J. Dobrzyński, “Bioremediation of Heavy Metals by the Genus Bacillus,” *Int. J. Environ. Res. Public. Health*, vol. 20, no. 6, p. 4964, Mar. 2023, doi: 10.3390/ijerph20064964.
- [42] H. E. Abou-Aly, A. M. Youssef, T. A. Tewfike, E. A. El-Alkshar, and R. M. El-Meihy, “Reduction of heavy metals bioaccumulation in sorghum and its rhizosphere by heavy metals-tolerant bacterial consortium,” *Biocatal. Agric. Biotechnol.*, vol. 31, p. 101911, Jan. 2021, doi: 10.1016/j.bcab.2021.101911.

