

BIBLIOGRAPHY

- Abu-Hamdeh, N. H., Bantan, R. A. R., Alimoradi, A., & Pourhoseini, S. H. (2020). The effect of injection pressure on the thermal performance and emission characteristics of an oil burner operating on B20 palm oil biodiesel-diesel blend fuel. *Fuel*, 278(April), 118174. <https://doi.org/10.1016/j.fuel.2020.118174>
- Ahmed, M. A., Ejim, C. E., Fleck, B. A., & Amirfazli, A. (2006). Effect of biodiesel fuel properties and its blends on atomization. *SAE Technical Papers*, 2006(724). <https://doi.org/10.4271/2006-01-0893>
- Alahmer, A., Alahmer, H., Handam, A., & Rezk, H. (2022). Environmental Assessment of a Diesel Engine Fueled with Various Biodiesel Blends: Polynomial Regression and Grey Wolf Optimization. *Sustainability (Switzerland)*, 14(3). <https://doi.org/10.3390/su14031367>
- Algayyim, S. J. M., & Wandel, A. P. (2021). Macroscopic and microscopic characteristics of biofuel spray (biodiesel and alcohols) in CI engines: A review. *Fuel*, 292(July 2020), 120303. <https://doi.org/10.1016/j.fuel.2021.120303>
- Allen, C. A. W., & Watts, K. C. (1998). Experimental analysis of biodiesel atomization characteristics. *Canadian Agricultural Engineering*, 40(4), 281–285.
- Amirnordin, S. H., Ihsanulhadi, N., Alimin, A. J., & Khalid, A. (2013). Effects of palm oil biodiesel blends on the emissions of oil burner. *Applied Mechanics and Materials*, 315(April), 956–959. <https://doi.org/10.4028/www.scientific.net/AMM.315.956>
- Ashikhmin, A. E., Khomutov, N. A., Piskunov, M. V., & Yanovsky, V. A. (2020). Secondary atomization of a biodiesel micro-emulsion fuel droplet colliding with a heated wall. *Applied Sciences (Switzerland)*, 10(2).

<https://doi.org/10.3390/app10020685>

- B, K. K., & Oza, N. P. (2013). A Review of Recent Research on Palm oil Biodiesel as Fuel for CI Engine. *International Journal of Applied Research & Studies*, *II(I)*, 1–4.
- Baek, H. M., & Lee, H. M. (2022). *Injection Strategies*. 1–19.
- Bao, L., Fu, W., Li, F., Liu, Y., Bi, H., Jiang, C., & Lin, Q. (2020). Experiments on macroscopic spray characteristics of diesel-ethanol with dispersed cerium nanoparticles. *Journal of the Energy Institute*, *93(6)*, 2186–2196. <https://doi.org/10.1016/j.joei.2020.06.001>
- Baroutian, S., Aroua, M. K., Raman, A. A. A., & Sulaiman, N. M. N. (2010). Potassium hydroxide catalyst supported on palm shell activated carbon for transesterification of palm oil. *Fuel Processing Technology*, *91(11)*, 1378–1385. <https://doi.org/10.1016/j.fuproc.2010.05.009>
- Bezergianni, S., & Dimitriadis, A. (2013). Comparison between different types of renewable diesel. *Renewable and Sustainable Energy Reviews*, *21*, 110–116. <https://doi.org/10.1016/j.rser.2012.12.042>
- Bhanu Teja, S. (2018). Experimental Investigation on the Performance, Emission and Combustion Characteristics of di Diesel Engine with Linseed Methyl Ester Along with Methanol Carburization. *Materials Today: Proceedings*, *5(2)*, 6470–6480. <https://doi.org/10.1016/j.matpr.2017.12.260>
- Bongartz, D., Doré, L., Eichler, K., Grube, T., Heuser, B., Hombach, L. E., Robinius, M., Pischinger, S., Stolten, D., Walther, G., & Mitsos, A. (2018). Comparison of light-duty transportation fuels produced from renewable hydrogen and green carbon dioxide. *Applied Energy*, *231(May)*, 757–767. <https://doi.org/10.1016/j.apenergy.2018.09.106>
- Borhanipour, M., Karin, P., Tongroon, M., Chollacoop, N., & Hanamura, K. (2014). Comparison study on fuel properties of biodiesel from jatropha, palm and petroleum based diesel fuel. *SAE Technical Papers*, *2*.

<https://doi.org/10.4271/2014-01-2017>

- Channapattana, S. V., Pawar, A. A., & Kamble, P. G. (2015). Effect of Injection Pressure on the Performance and Emission Characteristics of VCR engine using Honne Biodiesel as a Fuel. *Materials Today: Proceedings*, 2(4–5), 1316–1325. <https://doi.org/10.1016/j.matpr.2015.07.049>
- Chhetri, A. B., & Watts, K. C. (2013). Surface tensions of petro-diesel, canola, jatropha and soapnut biodiesel fuels at elevated temperatures and pressures. *Fuel*, 104, 704–710. <https://doi.org/10.1016/j.fuel.2012.05.006>
- Chiavola, O., Palmieri, F., & Cavallo, D. M. (2023). On the Increase in the Renewable Fraction in Diesel Blends using Aviation Fuel in a Common Rail Engine. *Energies*, 16(12). <https://doi.org/10.3390/en16124624>
- Christensen, E., & McCormick, R. L. (2014). Long-term storage stability of biodiesel and biodiesel blends. *Fuel Processing Technology*, 128, 339–348. <https://doi.org/10.1016/j.fuproc.2014.07.045>
- Das, M., Sarkar, M., Datta, A., & Santra, A. K. (2018). Study on viscosity and surface tension properties of biodiesel-diesel blends and their effects on spray parameters for CI engines. *Fuel*, 220(November 2017), 769–779. <https://doi.org/10.1016/j.fuel.2018.02.021>
- Demirbas, A. (2008). Biodiesel: A realistic fuel alternative for diesel engines. In *Biodiesel: A Realistic Fuel Alternative for Diesel Engines*. Springer London. <https://doi.org/10.1007/978-1-84628-995-8>
- Elvers, B., & Schütze, A. (Eds.). (2021). *Handbook of Fuels: Energy Sources for Transportation, 2nd Edition*. Wiley-VCH.
- Engelen, B., Antúnez Martel, J., Baldini, L., Barnes, K., Blosser, P., Cipriano, T., Diaz Garcia, C., Elliott, N. G., Fiolet, G., Jansen, E. B. M., Martinez Sánchez, P. M., Mikkonen, S., Pfisterer, U., Schuermans, K., Terschek, R., Woldendorp, J., Rose, K. D., & Spierings, A. (2009). Guidelines for handling and blending FAME. *CONCAWE Reports*, 27(9), 10–14.

- Farvardin, E., & Dolatabadi, A. (2012). Simulation of biodiesel jet in cross flow. *ICLASS 2012 - 12th International Conference on Liquid Atomization and Spray Systems*, 1–8.
- Ganjehkaviri, A., Mohd Jaafar, M. N., Hosseini, S. E., & Musthafa, A. B. (2016). Performance evaluation of palm oil-based biodiesel combustion in an oil burner. *Energies*, *9*(2), 1–10. <https://doi.org/10.3390/en9020097>
- Ge, J. C., Yoon, S. K., & Song, J. H. (2021). Comparative evaluation on combustion and emission characteristics of a diesel engine fueled with crude palm oil blends. *Applied Sciences (Switzerland)*, *11*(23). <https://doi.org/10.3390/app112311502>
- Geng, L., Wang, Y., Wang, Y., & Li, H. (2020). Effect of the injection pressure and orifice diameter on the spray characteristics of biodiesel. *Journal of Traffic and Transportation Engineering (English Edition)*, *7*(3), 331–339. <https://doi.org/10.1016/j.jtte.2018.12.004>
- Glushkov, D. O., Kuznetsov, G. V., Chebochakova, D. A., Lyakhovskaya, O. E., Shlegel, N. E., Anufriev, I. S., & Yu. Shadrin, E. (2018). Experimental study of coal dust ignition characteristics at oil-free start-up of coal-fired boilers. *Applied Thermal Engineering*, *142*(March), 371–379. <https://doi.org/10.1016/j.applthermaleng.2018.07.010>
- Haq, M. ul, Jafry, A. T., Abbasi, M. S., Jawad, M., Ahmad, S., Cheema, T. A., & Abbas, N. (2022). Numerical and Experimental Spray Analysis of Castor and Jatropha Biodiesel under Non-Evaporating Conditions. *Energies*, *15*(20). <https://doi.org/10.3390/en15207808>
- Harms, G., Zengler, K., Rabus, R., Aeckersberg, F., Minz, D., & Widdel, F. (1999). Alkylbenzenes by New Types of Sulfate-Reducing Bacteria. *Society*, *65*(3), 999–1004.
- Hasib, Z. M., Hossain, J., Biswas, S., & Islam, A. (2011). Bio-Diesel from Mustard Oil: A Renewable Alternative Fuel for Small Diesel Engines. *Modern*

Mechanical Engineering, 01(02), 77–83.
<https://doi.org/10.4236/mme.2011.12010>

Heywood, J. B. (2018). *Internal combustion engine fundamentals / John B. Heywood*. (2nd ed.). McGraw-Hill Education.

Hosseini, S. B., Bashirnezhad, K., Moghiman, A. R., Khazraii, Y., & Nikoofal, N. (2010). Experimental Comparison of Combustion Characteristic and Pollutant Emission of Gas Oil and Biodiesel. *International Journal of Mechanical, Industrial and Aerospace Sciences*, 4(12), 1372–1375.

Karabulut, M., Sayın, C., & Erdoğan, S. (2024). Effects of an Exhaust System Equipped with a Thermoelectric Generator on Combustion, Performance, Emissions, and Energy Recovery in a Diesel Engine Using Biodiesel. *Energies*, 17(5). <https://doi.org/10.3390/en17051083>

Karavalakis, G., Stournas, S., & Karonis, D. (2010). Evaluation of the oxidation stability of diesel/biodiesel blends. *Fuel*, 89(9), 2483–2489. <https://doi.org/10.1016/j.fuel.2010.03.041>

Khan, M. A., Gadgil, H., & Kumar, S. (2019). Influence of liquid properties on atomization characteristics of flow-blurring injector at ultra-low flow rates. *Energy*, 171, 1–13. <https://doi.org/10.1016/j.energy.2019.01.006>

Kim, H. J., Suh, H. K., Park, S. H., & Lee, C. S. (2008). An experimental and numerical investigation of atomization characteristics of biodiesel, dimethyl ether, and biodiesel-ethanol blended fuel. *Energy and Fuels*, 22(3), 2091–2098. <https://doi.org/10.1021/ef700692w>

Kim, H. Y., Ge, J. C., & Choi, N. J. (2019). Effects of fuel injection pressure on combustion and emission characteristics under low speed conditions in a diesel engine fueled with palm oil biodiesel. *Energies*, 12(17). <https://doi.org/10.3390/en12173264>

Kim, K., & Lim, O. (2020). Investigation of the spray development process of gasoline-biodiesel blended fuel sprays in a constant volume chamber.

Energies, 13(18). <https://doi.org/10.3390/en13184819>

Knothe, G., Van Gerpen, J., & Krahl, J. (Eds.). (2005). *The Biodiesel Handbook*. AOCS Publishing. <https://doi.org/10.1201/9781003040262>

Kshatriya, A. S., Tiwari, P., Sreekanth, M., Yunus Khan, T. M., Khadar, S. D. A., Mansour, M., & Feroskhan, M. (2022). Investigations into the Combined Effect of Mahua Biodiesel Blends and Biogas in a Dual Fuel Engine. *Energies*, 15(6), 1–15. <https://doi.org/10.3390/en15062057>

Labeckas, G., & Slavinskas, S. (2006). The effect of rapeseed oil methyl ester on direct injection Diesel engine performance and exhaust emissions. *Energy Conversion and Management*, 47(13–14), 1954–1967. <https://doi.org/10.1016/j.enconman.2005.09.003>

Lam, M. K., Lee, K. T., & Mohamed, A. R. (2010). Homogeneous, heterogeneous and enzymatic catalysis for transesterification of high free fatty acid oil (waste cooking oil) to biodiesel: A review. *Biotechnology Advances*, 28(4), 500–518. <https://doi.org/10.1016/j.biotechadv.2010.03.002>

Lee, S. W., Herage, T., & Young, B. (2004). Emission reduction potential from the combustion of soy methyl ester fuel blended with petroleum distillate fuel. *Fuel*, 83(11–12), 1607–1613. <https://doi.org/10.1016/j.fuel.2004.02.001>

Malik, M. S. A., Mohamad Shaiful, A. I., Mohd Ismail, M. S., Mohd Jaafar, M. N., & Sahar, A. M. (2017). Combustion and emission characteristics of coconut-based biodiesel in a liquid fuel burner. *Energies*, 10(4), 1–12. <https://doi.org/10.3390/en10040458>

Masudi, A., Muraza, O., Jusoh, N. W. C., & Ubaidillah, U. (2023). Improvements in the stability of biodiesel fuels: recent progress and challenges. *Environmental Science and Pollution Research*, 30(6), 14104–14125. <https://doi.org/10.1007/s11356-022-25048-4>

McAllister, S., Chen, J.-Y., & Fernandez-Pello, Carlos, A. (2011). *Mechanical Engineering Series*. Springer New York.

<https://doi.org/https://doi.org/10.1007/978-1-4419-7943-8>

McAndrew, A. (2016). A computational introduction to digital image processing. In *Taylor & Francis Group, LLC*.

Mishra, S., Bukkarapu, K. R., & Krishnasamy, A. (2021). A composition based approach to predict density, viscosity and surface tension of biodiesel fuels. *Fuel*, 285(February 2020), 119056. <https://doi.org/10.1016/j.fuel.2020.119056>

Ogunkunle, O., & Ahmed, N. A. (2019). A review of global current scenario of biodiesel adoption and combustion in vehicular diesel engines. *Energy Reports*, 5, 1560–1579. <https://doi.org/10.1016/j.egy.2019.10.028>

Park, S. H., Kim, H. J., & Lee, C. S. (2011). Study on the dimethyl ether spray characteristics according to the diesel blending ratio and the variations in the ambient pressure, energizing duration, and fuel temperature. *Energy and Fuels*, 25(4), 1772–1780. <https://doi.org/10.1021/ef101562b>

Pfister, K. F., Baader, S., Baader, M., Berndt, S., & Goossen, L. J. (2017). Biofuel by isomerizing metathesis of rapeseed oil esters with (bio)ethylene for use in contemporary diesel engines. *Science Advances*, 3(6), 1–8. <https://doi.org/10.1126/sciadv.1602624>

Schobert, H. H. (2013). *Chemistry of Fossil Fuels and Biofuels*. Cambridge University Press. <https://doi.org/https://doi.org/10.1017/CBO9780511844188>

Senthilkumar, S., Sivakumar, G., & Manoharan, S. (2015). Investigation of palm methyl-ester bio-diesel with additive on performance and emission characteristics of a diesel engine under 8-mode testing cycle. *Alexandria Engineering Journal*, 54(3), 423–428. <https://doi.org/10.1016/j.aej.2015.03.019>

Stenzler, J. N., Lee, J. G., & Santavicca, D. A. (2003). Penetration of liquid jets in a crossflow. *41st Aerospace Sciences Meeting and Exhibit, January*. <https://doi.org/10.2514/6.2003-1327>

- Tashtoush, G., Al-Widyan, M. I., & Al-Shyoukh, A. O. (2003). Combustion performance and emissions of ethyl ester of a waste vegetable oil in a water-cooled furnace. *Applied Thermal Engineering*, 23(3), 285–293. [https://doi.org/10.1016/S1359-4311\(02\)00188-6](https://doi.org/10.1016/S1359-4311(02)00188-6)
- Thapa, S., Indrawan, N., & Bhoi, P. R. (2018). An overview on fuel properties and prospects of Jatropha biodiesel as fuel for engines. *Environmental Technology and Innovation*, 9, 210–219. <https://doi.org/10.1016/j.eti.2017.12.003>
- Thippeshnaik, G., Prakash, S. B., Suresh, A. B., Chandrashekarappa, M. P. G., Samuel, O. D., Der, O., & Ercetin, A. (2023). Experimental Investigation of Compression Ignition Engine Combustion, Performance, and Emission Characteristics of Ternary Blends with Higher Alcohols (1-Heptanol and n-Octanol). *Energies*, 16(18). <https://doi.org/10.3390/en16186582>
- Tziourtzioumis, D. N., & Stamatelos, A. M. (2017). Experimental investigation of the effect of biodiesel blends on a DI diesel engine's injection and combustion. *Energies*, 10(7). <https://doi.org/10.3390/en10070970>
- Valeika, G., Matijošius, J., Orynycz, O., Rimkus, A., Kilikevičius, A., & Tucki, K. (2024). Parameter Research Using Variable (HVO) Biodiesel and. *Energies*, 17(262). <https://doi.org/10.3390/en17010262>
- Wasilewski, J., Krzaczek, P., Szyszlak-Bargłowicz, J., Zając, G., Koniuszy, A., Hawrot-Paw, M., & Marcinkowska, W. (2024). Evaluation of Nitrogen Oxide (NO) and Particulate Matter (PM) Emissions from Waste Biodiesel Combustion. *Energies*, 17(2), 1–16. <https://doi.org/10.3390/en17020328>
- Wu, G., Ge, J. C., & Choi, N. J. (2021). Effect of ethanol additives on combustion and emissions of a diesel engine fueled by palm oil biodiesel at idling speed. *Energies*, 14(5). <https://doi.org/10.3390/en14051428>
- Yang, N., Deng, X., Liu, B., Li, L., Li, Y., Li, P., Tang, M., & Wu, L. (2022). Combustion Performance and Emission Characteristics of Marine Engine Burning with Different Biodiesel. *Energies*, 15(14).

<https://doi.org/10.3390/en15145177>

Yesilyurt, M. K. (2019). The effects of the fuel injection pressure on the performance and emission characteristics of a diesel engine fuelled with waste cooking oil biodiesel-diesel blends. *Renewable Energy*, *132*, 649–666. <https://doi.org/10.1016/j.renene.2018.08.024>

Yoon, S. K., Ge, J. C., & Choi, N. J. (2019). Influence of fuel injection pressure on the emissions characteristics and engine performance in a CRDI diesel engine fueled with palm biodiesel blends. *Energies*, *12*(20). <https://doi.org/10.3390/en12203837>

Zheng, F., & Cho, H. M. (2023). Investigation of the Impact of Castor Biofuel on the Performance and Emissions of Diesel Engines. *Energies*, *16*(22). <https://doi.org/10.3390/en16227665>

Zheng, F., & Cho, H. M. (2024). The Effect of Different Mixing Proportions and Different Operating Conditions of Biodiesel Blended Fuel on Emissions and Performance of Compression Ignition Engines. *Energies*, *17*(2). <https://doi.org/10.3390/en17020344>