

DAFTAR PUSTAKA

- Agrios, G. 2005. *Plant Pathology: Fifth Edition*. Elsevier Academic Press.
<https://doi.org/10.1016/C2009-0-02037-6>
- Akmal, Jamarun, N., & Zain, M. 2018. Ability of Dwarf elephant grass (*Pennisetum purpureum* Cv. Mott) and *Gliricidia sepium* to capture Ammonia (NH₃) around chicken cages: An in vitro evaluation. *Pak. J. Nutr*, 17(6), 306–310.
<https://doi.org/10.3923/pjn.2018.306.310>
- Alvarez, E., Latorre, M., Bonilla, X., Sotelo, G., & Miles, J. W. 2013. Diversity of *Rhizoctonia* spp. causing foliar blight on *Brachiaria* in Colombia and evaluation of *Brachiaria* genotypes for foliar blight resistance. *Plant Disease*, 97(6), 772–779. <https://doi.org/10.1094/PDIS-04-12-0380-RE>
- Antony, S., Thomas, C. G., & Beena, S. 2020. Occurrence of Blast Disease in Hybrid Napier. *IGC Proceedings*, 12, 4–6.
<https://unknowledge.uky.edu/igc/23/2-2-1/18>
- Arneson, P. A. 2001. Plant Disease Epidemiology. *The Plant Health Instructor*, July. <https://doi.org/10.1094/phi-a-2001-0524-01>
- Ashkani, S., Yusop, M. R., Shabanimofrad, M., Harun, A. R., Sahebi, M., & Latif, M. A. 2015. Genetic analysis of resistance to rice blast: A study on the inheritance of resistance to the blast disease pathogen in an F₃ population of rice. *J Phytopathol*, 163(4), 300–309. <https://doi.org/10.1111/jph.12323>
- Asif, R., Muzammil, S., Yasmin, R., Ahmad, H., & Ambreen, A. 2023. Isolation and Characterization of *Fusarium Oxysporum* F.Sp. Vasinfectum Causative Agent of Cotton Wilt Disease in Punjab, Pakistan. *Pakistan Journal of Phytopathology*, 35(1), 103–110.
<https://doi.org/10.33866/phytopathol.035.01.0855>
- Barnett, H. L., & Hunter, B. B. 1960. Illustrated Genera of Imperfect Fungi. *Mycologia*, 52(2), 353. <https://doi.org/10.2307/3756026>
- Budiarti, S. W., & Bintang, A. S. 2022. Pengaruh Suhu, pH, dan Cahaya terhadap Pertumbuhan In Vitro *Rhizoctonia solani* pada Tanaman Jagung. *National Multidisciplinary Sciences*, 1(2), 168–177.
<https://doi.org/10.32528/nms.v1i2.78>
- Budiman, Soetrisno, R. D., Budhi, S. P. S., & Indrianto, A. 2012. Morphological characteristics, productivity and quality of three napier grass (*Pennisetum purpureum* Schum) cultivars harvested at different AGE. *Journal of the Indonesian Tropical Animal Agriculture*, 37(4), 294–301.
<https://doi.org/10.14710/jitaa.37.4.294-301>
- Chandra, V., Singh, S., Prakash, G., Tiwari, D. K., & Sahay, R. (2019). Estimation of fungal blast disease in hybrid Napier grass (*Pennisetum purpurium*) in Indian condition. *Indian Phytopathology*, 72(2), 243–251.
<https://doi.org/10.1007/s42360-019-00127-8>
- Chemisquy, M. A., Giussani, L. M., Scataglini, M. A., Kellogg, E. A., & Morrone, O. 2010. Phylogenetic studies favour the unification of *Pennisetum*, *Cenchrus* and *Odontelytrum* (Poaceae): A combined nuclear, plastid and morphological

- analysis, and nomenclatural combinations in *Cenchrus*. *Ann Bot*, 106(1), 107–130. <https://doi.org/10.1093/aob/mcq090>
- Chiu, M. C., Chen, C. L., Chen, C. W., & Lin, H. J. 2022. Weather fluctuation can override the effects of integrated nutrient management on fungal disease incidence in the rice fields in Taiwan. *Sci. Rep*, 12(1), 1–9. <https://doi.org/10.1038/s41598-022-08139-7>
- Debbarma, M., & Dutta, P. 2015. Cultural and Morphological Variability in *Rhizoctonia solani* Isolates of different hosts of Assam. *Indian Journal of Applied Research*, 5(2), 2249–2555.
- Dellgöz, I., Karaka, G., & Erper, I. 2007. Determination of the Incidence and Severity of Stem Rot Disease of Rice in Samsun , Turkey and Evaluation of Some Rice Cultivars for Resistance. *J. Turk. Phytopath.*, 36(1), 31–38.
- Di, R., Liu, L., Shoaib, N., Xi, B., Zhou, Q., & Yu, G. 2023. Sheath Blight of Maize: An Overview and Prospects for Future Research Directions. *Agriculture*, 13(10), 1–15. <https://doi.org/10.3390/agriculture13102006>
- Dorigan, A. F., da Silva Costa Guimarães, S., Vicentini, S. N. C., de Souza Moreira, S., Negrisoli, M. M., Pereira, R. C. M., de Reges, J. T. A., Castroagudín, V. L., Ceresini, P. C., & Alves, E. 2023. *Pyricularia pennisetigena* and *Pyricularia urashimae* can also cause wheat head blast. *Eur J Plant Pathol*, 167(2), 157–168. <https://doi.org/10.1007/s10658-023-02690-3>
- El-Shafey, R. A. S., Elamawi, R. M., Saleh, M. M., Tahoona, A. M., & Emeran, A. A. 2019. Morphological, pathological and molecular characterisation of rice sheath blight disease causal organism *Rhizoctonia solani* AG-1 IA in Egypt. *Archives of Phytopathology and Plant Protection*, 52(5–6), 507–529. <https://doi.org/10.1080/03235408.2019.1650544>
- Ezrari, S., Radouane, N., Tahiri, A., Amiri, S., Lazraq, A., & Lahlali, R. 2021. Environmental Effects of Temperature and Water Potential on Mycelial Growth of *Neocosmospora solani* and *Fusarium* spp. Causing Dry Root Rot of Citrus. *Curr Microbiol*, 78(8), 3092–3103. <https://doi.org/10.1007/s00284-021-02570-1>
- Georgiou, C. D., Patsoukis, N., Papapostolou, I., & Zervoudakis, G. 2006. Sclerotial metamorphosis in filamentous fungi is induced by oxidative stress. *Integr. Comp. Biol*, 46(6), 691–712. <https://doi.org/10.1093/icb/icj034>
- Ghosh, T., Pradhan, C., & Das, A. B. 2020. Control of stem-rot disease of rice caused by *Sclerotium oryzae* catt and its cellular defense mechanism – A review. *Physiol. Mol. Plant Pathol*, 112(April), 101536. <https://doi.org/10.1016/j.pmpp.2020.101536>
- Ghosh, T., Pradhan, C., & Das, A. B. 2022. Induced tolerance against stem-rot disease of low-land indica rice (*Oryza sativa* var. Manika) caused by *Sclerotium oryzae* Catt. in sub-lethal dose of cadmium. *J Plant Pathol*, 104(1), 149–165. <https://doi.org/10.1007/s42161-021-00948-5>
- Goulart, A. C. P., & Paiva, F. de A. 2000. Perdas no rendimento de grãos de trigo causadas por *Pyricularia grisea* nos anos de 1991 e 1992, no Mato Grosso

do Sul. *Summa Phytopathologica*, 26(June 2000), 279–282.

Gowder, S. B., Patil, M. B., Sunkad, G., Pramesh, D., Masthana Reddy, B. G., & Hurali, S. 2021. Correlation studies of soil and weather factors with stem rot of paddy under natural condition. *Biological Forum - An Internataional Journal*, 13(4), 39–44.

Hakim, A., Fit Rayani, T., Firmansyah, D., & Sulasih, S. 2023. Productivity and Nutrient Quality of Elephant Grass, Pakchong Grass, Red Navier Grass and Odot Grass as a Source of Animal Feed. *E3S Web of Conferences*, 454, 4–9. <https://doi.org/10.1051/e3sconf/202345402021>

Ibrahim, M., Rabah, A., Liman, B., & Ibrahim, N. 2011. Effect of Temperature and Relative Humidity on the Growth of *Helminthosporium fulvum*. *Nigerian Journal of Basic and Applied Sciences*, 19(1), 127–129. <https://doi.org/10.4314/njbas.v19i1.69357>

Klaubauf, S., Tharreau, D., Fournier, E., Groenewald, J. Z., Crous, P. W., de Vries, R. P., & Lebrun, M. H. 2014. Resolving the polyphyletic nature of Pyricularia (Pyriculariaceae). *Stud Mycol*, 79(1), 85–120. <https://doi.org/10.1016/j.simyco.2014.09.004>

Krupinsky, J. M., Berdahl, J. D., Schoch, C. L., & Rossman, A. Y. 2004. Leaf spot on switch grass (*Panicum virgatum*), symptoms of a new disease caused by *Bipolaris oryzae*. *Canadian Journal of Plant Pathology*, 26(3), 371–378. <https://doi.org/10.1080/07060660409507155>

Lestari, P., Priyatno, T. P., Enggraini, W., Reflinur, N., & Suryadi, Y. 2016. Isolasi, Identifikasi, dan Karakterisasi Cendawan Blas Pyricularia oryzae Hasil Rejuvenasi. *Buletin Plasma Nutfah*, 20(1), 19. <https://doi.org/10.21082/blpn.v20n1.2014.p19-26>

Lestari, S. A., Ramdan, E. P., & Kulsum, U. 2021. Identifikasi Penyebab Penyakit Blas Padi Pada Kombinasi Pola Tanam System of Rice Intensification (SRI) dan Jajar Legowo. *Agropross: National Conference Proceedings of Agriculture*, 5, 312–321. <https://doi.org/10.25047/agropross.2021.235>

Liu, N., Chen, Y., Liu, J., Su, Q., Zhao, B., Sun, M., Jia, H., Cao, Z., & Dong, J. 2022. Transcriptional differences between major Fusarium pathogens of maize, *Fusarium verticillioides* and *Fusarium graminearum* with different optimum growth temperatures. *Frontiers in Microbiology*, 13(December), 1–13. <https://doi.org/10.3389/fmicb.2022.1030523>

Longya, A., Talumphai, S., & Jantasuriyarat, C. 2020. Morphological characterization and genetic diversity of rice blast fungus, pyricularia oryzae, from thailand using ISSR and SRAP markers. *Journal of Fungi*, 6(1). <https://doi.org/10.3390/jof6010038>

Ma, Y. 2015. *Rust Diseases on Switchgrass (Panicum virgatum)*. University of Nebraska.

Maciel, J. L. N., Kovaleski, M., da Silva, A. N., Bonato, A. L. V., & da Costa, I. F. D. (2023). Occurrence of Pyricularia oryzae Triticum in plants of the genus Urochloa in Brazil. *Ciencia Rural*, 53(4), 1–5. <https://doi.org/10.1590/0103->

8478cr20210839

- Mackill, D. J., Coffman, W. R., & Garrity, D. P. 1996. *Disease and disease management of rainfed lowland rice* (Progress i). International Rice Research Institute.
- Manik, F. Y., Herdiyeni, Y., & Herliyana, E. N. 2016. Leaf Morphological Feature Extraction of Digital Image Anthocephalus Cadamba. *Telkomnika (Telecommunication Computing Electronics and Control)*, 14(2), 630–637. <https://doi.org/10.12928/telkomnika.v14i2.2675>
- Manjunatha, B., & Krishnappa, M. 2019. Morphological characterization of *Pyricularia oryzae* causing blast disease in rice (*Oryza sativa* L.) from different zones of Karnataka. ~ 3749 ~ *Journal of Pharmacognosy and Phytochemistry*, 8(3), 3749–3753.
- Margani, R., Hadiwiyono, & Widadi, S. 2018. Utilizing *Bacillus* to inhibit the growth and infection by sheath blight pathogen, *Rhizoctoniasolani* in rice. *IOP Conf. Seri.: Earth Environ. Sci*, 142(1), 1–7. <https://doi.org/10.1088/1755-1315/142/1/012070>
- Márquez, S. S., Bills, G. F., Acuña, L. D., & Zabalgoeazcoa, I. 2010. Endophytic mycobiota of leaves and roots of the grass *holcus lanatus*. *Fungal Diversity*, 41, 115–123. <https://doi.org/10.1007/s13225-009-0015-7>
- Masnilah, R., Wahyuni, W. S., N, S. D., Majid, A., Addy, H. S., & Wafa, A. 2020. Disease and Severity of Important Rice Disease in Jember. *Agritrop*, 18(1), 1–12. <http://jurnal.unmuhjember.ac.id/in%0Adex.php/AGRITROP>
- Nalley, L., Tsiboe, F., Durand-Morat, A., Shew, A., & Thoma, G. 2016. Economic and environmental impact of rice blast pathogen (*Magnaporthe oryzae*) alleviation in the United States. *PLoS ONE*, 11(12), 1–15. <https://doi.org/10.1371/journal.pone.0167295>
- Namai, T. 2011. Race differentiation of the rice blast fungus, *Pyricularia oryzae*, and environmentally friendly control of rice blast disease. *J Gen Plant Pathol*, 77(6), 350–353. <https://doi.org/10.1007/s10327-011-0328-8>
- Novemprimenta, Y. C., Indriyani, S., & Prayogo, Y. 2013. Respon beberapa galur sorgum (*Sorghum bicolor* (L .) Moench) terhadap penyakit karat daun (*Puccinia sorghi*). *Jurnal Biotropika*, 1(2), 57–61.
- Nuryanto, B. (2018). Penyakit Hawar Pelepah (*Rhizoctonia solani*) pada Padi dan Taktik Pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 21(2), 63. <https://doi.org/10.22146/jpti.22494>
- Purwawangsa, H., & Putera, B. W. 2015. Pemanfaatan Lahan Tidur Untuk Penggemukan Sapi. *Jurnal Risalah Kebijakan Pertanian Dan Lingkungan*, 1(2), 92. <https://doi.org/10.20957/jkebijakan.v1i2.10299>
- Quintana, L., & Gutiérrez, S. A. 2022. Stem rot (*Sclerotium oryzae*) in rice crops on the southern region of Paraguay. *Revista de Ciencia y Tecnología*, 38, 76–79. <https://doi.org/10.36995/j.recyt.2022.38.010>
- Rafique, K., Rauf, C. A., Naz, F., & Shabbir, G. 2015. DNA sequence analysis,

- morphology and pathogenicity of *Fusarium oxysporum* f. sp. *lentis* isolates inciting lentil wilt in Pakistan. *International Journal of Biosciences (IJB)*, 7(6), 74–91. <https://doi.org/10.12692/ijb/7.6.74-91>
- Rampersad, S. N. 2020. Pathogenomics and management of fusarium diseases in plants. *Pathogens*, 9(5). <https://doi.org/10.3390/pathogens9050340>
- Salamiah, Fitriyanti, D., Marsuni, Y., Rosa, H. O., & Pramudi, M. I. 2023. The causal agent and the distribution of maize stalk rot disease in the Tanah Laut Regency, South Kalimantan. *IOP Conf. Ser.: Earth Environ. Sci.*, 1208(1), 1–11. <https://doi.org/10.1088/1755-1315/1208/1/012002>
- Salgado, J. D., Madden, L. V., & Paul, P. A. 2015. Quantifying the effects of *Fusarium* head blight on grain yield and test weight in soft red winter wheat. *Phytopathology*, 105(3), 295–306. <https://doi.org/10.1094/PHYTO-08-14-0215-R>
- Salimah, N. A., Tutik Kuswinanti, & Andi Nasruddin. 2021. Eksplorasi dan Penentuan Ras Penyebab Penyakit Blas Padi di Kabupaten Maros. *Jurnal Fitopatologi Indonesia*, 17(2), 41–48. <https://doi.org/10.14692/jfi.17.2.41-48>
- Sarwanto, D., Tuswati, S. E., & Sulistyaningtyas, S. 2019. The Level of Dwarf Elephant Grass (*Pennisetum Purpureum* cv. mott) to Substitute Indigenous Forage for Goat Feed in Limestone Mountain. *IOP Conf. Ser.: Earth Environ. Sci.*, 372(1). <https://doi.org/10.1088/1755-1315/372/1/012039>
- Senapati, M., Tiwari, A., Sharma, N., Chandra, P., Bashyal, B. M., Ellur, R. K., Bhowmick, P. K., Bollinedi, H., Vinod, K. K., Singh, A. K., & Krishnan, S. G. 2022. *Rhizoctonia solani* Kühn Pathophysiology: Status and Prospects of Sheath Blight Disease Management in Rice. *Front. Plant Sci.*, 13(May), 1–22. <https://doi.org/10.3389/fpls.2022.881116>
- Shabana, Y., ElSherbiny, E. A., Zaki, W., & Ahmed, E. E. 2023. Management of Turfgrass Root-Rot using Botanical Oils, Green Chemicals, and Biocides. *Journal of Plant Protection and Pathology*, 14(1), 21–29. <https://doi.org/10.21608/jppp.2023.181388.1123>
- Shukri, I. A. M., Yahya, A. R. M., Mohd, M. H., & Noh, N. A. M. 2023. Morphological and molecular identification of *Pyricularia oryzae* causing blast disease on rice (*Oryza sativa*). *Malaysian Journal of Microbiology*, 19(6), 586–593. <https://doi.org/10.21161/MJM.230002>
- Singh Chahal, K., Sokhi, S., & Rattan, G. 2003. Investigations on sheath blight of rice In Punjab. *Indian Phytopathology*, 56(1), 22–26. <https://epubs.icar.org.in/index.php/IPPJ/article/view/18229>
- Singh, J., & Kumar, A. 2018. Variability among Isolates of *Rhizoctonia solani* Inciting Web Blight of Mungbean. *Int.J.Curr.Microbiol.App.Sci*, 7(09), 2501–2510. <https://doi.org/10.20546/ijcmas.2018.709.310>
- Singh, R., Khanna, A., & Kumar, P. 2024. Stem rot: a recent threat to rice cultivation. *Indian Phytopathology*, 5, 1–11. <https://doi.org/10.1007/s42360-024-00757-7>
- Sirait, J. 2017. Rumput Gajah Mini (*Pennisetum purpureum* cv . Mott) sebagai

- Hijauan Pakan untuk Ruminansia. *Wartazoa*, 27(4), 167–176.
<https://doi.org/10.14334/wartazoa.v27i4.1569>
- Sivalingam, P. N., Vishwakarma, S. N., & Singh, U. S. 2006. Role of seed-borne inoculum of *Rhizoctonia solani* in sheath blight of rice. *Indian Phytopath*, 59(4), 445–452.
- Smitha H. S., Prashantha A., Koulagi, S., Masuthi, D., & Rathod, V. D. 2023. Morphological, Molecular Identification and Pathogenicity of *Rhizoctonia solani* Kuhn: A Seed and Soil Borne Pathogen Infecting French Bean. *Int. J. Environ. Clim. Change*, 13(12), 309–316.
<https://doi.org/10.9734/ijec/2023/v13i123686>
- Soenartiningih, Akil, M., & Andayani, N. 2015. Cendawan Tular Tanah (*Rhizoctonia solani*) Penyebab Penyakit Busuk Pelelah pada Tanaman Jagung dan Sorgum dengan Komponen Pengendaliannya. *Iptek Tanaman Pangan*, 10(2), 85–92.
- Sopialena. 2017. *Segitiga Penyakit Tanaman*. Mulawarman University Press.
- Sudarma. 2013. *Penyakit Tanaman Padi (Oryzae sativa L.)*. Graha Ilmu.
- Sudir, A. N., Santoso, & Nuryanto, B. 2014. Penyakit Blas *Pyricularia grisea* pada Tanaman Padi dan Strategi Pengendaliannya. *Iptek Tanaman Pangan*, 9(2), 85–96.
- Suganda, T., Yulia, E., Widiyanti, F., & Hersanti, H. 2016. Intensitas Penyakit Blas (*Pyricularia oryzae* Cav.) pada Padi Varietas Ciherang di Lokasi Endemik dan Pengaruhnya terhadap Kehilangan Hasil. *Agrikultura*, 27(3), 154–159.
<https://doi.org/10.24198/agrikultura.v27i3.10878>
- Sukarta, A. I. N., Sugiarto, Y., & Koesmaryono, Y. 2018. Projection of Rice Blast Diseases in West Java Region based on Climate Change Scenario. *Agromet*, 32(2), 62. <https://doi.org/10.29244/j.agromet.32.2.62-70>
- Surtikanti. 2019. Penyakit Hawar Daun *Helminthosporium* sp. Pada Tanaman Jagung di Sulawesi Selatan dan Pengendaliannya. *Prosiding Seminar Nasional Serealia*, 978–979.
- Suryanti, Hadisutrisno, B., Mulyadi, & Widada, J. 2015. Identifikasi fusarium dan nematoda parasitik yang berasosiasi dengan penyakit kuning lada di Kalimantan Barat. *Jurnal Perlindungan Tanaman Indonesia*, 19(1), 19–26.
- Sutarman. 2017. Dasar - Dasar Ilmu Penyakit Tanaman. In *Umsida Press*.
- Swamy, H. N., Syed, S., & M. Dinesh, K. 2009. Evaluation of new fungicides against rice blast in cauvery delta. *Karnataka J. Agric. Sci*, 22(2), 450–451.
- Tembo, B., Mulenga, R. M., Sichilima, S., M'siska, K. K., Mwale, M., Chikoti, P. C., Singh, P. K., He, X., Pedley, K. F., Peterson, G. L., Singh, R. P., & Braun, H. J. 2020. Detection and characterization of fungus (*Magnaporthe oryzae* pathotype *Triticum*) causing wheat blast disease on rain-fed grown wheat (*Triticum aestivum* L.) in Zambia. *PLoS ONE*, 15(9), 1–10.
<https://doi.org/10.1371/journal.pone.0238724>
- Udding, R., Nohong, B., & Munir. (2014). Analisis kandungan protein kasar (PK)

dan serat kasar kombinasi rumput gajah (*Pennisetum purpureum*) dan tumpi jagung yang terfermentasi. *Jurnal Galung Tropika*, 3(3), 201–207.

Untari, S. 2008. *Pengantar Produksi Hijauan Pakan Ternak* (pp. 1–67). Semarang University Press.

Urribarrí, L., Ferrer, A., & Colina, A. 2005. Leaf protein from ammonia-treated dwarf elephant grass (*Pennisetum purpureum* Schum cv. Mott). *Appl Biochem Biotechnol*, 122(1–3), 721–730. https://doi.org/10.1007/978-1-59259-991-2_60

Uzayisenga, B. 2022. *Distribution, Pathogen Characterisation and Management of Brachiaria Grass Disease in Rwanda*. University of Nairobi.

Watanabe, T. 2002. Pictorial Atlas of Soil and Seed Fungi: Morphologies of Cultured Fungi and Key to Species. 2nd. Edition. In *CRC Press*.

Wati, C., Arsi, Karenina, T., Riyanto, Nurcahya, Y. N. I., Melani, D., Astuti, D., Septiarini, D., Purba, S. R. F., Ramdan, E. P., & Nurul, D. 2021. Hama dan Penyakit Tanaman. In *Yayasan Kita Menulis*.

White, J. A., Ryley, M. J., George, D. L., Kong, G. A., & White, S. C. 2012. Yield losses in grain sorghum due to rust infection. *Australasian Plant Pathology*, 41(1), 85–91. <https://doi.org/10.1007/s13313-011-0093-3>

Wicaksono, D., Wibowo, A., & Widiastuti, A. 2017. Metode Isolasi *Pyricularia Oryzae* Penyebab Penyakit Blas Padi. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 17(1), 62. <https://doi.org/10.23960/j.hptt.11762-69>

Yi, R. H., Huang, Y., & Pang, R. 2018. Leaf Blast, a New Disease on *Pennisetum sinense* Caused by *Pyricularia pennisetigena* in China. *Plant Dis.*, 106(6), 1–2.

Zheng, J., Wang, L., Hou, W., & Han, Y. 2022. *Fusarium oxysporum* Associated with *Fusarium Wilt* on *Pennisetum sinense* in China. *Pathogens*, 11(9), 1–8. <https://doi.org/10.3390/pathogens11090999>