

## DAFTAR PUSTAKA

- Ahmad, S. H. (2017). *Inisiatif Konservasi Dalam Sistem Pengelolaan Hutan Bersama Masyarakat di Desa Kemuning Kecamatan Bejen Kabupaten Temanggung* [Skripsi]. Universitas Gadjah Mada.
- Akbar, P. G., Taufiqurrahman, I., Mallo, F., Purwanto, A., Achmadi, K., Nazar, L., Winnassis, S., Yuda, P., Imron, M., Igbal, M., Rudyanto, & Wahyudi, H. (2020). *Atlas Burung Indonesia*. Yayasan Kanigara Banu Nusantara.
- AliExpress. (2024). *Humidity Temperature Recorder TEMP/RH Data Logger Thermometer Hygrometer Meter with USB Automatic Generation Of PDF BSIDE BTH81*.
- Arak, A. (1983). Vocal interactions, call matching and territoriality in a Sri Lankan treefrog, *Philautus leucorhinus* (Rhacophoridae). . . *Animal Behaviour*, 31(1), 292–302.
- Arévalo, J. E. , N. K. (2011). Traffic noise affects forest bird species in a protected tropical forest. *Revista de Biología Tropical*, 59(1), 969–980.
- Aziz, R. M. (2019). *Kelimpahan dan Pola Penggunaan Ruang oleh Komunitas Burung (Aves) dalam Pengelolaan Kebun Kopi di Bawah Tegakan Hutan di Hutan Kemuning* [Skripsi]. Universitas Gadjah Mada.
- Barber, J. R. , Frstrup, K. M. , Brown, C. L. , Hardy, A. R. , & Angeloni, L. M. (2009). Conserving The Wild life Therein-Protecting Park Fauna From Anthropogenic Noise. *Park Science*, 26(3), 26–31. <https://www.researchgate.net/publication/264840563>
- Barber, J. R., Crooks, K. R., & Frstrup, K. M. (2010). The Costs of Chronic Noise Exposure for Terrestrial Organisms. *Trends in Ecology and Evolution*, 25(3), 180–189. <https://doi.org/10.1016/j.tree.2009.08.002>
- Baroni, D., Hanzelka, J., Raimondi, T., Gamba, M., Brommer, J. E., & Laaksonen, T. (2023). Passive acoustic survey reveals the abundance of a low-density predator and its dependency on mature forests. *Landscape Ecology*, 38(8), 1939–1954. <https://doi.org/10.1007/s10980-023-01667-1>

- BirdLife International. (2016). *Hydrornis guajanus*. *The IUCN Red List of Threatened Species 2016: E.T22736518A95136596*, 1–7. <https://doi.org/10.2305/IUCN.UK.2016>
- Blickley, J. L., & Patricelli, G. L. (2012). Potential acoustic masking of greater sage-grouse (*centrocercus urophasianus*) display components by chronic industrial noise. *Ornithological Monographs*, 74, 23–35. <https://doi.org/10.1525/om.2012.74.1.23>
- Blumstein, D. T., Mennill, D. J., Clemins, P., Girod, L., Yao, K., Patricelli, G., Deppe, J. L., Krakauer, A. H., Clark, C., Cortopassi, K. A., Hanser, S. F., Mccowan, B., Ali, A. M., & Kirschel, A. N. G. (2011). Acoustic monitoring in terrestrial environments using microphone arrays: Applications, technological considerations and prospectus. In *Journal of Applied Ecology* (Vol. 48, Issue 3, pp. 758–767). <https://doi.org/10.1111/j.1365-2664.2011.01993.x>
- Bobryk, C. W., Rega-Brodsky, C. C., Bardhan, S., Farina, A., He, H. S., & Jose, S. (2016). A rapid soundscape analysis to quantify conservation benefits of temperate agroforestry systems using low-cost technology. *Agroforestry Systems*, 90(6), 997–1008. <https://doi.org/10.1007/s10457-015-9879-6>
- Boscolo, D., Metzger, J. P., & Vielliard, J. M. E. (2006). Efficiency of Playback for Assessing The Occurrence of Five Bird Species in Brazilian Atlantic Forest Fragments. *Anais Da Academia Brasileira de Ciencias*, 78(4), 629–644. [www.scielo.br/aabc](http://www.scielo.br/aabc)
- Browning, E., Gibb, R., Glover-Kapfer, P., Jones, K. E., Billington, G., Burivalova, Z., Clink, D., De Ridder, J., Halls, J., Hastings, T., Jacoby, D., Kalan, A., Kershenbaum, A., Linke, S., Lucas, S., Machado, R., Owens, P., Sutter, C., Trethowan, P., ... Wrege, P. (2017). Passive Acoustic Monitoring in Ecology and Conservation. *WWF Conservation Technology Series*, 1(2), 1–12.
- Brumm, H. (2013). *Animal Communication and Noise*. Springer Science Business Media. <http://www.springer.com/series/8824>
- Campanha, M. M., Henrique, R., Santos, S., Bernardo De Freitas, G., Emília Prieto Martinez, H., Lages, S., Garcia, R., & Finger, F. L. (2004). Growth and yield of coffee plants in agroforestry and monoculture systems in Minas Gerais, Brazil. *Agroforestry Systems*, 63, 75–82.
- Cardoso, G. C., Klingbeil, B. T., La Sorte, F. A., Lepczyk, C. A., Fink, D., & Flather, C. H. (2020). Exposure to noise pollution across North

- American passerines supports the noise filter hypothesis. In *Global Ecology and Biogeography* (Vol. 29, Issue 8, pp. 1430–1434). Blackwell Publishing Ltd. <https://doi.org/10.1111/geb.13085>
- Catchpole, C., & Slater, P. J. (2018). *Bird Song Biological Themes and Variations*. Cambridge University Press.
- Dahiru, T. (2008). P-value, a true test of statistical significance? A cautionary note. *Annals of Ibadan Postgraduate Medicine*, 6(1), 21–26. <https://doi.org/10.4314/aipm.v6i1.64038>
- Deichmann, J. L., Hernández-Serna, A., Delgado C., J. A., Campos-Cerqueira, M., & Aide, T. M. (2017). Soundscape analysis and acoustic monitoring document impacts of natural gas exploration on biodiversity in a tropical forest. *Ecological Indicators*, 74, 39–48. <https://doi.org/10.1016/j.ecolind.2016.11.002>
- Dooling, R. J., Leek, M. R., & Popper, A. N. (2015). Effects of noise on fishes: What we can learn from humans and birds. In *Integrative Zoology* (Vol. 10, Issue 1, pp. 29–37). Wiley-Blackwell. <https://doi.org/10.1111/1749-4877.12094>
- Dröge, S., Martin, D. A., Andriafanomezantsoa, R., Burivalova, Z., Fulgence, T. R., Osen, K., Rakotomalala, E., Schwab, D., Wurz, A., Richter, T., & Kreft, H. (2021). Listening to a changing landscape: Acoustic indices reflect bird species richness and plot-scale vegetation structure across different land-use types in north-eastern Madagascar. *Ecological Indicators*, 120. <https://doi.org/10.1016/j.ecolind.2020.106929>
- Drury, J. P., Cowen, M. C., & Grether, G. F. (2020). Competition and Hybridization Drive Interspecific Territoriality in Birds. *Proceedings of the National Academy of Sciences*, 117, 12923–12930. <https://doi.org/10.1073/pnas.1921380117/-/DCSupplemental>
- Ducrettet, M., Forget, P. M., Ulloa, J. S., Yguel, B., Gaucher, P., Princé, K., Hauptert, S., & Sueur, J. (2020). Monitoring canopy bird activity in disturbed landscapes with automatic recorders: A case study in the tropics. *Biological Conservation*, 245. <https://doi.org/10.1016/j.biocon.2020.108574>
- Ernstes, R., & Quinn, J. E. (2016). Variation in Bird Vocalizations across a Gradient of Traffic Noise as a Measure of an Altered Urban Soundscape. *Cities and the Environment (CATE)*, 8(1), 1–13. <https://digitalcommons.lmu.edu/cate>

- Erritzoe, J. , and E. H. B. (1998). *Pittas of the World*. Lutterworth Press.
- Farina, A. (2013). *Soundscape Ecology Principles, Patterns, Methods and Applications*. Springer Science & Business Media.
- Fogden, M. P. L. (1976). A census of a bird community in tropical rainforest in Sarawak. *Sarawak Mus. J.*, 24, 251–267.
- Francis, C. D., Ortega, C. P., & Cruz, A. (2011). Noise Pollution Filters Bird Communities Based on Vocal Frequency. *PLoS ONE*, 6(11). <https://doi.org/10.1371/journal.pone.0027052>
- Fraterrigo, J. M., & Wiens, J. A. (2005). Bird communities of the Colorado Rocky Mountains along a gradient of exurban development. *Landscape and Urban Planning*, 71(2–4), 263–275. <https://doi.org/10.1016/j.landurbplan.2004.03.008>
- Fuller, R. A., Warren, P. H., & Gaston, K. J. (2007). Daytime noise predicts nocturnal singing in urban robins. *Biology Letters*, 3(4), 368–370. <https://doi.org/10.1098/rsbl.2007.0134>
- Gill, S. A., Job, J. R., Myers, K., Naghshineh, K., & Vonhof, M. J. (2015). Toward a broader characterization of anthropogenic noise and its effects on wildlife. *Behavioral Ecology*, 26(2), 328–333. <https://doi.org/10.1093/beheco/aru219>
- Gottesman, B. L., Francomano, D., Zhao, Z., Bellisario, K., Ghadiri, M., Broadhead, T., Gasc, A., & Pijanowski, B. C. (2020). Acoustic monitoring reveals diversity and surprising dynamics in tropical freshwater soundscapes. *Freshwater Biology*, 65(1), 117–132. <https://doi.org/10.1111/fwb.13096>
- Gulson-Castillo, E. R., Dreelin, R. A., Fernandez-Duque, F., Greig, E. I., Hite, J. M., Orzechowski, S. C., Smith, L. K., Wallace, R. T., & Winkler, D. W. (2017a). Breeding biology during the nestling period at a Black-crowned Pitta *Erythropitta ussheri* nest. *Bulletin of the British Ornithologists' Club*, 137(3), 173–194. <https://doi.org/10.25226/bboc.v137i3.2017.a2>
- Gulson-Castillo, E. R., Dreelin, R. A., Fernandez-Duque, F., Greig, E. I., Hite, J. M., Orzechowski, S. C., Smith, L. K., Wallace, R. T., & Winkler, D. W. (2017b). Breeding biology during the nestling period at a Black-crowned Pitta *Erythropitta ussheri* nest. *Bull. B.O.C.*, 137(3), 173–194. <http://zoobank.org/urn:lsid:zoobank.org:pub:8F5C236B-0C84-402A-8F73-A56090F59F56>

- Halfwerk, W., Holleman, L. J. M., Lessells, C. M., & Slabbekoorn, H. (2011). Negative impact of traffic noise on avian reproductive success. *Journal of Applied Ecology*, 48(1), 210–219. <https://doi.org/10.1111/j.1365-2664.2010.01914.x>
- Hamidun, M. S., Baderan, D. W. K., & Malle, M. (2021). Efektivitas Penyerapan Kebisingan oleh Jenis Pohon Pelindung Jalan di Provinsi Gorontalo. *Jurnal Ilmu Lingkungan*, 19(3), 661–669. <https://doi.org/10.14710/jil.19.3.661-669>
- Hanafi, S., Puan, C. L., Maruthaveeran, S., & Yeong, K. L. (2019). Vocal response of oriental magpie robin (*Copsychus saularis*) to Urban environmental factors in peninsular Malaysia. *Sains Malaysiana*, 48(10), 2061–2069. <https://doi.org/10.17576/jsm-2019-4810-01>
- Hao, Z., Zhang, C., Li, L., Gao, B., Wu, R., Pei, N., & Liu, Y. (2024). Anthropogenic noise and habitat structure shaping dominant frequency of bird sounds along urban gradients. *IScience*, 27(2). <https://doi.org/10.1016/j.isci.2024.109056>
- Hermawan, T. , K. F. , S. K. A. , & U. R. N. (2016). *Laporan Akhir BOPTN Kemuning*.
- Herrera-Montes, M. I. (2018). Protected Area Zoning as a Strategy to Preserve Natural Soundscapes, Reduce Anthropogenic Noise Intrusion, and Conserve Biodiversity. *Tropical Conservation Science*, 11. <https://doi.org/10.1177/1940082918804344>
- Hou, Y., Yu, X., Yang, J., Ouyang, X., & Fan, D. (2022). Acoustic Sensor-Based Soundscape Analysis and Acoustic Assessment of Bird Species Richness in Shennongjia National Park, China. *Sensors*, 22(11). <https://doi.org/10.3390/s22114117>
- Hussein, W. B. (2012). Spectrogram Enhancement By Edge Detection Approach Applied To Bioacoustics Calls Classification. *Signal & Image Processing: An International Journal*, 3(2), 1–20. <https://doi.org/10.5121/sipij.2012.3201>
- Imron M.A., Pudyatmoko S., Subrata S.A ., Subeno, & Nurvianto S. (2018). *Asas-Asas Pengelolaan Satwa Liar di Indonesia, Buah pemikiran Prof Djuwantoko*. Gadjah Mada University Press.
- Irawan, E. I., & Sunardi. (2012). *IPA Fisika Bilingual, Pelajaran*. Yrama Widya.
- Iskandar, J., Fathin, S. A., Silmi, H. R., Husodo, T., Wulandari, I., Megantara, E. N., Partasasmita, R., & Shanida, S. S. (2021). Bird

- diversity and ethno-ornithological knowledge of local people in ciletuh-palabuhanratu geopark, sukabumi, west java, indonesia. *Biodiversitas*, 22(8), 3409–3422. <https://doi.org/10.13057/biodiv/d220838>
- Job, J. R., Kohler, S. L., & Gill, S. A. (2016). Song adjustments by an open habitat bird to anthropogenic noise, urban structure, and vegetation. *Behavioral Ecology*, arw105. <https://doi.org/10.1093/beheco/arw105>
- Johns, A. D. (1991). Responses of Amazonian rain forest birds to habitat modification. *Journal of Tropical Ecology*, 7(4), 417–437. <https://doi.org/10.1017/S0266467400005812>
- Karaman, K. (2019). A Comparative Analysis of Slope Height Using Simple Methods. *Gümüshane Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, 9(4), 600–609.
- Kartono, A. S. M. dan R. I. N. A. (2020). Keanekaragaman Spesies Burung di Kawasan Hutan Taman Wisata Karandangan. *Jurnal Silva Samalas*, 3(1), 22–27.
- Kharoufeh, J. P., & Goulias, K. G. (2002). Nonparametric Identification of Daily Activity Durations Using Kernel Density Estimators. *Transportation Research Part B: Methodological*, 36(1), 59–82. [www.elsevier.com/locate/trb](http://www.elsevier.com/locate/trb)
- Kotian, M., Sundar, P., Sangwan, T., & Choksi, P. (2024). Passive acoustic data yields insights into bird vocalization behavior associated with invasive shrub removal. *Biotropica*, 56(3). <https://doi.org/10.1111/btp.13330>
- Krisanti, A. A., Widiyani, T., & Imron, M. A. (2017). Species diversity and population distribution of arboreal mammals in Kemuning Forest, Temanggung, Central Java, Indonesia. *Biodiversitas*, 18(3), 1190–1195. <https://doi.org/10.13057/biodiv/d180342>
- Laiolo, P. (2010a). The emerging significance of bioacoustics in animal species conservation. In *Biological Conservation* (Vol. 143, Issue 7, pp. 1635–1645). <https://doi.org/10.1016/j.biocon.2010.03.025>
- Laiolo, P. (2010b). The emerging significance of bioacoustics in animal species conservation. *Biological Conservation*, 143(7), 1635–1645.
- Lines, J. A., Lee, S. R., & Stiles, M. A. (1994). Noise in the countryside. *Journal of Agricultural Engineering Research*, 57(4), 251–261.



- Linke, S., Gifford, T., Desjonquères, C., Tonolla, D., Aubin, T., Barclay, L., Karaconstantis, C., Kennard, M. J., Rybak, F., & Sueur, J. (2018). Freshwater ecoacoustics as a tool for continuous ecosystem monitoring. *Frontiers in Ecology and the Environment*, 16(4), 231–238. <https://doi.org/10.1002/fee.1779>
- Lok, A. F. S. L., Khor, K. T. N., Lim, K. C., & Subaraj, R. (2009). PITTAS (PITTIDAE) OF SINGAPORE. *Nature in Singapore*, 2, 155–165. <https://www.researchgate.net/publication/237425387>
- Lubis, N. S., Iqbar, I., & Sugianto, S. (2021). Populasi dan Pola Penyebaran Burung Rangkong (Famili Bucerotidae) di Tahura PMI dengan Pendekatan Sistem Informasi Geografi (SIG). *Jurnal Ilmiah Mahasiswa Pertanian*, 6(1), 77–85. <https://doi.org/10.17969/jimfp.v6i1.16705>
- Lund, G. (2014). *What is a forest? Definitions do make a difference: An example from Turkey*. <https://www.researchgate.net/publication/261431188>
- Lynch, E., Angeloni, L., Frstrup, K., Joyce, D., & Wittemyer, G. (2013). The use of on-animal acoustical recording devices for studying animal behavior. *Ecology and Evolution*, 3(7), 2030–2037. <https://doi.org/10.1002/ece3.608>
- Maknun, D. (2017). *Ekologi: Populasi, Komunitas, Ekosistem Mewujudkan Kampus Hijau Asri, Islami, dan Ilmiah*. Nurjati Press. <http://repository.syekhnurjati.ac.id/id/eprint/3009>
- Maolani, A., Khairina, W., Suryanda, A., & Biologi, P. (2021). Pengaruh Aktivitas Manusia terhadap Distribusi Kukang Jawa (*Nycticebus javanicus*) di Hutan Kemuning, Kabupaten Temanggung The Effect of Human Activities on the Distribution of the Javan Slow Loris (*Nycticebus javanicus*) in the Kemuning Forest, Temanggung Regencyr. In *Jurnal Biologi Edukasi Edisi* (Vol. 26).
- Marques, T. A., Thomas, L., Martin, S. W., Mellinger, D. K., Ward, J. A., Moretti, D. J., Harris, D., & Tyack, P. L. (2013). Estimating animal population density using passive acoustics. *Biological Reviews*, 88(2), 287–309. <https://doi.org/10.1111/brv.12001>
- Martin, J. P., Doucet, S. M., Knox, R. C., & Mennill, D. J. (2011). Body size correlates negatively with the frequency of distress calls and songs of Neotropical birds. *Journal of Field Ornithology*, 82(3), 259–268. <https://doi.org/10.1111/j.1557-9263.2011.00329.x>

- Maryanto, I., & Noerdjito, M. (2017). *Optimalisasi Pulau Bali Bagian Barat Sebagai Kawasan Konservasi Curik Bali*.
- McKenna, M. F., Shannon, G., & Fristrup, K. (2016). Characterizing anthropogenic noise to improve understanding and management of impacts to wildlife. *Endangered Species Research*, 31(1), 279–291. <https://doi.org/10.3354/esr00760>
- McMahon, T. A., Rohr, J. R., & Bernal, X. E. (2017). Light and noise pollution interact to disrupt interspecific interactions. *Ecology*, 98(5), 1290–1299. <https://doi.org/10.1002/ecy.1770>
- McMullen, H., Schmidt, R., & Kunc, H. P. (2014). Anthropogenic noise affects vocal interactions. *Behavioural Processes*, 103, 125–128. <https://doi.org/10.1016/j.beproc.2013.12.001>
- Montague, M. J., Danek-Gontard, M., & Kunc, H. P. (2013). Phenotypic plasticity affects the response of a sexually selected trait to anthropogenic noise. *Behavioral Ecology*, 24(2), 342–348. <https://doi.org/10.1093/beheco/ars169>
- Muhammad, G. I., Mardastuti, A., & Sunarminto, T. (2018). *KEANEKARAGAMAN JENIS DAN KELOMPOK PAKAN AVIFAUNA DI GUNUNG PINANG, KRAMATWATU, KABUPATEN SERANG, BANTEN (Species and Feeding-Guild diversity of Avifauna at Gunung Pinang, Kramatwatu, Serang Regency, Banten)*. <http://tanahair.indonesia.go.id/>
- Noon, B. R. (1981). *Techniques for Sampling Avian Habitats dalam The Use of Multivariate Statistics in Studies of Wildlife Habitat* (D. E. Capen, Ed.). Forest Service Department of Agriculture.
- Norowi, N. M., Anuar, N. A., Mustaffa, M. R., Hussin, M., & Nasharuddin, N. A. (2024). Content-based Audio Classification System for Bird Sounds. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, 33(3), 307–318. <https://doi.org/10.37934/araset.33.3.307318>
- Nugroho, F. E. (2017). *Kelimpahan dan Distribusi Spasial Burung di Bawah Tekanan Perburuan di Hutan Kemuning*. Universitas Gadjah Mada.
- Obrist, M. K., Pavan, G., Sueur, J., Riede, K., Llusia, D., & Marques, R. (2010). *Bioacoustics approaches in biodiversity inventories*. <https://www.researchgate.net/publication/313639735>



- Octavia, D., Suharti, S., Murniati, Dharmawan, I. W. S., Nugroho, H. Y. S. H., Supriyanto, B., Rohadi, D., Njurumana, G. N., Yeny, I., Hani, A., Mindawati, N., Suratman, Adalina, Y., Prameswari, D., Hadi, E. E. W., & Ekawati, S. (2022). Mainstreaming Smart Agroforestry for Social Forestry Implementation to Support Sustainable Development Goals in Indonesia: A Review. *Sustainability (Switzerland)*, 14(15). <https://doi.org/10.3390/su14159313>
- Oganov, A. R., & Ono, S. (2004). Theoretical and experimental evidence for a post-perovskite phase of MgSiO<sub>3</sub> in Earth's D" layer. *Nature*, 430(6998), 445–448. <https://doi.org/10.1038/nature02701>
- Ornithology, T. C. L. O. (2022). *SwiftOne Quick Start Guide*. Bioacoustics, The Cornell Lab Of Ornithology K. Lisa Yang Center For Conservation.
- Palupi, R. M., & Basuki, B. (2019). Penentuan Frekuensi dan Tingkat Tekanan Bunyi Efektik untuk Mengusir Burung di Kawasan Bandara Ahmad Yani Semarang. *Prosiding PPIS*, 343–350.
- Parejo, D., Avilés, J. M., & Expósito-Granados, M. (2018). Receivers matter: the meaning of alarm calls and competition for nest sites in a bird community. *Oecologia*, 187(3), 707–717. <https://doi.org/10.1007/s00442-018-4139-x>
- Parris, K. M., & McCarthy, M. A. (2013). Predicting the effect of urban noise on the active space of avian vocal signals. *American Naturalist*, 182(4), 452–464. <https://doi.org/10.1086/671906>
- Patricelli, G. L., Blickley, J. L., & Hooper, S. L. (2013). Recommended management strategies to limit anthropogenic noise impacts on greater sage-grouse in Wyoming. *Fall*, 7(2), 230–249. <https://doi.org/10.2307/24874869>
- Penar, W., Magiera, A., & Klocek, C. (2020). Applications of bioacoustics in animal ecology. *Ecological Complexity*, 43, 1–5. <https://doi.org/10.1016/j.ecocom.2020.100847>
- Penna, M., & Toloza, J. (2015). Vocal responsiveness to interfering sounds by a frog from the southern temperate forest, *batrachyla leptopus*. *Ethology*, 121(1), 26–37. <https://doi.org/10.1111/eth.12314>
- Phillipps, Q., & Phillipps, K. (2014). *Phillipps' field guide to the birds of Borneo: Sabah, Sarawak, Brunei, and Kalimantan* (Third). Princeton Universitas Press.

- Philpott, S. M., Arendt, W. J., Armbrrecht, I., Bichier, P., Diestch, T. V., Gordon, C., Greenberg, R., Perfecto, I., Reynoso-Santos, R., Soto-Pinto, L., Tejeda-Cruz, C., Williams-Linera, G., Valenzuela, J., & Zolotoff, J. M. (2008). Biodiversity loss in Latin American coffee landscapes: Review of the evidence on ants, birds, and trees. In *Conservation Biology* (Vol. 22, Issue 5, pp. 1093–1105). <https://doi.org/10.1111/j.1523-1739.2008.01029.x>
- Pijanowski, B. C., Villanueva-Rivera, L. J., Dumyahn, S. L., Farina, A., Krause, B. L., Napoletano, B. M., Gage, S. H., & Pieretti, N. (2011). Soundscape ecology: The science of sound in the landscape. *BioScience*, 61(3), 203–216. <https://doi.org/10.1525/bio.2011.61.3.6>
- R Core Team. (2017). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria. .
- Ramadhani, A. Z., Purwandari, I., & Purwadi. (2022). Pengaruh Adanya Lembaga Masyarakat Desa Hutan (Lmdh) Argo Sejahtera Terhadap Kesejahteraan Petani Kopi Di Desa Kemuning Kabupaten Temanggung. *Jurnal Pertanian Agros*, 24(2), 301–311.
- Reed, V. A., Toth, C. A., Wardle, R. N., Gomes, D. G. E., Barber, J. R., & Francis, C. D. (2021). Natural Noise Affects Conspecific Signal Detection and Territorial Defense Behaviors in Songbirds. *Behavioral Ecology*, 32(5), 993–1003. <https://doi.org/10.1093/beheco/arab074>
- Rheindt, F. E., & Eaton, J. A. (2010). Biological species limits in the Banded Pitta *Pitta guajana*. *Forktail*, 26, 86–91. [www.xeno-canto.org](http://www.xeno-canto.org)
- Roca, I. T., Desrochers, L., Giacomazzo, M., Bertolo, A., Bolduc, P., Deschesnes, R., Martin, C. A., Rainville, V., Rheault, G., & Proulx, R. (2016). Shifting song frequencies in response to anthropogenic noise: A meta-analysis on birds and anurans. *Behavioral Ecology*, 27(5), 1269–1274. <https://doi.org/10.1093/beheco/arw060>
- Round, P. D., and T. U. (1983). Observations on the Breeding of the Blue Pitta *Pitta cyanea* in Thailand. *Natural History Bulletin of the Siam Society*, 31, 93–98.
- Ruwanto, B. (2010). *Gelombang dan Bunyi, Seri Fisika Dasar*. Program studi fisika, Universitas Negeri Yogyakarta.

- Saputri, A. I., Iswandaru, D., Wulandari, C., & Bakri, S. (2022). STUDI KORELASI KEANEKARAGAMAN BURUNG DAN POHON PADA LAHAN AGROFORESTRI BLOK PEMANFAATAN KPHL BATUTEGLI. *Jurnal Belantara*, 5(2). <https://doi.org/10.29303/jbl.v5i1.854>
- Shepherd, C. R., Eaton, J. A., & CHNG, S. C. L. (2015). *Pittas for a pittance: observations on the little known illegal trade in Pittidae in west Indonesia*. <https://www.researchgate.net/publication/292977680>
- Siska, D. (2015). Analisa Kebisingan dan Studi Akustik dalam Tatanan Bangunan. In *Juli 2015 JURNAL ARSITEKNO* (Vol. 6, Issue 6).
- Slabbekoorn, H., & Smith, T. B. (2002). Bird song, ecology and speciation. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 357(1420), 493–503. <https://doi.org/10.1098/rstb.2001.1056>
- Snaddon, J., Petrokofsky, G., Jepson, P., & Willis, K. J. (2013). Biodiversity technologies: Tools as change agents. *Biology Letters*, 9(1). <https://doi.org/10.1098/rsbl.2012.1029>
- Sodik, M., Pudyatmoko, S., Semedi, P., Yuwono, H., & Imron, M. A. (2019). Okupansi Kukang Jawa (*Nycticebus javanicus* E. Geoffroy 1812) di Hutan Tropis Dataran Rendah di Kemuning, Bejen, Temanggung, Jawa Tengah. In *Jurnal Ilmu Kehutanan* (Vol. 13). <https://jurnal.ugm.ac.id/jikfkt>
- Sodik, M., Pudyatmoko, S., Yuwono, P. S. H., & Imron, M. A. (2020). Forest conflict mitigation through coffee-based agroforestry provide secure habitat for Javan Slow Lorise in a lowland fragmented forest in Central Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 449(1). <https://doi.org/10.1088/1755-1315/449/1/012050>
- Stanley, C. Q., Walter, M. H., Venkatraman, M. X., & Wilkinson, G. S. (2016). Insect noise avoidance in the dawn chorus of Neotropical birds. *Animal Behaviour*, 112, 255–265. <https://doi.org/10.1016/j.anbehav.2015.12.003>
- Supriatna, J. (2019). *Field Guide to the Primates of Indonesia*. Yayasan Pustaka Obor Indonesia.
- Suyanto, & Gio, P. U. (2017). *Statistika Nonparametrik dengan SPSS, Minitab, dan R: Vol. iv*. USU Press. <http://usupress.usu.ac.id>

- SwiftOne. (2023). *SwiftOne: terrestrial autonomous recording unit*.
- Syamsiyah, N. R., Sosetya Utami, S., & Dharoko, A. (2015). *RANCANGAN ARSITEKTUR BERKELANJUTAN MELALUI METODE SOUNDSCAPE*.
- Tarihoran, A. G., & Hadi, S. (2020). Identification of avifauna in the lowland forest ecosystem at Alas Purwo National Park, Banyuwangi based on bioacoustic approach. *AIP Conference Proceedings*, 2260. <https://doi.org/10.1063/5.0015918>
- Taufiqurrahman, I., Akbar, P. G., Purwanto, A. A., Untung, M., Assiddiqi, Z., Wibowo, W. K., Iqbal, M., Tirtaningtyas, F. N., & Triana, D. A. (2022). *Panduan Lapangan Burung-Burung di Indonesia Seri 1: Sunda Besar* (1st ed.). Birdpacker Indonesia.
- Teixeira, D., Maron, M., & van Rensburg, B. J. (2019). Bioacoustic monitoring of animal vocal behavior for conservation. In *Conservation Science and Practice* (Vol. 1, Issue 8). John Wiley and Sons Inc. <https://doi.org/10.1111/csp2.72>
- Thomas, L., & Marques, T. A. (2012). Passive acoustic monitoring for estimating animal density. *Acoustics Today*, 8(3), 35–44.
- Torti, V., Gamba, M., Rabemananjara, Z. H., & Giacoma, C. (2013). The songs of the indris (Mammalia: Primates: Indridae): contextual variation in the long-distance calls of a lemur. *Italian Journal of Zoology*, 80(4), 596–607. <https://doi.org/10.1080/11250003.2013.845261>
- Utami, I., & Putra, I. L. I. (2020). *Ekologi Kuantitatif; Metode Sampling dan Analisis Data Lapangan: Vol. viii*. K-Media. <https://www.researchgate.net/publication/344953156>
- Warren, P. S., Katti, M., Ermann, M., & Brazel, A. (2006). Urban bioacoustics: It's not just noise. In *Animal Behaviour* (Vol. 71, Issue 3, pp. 491–502). <https://doi.org/10.1016/j.anbehav.2005.07.014>
- Weinzimmer, D., Newman, P., Taff, D., Benfield, J., Lynch, E., & Bell, P. (2014). Human Responses to Simulated Motorized Noise in National Parks. *Leisure Sciences*, 36(3), 251–267. <https://doi.org/10.1080/01490400.2014.888022>
- Widodo, W. (2009). *KOMPARASI KERAGAMAN JENIS BURUNG-BURUNG DI TAMAN NASIONAL BALURAN DAN ALAS PURWO PADA BEBERAPA TIPE HABITAT*.

- Wiley, R. H., & Richards, D. G. (1978). Physical constraints on acoustic communication in the atmosphere: Implications for the evolution of animal vocalizations. *Behavioral Ecology and Sociobiology*, 3(1), 69–94.
- Williams, E. M., O'Donnell, C. F. J., & Armstrong, D. P. (2018). Cost-benefit analysis of acoustic recorders as a solution to sampling challenges experienced monitoring cryptic species. *Ecology and Evolution*, 8(13), 6839–6848. <https://doi.org/10.1002/ece3.4199>
- Winkworth, R. E., Perry, R. A., & Rossettil, C. O. (1962). A Comparison of Methods of Estimating Plant Cover in an Arid Grassland Community. *Journal of Range Management*, 194–196.
- Woodall, P. F. (1997). Seasonal and Diurnal Variation in the Calls of the Noisy Pitta Pitta versicolor, Eastern Whipbird Psophodes olivaceus and Green Catbird Ailuroedus crassirostris in Brisbane Forest Park, Queensland. *Emu*, 97(2), 121–125.
- Yip, D. A., Leston, L., Bayne, E. M., Sólymos, P., & Grover, A. (2017). Dérivation expérimentale de distances de détection d'enregistrements audio et d'observateurs humains permettant l'analyse intégrée de points d'écoute. *Avian Conservation and Ecology*, 12(1). <https://doi.org/10.5751/ACE-00997-120111>
- Zahro, J., & Herliansyah, R. (2018). *Aplikasi generalized linear model pada R*. <https://www.researchgate.net/publication/322978628>
- Zhang, T., & Kuo, C. C. J. (2001). *Content-Based Audio Classification and Retrieval for Audiovisual Data Parsing* (1st ed.). Springer Science+business Media.