

DAFTAR PUSTAKA

- Ajisaka, N. (2019). *Potensi Biomassa dan Karbon di Atas Tanah Tegakan Jati Unggul Nusantara (JUN) di Wilayah Kawasan Hutan Produksi BDH Paliyan, KPH Yogyakarta*. Universitas Gadjah Mada.
- Ali, E. (2020). *Geographic Information System (GIS): Definition, Development, Applications & Components*. https://www.researchgate.net/publication/340182760_Geographic_Information_System_GIS_Definition_Development_Applications_Components
- Ambarwati, W., & Johan, Y. (2016). Sejarah Dan Perkembangan Ilmu Pemetaan. *Jurnal Enggano*, 1(2), 80–82. <https://doi.org/10.31186/jenggano.1.2.80-82>
- Amorim, E. P., Menucelli, J. R., Santos, C. H., Freitas, M. L. M., Pissarra, T. C. T., Silva, M. E. C. M. da, Zanata, M., & Longui, E. L. (2021). WOOD EVALUATION OF Eucalyptus pellita F.Muell. AND Eucalyptus tereticornis Smith AS POTENTIAL FOR PULP AND PAPER PRODUCTION. *Revista Do Instituto Florestal*, 33(2), 139–149. <https://doi.org/10.24278/2178-5031.202133202>
- Arekhi, M., Yesil, A., Ozkan, U. Y., & Balik Sanli, F. (2018). Detecting treeline dynamics in response to climate warming using forest stand maps and Landsat data in a temperate forest. *Forest Ecosystems*, 5(1). <https://doi.org/10.1186/s40663-018-0141-3>
- Badan Standardisasi Nasional. (2014). Klasifikasi Penutup Lahan. *Sni 7645:2014*, 1–28.
- Badan Standardisasi Nasional. (2019). Pengukuran dan penghitungan cadangan karbon-Pengukuran lapangan untuk penaksiran cadangan karbon hutan. *Sni 7724:2019*, 65.020. www.bsn.go.id
- Batsaikhan, B., Lkhamjav, O., Batsaikhan, G., Batsaikhan, N., & Norovsuren, B. (2020). Carbon stock estimation using remote sensing data and field measurement in haloxylon ammodendron dominant winter cold desert region of mongolia. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 5(3), 9–17. <https://doi.org/10.5194/isprs-Annals-V-3-2020-9-2020>
- Biggs, N., Hanum, I. F., & van der Maesen, L. J. G. (1998). Plant Resources of South East Asia no. 11: Auxiliary Plants. In *Kew Bulletin* (Vol. 53, Issue 2). <https://doi.org/10.2307/4114528>
- Brown, S. (1997). Estimating Biomass And Biomass Change of Tropical Forests : A Primer. *Open Journal of Forestry*, 5(4), 134.
- Chen, Q., Mcroberts, R. E., Wang, C., & Radtke, P. J. (2016). Remote Sensing of Environment Forest aboveground biomass mapping and estimation across multiple spatial scales using model-based inference. *Remote Sensing of Environment*, 184, 350–360. <https://doi.org/10.1016/j.rse.2016.07.023>
- Choate, M. J., Rengarajan, R., Storey, J. C., & Lubke, M. (2022). Landsat 9 Geometric Characteristics Using Underfly Data. *Remote Sensing*, 14(15). <https://doi.org/10.3390/rs14153781>
- Danoedoro, P. (2010). *Pengantar Penginderaan Jauh Digital*. Gadjah Mada University Press.

- Dewantoro, B. E. B. (2021). *Estimasi Stok Karbon Atas Permukaan Menggunakan Citra Sentinel-1 di Kota Samarinda*. Universitas Gadjah Mada.
- Diao, J., Liu, J., Zhu, Z., Wei, X., & Li, M. (2022). Active forest management accelerates carbon storage in plantation forests in Lishui, southern China. *Forest Ecosystems*, 9, 100004. <https://doi.org/10.1016/j.fecs.2022.100004>
- Dwininta, A. C. (2017). Perubahan Hutan Mangrove Tahun 2000-2015 di Segera Anakan Kab. Cilacap Jawa Tengah Menggunakan Citra Landsat 7 ETM+ dan 8 OLI. *Jurnal Bumi Indonesia*, 15(1), 165–175.
- Fahrussiam, F., & Lestari, D. (2023). *the Potential Utilization of Durian Wood (Durio Zibethinus L.) Based on Its Anatomical Characteristics and Physical Properties*. 33(3), 2023.
- Ferraz, A. S., Soares, V. P., Soares, C. P. B., Ribeiro, C. A. A. S., Binoti, D. H. B., & Leite, H. G. (2014). Estimativa do estoque de biomassa em um fragmento florestal usando imagens orbitais. In *Floresta e Ambiente* (Vol. 21). scielo .
- Gibbs, H. K., Brown, S., Niles, J. O., & Foley, J. A. (2007). Monitoring and estimating tropical forest carbon stocks: Making REDD a reality. *Environmental Research Letters*, 2(4). <https://doi.org/10.1088/1748-9326/2/4/045023>
- PP Nomor 72 Tahun 2010, Pub. L. No. 72 (2010). www.hukumonline.com
- Hairiah, K., Ekadinata, A., Sari, R. R., & Rahayu, S. (2011). *Pengukuran Cadangan Karbon dari Tingkat Lahan ke Bentang Lahan* (2nd ed.). World Agroforestry Centre.
- Hardianto, A., Dewi, P. U., Feriansyah, T., Sari, N. F. S., & Rifiana, N. S. (2021). Pemanfaatan Citra Landsat 8 Dalam Mengidentifikasi Nilai Indeks Kerapatan Vegetasi (NDVI) Tahun 2013 dan 2019 (Area Studi: Kota Bandar Lampung). *Jurnal Geosains Dan Remote Sensing*, 2(1), 8–15. <https://doi.org/10.23960/jgrs.2021.v2i1.38>
- Heriyanto, N. . M., & Subiandono, E. (2012). KOMPOSISI DAN STRUKTUR TEGAKAN, BIOMASA, DAN POTENSIKANDUNGAN KARBON HUTAN MANGROVE DI TAMAN NASIONALALAS PURWO (Composition and Structure, Biomass, and Potential of Carbon ContentIn Mangrove Forest At National Park Alas Purwo). *Pusat Penelitian Dan Pengembangan Konservasi Dan Rehabilitasi*, 9(1), 023–032.
- Hidayati, N., Reza, M., Juhaeti, T., & Mansur, M. (2011). Serapan Karbondioksida (CO₂) Jenis-Jenis Pohon di Taman Buah “Mekar Sari” Bogor, Kaitannya dengan Potensi Mitigasi Gas Rumah Kaca. *Jurnal Biologi Indonesia*, 7(1), 133–145. https://e-journal.biologi.lipi.go.id/index.php/jurnal_biologi_indonesia/article/view/3134/2721
- Hodson, T. O. (2022). Root-mean-square error (RMSE) or mean absolute error (MAE): when to use them or not. *Geoscientific Model Development*, 15(14), 5481–5487. <https://doi.org/10.5194/gmd-15-5481-2022>
- Hussin, Y. A., Gilani, H., Van Leeuwen, L., Murthy, M. S. R., Shah, R., Baral, S., Tsendbazar, N. E., Shrestha, S., Shah, S. K., & Qamer, F. M. (2014). Evaluation of object-based image analysis techniques on very high-resolution satellite image for biomass estimation in a watershed of hilly forest of Nepal. *Applied Geomatics*,

- Indonesia. (2016). Undang-Undang Nomor 16 Tahun 2016 tentang Pengesahan Paris Agreement To The United Nations Framework Convention On Climate Change (Persetujuan Paris Atas Konvensi Kerangka Kerja Perserikatan Bangsa-Bangsa mengenai Perubahan Iklim). *Kementerian Sekretariat Negara Republik Indonesia*, 71. <https://jdih.setneg.go.id/Produk>
- IPCC. (2006). *2006 IPCC Guidelines for National Greenhouse Gas Inventories*.
- ITTO. (2024). *Berangan (Castanopsis argentea): ITTO Lesser Used Species*. International Tropical Timber Organization.
- Iverson, L. R., & McKenzie, D. (2013). Tree-species range shifts in a changing climate: Detecting, modeling, assisting. *Landscape Ecology*, 28(5), 879–889. <https://doi.org/10.1007/s10980-013-9885-x>
- Janzen. (2013). *Ekologi Terapan. Bandung: Swadaya dalam Juliana Simpanan Karbon pada Tanah di Kampus UIN ArRaniry Banda Aceh sebagai Referensi Mata Kuliah Ekologi dan Masalah Lingkungan*. UIN ArRaniry Banda Aceh.
- Jihad, A. N. (2017). *Biomassa dan Cadangan Karbon pada Berbagai Tingkat Suksesi Hutan Wanagama Gunung Kidul*. Universitas Gadjah Mada.
- Joshi, A. M., Shahnawaz, S., & Ranjit, B. (2019). Estimating above Ground Biomass of Pinus Roxburghii Using Slope Based Vegetation Index Model. *ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 4(5/W2), 35–42. <https://doi.org/10.5194/isprs-annals-IV-5-W2-35-2019>
- Junaidi, R. (2015). Parameter Hidrologi Dan Hidrogeologis Pada Daerah Aliran Sungai (Das) Sebagai Landasan Dalam Perencanaan Ruang. *EMARA -Indonesian Journal of Architecture*, 1.
- Juniawan, E., Santosa, A. W., & Jokosisworo, S. (2015). Analisa Kekuatan Sambungan Kayu Laban (Vitex Pinnata L.) pada Konstruksi Gading Kapal Tradisional. *Jurnal Teknik Perkapalan*, 3(1), 73–82.
- Kehutanan, K. L. H. dan. (2022). Keputusan Menteri Lingkungan Hidup dan Kehutanan Nomor SK.168/MenLHK/PKTL/PLA.1/2/2022 tentang Indonesia's FOLU Net Sink 2030 Untuk Pengendalian Perubahan Iklim. *Berita KLHK News*, Berita KLHK. <https://bsilhk.menlhk.go.id/index.php/2023/05/09/5970/>
- Khairunnisa, S., Pamoengkas, P., Permatasari, A., & Hartoyo, P. (2023). *Analysis of NDVI and Plant Vegetation Diversity in the Traditional Zone , Mount Halimun Salak National Park, Bogor*. 109–118.
- Koneswaran, G., & Nierenberg, D. (2008). Global farm animal production and global warming: impacting and mitigating climate change. *Environmental Health Perspectives*, 116(5), 578–582.
- Krisnawati, H., Adinugroho, W. C., & Imanuddin, R. (2012). *Monograf pada Berbagai Tipe Ekosistem Hutan di Indonesia* CO. Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi, Badan Penelitian dan Pengembangan Kehutanan - Kementrian Kehutanan.
- Latuconsina, H. (2010). Dampak pemanasan global terhadap ekosistem pesisir dan lautan. *Agrikan: Jurnal Agribisnis Perikanan*, 3(1), 30–37. <https://doi.org/10.29239/j.agrikan.3.1.30-37>
- Lempang, M. (2016). Pemanfaatan lignin sebagai bahan perekat kayu. *Buletin Eboni*,

- 13(2), 139–150. <http://ejournal.forda-mof.org/ejournal-litbang./index.php/buleboni/article/view/5087>
- Lestari, A. S. R. D., Hadi, Y. S., Hermawan, D., & Santoso, A. (2018). Physical and mechanical properties of glued laminated lumber of pine (*Pinus merkusii*) and Jabon (*Anthocephalus cadamba*). *Journal of the Korean Wood Science and Technology*, 46(2), 143–148. <https://doi.org/10.5658/WOOD.2018.46.2.143>
- Liu, S., Su, X., Dong, S., Cheng, F., Zhao, H., Wu, X., Zhang, X., & Li, J. (2015). Modeling aboveground biomass of an alpine desert grassland with SPOT-VGT NDVI. *GIScience and Remote Sensing*, 52(6), 680–699. <https://doi.org/10.1080/15481603.2015.1080143>
- Lufilah, S. N., Makalew, A. D., & Sulistiyantara, B. (2017). Pemanfaatan Citra Landsat 8 Untuk Analisis Indeks Vegetasi Di Dki Jakarta. *Jurnal Lanskap Indonesia*, 9(1), 73–80. <https://doi.org/10.29244/jli.v9i1.15173>
- Luz, L. R., Giongo, V., Dos Santos, A. M., Lopes, R. J. de C., & de Lima Júnior, C. (2022). Biomass and vegetation index by remote sensing in different caatinga forest areas. *Ciencia Rural*, 52(2). <https://doi.org/10.1590/0103-8478CR20201104>
- Malik, A. F. (2022). *Citra Planetscope Untuk Pembaruan Informasi Simpanan Karbon Tegakan Jati di KHDTK UGM*. Universitas Gadjah Mada.
- Martawijaya, A., Kartasujana, I., Mandang, Y. I., Prawira, S. A., & Kadir, K. (2005). *Atlas Kayu Indonesia Jilid II*. Badan Penelitian dan Pengembangan Kehutanan.
- Masrianto, Harianto, Kahfi, A., & Sarjan, M. (2020). Implementasi Peta Digital untuk Smart Village. *Jurnal Ilmiah Ilmu Komputer*, 6(1), 13–18. <http://ejournal.fikom-unasman.ac.id>
- Mawazin, S. (2013). Keanekaragaman dan Komposisi Jenis Permudaan Alam Hutan Rawa Gambut Bekas Tebangan di Riau. *Indonesian Forest Rehabilitation Journal*, 1(1), 59–73.
- Mazengo, T. E. R., Guo, Z., Liu, X., Wu, Y., Li, Y., & Gwandu, C. (2023). Effects of irrigation and rainfed practices on Normalized Difference Vegetative Index of Wheat (*Triticum aestivum* L.) and its Implications on Grain Yield in Northern China. *Environmental Systems Research*, 12(1). <https://doi.org/10.1186/s40068-023-00303-w>
- McGregor, J. L., Nguyen, K. C., Kirono, D. G. C., & Katzfey, J. J. (2016). High-resolution climate projections for the islands of Lombok and Sumbawa, Nusa Tenggara Barat Province, Indonesia: Challenges and implications. *Climate Risk Management*, 12, 32–44. <https://doi.org/10.1016/j.crm.2015.10.001>
- Mestre, S., & Feijoo, B. (2009). Climate Change and its Marginalizing Effect on Agriculture. *Ecological Economics*, 68, 896–904.
- Mishra, N., & Mainali, K. (2017). Greening and browning of the Himalaya: Spatial patterns and the role of climatic change and human drivers. *Science of The Total Environment*, 587. <https://doi.org/10.1016/j.scitotenv.2017.02.156>
- Morley, P., Donoghue, D., Chen, J.-C., & Jump, A. (2017). Integrating remote sensing and demography for more efficient and effective assessment of changing mountain forest distribution. *Ecological Informatics*, 43. <https://doi.org/10.1016/j.ecoinf.2017.12.002>

- Muhsoni, F. F. (2015). *Penginderaan Jauh (Remote Sensing)* (1st ed.). UTMPRESS.
- Nation, U. (2024). *What Is Climate Change?* United Nation.
- Nurudin, M., Mara, M. N., & Kusnandar, D. (2014). *Ukuran sampel dan distribusi sampling dari beberapa variabel random kontinu*. 03(1), 1–6.
- Odum, E. P. (1996). *Dasar-Dasar Ekologi* (3rd ed.). Gadjah Mada University Press.
- Oey, D. S. (1990). *Berat Jenis Dari Jenis-Jenis Kayu di Indonesia dan Pengertian Beratnya Untuk Keperluan Praktek* (2nd ed.). Lembaga Penelitian Hasil Hutan.
- Özyavuz, M. (2010). Analysis of changes in vegetation using multitemporal satellite imagery, the case of Tekirdağ Coastal Town. *Journal of Coastal Research*, 26(6), 1038–1046. <https://doi.org/10.2112/JCOASTRES-D-10-00030.1>
- Ozyavuz, M., Bilgili, B. C., & Salici, A. (2015). Determination of vegetation changes with NDVI method. *Journal of Environmental Protection and Ecology*, 16(1), 264–273.
- Pan, Y., Birdsey, R., Phillips, O., & Jackson, R. (2013). The Structure, Distribution, and Biomass of the World's Forests. *Annual Review of Ecology Evolution and Systematics*, 593–622. <https://doi.org/10.1146/annurev-ecolsys-110512-135914>
- Peraturan Menteri Lingkungan Hidup dan Kehutanan No.8 Tahun 2021, Pub. L. No. 8 (2021).
- Peraturan Presiden. (2021). Peraturan Presiden Nomor 98 Tahun 2021 tentang Penyelenggaraan Nilai Ekonomi Karbon untuk Pencapaian Target Kontribusi yang Ditetapkan Secara Nasional dan Pengendalian Emisi Gas Rumah Kaca dalam Pembangunan Nasional. *Database Peraturan BPK*, 10(1), 279–288.
- Pratama, R., & Parinduri, L. (2019). Penanggulangan pemanasan global. *Buletin Utama Teknik*, 15(1), 91–95.
- Purnawan, E. I., Jemi, R., Triadi, A., & Perkasa, P. (2020). Potensi Karbon dan Jasa Lingkungan: Studi Hutan Lindung Gunung Bondang Kabupaten Murung Raya, Kalimantan Tengah, Indonesia. In *Daun: Jurnal Ilmiah Pertanian dan Kehutanan* (Vol. 7, Issue 2, pp. 100–116). <https://doi.org/10.33084/daun.v7i2.2006>
- Purwanto, A. (2015). Pemanfaatan Citra Landsat 8 Untuk Identifikasi Normalized Difference Vegetation Index (NDVI) Di Kecamatan Silat Hilir Kabupaten Kapuas Hulu. *Edukasi*, 13(1), 27–36.
- Putra, R. D., Napitupulu, H. S., Nugraha, A. H., Suhana, M. P., Ritonga, A. R., & Sari, T. E. Y. (2022). Pemetaan Luasan Hutan Mangrove Dengan Menggunakan Citra Satelit Di Pulau Mapur, Provinsi Kepulauan Riau. *Jurnal Kelautan Tropis*, 25(1), 20–30. <https://doi.org/10.14710/jkt.v25i1.12294>
- Rahmawati, A. (2013). *Gas Rumah Kaca, Dampak dan Sumbernya. Pencemaran Udara*. Teknik Lingkungan ITB.
- Richter, H. G., & Dallwitz, M. J. (2000). Commercial Timbers: Descriptions, Illustrations, Identification, and Information Retrieval. In English, French, German, and Spanish. *Botany Online*, 4th. <https://www-archiv.fdm.uni-hamburg.de/b-online/wood/english/index.htm#citation>
- Samosir, & H, D. (2021). *Analisis Kekuatan Sambungan Geser Ganda pada Kayu Mindi (Melia azedarach L.) dengan Baut Tunggal*. Universitas Sumatera Utara.
- Shrestha, R., Di, L., Yu, E. G., Kang, L., SHAO, Y. zheng, & BAI, Y. qi. (2017). Regression model to estimate flood impact on corn yield using MODIS NDVI and

- USDA cropland data layer. *Journal of Integrative Agriculture*, 16(2), 398–407.
[https://doi.org/10.1016/S2095-3119\(16\)61502-2](https://doi.org/10.1016/S2095-3119(16)61502-2)
- Sitanggang, G. T., Rahmawaty, & Rauf, A. (2012). Pemetaan Potensi Karbon di Lahan Gambut Topogen pada Berbagai Kecamatan di Kabupaten Humbang Hasundutan, Provinsi Sumatera Utara. *Peronema Forestry Science Journal*, 2(2), 93–98.
- Song, C., & Dickinson, M. (2008). Extracting forest canopy structure from spatial information of high resolution optical imagery: Tree crown size versus leaf area index. *International Journal of Remote Sensing*, 29, 5605–5622.
<https://doi.org/10.1080/01431160802060904>
- Sosef, M. S. ., Hong, L. T., & Prawirohatmodjo, S. (1998). *Plant Resources of South-East Asian: Timber Trees: Lesser Known Timbers (ed.)*. Prosea Foundation.
- Stamford, J. D., Violet-Chabrand, S., Cameron, I., & Lawson, T. (2023). Development of an accurate low cost NDVI imaging system for assessing plant health. *Plant Methods*, 19(1), 1–19. <https://doi.org/10.1186/s13007-023-00981-8>
- Sukmana, A. (1996). Koefisien Determinasi R^2 pada Model Regresi Linear. *Unpar Repository*. <http://hdl.handle.net/123456789/2349>
- Surmaini, E., & Boer, R. (2011). Impact of Extreme Climate Events on Rice-Based Farming System: Case Study at Bandung District. *Indonesian Soil and Climate Journal*, 1–12. <https://www.neliti.com/publications/134717/impact-of-extreme-climate-events-on-rice-based-farming-system-case-study-at-band>
- Susandi, A. (2006). *Bencana Perubahan Iklim Global dan Proyeksi Perubahan Iklim Indonesia*. Institut Teknologi Bandung.
- Sutaryo, D. (2009). Perhitungan Biomassa. Sebuah Pengantar untuk Studi Karbon dan Perdagangan Karbon. In *Wetlands International Indonesia Programme (Issue 2)*. Wetlands International Indonesia Programme.
http://jurnal.lapan.go.id/index.php/berita_dirgantara/article/view/1652%0Ainternal-pdf://100.60.239.168/217-415-1-SM.pdf
- Tenreiro MacHado, J. A., & Lopes, A. M. (2012). Dynamical analysis of the global warming. *Mathematical Problems in Engineering*, 2012.
<https://doi.org/10.1155/2012/971641>
- Undang-Undang Republik Indonesia Nomor 19 Tahun 2003, Pub. L. No. 19 (2024).
- USDA. (2023). *Normalized Difference Vegetation Index (NDVI)*.
<https://ipad.fas.usda.gov/cropeplorer/Definitions/spotveg.htm>
- USGS, & NASA. (2021). *Landsat 9 Mission Brochure*.
<http://pubs.er.usgs.gov/publication/fs20193008>
- Vaglio, G. L., Pirotti, F., Callegari, M., Chen, Q., Cuzzo, G., Lingua, E., Notarnicola, C., & Papale, D. (2017). Potential of ALOS2 and NDVI to estimate forest above-ground biomass, and comparison with lidar-derived estimates. *Remote Sensing*, 9(1). <https://doi.org/10.3390/rs9010018>
- Vourc'h, G., & Vial, L. (2008). *Distribution of ticks (and tick-borne diseases) in relation to climate change. Illustration with soft and hard ticks*.
- Wakawa, L. (2016). Biomass Estimation in Forest Ecosystems - A Review. *Journal of Research in Forestry, Wildlife & Environment*, 8(2), 126–144.
- Wedajo, G. K., Muleta, M. K., Gessesse, B., & Koriche, S. A. (2019). Spatiotemporal climate and vegetation greenness changes and their nexus for Dhidhessa River

- Basin, Ethiopia. *Environmental Systems Research*, 8(1).
<https://doi.org/10.1186/s40068-019-0159-8>
- Whitten, T., & Damanik, S. J. (2012). *Ecology of Sumatra*. Tuttle Publishing.
<https://books.google.co.id/books?id=9QzRAGAAQBAJ>
- Young, R. A., & Giese, R. J. (1990). *Introduction to Forest Science*. Wiley.
<https://books.google.co.id/books?id=dSPxAAAAMAAJ>
- Zhang, G., Nur, S., Wang, C., & Quan, L. (2023). Research on land cover classification of multi - source remote sensing data based on improved U - net network. *Scientific Reports*, 1–16. <https://doi.org/10.1038/s41598-023-43317-1>
- Zhang, Z. J., Liu, Z. H., Guo, Y. F., & Zhai, J. (2010). Biomass modeling of different grassland types based on NDVI in Tibet. *Plateau and Mountain Meteorology Research*, 30(3), 43–47.
- Zhu, X., & Liu, D. (2015). Improving forest aboveground biomass estimation using seasonal Landsat NDVI time-series. *ISPRS Journal of Photogrammetry and Remote Sensing*, 102, 222–231. <https://doi.org/10.1016/j.isprsjprs.2014.08.014>