

DAFTAR PUSTAKA

- Adams, N.J., Johnson, D.L., Lynch, R.A., 2011. The effect of pressure differential and care provider movement on airborne infectious isolation room containment effectiveness. *American Journal of Infection Control* 39, 91–97. <https://doi.org/10.1016/j.ajic.2010.05.025>
- Barantan, 2006. Keputusan Kepala Badan Karantina Pertanian No. 349 Tahun 2006.
- BERNARDINI, P., Valle, C.D., 2020. Housing Cage for Laboratory Animals. US 10,863,716 B2.
- Bowman, Dr.G.L., Shulaw, Dr.W.P., 2001. On-Farm Biosecurity: Traffic Control and Sanitation. Ohio State University Extension Factsheet 6.
- Brielmeier, M., Schmidt, J., 2011. Cage rack system and method for sampling airborne particles from a cage rack system. 12/922,938.
- Darmadi, 2008. Infeksi Nosokomial : Problematika dan Pengendaliannya. Salemba Medika.
- Gabriel, G.S., Campbell, N.E., Murray, D., Gerringer, R., 2006. Cage and Rack System. US 2008/0087231 A1.
- Garber, J.C., barbee, R.W., bielitzki, J.T., Donovan, J.C., 2011. Guide for the Care and Use of Laboratory Animals: Eighth Edition. National Academies Press, Washington, D.C. <https://doi.org/10.17226/12910>
- Hessler, J.R., 2009. Chapter 24 - Barrier Housing for Rodents, in: Hessler, J.R., Lehner, N.D.M. (Eds.), Planning and Designing Research Animal Facilities, American College of Laboratory Animal Medicine. Academic Press, London, pp. 333–345. <https://doi.org/10.1016/B978-0-12-369517-8.00024-4>
- Kementerian Perindustrian Indonesia, 2021. Membangun Kemandirian Industri Farmasi Nasional Buku Analisis Pembangunan Industri, II. ed. Kementerian Perindustrian Indonesia, Jakarta.
- Kim, Y.-H., Lee, J.-Y., 2023. Implementation of an Individually Ventilated Cage System Applying Air Conditioning Control Method. *Journal of the Korea Society of Computer and Information* 28, 1–12. <https://doi.org/10.9708/JKSCI.2023.28.06.001>
- Kostomitsopoulos, N.G., Djurasevic, S.F., 2010. The ethical justification for the use of animals in biomedical research. *Arch biol sci (Beogr)* 62, 781–787. <https://doi.org/10.2298/ABS1003781K>
- Lechner, N., 2015. Heating, cooling, lighting: sustainable design methods for architects, Fourth edition. ed. John Wiley & Sons, Inc, Hoboken, New Jersey.
- Lipman, N.S., 2009. Rodent Facilities and Caging Systems, in: Planning and Designing Research Animal Facilities. Elsevier, pp. 263–288. <https://doi.org/10.1016/B978-0-12-369517-8.00020-7>
- Lipman, N.S., Leary, S.L., 2015. Design and Management of Research Facilities, in: Laboratory Animal Medicine. Elsevier, pp. 1543–1597. <https://doi.org/10.1016/B978-0-12-409527-4.00036-5>

- Meles, D.K., 2010. Peran Uji Praklinik Dalam Bidang Farmakologi. AUP, Surabaya.
- Munafiah, S.Z., 2022. Tinjauan Hukum Positif Dan Hukum Islam Terhadap Perlindungan Hewan Yang Digunakan Untuk Uji Coba Produk Kosmetik. Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Mutiarahmi, C.N., Hartady, T., Lesmana, R., 2021. Use Of Mice As Experimental Animals In Laboratories That Refer To The Principles Of Animal Welfare: A Literature Review. *imv* 10, 134–145. <https://doi.org/10.19087/imv.2020.10.1.134>
- Noor, M.N., Dharmayanti, N.L.P.I., Wahyuwardani, S., Cahyaningsih, T., 2016. Penggunaan dan Penanganan Hewan Coba Rodensia dalam penelitian sesuai dengan kesejahteraan hewan. Pusat Penelitian dan Pengembangan Peternakan.
- Oemiati, N., Kimi, S., Anggraini, R., 2021. Analisa Faktor Kehilangan Energi Pada Distribusi Pipa Dari Booster Kertapati Sampai Kawasan Pasar 07.
- Olfert, E.D., Cross, B.M., William, A.A.M., 1993. Guide to the Care and Use of Experimental Animals, Volume 1, 2nd Edition, 2nd ed. Canadian Council on Animal Care.
- Parasuraman, S., 2011. Toxicological screening. *J Pharmacol Pharmacother* 2, 74–79. <https://doi.org/10.4103/0976-500X.81895>
- Peraturan Menteri Kesehatan RI, 2016. Peraturan Menteri Kesehatan Nomor 24 Tahun 2016 tentang Persyaratan Teknis Bangunan dan Prasarana Rumah Sakit.
- Pound, P., Nicol, C.J., 2018. Retrospective harm benefit analysis of pre-clinical animal research for six treatment interventions. *PLoS ONE* 13, e0193758. <https://doi.org/10.1371/journal.pone.0193758>
- Prasasto, S., 2004. Fisika Bangunan 1, 1st ed. ANDI, Yogyakarta.
- Prescott, M.J., Lidster, K., 2017. Improving quality of science through better animal welfare: the NC3Rs strategy. *Lab Anim* 46, 152–156. <https://doi.org/10.1038/labani.1217>
- Rahman, S.A., Chaidir, R., Sudarmadi, D., 2021. Pembuatan Perangkat Negative Pressure Room Portable Untuk Klinik Central Medika Ciwastra Bandung 3.
- Reeb-Whitaker, C.K., Paigen, B., Beamer, W.G., Bronson, R.T., Churchill, G.A., Schweitzer, I.B., Myers, D.D., 2001. The impact of reduced frequency of cage changes on the health of mice housed in ventilated cages. *Lab Anim* 35, 58–73. <https://doi.org/10.1258/0023677011911381>
- Riyanto, T., 2021. Kriteria Sistem Tata Udara Ruang Isolasi Dalam Penanganan Infeksi Covid-19. Deepublish.
- Rudi Handoko, K., 2022. Analisis Efisiensi Blower Mesin Pengering Padi dengan Daya Penggerak 1000 RPM dan 818 RPM di CV Jasa Bhakti Karawang. <https://doi.org/10.5281/ZENODO.6618707>
- Ruskar, D., Hastuti, S., Wahyudi, H., Dewa Ketut Kerta Widana, I., Khoirudin Apriyadi, R., 2021. LAFIAL: Pandemi COVID-19 Sebagai Momentum Kemandirian Industri Farmasi Menuju Ketahanan Kesehatan Nasional. *pendipa. jurnal. pendik. sains* 5, 300–308. <https://doi.org/10.33369/pendipa.5.3.300-308>

- Shang, W., Yang, Y., Rao, Y., Rao, X., 2020. The outbreak of SARS-CoV-2 pneumonia calls for viral vaccines. *npj Vaccines* 5, 18. <https://doi.org/10.1038/s41541-020-0170-0>
- Silverman, J., Suckow, M.A., Murthy, S., 2014. The IACUC Handbook, Third Edition. CRC Press.
- Swacita, I.B.N., Suardana, I.W., 2023. Kesehatan Masyarakat Veteriner Dan One Health. Prenada Media.
- Wahyuwardani, S., Noor, S.M., Bakrie, B., 2020. Animal Welfare Ethics in Research and Testing: Implementation and its Barrier. *WARTAZOA* 30, 211. <https://doi.org/10.14334/wartazoa.v30i4.2529>
- WHO, 2006. Biorisk management: Laboratory biosecurity guidance. World Health Organization.
- Zami, Z., 2010. Analisa Valve Dan Kerusakannya. *Stek* 1. <https://doi.org/10.29406/stek.v1i2.399>