

DAFTAR PUSTAKA

- Abadio, F. D. B., Domingues, A. M., Borges, S. V., & Oliveira, V. M. (2004). Physical properties of powdered pineapple (*Ananas comosus*) juice - Effect of malt dextrin concentration and atomization speed. *Journal of Food Engineering*, 64(3), 285–287. <https://doi.org/10.1016/j.jfoodeng.2003.10.010>
- Anisuzzaman, S. M., Joseph, C. G., & Ismail, F. N. (2023). Influence of Carrier Agents Concentrations and Inlet Temperature on the Physical Quality of Tomato Powder Produced by Spray Drying. *Pertanika Journal of Science and Technology*, 31(3), 1379–1411. <https://doi.org/10.47836/pjst.31.3.15>
- Arebo, M. A., Feyisa, J. D., Tafa, K. D., & Satheesh, N. (2023). Optimization of spray-drying parameter for production of better quality orange fleshed sweet potato (*Ipomoea batatas* L.) powder: Selected physiochemical, morphological, and structural properties. *Heliyon*, 9(1). <https://doi.org/10.1016/j.heliyon.2023.e13078>
- Barrado, E., & Ferreira, T. A. (2019). *Two-Level Factorial Designs* (pp. 300–314). <https://doi.org/10.4018/978-1-7998-1518-1.ch013>
- Berraquero-García, C., Pérez-Gálvez, R., Espejo-Carpio, F. J., Guadix, A., Guadix, E. M., & García-Moreno, P. J. (2023). Encapsulation of Bioactive Peptides by Spray-Drying and Electrospraying. In *Foods* (Vol. 12, Issue 10). MDPI. <https://doi.org/10.3390/foods12102005>
- Caliskan, G., & Nur Dirim, S. (2013). The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food and Bioproducts Processing*, 91(4), 539–548. <https://doi.org/10.1016/j.fbp.2013.06.004>
- Chandra, S., Saklani, S., Kumar, P., Kim, B., & Coutinho, H. D. M. (2022). Nutraceuticals: Pharmacologically Active Potent Dietary Supplements. In *BioMed Research International* (Vol. 2022). Hindawi Limited. <https://doi.org/10.1155/2022/2051017>
- Chen, Q., Bi, J., Zhou, Y., Liu, X., Wu, X., & Chen, R. (2014). Multi-objective Optimization of Spray Drying of Jujube (*Zizyphus jujuba* Miller) Powder Using Response Surface Methodology. *Food and Bioprocess Technology*, 7(6), 1807–1818. <https://doi.org/10.1007/s11947-013-1171-z>
- Chng, Y. V. G., Chang, L. S., & Pui, L. P. (2020). Effects of maltodextrin concentration and inlet temperature on the physicochemical properties of spray-dried kuini powder. *Asia-Pacific Journal of Molecular Biology and Biotechnology*, 28(4), 117–131. <https://doi.org/10.35118/apjmbb.2020.028.4.10>

- Coppola, D., Oliviero, M., Vitale, G. A., Lauritano, C., D'Ambra, I., Iannace, S., & de Pascale, D. (2020). Marine collagen from alternative and sustainable sources: Extraction, processing and applications. In *Marine Drugs* (Vol. 18, Issue 4). MDPI AG. <https://doi.org/10.3390/md18040214>
- Das, A. K., & Dewanjee, S. (2018). Optimization of Extraction Using Mathematical Models and Computation. In *Computational Phytochemistry* (pp. 75–106). Elsevier. <https://doi.org/10.1016/B978-0-12-812364-5.00003-1>
- Gorinstein, S., Poovarodom, S., Leontowicz, H., Leontowicz, M., Namiesnik, J., Vearasilp, S., Haruenkit, R., Ruamsuke, P., Katrich, E., & Tashma, Z. (2011). Antioxidant properties and bioactive constituents of some rare exotic Thai fruits and comparison with conventional fruits. In vitro and in vivo studies. *Food Research International*, 44(7), 2222–2232. <https://doi.org/10.1016/j.foodres.2010.10.009>
- Ismail, N. A., & Abu Bakar, M. F. (2018). Salak—*Salacca zalacca*. In *Exotic Fruits Reference Guide* (pp. 383–390). Elsevier. <https://doi.org/10.1016/B978-0-12-803138-4.00051-4>
- Jafari, S. M., Ghalegi Ghalenoei, M., & Dehnad, D. (2017). Influence of spray drying on water solubility index, apparent density, and anthocyanin content of pomegranate juice powder. *Powder Technology*, 311, 59–65. <https://doi.org/10.1016/j.powtec.2017.01.070>
- Lan, X., Liu, P., Xia, S., Jia, C., Mukunzi, D., Zhang, X., Xia, W., Tian, H., & Xiao, Z. (2010). Temperature effect on the non-volatile compounds of Maillard reaction products derived from xylose-soybean peptide system: Further insights into thermal degradation and cross-linking. *Food Chemistry*, 120(4), 967–972. <https://doi.org/10.1016/j.foodchem.2009.11.033>
- Lee, Y. I., Lee, S. G., Jung, I., Suk, J., Lee, M. H., Kim, D. U., & Lee, J. H. (2022). Effect of a Topical Collagen Tripeptide on Antiaging and Inhibition of Glycation of the Skin: A Pilot Study. *International Journal of Molecular Sciences*, 23(3). <https://doi.org/10.3390/ijms23031101>
- Liu, Y., Chen, F., & Guo, H. (2017). Optimization of bayberry juice spray drying process using response surface methodology. *Food Science and Biotechnology*, 26(5), 1235–1244. <https://doi.org/10.1007/s10068-017-0169-0>
- Mazumdar, P., Pratama, H., Lau, S. E., Teo, C. H., & Harikrishna, J. A. (2019). Biology, phytochemical profile and prospects for snake fruit: An antioxidant-rich fruit of South East Asia. In *Trends in Food Science and Technology* (Vol. 91, pp. 147–158). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2019.06.017>

- Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblica officinalis*) juice powder. *Food and Bioproducts Processing*, 92(3), 252–258. <https://doi.org/10.1016/j.fbp.2013.08.003>
- Moghaddam, A. D., Pero, M., & Askari, G. R. (2017). Optimizing spray drying conditions of sour cherry juice based on physicochemical properties, using response surface methodology (RSM). *Journal of Food Science and Technology*, 54(1), 174–184. <https://doi.org/10.1007/s13197-016-2449-8>
- Nayaka, V. K., Azeez, S., Suresha, G., Tiwari, R., Prasanth, S., Karunakaran, G., & Suresha, K. (2020). Influence of maltodextrin on the physical attributes of microencapsulated avocado (*Persea americana* Mill.) powder obtained through co-current spray drier. *International Journal of Chemical Studies*, 8(6), 2449–2452. <https://doi.org/10.22271/chemi.2020.v8.i6ai.11140>
- Núñez, S. M., Guzmán, F., Valencia, P., Almonacid, S., & Cárdenas, C. (2020). Collagen as a source of bioactive peptides: A bioinformatics approach. *Electronic Journal of Biotechnology*, 48, 101–108. <https://doi.org/10.1016/j.ejbt.2020.09.009>
- Pallardó, F. V., Markovic, J., García, J. L., & Viña, J. (2009). Role of nuclear glutathione as a key regulator of cell proliferation. In *Molecular Aspects of Medicine* (Vol. 30, Issues 1–2, pp. 77–85). <https://doi.org/10.1016/j.mam.2009.01.001>
- Piñón-Balderrama, C. I., Leyva-Porras, C., Terán-Figueroa, Y., Espinosa-Solís, V., Álvarez-Salas, C., & Saavedra-Leos, M. Z. (2020). Encapsulation of active ingredients in food industry by spray-drying and nano spray-drying technologies. In *Processes* (Vol. 8, Issue 8). MDPI AG. <https://doi.org/10.3390/PR8080889>
- Pires, F. C. S., & da Silva Pena, R. (2017). Optimization of spray drying process parameters for tucupi powder using the response surface methodology. *Journal of Food Science and Technology*, 54(11), 3459–3472. <https://doi.org/10.1007/s13197-017-2803-5>
- Pui, L. P., & Saleena, L. A. K. (2022). Effects of spray-drying parameters on physicochemical properties of powdered fruits. *Foods and Raw Materials*, 10(2), 235–251. <https://doi.org/10.21603/2308-4057-2022-2-533>
- Puri, V., Nagpal, M., Singh, I., Singh, M., Dhingra, G. A., Huanbutta, K., Dheer, D., Sharma, A., & Sangnim, T. (2022). A Comprehensive Review on Nutraceuticals: Therapy Support and Formulation Challenges. In *Nutrients* (Vol. 14, Issue 21). MDPI. <https://doi.org/10.3390/nu14214637>

- Saavedra-Leos, M. Z., Leyva-Porras, C., López-Martínez, L. A., González-García, R., Martínez, J. O., Martínez, I. C., & Toxqui-Terán, A. (2019). Evaluation of the spray drying conditions of blueberry juice-maltodextrin on the yield, content, and retention of quercetin 3-D-galactoside. *Polymers*, 11(2). <https://doi.org/10.3390/polym11020312>
- Salama, A. H. (2020). Spray drying as an advantageous strategy for enhancing pharmaceuticals bioavailability. In *Drug Delivery and Translational Research* (Vol. 10, Issue 1). Springer. <https://doi.org/10.1007/s13346-019-00648-9>
- Saleh, M. S. M., Siddiqui, M. J., Mediani, A., Ismail, N. H., Ahmed, Q. U., So'ad, S. Z. M., & Saidi-Besbes, S. (2018). *Salacca zalacca*: A short review of the palm botany, pharmacological uses and phytochemistry. In *Asian Pacific Journal of Tropical Medicine* (Vol. 11, Issue 12, pp. 645–652). Wolters Kluwer Medknow Publications. <https://doi.org/10.4103/1995-7645.248321>
- Salvatore, L., Gallo, N., Natali, M. L., Campa, L., Lunetti, P., Madaghiele, M., Blasi, F. S., Corallo, A., Capobianco, L., & Sannino, A. (2020). Marine collagen and its derivatives: Versatile and sustainable bio-resources for healthcare. In *Materials Science and Engineering C* (Vol. 113). Elsevier Ltd. <https://doi.org/10.1016/j.msec.2020.110963>
- Santhalakshmy, S., Don Bosco, S. J., Francis, S., & Sabeena, M. (2015). Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. *Powder Technology*, 274, 37–43. <https://doi.org/10.1016/j.powtec.2015.01.016>
- Sarabandi, K., Gharehbeiglou, P., & Jafari, S. M. (2020). Spray-drying encapsulation of protein hydrolysates and bioactive peptides: Opportunities and challenges. *Drying Technology*, 38(5–6), 577–595. <https://doi.org/10.1080/07373937.2019.1689399>
- Setiawan, B., Sulaeman, A., Giraud, D. W., & Driskell, J. A. (2001). Carotenoid Content of Selected Indonesian Fruits. *Journal of Food Composition and Analysis*, 14(2), 169–176. <https://doi.org/10.1006/jfca.2000.0969>
- Shishir, M. R. I., & Chen, W. (2017). Trends of spray drying: A critical review on drying of fruit and vegetable juices. In *Trends in Food Science and Technology* (Vol. 65, pp. 49–67). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2017.05.006>
- Shui, G., & Leong, L. P. (2005). Screening and identification of antioxidants in biological samples using high-performance liquid chromatography-mass spectrometry and its application on *Salacca edulis* Reinw. *Journal of Agricultural and Food Chemistry*, 53(4), 880–886. <https://doi.org/10.1021/jf049112q>

- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Frovenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J., & Klenk, D. C. (1985). *Measurement of Protein Using Bicinchoninic Acid*.
- Sontakke, S. B., Jung, J. H., Piao, Z., & Chung, H. J. (2016). Orally Available Collagen Tripeptide: Enzymatic Stability, Intestinal Permeability, and Absorption of Gly-Pro-Hyp and Pro-Hyp. *Journal of Agricultural and Food Chemistry*, 64(38), 7127–7133. <https://doi.org/10.1021/acs.jafc.6b02955>
- Sorushanova, A., Delgado, L. M., Wu, Z., Shologu, N., Kshirsagar, A., Raghunath, R., Mullen, A. M., Bayon, Y., Pandit, A., Raghunath, M., & Zeugolis, D. I. (2019). The Collagen Suprafamily: From Biosynthesis to Advanced Biomaterial Development. In *Advanced Materials* (Vol. 31, Issue 1). Wiley-VCH Verlag. <https://doi.org/10.1002/adma.201801651>
- Sulaiman, S. F., & Ooi, K. L. (2014). Antioxidant and α -glucosidase inhibitory activities of 40 tropical juices from malaysia and identification of phenolics from the bioactive fruit juices of *Barringtonia racemosa* and *Phyllanthus acidus*. *Journal of Agricultural and Food Chemistry*, 62(39), 9576–9585. <https://doi.org/10.1021/jf502912t>
- Tanigawa, T., Kanazawa, S., Ichibori, R., Fujiwara, T., Magome, T., Shingaki, K., Miyata, S., Hata, Y., Tomita, K., Matsuda, K., Kubo, T., Tohyama, M., Yano, K., & Hosokawa, K. (2014). (+)-Catechin protects dermal fibroblasts against oxidative stress-induced apoptosis. *BMC Complementary and Alternative Medicine*, 14. <https://doi.org/10.1186/1472-6882-14-133>
- Tontul, I., & Topuz, A. (2017). Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. In *Trends in Food Science and Technology* (Vol. 63, pp. 91–102). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2017.03.009>
- Tsukahara, K., Nakagawa, H., Moriwaki, S., Takema, Y., Fujimura, T., & Imokawa, G. (2006). Inhibition of ultraviolet-B-induced wrinkle formation by an elastase-inhibiting herbal extract: implication for the mechanism underlying elastase-associated wrinkles. *International Journal of Dermatology*, 45, 460–468.
- Vidović, S., Ramić, M., Ambrus, R., Vladić, J., Szabó-Révész, P., & Gavarić, A. (2019). Aronia berry processing by spray drying: From byproduct to high quality functional powder. *Food Technology and Biotechnology*, 57(4), 513–524. <https://doi.org/10.17113/ftb.57.04.19.6369>
- Vidovic, S., Vladic, J., Vaštag, Ž., Zekovic, Z., & Popović, L. (2014). Maltodextrin as a carrier of health benefit compounds in *Satureja montana* dry powder

extract obtained by spray drying technique. *Powder Technology*, 258, 209–215. <https://doi.org/10.1016/j.powtec.2014.03.038>

Vladić, J., Nastić, N., Janković, T., Šavikin, K., Menković, N., Lončarević, I., & Vidović, S. (2022). Microencapsulation of *Sideritis raeseri* Boiss. & Heldr. subsp. *raeseri* Extract Using Spray Drying with Maltodextrin and Whey Protein. *Periodica Polytechnica Chemical Engineering*, 66(2), 229–238. <https://doi.org/10.3311/PPch.19060>

Widowati, W., Dani, Vera, & Yuninda, V. A. (2023). Antioxidant and Antiaging Potential of Salak Fruit Extract (*Salacca zalacca* (Gaert.)Voss)). *Majalah Obat Tradisional*, 28(3), 230–236. <https://doi.org/10.22146/mot.83995>

Xiao, Z., Xia, J., Zhao, Q., Niu, Y., & Zhao, D. (2022). Maltodextrin as wall material for microcapsules: A review. In *Carbohydrate Polymers* (Vol. 298). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2022.120113>

Yamamoto, S., Deguchi, K., Onuma, M., Numata, N., & Sakai, Y. (2016). Absorption and Urinary Excretion of Peptides after Collagen Tripeptide Ingestion in Humans. In *Biol. Pharm. Bull* (Vol. 39, Issue 3).

Ziaee, A., Albadarin, A. B., Padrela, L., Femmer, T., O'Reilly, E., & Walker, G. (2019). Spray drying of pharmaceuticals and biopharmaceuticals: Critical parameters and experimental process optimization approaches. In *European Journal of Pharmaceutical Sciences* (Vol. 127, pp. 300–318). Elsevier B.V. <https://doi.org/10.1016/j.ejps.2018.10.026>