

DAFTAR PUSTAKA

- Ačkar, Đ., Jozinović, A., Babić, J., Miličević, B., Panak Balentić, J., & Šubarić, D. (2018). Resolving the problem of poor expansion in corn extrudates enriched with food industry by-products. *Innovative Food Science and Emerging Technologies*, 47(2017), 517–524. <https://doi.org/10.1016/j.ifset.2018.05.004>
- Ahmad, M. (2014). Farmer Empowerment to Increase Productivity of Sago (Metroxylon sago spp) Farming. *International Journal on Advanced Science, Engineering and Information Technology*, 4(3), 129. <https://doi.org/10.18517/ijaseit.4.3.384>
- Al-Rabadi, G. J., Torley, P. J., Williams, B. A., Bryden, W. L., & Gidley, M. J. (2011). Particle size of milled barley and sorghum and physico-chemical properties of grain following extrusion. *Journal of Food Engineering*, 103(4), 464–472. <https://doi.org/10.1016/j.jfoodeng.2010.11.016>
- Alam, N. A., Karim, R., & Muhammad, K. (2018). Effect of sago and tapioca starches on the physicochemical and textural properties of expanded rice product coloured with red beetroot (*Beta vulgaris*) powder. *International Food Research Journal*, 25(December 2018), S21–S27.
- Alam, Pathania, S., & Sharma, A. (2016). Optimization of the extrusion process for development of high fibre soybean-rice ready-to-eat snacks using carrot pomace and cauliflower trimmings. *Lwt*, 74, 135–144. <https://doi.org/10.1016/j.lwt.2016.07.031>
- Andriani, M., Ananditho, B. K., & Nurhartadi, E. (2013). Pengaruh Suhu Pengeringan Terhadap Sifat Fisik Dan the Influence of Drying Temperature To Physical and Sensory Characteristic of Overripe Tempeh Flour. *Jurnal Teknologi Hasil Pertanian*, 6(2), 95–101.
- Anggraeni, M. C., Nurwantoro, & Abduh, S. B. M. (2017). Sifat Fisikokimia Roti Yang Dibuat Dengan Bahan Dasar Tepung Terigu Yang Ditambah Berbagai Jenis Gula. *Jurnal Aplikasi Teknologi Pangan*, 6(1), 52–56. <https://doi.org/10.17728/jatp.214>
- ASABE. (2003). ANSI/ASAE S319.3: Method of determining and expressing fineness of feed materials by sieving. *Asabe*, 601–605.
- Asfi, W. M., Harun, N., & Zalfiatri, Y. (2017). Pemanfaatan tepung kacang merah dan pati sagu pada pembuatan crackers. *JOM Faperta UR*, 14(01), 3510–3515.
- Aulia, T., Suhaidi, I., & Rusmarilin, H. (2017). Tepung Pisang Dan Persentase Kuning Telur Terhadap Mutu Flakes Talas. *Ilmu dan Teknologi Pangan*, 5(2), 333–342.
- Auliah, A. (2012). Formulasi Kombinasi Tepung Sagu dan Jagung pada Pembuatan Mie. *Jurnal Chemica*, 13(2), 33–38.
- Badan Pusat Statistik. (2023). Luas Panen dan Produksi Jagung di Indonesia 2022 (Angka Sementara). *Berita Resmi Statistik*, 2023(74), 1–16.
- Berk, Z. (2009). *Heat and Mass Transfer, Basic Principle In: Food Process Engineering and Technology*, pp. 69-112.
- Bouvier, J., & Campanella, O. H. (2014). Extrusion Processing Technology. *Extrusion Processing Technology*. <https://doi.org/10.1002/9781118541685>

- Brewbaker, J. L. (2003). *Corn Production in the Tropics The Hawaii Experience*. CTAHR Publications.
- BSN. (2015). SNI 2886:2015 Makanan Ringan Ekstrudat. In BSN. file:///C:/Users/User/Downloads/SNI_2886_2015_Makanan_ringan_ekstrudat.pdf
- Carvalho, C. W. P., Takeiti, C. Y., Onwulata, C. I., & Pordesimo, L. O. (2010). Relative effect of particle size on the physical properties of corn meal extrudates: Effect of particle size on the extrusion of corn meal. *Journal of Food Engineering*, 98(1), 103–109. <https://doi.org/10.1016/j.jfoodeng.2009.12.015>
- Chalermchaiwat, P., Jangchud, K., Jangchud, A., Charunuch, C., & Prinyawiwatkul, W. (2015). Antioxidant activity, free gamma-aminobutyric acid content, selected physical properties and consumer acceptance of germinated brown rice extrudates as affected by extrusion process. *Lwt*, 64(1), 490–496. <https://doi.org/10.1016/j.lwt.2015.04.066>
- Charunuch, C., Limsangouan, N., Prasert, W., & Wongkrajang, K. (2014). Optimization of extrusion conditions for ready-to-eat breakfast cereal enhanced with defatted rice bran. *International Food Research Journal*, 21(2), 713–722.
- Deepthi, V. P., Kumar, S., Edukondalu, L., & Lakshmi, J. (2016). Physico-Chemical Analysis of Sorghum based Extruded Products. *International Journal of Engineering Research and*, V5(10), 201–205. <https://doi.org/10.17577/ijertv5is100182>
- Direktorat Jenderal Perkebunan Kementerian Pertanian. (2023). *Statistik Perkebunan Unggulan Nasional*. Kementerian Pertanian Republik Indonesia.
- Ehara, H., Toyoda, Y., & Johnson, D. V. (2018). Sago palm: multiple contributions to food security and sustainable livelihoods. In *Sago Palm: Multiple Contributions to Food Security and Sustainable Livelihoods*. https://doi.org/10.1007/978-981-10-5269-9_17
- Han, Y. J., Tra Tran, T. T., & Man Le, V. V. (2018). Corn snack with high fiber content: Effects of different fiber types on the product quality. *Lwt*, 96(December 2017), 1–6. <https://doi.org/10.1016/j.lwt.2018.05.014>
- Hartesi, B., Andriani, L., Anggresani, L., Whinata, M. B., & Haflin, H. (2020). Modifikasi pati kentang secara pregelatinasi dengan perbandingan pati dan air (1: 1,25). *Riset Informasi Kesehatan*, 9(2), 177. <https://doi.org/10.30644/rik.v9i2.431>
- Heldman, D. R., & Singh, P. R. (2009). Introduction to Food engineering (4th edition). In *Journal of Chemical Information and Modeling* (Vol. 53, Nomor 9).
- Jabeen, A., S, H., L, M., N, A., & A, R. (2017). Physico-Chemical Composition and Functional Properties of Blended Flour Obtained from Lentil, Pumpkin and Barley for Development of Extrudates. *Journal of Food Processing & Technology*, 09(01), 1–9. <https://doi.org/10.4172/2157-7110.1000713>
- Jacques-Fajardo, G. E., Prado-Ramí, Rez, R., Arriola-Guevara, E., Pérez Carrillo, E., Espinosa-Andrews, H., & Guatemala Morales, G. M. (2017). Physical and hydration properties of expanded extrudates from a blue corn, yellow pea and

- oat bran blend. *Lwt*, 84, 804–814. <https://doi.org/10.1016/j.lwt.2017.06.046>
- Jain, R., Goomer, S., & Singh, S. N. (2022). Mung-Oat snack of high protein content by twin screw extrusion using response surface methodology. *Applied Food Research*, 2(1), 100099. <https://doi.org/10.1016/j.afres.2022.100099>
- Kantrong, H., Charunuch, C., Limsangouan, N., & Pengpinit, W. (2018). Influence of process parameters on physical properties and specific mechanical energy of healthy mushroom-rice snacks and optimization of extrusion process parameters using response surface methodology. *Journal of Food Science and Technology*, 55(9), 3462–3472. <https://doi.org/10.1007/s13197-018-3271-2>
- Kaya, A. O. W. (2020). Sifat Produk Gel Kombinasi Karaginan dan Pati Sagu. *Majalah Biam*, 16(2), 79–85.
- Kesre, C., & Masatcioglu, M. T. (2022). Physical characteristics of corn extrudates supplemented with red lentil bran. *Lwt*, 153(September 2021), 112530. <https://doi.org/10.1016/j.lwt.2021.112530>
- Khomsan, A., Anwar, F., Riyadi, H., & Navratilova, H. F. (2022). Children's food habits, consumption, and food safety of popular snacks in school environment in Indonesia. *International Journal Of Community Medicine And Public Health*, 10(1), 119. <https://doi.org/10.18203/2394-6040.ijcmph20223535>
- Kim, J. M., Cho, J. H., Seo, W. D., & Youn, K. S. (2020). Quality characteristics of extruded rice snacks based on the rice cultivar and corn flour ratio. *Korean Journal of Food Preservation*, 27(5), 617–626. <https://doi.org/10.11002/KJFP.2020.27.5.617>
- Laenggeng, A. H., & Lumalang, Y. (2015). Hubungan Pengetahuan Gizi dan Sikap Memilih Makanan Jajanan dengan Status Gizi Siswa SMP NEGERI 1 Palu. *Healthy Tadulako Journal (Jurnal Kesehatan Tadulako)*, 1(1), 49–57.
- Lalujan, L. E., Djarkasi, G. S. S., Tuju, T. J. N., Rawung, D., Sumual, M. F., Ilmu, P., Pangan, T., Teknologi, J., Fakultas Pertanian, P., Sam, U., & Manado, R. (2017). Rasio komposisi Kimia Dan Gizi Jagung Lokal Varietas “Manado Kuning” Sebagai Bahan Pangan Pengganti Beras. *Jurnal Teknologi Pertanian*, 8(1), 47–54. <https://ejournal.unsrat.ac.id/v3/index.php/teta/article/view/16351>
- Lindriati, T., & Handayani, S. (2018). *Teknologi Teknologi eknologi Ekstrusi kstrusi dalam dalam* (1 ed.). Caremedia Communication.
- Lohani, U. C., & Muthukumarappan, K. (2017). Effect of Extrusion Processing Parameters on Antioxidant, Textural and Functional Properties of Hydrodynamic Cavitated Corn Flour, Sorghum Flour and Apple Pomace-Based Extrudates. *Journal of Food Process Engineering*, 40(3). <https://doi.org/10.1111/jfpe.12424>
- Loy, D. D., & Lundy, E. L. (2018). Nutritional properties and feeding value of corn and its coproducts. In *Corn: Chemistry and Technology*, 3rd Edition (3 ed.). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-811971-6.00023-1>
- Luo, S., & Koksel, F. (2023). Application of physical blowing agents in extrusion cooking of protein enriched snacks: Effects on product expansion, microstructure, and texture. *Trends in Food Science & Technology*, 133, 49–64. <https://doi.org/10.1016/j.tifs.2023.01.012>
- Macho, O., Demková, K., Gabrišová, L., Čierny, M., Mužíková, J., Galbavá, P., Nižnanská, Ž., Blaško, J., Peciar, P., Fekete, R., & Peciar, M. (2020). Analysis

- of static angle of repose with respect to powder material properties. *Acta Polytechnica*, 60(1), 73–80. <https://doi.org/10.14311/AP.2020.60.0073>
- Mani, R., & Bhattacharya, M. (1998). Properties of injection moulded starch/synthetic polymer blends - III. Effect of amylopectin to amylose ratio in starch. *European Polymer Journal*, 34(10), 1467–1475. [https://doi.org/10.1016/S0014-3057\(97\)00273-5](https://doi.org/10.1016/S0014-3057(97)00273-5)
- Mojiono, M., Ajiid, M. D. S., Wulandari, S., Apriliyanti, F., Alamsyah, F., & Fansuri, H. (2022). Profil Umbi Uwi (*Dioscorea alata*) dan Potensi Aplikasi Pada Beragam Produk Pangan: Review. *JURNAL AGROSAINS: Karya Kreatif dan Inovatif*, 7(1), 36–41. <https://doi.org/10.31102/agrosains.2022.7.1.36-41>
- Mukti, T., & Elida, S. (2019). Analisis Kelayakan Usaha Agroindustri Mie Sagu Di Kecamatan Tebing Tinggi Kabupaten Kepulauan Meranti. *Dinamika Pertanian*, 33(2), 145–154. [https://doi.org/10.25299/dp.2017.vol33\(2\).3827](https://doi.org/10.25299/dp.2017.vol33(2).3827)
- Musadi, C. R., Manoppo, M. R. E., & Steve, C. N. P. (2019). Hubungan Modulus Kehalusan Agregat Dengan Kriteria Marshall Pada Campuran Aspal Panas Bergradasi Senjang. *Jurnal Sipil Statik*, 7(4), 471–480. <https://ejournal.unsrat.ac.id/>
- Nakhon, P. P. na S., Jangchud, K., Jangchud, A., & Charunuch, C. (2018). Optimization of pumpkin and feed moisture content to produce healthy pumpkin-germinated brown rice extruded snacks. *Agriculture and Natural Resources*, 52(6), 550–556. <https://doi.org/10.1016/j.anres.2018.11.018>
- Nazir, F., Naik, H. R., & Hussain, S. Z. (2016). Effect of extrusion conditions and apricot powder incorporation on colour parameters of rice based breakfast snacks. *Biosciences Biotechnology Research Asia*, 13(3), 1673–1678. <https://doi.org/10.13005/bbra/2316>
- Nuraenah, N., Deviarni, I. M., & Fitriyani, E. (2022). Sifat Snack Ekstrusi Dengan Penambahan Grits Ikan Gabus (*Channa striata*). *Jurnal Galung Tropika*, 11(1), 31–44. <https://garuda.kemdikbud.go.id/documents/detail/2614106>
- Nurhilal, M., & Widyanto, S. A. (2011). Pengembangan Proses Multi Material Deposition Indirect Sintering (MMD-Is) untuk Serbuk Cu. *Prosiding SNST Fakultas Teknik*, 42–47.
- Ojokoh, A. O., Yimin, W., & Eromosele, O. S. (2015). Effect of some extrusion variables on fermented maize-soybean blend. *Journal of Food Science and Technology*, 52(9), 5763–5771. <https://doi.org/10.1007/s13197-014-1689-8>
- Patel, J. R., Patel, A. A., & Singh, A. K. (2016). Production of a protein-rich extruded snack base using tapioca starch, sorghum flour and casein. *Journal of Food Science and Technology*, 53(1), 71–87. <https://doi.org/10.1007/s13197-015-2012-z>
- Pathania, S., Singh, B., Sharma, S., & Sharma, V. (2013). Optimization of extrusion processing conditions for preparation of an instant grain base for use in weaning foods. *International Journal of Engineering Research and Applications*, 3(3), 1040–1049.
- Purwaningtyas, E. F., Lestari, R. A., & Nurlaeli, E. P. (2022). Extruder Machine Technology Applications In Making Catfish Feed in Sruwen Village, Semarang Regency. *Jurnal Pengabdian Masyarakat Sains dan Teknologi*, 1(4),

60–68.

- Sahar, D. P., & Afifudin, M. T. (2020). *Pendampingan Pengolahan Sagu Tumang Menjadi Tepung Sagu pada Home Industry Sagoe, Desa Haya, Kabupaten Maluku Tengah*. 4(2), 278–284.
- Saini, C. S. (2015). Preparation of Corn Flour Based Extruded Product and Evaluate Its Physical Characteristics. *International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering*, 9(8), 866–873.
- Savlak, N., Türker, B., & Yeşilkanat, N. (2016). Effects of particle size distribution on some physical, chemical and functional properties of unripe banana flour. *Food Chemistry*, 213(October 2014), 180–186. <https://doi.org/10.1016/j.foodchem.2016.06.064>
- Seth, D., Badwaik, L. S., & Ganapathy, V. (2015). Effect of feed composition, moisture content and extrusion temperature on extrudate characteristics of yam-corn-rice based snack food. *Journal of Food Science and Technology*, 52(3), 1830–1838. <https://doi.org/10.1007/s13197-013-1181-x>
- Shah, T., Prasad, K., & Kumar, P. (2016). Maize—A potential source of human nutrition and health: A review. *Cogent Food and Agriculture*, 2(1). <https://doi.org/10.1080/23311932.2016.1166995>
- Sharifi, S., Majzoobi, M., & Farahnaky, A. (2021). Effects of particle size and moisture content of maize grits on physical properties of expanded snacks. *Journal of Texture Studies*, 52(1), 110–123. <https://doi.org/10.1111/jtxs.12565>
- Shelar, G. A., & Gaikwad, S. T. (2019). Extrusion in food processing: An overview. *The Pharma Innovation Journal*, 562(2), 562–568. www.thepharmajournal.com
- Silva, E. M. M. da, Ascheri, J. L. R., Carvalho, C. W. P. de, Takeiti, C. Y., & Berrios, J. de J. (2014). Physical characteristics of extrudates from corn flour and dehulled carioca bean flour blend. *Lwt*, 58(2), 620–626. <https://doi.org/10.1016/j.lwt.2014.03.031>
- Singh, S., Gamlath, S., & Wakeling, L. (2007). Nutritional aspects of food extrusion: a review. *International Journal of Food Science & Technology*, 42(8), 916–929. <https://doi.org/10.1111/j.1365-2621.2006.01309.x>
- Singha, P., Singh, S. K., Muthukumarappan, K., & Krishnan, P. (2018). Physicochemical and nutritional properties of extrudates from food grade distiller's dried grains, garbanzo flour, and corn grits. *Food Science and Nutrition*, 6(7), 1914–1926. <https://doi.org/10.1002/fsn3.769>
- Sravan, T., Sahu, I., Sahoo, S. S., & Nayak, M. (2021). Studies on Physico-chemical Analysis of the Raw and Boiled Sorghum. *International Journal of Current Microbiology and Applied Sciences*, 10(2), 1298–1303. <https://doi.org/10.20546/ijcmas.2021.1002.153>
- Statistika, B. P. (2022). *Ringkasan Eksekutif Pengeluaran dan Konsumsi Penduduk Indonesia 2022*. Badan Pusat Statistika. <https://www.bps.go.id>
- Sumardiono, S., Budiyono, B., Kusumayanti, H., Silvia, N., Luthfiani, V. F., & Cahyono, H. (2021). Production and physicochemical characterization of analog rice obtained from sago flour, mung bean flour, and corn flour using hot extrusion technology. *Foods*, 10(12). <https://doi.org/10.3390/foods10123023>

- Suryanti, S., Haryati, S., Putra, A. N., & Heryana, R. (2018). Sifat Makanan Ringan Ekstrudat dari Kepala Udang Vannamei (*Litopenaeus vannamei*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 13(1), 61. <https://doi.org/10.15578/jpbkp.v13i1.500>
- Susanti, I., Lubis, E. H., & Meilidayani, S. (2017). Flakes Sarapan Pagi Berbasis Mocaf dan Tepung Jagung. *Journal of Agro-based Industry*, 34(1), 44–52.
- Syah, H., Yusmanizar, Y., & Maulana, O. (2013). Sifat Fisik Bubuk Kopi Arabika Hasil Penggilingan Mekanis dengan Penambahan Jagung dan Beras Ketan. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 5(1), 32–37. <https://doi.org/10.17969/jtipi.v5i1.1000>
- Tiwari, A., & Jha, S. K. (2017). Extrusion cooking technology: Principal mechanism and effect on direct expanded snacks - An overview. *International Journal of Food Studies*, 6(1), 113–128. <https://doi.org/10.7455/ijfs/6.1.2017.a10>
- Unsaeng, K., Hannanta-Anan, P., & Phongpipatpong, M. (2019). Effects of extrusion variables on extrudate characteristics from corn-based enriched with soybean residue. *IOP Conference Series: Earth and Environmental Science*, 301(1). <https://doi.org/10.1088/1755-1315/301/1/012057>
- Utami, D., & Widyaningsih, T. D. (2015). Pengembangan snack ekstrudat berbasis ubi jalar oranye tersubstitusi tempe kacang tunggak sebagai sumber protein. *Jurnal Pangan dan Agroindustri Vol.*, 3(2), 620–630.
- Vanier, N. L., Vamadevan, V., Bruni, G. P., Ferreira, C. D., Pinto, V. Z., Seetharaman, K., Zavareze, E. da R., Elias, M. C., & Berrios, J. D. J. (2016). Extrusion of Rice, Bean and Corn Starches: Extrudate Structure and Molecular Changes in Amylose and Amylopectin. *Journal of Food Science*, 81(12), E2932–E2938. <https://doi.org/10.1111/1750-3841.13545>
- Varsha, K., & Mohan, S. (2016). Extruded Product Quality Assessment Indices: a Review. *International Journal of Agriculture Sciences*, 8(54), 975–3710. https://bioinfopublication.org/files/articles/8_54_31_IJAS.pdf
- Wiguna, G. A., Alshweikh, A. M., Suparta, G. B., Louk, A. C., & Kusminarto, K. (2018). Penentuan Densitas Akrilik Dan Plastik Berdasarkan Citra Radiografi Digital. *Jurnal Fisika dan Aplikasinya*, 15(1), 12. <https://doi.org/10.12962/j24604682.v15i1.4291>
- Yousf, N., Nazir, F., Salim, R., Ahsan, H., & Sirwal, A. (2017). Water solubility index and water absorption index of extruded product from rice and carrot blend. *Journal of Pharmacognosy and Phytochemistry*, 6(6), 2165–2168.