

DAFTAR PUSTAKA

- [1] M. I. Ojovan and W. E. Lee, *An Introduction to Nuclear Waste Immobilisation, Second Edition*. London, United Kingdom: Elsevier Ltd, 2013. doi: 10.1016/C2012-0-03562-4.
- [2] R. L. Chaney *et al.*, “Phytoremediation of soil metals,” *Curr. Opin. Biotechnol.*, 1997, doi: 10.1016/S0958-1669(97)80004-3.
- [3] M. Y. Prajitno, S. Tangparitkul, H. Zhang, D. Harbottle, and T. N. Hunter, “The effect of cationic surfactants on improving natural clinoptilolite for the flotation of cesium,” *J. Hazard. Mater.*, 2021, doi: 10.1016/j.jhazmat.2020.123567.
- [4] M. A. Ashraf, S. Akib, M. J. Maah, I. Yusoff, and K. S. Balkhair, “Cesium-137: Radio-chemistry, fate, and transport, remediation, and future concerns,” *Crit. Rev. Environ. Sci. Technol.*, vol. 44, no. 15, pp. 1740–1793, 2014, doi: 10.1080/10643389.2013.790753.
- [5] Nuril Hidayati, “Fitoremediasi dan Potensi Tumbuhan Hiperakumulator,” *HAYATI J. Biosci.*, 2005, doi: 10.1016/S1978-3019(16)30321-7.
- [6] B. S. M. Singh, D. Singh, and N. K. Dhal, “Enhanced phytoremediation strategy for sustainable management of heavy metals and radionuclides,” *Case Stud. Chem. Environ. Eng.*, vol. 5, no. December 2021, p. 100176, 2022, doi: 10.1016/j.cscee.2021.100176.
- [7] P. Madejón, J. M. Murillo, T. Maraón, F. Cabrera, and R. López, “Bioaccumulation of As, Cd, Cu, Fe and Pb in wild grasses affected by the Aznalcóllar mine spill (SW Spain),” *Sci. Total Environ.*, 2002, doi: 10.1016/S0048-9697(01)01070-1.
- [8] X. Wang, C. Chen, and J. Wang, “Bioremediation of cesium-contaminated soil by sorghum bicolor and soil microbial community analysis,” *Geomicrobiol. J.*, vol. 33, no. 3–4, pp. 216–221, 2016, doi: 10.1080/01490451.2015.1067655.
- [9] M. Chino, H. Nakayama, H. Nagai, H. Terada, G. Katata, And H. Yamazawa, “Preliminary Estimation of Release Amounts of ^{131}I and ^{137}Cs Accidentally Discharged from the Fukushima Daiichi Nuclear Power Plant into the Atmosphere,” *J. Nucl. Sci. Technol.*, 2011, doi: 10.3327/jnst.48.1129.
- [10] I. Diarra, K. K. Kotra, and S. Prasad, “Application of phytoremediation for heavy metal contaminated sites in the South Pacific: strategies, current challenges and future prospects,” *Applied Spectroscopy Reviews*. 2022. doi: 10.1080/05704928.2021.1904410.
- [11] B. S. M. Singh *et al.*, “Phytoremediation of ^{137}Cs : factors and consequences



- in the environment,” *Radiat. Environ. Biophys.*, vol. 61, no. 3, pp. 341–359, 2022, doi: 10.1007/s00411-022-00985-3.
- [12] Y. Suzuki, T. Saito, and H. Tsukada, “Phytoremediation of radiocesium in different soils using cultivated plants,” *Proc. Int. ...*, pp. 1–4, 2012, [Online]. Available: http://www.rri.kyoto-u.ac.jp/anzen_kiban/outcome/Proceedings_for_Web/Topics_3-06.pdf
- [13] M. Gavrilescu, “Enhancing phytoremediation of soils polluted with heavy metals,” *Current Opinion in Biotechnology*. 2022. doi: 10.1016/j.copbio.2021.10.024.
- [14] S. Singh, V. Thorat, C. P. Kaushik, K. Raj, S. Eapen, and S. F. D’Souza, “Potential of *Chromolaena odorata* for phytoremediation of ¹³⁷Cs from solution and low level nuclear waste,” *J. Hazard. Mater.*, vol. 162, no. 2–3, pp. 743–745, 2009, doi: 10.1016/j.jhazmat.2008.05.097.
- [15] V. R. Angelova, R. V. Ivanova, V. A. Delibaltova, and K. I. Ivanov, “Use of Sorghum Crops for in Situ Phytoremediation of Polluted Soils,” *J. Agric. Sci. Technol. A*, vol. 1, no. August 2016, pp. 693–702, 2011.
- [16] K. Oh *et al.*, “Phytoremediation Potential of Sorghum as a Biofuel Crop and the Enhancement Effects with Microbe Inoculation in Heavy Metal Contaminated Soil,” *J. Biosci. Med.*, vol. 03, no. 06, pp. 9–14, 2015, doi: 10.4236/jbm.2015.36002.
- [17] N. Mulyana, T. R. D. Larasati, and S. Srikandi, “Stimulasi fitostabilisasi logam berat Pb Dan Cd menggunakan inokulan kapang terpapar radiasi gamma dosis 250 Gy,” *J. Ris. Teknol. Pencegah. Pencemaran Ind.*, 2017, doi: 10.21771/vol8no1tahun2017artikel2779.
- [18] Y. X. Chen *et al.*, “The role of citric acid on the phytoremediation of heavy metal contaminated soil,” *Chemosphere*, 2003, doi: 10.1016/S0045-6535(02)00223-0.
- [19] J. A. Entry, L. S. Watrud, and M. Reeves, “Accumulation of ¹³⁷Cs and ⁹⁰Sr from contaminated soil by three grass species inoculated with mycorrhizal fungi1Mention of trade names or commercial products in this paper does not constitute endorsement or recommendation of use.1,” *Environ. Pollut.*, 1999, doi: 10.1016/s0269-7491(98)00163-8.
- [20] H. Diwan, A. Ahmad, and M. Iqbal, “Uptake-related parameters as indices of phytoremediation potential,” *Biologia (Bratisl.)*, 2010, doi: 10.2478/s11756-010-0106-7.
- [21] R. A. Wuana and F. E. Okieimen, “Heavy Metals in Contaminated Soils: A Review of Sources, Chemistry, Risks and Best Available Strategies for Remediation,” *ISRNEcol.*, 2011, doi: 10.5402/2011/402647.
- [22] M. Dary, M. A. Chamber-Pérez, A. J. Palomares, and E. Pajuelo, “‘In situ’ phytostabilisation of heavy metal polluted soils using *Lupinus luteus*



- inoculated with metal resistant plant-growth promoting rhizobacteria,” *J. Hazard. Mater.*, 2010, doi: 10.1016/j.jhazmat.2009.12.035.
- [23] H. Ali, E. Khan, and M. A. Sajad, “Phytoremediation of heavy metals- Concepts and applications,” *Chemosphere*. 2013. doi: 10.1016/j.chemosphere.2013.01.075.
- [24] B. V. Tangahu, S. R. Sheikh Abdullah, H. Basri, M. Idris, N. Anuar, and M. Mukhlisin, “A review on heavy metals (As, Pb, and Hg) uptake by plants through phytoremediation,” *International Journal of Chemical Engineering*. 2011. doi: 10.1155/2011/939161.
- [25] K. L. Njoku and S. O. Nwani, “Phytoremediation of heavy metals contaminated soil samples obtained from mechanic workshop and dumpsite using *Amaranthus spinosus*,” *Sci. African*, vol. 17, p. e01278, 2022, doi: 10.1016/j.sciaf.2022.e01278.
- [26] L. P. Burkhard, “Evaluation of Published Bioconcentration Factor (BCF) and Bioaccumulation Factor (BAF) Data for Per- and Polyfluoroalkyl Substances Across Aquatic Species,” *Environ. Toxicol. Chem.*, vol. 40, no. 6, pp. 1530–1543, 2021, doi: 10.1002/etc.5010.
- [27] J. J. Pinajian, “A Cesium-137 - Barium-137m isotope generator,” *J. Chem. Educ.*, vol. 44, no. 4, pp. 212–213, 1967, doi: 10.1021/ed044p212.
- [28] W. H. Jordan, “Applied Gamma-Ray Spectrometry,” *Nucl. Sci. Eng.*, 1961, doi: 10.13182/nse61-a25919.
- [29] D. Delacroix, J. P. Guerre, P. Leblanc, and C. Hickman, “Radionuclide and radiation protection data handbook 2nd edition (2002),” *Radiat. Prot. Dosimetry*, 2002.
- [30] R. L. Bunting, “Nuclear data sheets for A = 137,” *Nucl. Data Sheets*, 1975, doi: 10.1016/S0090-3752(75)80079-2.
- [31] M. A. Ashraf, S. Akib, M. J. Maah, I. Yusoff, and K. S. Balkhair, “Cesium-137: Radio-chemistry, fate, and transport, remediation, and future concerns,” *Critical Reviews in Environmental Science and Technology*. 2014. doi: 10.1080/10643389.2013.790753.
- [32] N. Reguigui, *Gamma Ray Spectrometry*. Vienna, Austria: International Atomic Energy Agency (IAEA), 2014.
- [33] N. Hafizoğlu, “Efficiency and energy resolution of gamma spectrometry system with HPGe detector depending on variable source-to-detector distances,” *Eur. Phys. J. Plus*, vol. 139, no. 2, pp. 1–9, 2024, doi: 10.1140/epjp/s13360-024-04903-y.
- [34] N. Tsoulfanidis, *Measurement and Detection of Radiation. 4th edition*. London, New York: CRC Press Taylor & Francis Group, 2015.
- [35] K. S. Krane, “The Radioactive Decay Law,” *Introd. Nucl. Phys.*, pp. 1–24,



- 1988, [Online]. Available:
<http://www.umich.edu/~ners311/CourseLibrary/bookchapter13.pdf>
- [36] R. Channey, B. SL, L. YM, A. JS, H. C, and Green, “Potential use of metal hyperaccumulators,” *Mining Journal. Ltd. 1995*, vol. 3, no. 3, pp. 9–11, 1995.
- [37] R. Gabbrielli, C. Mattioni, and O. Vergnano, “Accumulation mechanisms and heavy metal tolerance of a nickel hyperaccumulator,” *J. Plant Nutr.*, 1991, doi: 10.1080/01904169109364266.
- [38] H. Rifa and S. Ashari, “Keragaan 36 Aksesi Sorgum (*Sorghum Bicolor* L .) Appearance Of 36 Accessions Of Sorgum (*Sorghum bicolor* L.),” *J. Produksi Tanam.*, vol. 3, no. 4, pp. 330–337, 2015.
- [39] Sumarno, D. S. Damardjati, M. Syam, and Hermanto, *Sorgum: Inovasi, Teknologi dan Pengembangan*. Jakarta: IAARD Press Badan Penelitian dan Pengembangan Pertanian, 2013. doi: 10.1007/978-981-10-3051-2_3.
- [40] A. Manara, “Plant Responses to Heavy Metal Toxicity,” 1st ed., Verona, Italy: Springer Dordrecht, 2012, pp. 27–53. doi: 10.1007/978-94-007-4441-7_2.
- [41] P. Zhuang, Z. H. Ye, C. Y. Lan, Z. W. Xie, and W. S. Shu, “Chemically assisted phytoextraction of heavy metal contaminated soils using three plant species,” *Plant Soil*, 2005, doi: 10.1007/s11104-005-3901-0.
- [42] N. Hidayati, “Fitoremediasi dan Potensi Tumbuhan Hiperakumulator Phytoremediation and Potency of Hyperaccumulator Plants,” *Pus. Penelit. Biol. Lemb. Ilmu Pengetah. Indones.*, vol. 12, no. 1, pp. 35–40, 2005, doi: 10.4308/hjb.12.1.35.
- [43] Presiden Republik Indonesia. “Peraturan Pemerintah Republik Indonesia Nomor 61 Tahun 2013 tentang Pengelolaan Limbah Radioaktif,” jdih.bapeten.go.id. 2013.
- [44] P. Chagvardieff and C. E. A. Direction, “On the use of plants to decontaminate soils around Fukushima-Dai-ichi,” *Life Sci.*, no. Table 1, pp. 1–6.
- [45] N. Wijayanto and N. Nurhayati, “Pertumbuhan Sengon Lokal (*Paraserianthes falcataria* (L.) Nielsen) dan Produktivitas Padi Gogo (*Oryza sativa* L.) Varietas Inpago LIPI Go2 dalam Sistem Agroforestri,” *J. Trop. Silv.*, vol. 13, no. 02, pp. 148–154, 2022, doi: 10.29244/j-siltrop.13.02.148-154.
- [46] A. Hamzah, R. Priyadarshini, and Astuti, “Potensi Tanaman Eleusine Indica L. Sebagai Agen Fitoremediasi Lahan Pertanian yang Tercemar Kadmium (Cd),” *Conf. Innov. Appl. Sci. Technol.*, no. September, pp. 427–436, 2018.

