UNIVERSITAS
GADJAH MADA

**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

ADA, 2007. Diagnosis and Classification of Diabetes Melitus. *Diabetes Care,* Volume 30, pp. 42-47.

ADA, 2010. Diagnosis and classification of diabetes mellitus. *Diabetes Care,* 33(1), p. 562–569..

Adeghate, E. & Ponery, A., 2002. GABA in the endocrine pancreas: cellular localization and function in normal and diabetic rats. *Tissue Cell,* 34(1), pp. 1-6.

Adriawan, I.R., Andrie, M., Susilowati, R., Pramono., dan Nugroho, A,E., 2014. Homa-IR Index Evaluation on Antidiabetes Mellitus Effect of Andrographis Paniculata (Burm. F.) Nees Purified Extract and Andrographolide. *Majalah Obat Tradisional,* 19(1), pp. 19-23.

Aini, N., Wijonarko, G., dan Sustriawan, B., 2016. . Sifat Fisik, Kimia, dan Fungsional Tepung Jaung Yang Diproses Melalui Fermentasi. *Jurnal Agritech,* 36(2), p. 160–169.

Amagliani, L., O'Regan, J., Kelly, A. L., dan O'Mahony, J. A., 2017. The composition, extraction, functionality and applications of rice proteins: A review. *Trends in Food Science & Technology,* Volume 64, pp. 1-12.

Amanati, L., dan Anissa, 2020. Ekstraksi Pektin dari Kulit Durian (Durio Zibethinus) untuk Industri Makanan. *Jurnal Teknologi Proses dan Inovasi,* 5(2), pp. 33-36.

Ananda, P.K., Kumarappan, C.T., Christudas, S., dan Kalaichelvan, V.K., 2012. Effect of Biophytum sensitivum on streptozotocin and nicotinamide-induced diabetic rats. *Asian Pacific Journal of Tropical Biomedicine,* Volume 2, pp. 31-35.

Ananda, P.K., Kumarappan, C.T., Christudas, S., dan Kalaichelvan, V.K., 2012. Effect of Biophytum sensitivum on streptozotocin and nicotinamide-induced diabetic rats. *Asian Pac. J. Trop. Biomed,* Volume 2, pp. 31-35.

Ang, J. F., dan Crosby, G. A., 2005. ormulating reduced-calorie foods with powered cellulose. *Food Technology,* Volume 59, pp. 35-38.

Antunes, L., Elkfury, J., Jornada, M. N., Foletto, K. C., Bertoluci., M. C., 2016. Validation of HOMA-IR in a model of insulin-resistance induced by a high-fat diet in Wistar rats. *Arch Endocrinol Metab.*

Anwer, T., 2014. Melatonin ameliorates hyperinsulinemia, glucose intolerance and insulin resistance in STZ-nicotinamide induced type 2 diabetic rats. *International Journal of Pharmacy and Pharmaceutical Sciences,* 6(2), pp. 133-136.

AOAC, 2005. *Official Methods of Analysis of the Association of Official Analytical Chemist.* Washington DC: Association of Official Analytical Chemist.

Argasasmita, T., 2008. *Karakterisasi Sifat Fisikokimia dan Indeks Glikemik Varietas Beras Beramilosa Rendah dan Tinggi.* Bogor: Skripsi. Institut Pertanian Bogor.

Arivani, S., 2010. Total Antosianin Ekstrak Buah Salam dan Korelasinya dengan Kapasitas Anti Peroksidasi pada Sistem Linoleat. *Agrointek,* 4(2), pp. 121-127.

Asdie, A., 1989. Diabetes Melitus dan Sulfonilurea. *Berkala Ilmu Kedokteran,* 21(1), pp. 1-13.

Asman, M., 2014. Insulin resistance as a predictor of worsening of glucose tolerance in type 2 diabetes melitus. *Medicunus,* 27(2), pp. 3-8.

Astawan, M., Wresdiyati, T., 2004. *Diet Sehat dengan Makanan Berserat.* Solo: Tiga Serangkai Pustaka Mandiri.

Astuti, A., dan Maulana, 2017. Pangan Indeks Glikemik Tinggi dan Glukosa Darah Pasien Diabetes Melitus Tipe II. *Journal Endurance,* 2(2), pp. 225-231.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Astuti, A. & Maulani, M., 2017. Pangan Indeks Glikemik Tinggi dan Glukosa Darah Pasien Diabetes Melitus Tipe II. *J. Endur,* Volume 2.

Atkinson, F.S., K. Foster-Powell, dan J.C. Brand Miller., 2008. International Tables of Glycemic Index and Glycemic Load Values. *Diabetes Care*, Volume 31, pp. 2281-2283.

Atmadani, O., 2023. *Profil Komposisi Kimia, Kandungan Total Fenolik, dan Aktivitas Antioksidan Beras Pecah kulit Pragerminasi dan Beras Putih Varietas IR-64 dan Sintanur,* Yogyakarta: Fakultas Teknologi Pertanian, Universitas Gadjah Mada.

Ayernor, G. S., dan F. C. K., Ocloo, 2007. Physicochemical changes and diastatic activity associated with germinating paddy rice (PSB.Re 34). *Afr. J. Food Sci.,* Volume 1, pp. 37-41.

Bajaj, S., dan Khan, A., 2012. Antioxidant and diabetes. *Indian Journal of Endocrinology and Metabolism,* 16(2), pp. 267-271.

Banjarnahor, E., dan Wangko, S., 2012. Sel Beta Pangkreas Sintesis dan Sekresi Insulin. *Jurnal Biomedik,* 4(3), pp. 156-162.

Bird, A. et al., 2000. Coarse brown rice increases fecal and large bowel short-chain fatty acids and starch but lowers calcium in the large bowel of pigs. *J. Nutr,* Volume 130, p. 1780–1787.

Blake, S., & Rudolph, D., 2021. How excess dietary saturated fats induce insulin resistance. *International Journal of Translational Science*, Volume1(1), pp. 4

Bowonsomsarit, W. et al., 2021. Four-week induction of type 2 diabetes mellitus in rats by streptozotocin and high-fat diet. *Chula Med J,* 65(4), pp. 449-457.

Bradford, K., 1995. Water Relations in Seed Germination. In: Kigel, J. and Galili,. *In: Kigel, J. and Galili, G, Eds., Seed Development and Germination,* pp. 351-396.

Browning, K. N., Fortna, S. R. & Hajnal, A., 2013. Roux-en-Y gastric bypass reverses the effects of diet-induced obesity to inhibit the responsiveness of central vagal motoneurones. *J Physiol,* 59(9), p. 2357–2372.

Bryant, R. J., Jackson, A. K., Yeater, K. M., Yan, W. G., Mcclung, A. M., dan Fjellstrom, R. G., 2013. Genetic variation and association mapping of protein concentration in brown rice using a diverse rice germplasm collection. *Cereal Chemistry,* 90(5), pp. 445-452.

Burtis, G., J. Davis, dan S. Martin, 1988. *Applied Nutrition and Diet Therapy.* Philadelphia: W.B.Saunders Company. Harcout Brace Jovanovich Inc.

Calder, P. C., 2015. Functional roles of fatty acids and their effects on human health. *Journal of Parenteral and Enteral Nutrition,* Volume 39(1), pp. 18S-32S.

Capanzana, M.V., dan Buckle, K.A., 1997. Optimisation of Germination Conditions by Response Surface Methodology of a High Amylose Rice (Oryza sativa) Cultivar. *Lebensmittel Wissenschaft und Technologie,* Volume 30, pp. 155-163.

Chaiyasut, C. et al., 2017. Germinated Thai Black Rice Extract Protects Experimental Diabetic Rats from Oxidative Stress and Other Diabetes-Related Consequences. *Pharmaceuticals,* 10(3), pp. 1-16.

Chao, P. C., Li, Y., Chang, C. H., Shieh, J. P., Cheng, J. T., & Cheng, K. C, 2018. Investigation of insulin resistance in the popularly used four rat models of type-2 diabetes. *Biomedicine & Pharmacotherapy*, Volume 101, pp. 155–161.

Cheng, H. H. et al., 2010. Gamma-oryzanol ameliorates insulin resistance and hyperlipidemia in rats with streptozotocin/nicotinamide-induced type 2 diabetes. *Int J Vitam Nutr Res,* 80(1), pp. 45-53.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Chen, H. et al., 2003. QUICKI is a useful index of insulin sensitivity in subjects with hypertension. *American Journal of Physiology-Endocrinology and Metabolism*, 284(4), p. E804–E812.

Chinma, C.E., Anuonye, J.C., Simon, O.C., Ohiare, R.O., dan Danbaba, N., 2015. Effect of germination on the physicochemical and antioxidant characteristics of rice flour from three rice varieties from Nigeria. *Food Chemistry,* Volume 185, p. 454–458.

Cho, K. S., Kim, H. J., Lee, J. H., Kang, J. H., dan Lee, Y. S., 2006. Determination of fatty acid composition in 120 Korean native rice cultivars. *HortScience,* 41(4), p. 1082.

Cho, D. H. & Lim, S. T., 2015. Germinated brown rice and its bio-functional compounds. *Food Chemistry,* Volume 196, p. 259–271.

Chu, C., 2020. Dynamics of antioxidant activities, metabolites, phenolic acids, flavonoids, and phenolic biosynthetic genes in germinating Chinese wild rice (Zizania latifolia).. *Food Chemistry,* p. 126483318.

Cintya, H. et al., 2022. Analysis of Carbohydrate, Protein and Fat Levels Using Various Type Rice With Different Cooking Process. *OP Conf. Series: Earth and Environmental Science,* Volume 977, pp. 1-7.

Coll, A. P., Sadaf, F. I. & O'Rahilly, S., 2007. The Hormonal Control of Food Intake. *Elsevier Inc,* Volume 129, pp. 251-262.

Comas-Basté, O. et al., 2020. Histamine Intolerance: The Current State of the Art. *Biomolecules,* 10(8), p. 1181.

Daniel, H. R., 2008. Chemical in germinated brown rice could benefit diabetics. Source: defeat-diabetes foundation Yu, R.K., S. Ysuki and T. Baker.. *Journal of Lipid Research News release.*

Dewi, M., 2007. Resistensi insulin terkait obesitas: mekanisme endokrin dan intrinsik sel (Obesity Related Insulin Resistance: Endocrine and Cell Intrinsic Mechanism). *J Gizi dan Pangan,* 2(2), pp. 49-54.

DiPiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., dan Posey, L.M. , 2008. *Pharmacotherapy: A Pathophysiologic Approach (7th Edition).* USA: McGraw-Hill.

Engelking, L. R., 2015. *Textbook of Veterinary Physiological Chemistry.* 3 ed. USA: Academic Press.

Esteghamati, A,, Ashraf, H., Khalilzadeh, O., dan Zandieh, A., 2010. Optimal cut-off of homeostasis model assessment of insulin resistance (HOMA-IR) for the diagnosis of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). *Nutrition & Metabolism,* Volume 7, p. 26.

Fahmi, N.F., Firdaus, N., dan Putri, N., 2020. Pengaruh Waktu Penundaan Terhadap Kadar Glukosa Darah Sewaktu dengan Metode POCT pada Mahasiswa. *Nursing Update,* 11(2), pp. 1-11.

Fatimah, R., 2015. Diabetes Melitus Tipe 2. *Jurnal Majority,* 5(4), pp. 93-101.

Federation, I. D., 2021. IDF Diabetes Atlas, 10th Edition. *Journal of Experimental Biology.*

Fitria, L. & Sarto, M., 2014. Profil Hematologi Tikus (Rattus norvegicus Berkenhout, 1769) Galur Wistar Jantan dan Betina Umur 4, 6, dan 8 Minggu. *Biogenesis,* 2(2), pp. 94-100.

Fitriyanto, R. E., S. & Ardiyanto, D. T., 2020. Effects of Methanol Extracts of Insulin Leaves (Tithonia diversifolia (hemsl.) A. Gray) on Insulin Resistance and

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Secretion of Alloxan Induced-obese Diabetic Rats. *Jurnal Kedokteran dan Kesehatan Indonesia,* 11(2), pp. 180-190.

Frasch, W. & Grunwald, C., 1976. Acylated Steryl Glycoside Synthesis in Seedlings of Nicotiana tabacum L. *Plant Physiol,* 58(6), pp. 744-748.

Fukagawa, N. K. & Ziska, L. H., 2019. Rice: Importance for Global Nutrition. *Journal of Nutritional Science Vitaminology,* Volume 65, pp. 82-83.

Furman, B., 2021. Streptozotocin-Induced Diabetic Models in Mice and Rats. *Current Protocols,* Volume 1, pp. 1-21.

G fox, J., Anderson, L. C., Loew, F. M. & Quimby, F. W., 2002. *Laboratory Animal Medicine, Second.* Second Edition ed. Massachusetts: Academic : Academic Press.

Ghasemi, A., Khalifi, S., dan Jedi, S., 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes. *Acta Physiologica Hungarica,* 101(4), pp. 408-420.

Gloyn. A., dan McCarthy, M., 2001. The Genetiks of type 2 diabetes. *Best Practice dan Reaserch Clinical Endocrinology dan Metabolism,* 15(3), pp. 293-308.

Gomez, C., Santiago-Fermandez, C., .... & Garcia-Fuentes, E., 2020. Oleic Acid Protects Against Insulin Resistance by Regulating the Genes Related to the PI3K Signaling Pathway. *Journal of Clinical Medicine,* Volume 9.

Goud, B. J., Dwarakanath, V. & Swamy, B. K. C., 2015. Streptozotocin-A Diabetagonic Agentin Animal Models. *International Journal of Pharmacy and Pharmaceutical Research,* 3(1), pp. 253-265.

Guo, X.-x.et al., 2018. Stability of a type 2 diabetes rat model induced by high-fat diet feeding with low-dose streptozotocin injection. *Journal of Zhejiang University-SCIENCE B (Biomedicine & Biotechnology,* 19(7), pp. 559-569.

Hagiwara, H., Seki, T. & Ariga, T., 2004. The Effect of Pre-germinated Brown Rice Intake on Blood Glucose and PAI-1 Levels in Streptozotocin-induced Diabetic Rats. *Biosci. Biotechnol. Biochem,* 68(2), pp. , 444–447.

Hardianto, D., 2021. Insulin: Produksi, Jenis, Analisis, dan Rute Pemberian. *Jurnal Bioteknologi & Biosains Indonesia,* 8(2), pp. 321-331.

Harini, M., & Astirin, O. P., 2009. Kadar kolesterol darah tikus putih (*Rattus norvegicus*) hiperkolesterolemik setelah perlakuan VCO. *Bioteknologi*, Volume 6(2) pp. 57-61.

Harsa, S. V., 2020. Pengaruh Paparan Asap Rokok terhadap Kadar Hormon Adiponektin sebagai Faktor Risiko Terjadinya Diabetes Melitus Tipe 2. *Jurnal Majority,* 9(1), pp. 1-8.

Haryadi, 2008. *Teknologi Pengolahan Beras.* Yogyakarta: Gadjah Mada University Press.

Hasanah, U., 2013. Insulin Sebagai Pengatur Kadar Gula Darah. *Jurnal Keluarga Sehat Sejahtera,* 11(22), pp. 42-49.

Hasanah, U., 2013. Insulin Sebagai Pengatur Kadar Gula Darah. *Jurnal Keluarga Sehat Sejahtera,* 11(22), pp. 42-49.

Heinemann, R. J. B. et al., 2005. Comparative study of nutrient composition of commercial brown parboiled and milled rice from Brazil. *Journal of Food Composition and Analysis,,* 18(4), pp. 287-296.

Henry, C.J.K, dan Thondre, P.S., 2011. The Glycemic Index: Concept, Recent Developments and its Impact on Diabetes and Obesity. *Smith-Gordon,* pp. 154-175.

Hermawan, E. & Meylani, V. 2016. Analisis Karakteristik Fisikokimia Beras Putih, Beras Merah, dan Beras Hitam (Oryza sativa L., Oryza Nivara dan Oryza sativa L. indica). *Jurnal Kesehatan Bakti Tunas Husada, 2016,* 15:79-91.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Hermanto, S., Muawanah, A., & Harahap, R., 2008. Profil dan Karakteristik Lemak Hewani (Ayam, Sapi dan Babi) Hasil Analisa FTIR dan GCMS. *Jurnal Valensi*, Volume 1(3), pp.108.

Hsu, T. F., et al., 2006. Effects of germination on phytochemical contents and antioxidant activities of brown rice. *Food Chemistry*, Volume 99(4), pp. 807-813.

Hsu, T. F. et al., 2008. Effects of Pre-Germinated Brown Rice on Blood Glucose and Lipid Levels in Free-Living Patients with Impaired Fasting Glucose or Type2 Diabetes. *Journal Nutrition Sci Vitaminol,* Volume 54, pp. 163-168.

Imam, M. U., Musa, S. N. A., Azmi, N. H. & Ismail, M., 2012. Effects of White Rice, Brown Rice and Germinated Brown Rice on Antioxidant Status of Type 2 Diabetic Rats. *International Journal of Molecular Science,* 13(10), pp. 12952-12969.

Indriarsih, S., Astuti M., Kanoni S., dan Rahayu, E.S., 2017. Fatty acid composition and physicochemical properties in germinated black rice. *Indonesian Food and Nutrition Progress,* Volume 14, pp. 29-36.

International Diabetes Federation, 2021. *Indonesia Diabetes Report.* 10 ed. s.l.:International Diabetes Federation.

IRRI, 2011. *International Rice Research Institute, annual report*.

Isnaini & Ratnasari, 2018. Faktor risiko mempengaruhi kejadian Diabetes mellitus tipe dua. *Jurnal Keperawatan dan Kebidanan Aisyiyah,* 14(1), pp. 59-68.

Itagi, H. N. & Singh, V., 2015. Status in Physical Properties of Coloured Rice Varieties Before and After Inducing Retro-gradation. *Journal Food Science Technology,* 52(12), pp. 7747-7758.

Ito, Y. et al., 2005. Postprandial blood glucose and insulin responses to pre-germinated brown rice in healthy subjects. *Journal Medical Invest,* 52(3-4), pp. 159-164.

J., 2023. Analisis Kebijakan Impor Beras terhadap Peningkatan Kesejahteraan Petani di Indonesia. *INOVASI: Jurnal Ekonomi, Keuangan dan Manajemen,* 9(1), pp. 98-110.

Jakobs, C., J, J. & K, G., 1993. Inherited disorders of GABA metabolism. *Journal Inherit,* Volume 16, pp. 704-715.

Jiamyangyuen, S., dan Ooraikul, B., 2008. The physico-chemical, eating and sensorial properties of germinated brown rice. *Journal of Food, Agriculture and Environment,* Volume 6, pp. 119-124.

Jiang, Susu., Wixi, C., dan Baoujun Xu, 2013. Food Quality Improvement of Soy Milk Made from Short-Time Germinated Soybeans. *Foods,* Volume 2, pp. 198-212.

Jiuhardi, 2023. Analisis Kebijakan Impor Beras terhadap Peningkatan Kesejahteraan Petani di Indonesia. *INOVASI: Jurnal Ekonomi, Keuangan dan Manajemen,* 9(1), pp. 98-110.

Kang, H.M., dan Kim, D.J., 2012. Body mass index and waist circumference according to glucose tolerance status in Korea: The 2005 Korean health and nutrition examination survey. *Journal of Korean Medical Science*, 27(5), pp. 518-524.

Kesehatan, K., 2014. *Situasi dan Analisis Diabetes,* Jakarta: Pusat Data dan Informasi Kementrian Kesehatan RI.

Kim, H. Y. et al., 2012. Chemical and functional components in different parts of rough rice (Oryza sativa L.) before and after germination. *Food Chemistry,* 134(1), pp. 288-293.

Kim, M. Y. et al., 2013. Enzyme inhibition activities of ethanol extracts from germinatEnzyme inhibition activities of ethanol extracts from germinatating rough rice (Oryza sativa L.). *Journal Korean Soc Food Sci Nutr,* Volume 42, pp. 917–923.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Kong, L., Lin, Y., Liang, J., Hu, X., Ashraf, U., Guo, X., & Bai, S., 2022. Dynamic Changes in Vitamin E Biosynthesis during Germination in Brown Rice (Oryza sativa L.). *Foods*, Volume 11(20).

Kotha; P., Badri; K.R., Nagalapuram, R., Allagadda, R., Chippada, A. R., 2017. Anti-Diabetic Potential of the Leaves of Anisomeles malabarica in Streptozotocin Induced Diabetic Rats. *Cellular Physiology and Biochemistry*, Volume 43, pp.1689-1702.

Kristiana, L., 2015. Penelitian sistem kesehatan. 18(4), pp. 437-445.

Lamberts, L; Brijs, K; Mohamed, R; Verhelst, N; Delcour, J A, 2006. Impact of browning reactions and bran pigments on color of parboiled rice. *Journal of Agricultural and Food Chemistry*, 54(26), pp. 9924-9929.

Larasati, N. H., 2024. Perubahan Sifat Fisikokimia dan Fungsional Beras Pecah Kulit Varietas Ir-64 dengan Variasi Waktu Germinasi (naskah sedang diterbitkan). Universitas Gadjah Mada

Leedom, L. J. & Meehan, W. P., 1989. The psychoneuroendocrinology of diabetes mellitus in rodents. *Psychoneuroendocrinology*, 14(4), pp. 275-294.

Lee, Y. R. et al., 2007. Changes in the chemical and functional components of Korean rough rice before and after germination. *Food Science and Biotechnology*, Volume 16, p. 1006–1010.

Lenzen, S., 2008. The Mechanism of Alloxan- and Streptozotocin-induced Diabetes. *Diabetologia*, Volume 51, pp. 216-226.

Lestari, Zulkarnain, dan Sijid, A., 2021. *Diabetes Melitus: Review Etiologi, Patofisiologi, Gejala, Penyebab, Cara Pemeriksaan, Cara Pengobatan dan Cara Pencegahan.* Gowa, UIN Alauddin Makassar.

Liang, H. et al., 2020. Extract of pre-germinated brown rice protects against cardiovascular dysfunction by reducing levels of inflammation and free radicals in a rat model of type II diabetes. *Journal of Functional Foods*, Volume 75.

Licholai, J.A., Nguyen, K.P., Fobss, W.C., Schuster C.J., Ali, M.A., Kravitz, A.V., 2018. Why Do Mice Overeat High-Fat Diets? How High-Fat Diet Alters the Regulation of Daily Caloric Intake in Mice. *Obesity Journal*, 26(6), pp. 1026-1033.

Li, L., Dou, N., Zhang, H. & Wu, C., 2021. The versatile GABA in plants. *Taylor & Francis Group, LLC*, 16(3).

Lim, S. M., Goh, Y. M., Mohtarrudin, N. & Loh, S. P., 2016. Germinated brown rice ameliorates obesity in high-fat diet induced obese rats. *BMC Complementary and Alternative Medicine*, 16(140), pp. 1-11.

Lu, Z.., Zhang, Y., Li, L., Curtis, R.B., Kong, X.L., Fulcher, R.G., Zhang, G., dan Cao, W., 2010. Inhibition of Microbial Growth and Enrichment of Gamma-Aminobutyric Acid during Germination of Brown Rice by Electrolyzed Oxidizing Water. *Journal of Food Protection*, 73(3), pp. 483-487.

Mackli, D.J., dan Kush, G.S., 2018. IR64: a high-quality and high-yielding mega variety. *Rice*, pp. 11-18.

Maisont, S., dan Narkrugsa, W., 2010. The Effect of Germinated on GABA Content, Chemical Compotition, Total Phenolics Content and Antioxidant Capacity of Thai Waxy Paddy Rice. *Kasetsart Journal (Natural Science)*, 44(5), pp. 912-923.

Maligan, J. M., Lestary, M., dan Wani, Y. A., 2017. Perbedaan Aktivitas Antioksidan Kecambah Beras Pecah kulit (Oryza sativa L.) Berdasarkan Lama Proses Elisitasi dan Waktu Perkecambahan. *Indonesian Journal of Human Nutrition*, 4(2), pp. 108-116.

Manickavasagan, A; Santhakumar, C., 2017. *Brown Rice.* Switzerlan: Springer Nature.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Masharani, U. & Karam, J. H., 2001. *Pancreatic Hormones & Diabetes Mellitus. In Basic & Clinical Endocrinology.* 6th ed. New York: The McGraw-Hill Companies, Inc.

Mather, K., 2009. Surrogate measures of insulin resistance: of rats, mice, and men. *Am Physiol Endocrinol Metab,* Volume 296, p. 398–399.

Matos, S.L., Paula, H., Pedrosa, M.L., Santos, R.C., Oliveira, E.L., Junior, D.A.C. dan Silva, M.E., 2005. Dietary models for inducing hypercholesterolemia in rats. *Brazilian Archives of Biology and Technology,* Volume 48, pp. 203-209.

Matsui, T. et al., 2007. alpha-Glucosidase inhibitory profile of catechins and theaflavins. *Journal Agriculture Food Chemistry,* 55(1), pp. 99-105.

Matsumoto, K., Yasuyoshi, E., Nishi, K., Honda, Y., Nakaya, M., dan Kitamura, S., 2016. Resistant starch-rich wx/ae, brown rice prevents insulin resistance and hypertriglyceridaemia in type 2 diabetic NSY mice. *Journal of Functional Foods,* Volume 23, p. 556–564.

Matsuzawa, N. et al., 2007. Lipid-Induced Oxidative Stress Causes Steatohepatitisin Mice Fed an Atherogenic Diet. *Hepayology,* 46(5), pp. 1392-1403.

Merentek, E., 2006. *Resistensi Insulin pada Diabetes Melitus Tipe 2.* Jakarta: Cermin Dunia Kedokteran.

Miller, J.B., E. Pang, dan L. Bramall, 1992. Rice: a high or low glicemic food. *The American Journal of Clinical Nutrition,* Volume 56, pp. 1034-1036.

Minatel, Francisqueti, F. V., Corrê, C. R., Lima, G. P., 2016.Antioxidant Activity of γ Oryzanol: A Complex Network of Interactions. *Int. J. Mol. Sci,* Volume 17, pp. 1107.

Miura, D. et al., 2006. Hypocholesterolemic action of pre-germinated brown rice in hepatoma-bearing rats. *Journal Life Science,* 79(3), pp. 259-64.

Mohan, V., Spiegelman, D., Sudha, V., Gayathri, R., Hong, B., Praseena, K.. . . Krishnaswamy, K, 2014. Effect of brown rice, white rice, and brown rice with legumes on blood glucose and insulin responses in overweight Asian Indians: A randomized controlled trial. *Diabetes Technology & Therapeutics,* Issue 16, pp. 317-325.

Moini, J., 2019. *Epidemiology of Diabetes.* 1st ed. Amsterdam: Elsevier.

Moongngarm, A. & Saetung, N., 2010. Comparison of chemical compositions and bioactive compounds of germinated rough rice and brown rice. *Food Chemistry,* Volume 122, p. 782–788.

Moriyama, T. et al., 2006. BENEFICIAL EFFECT OF MODERATE FOOD RESTRICTION IN TOXICITY STUDIES IN RATS. *The Journal of Toxicological Science,* 31(3), pp. 197-206.

Munarko, H., Sitanggang, A.B., Kusnandar, F., dan Budijanto, S., 2019. Kecambah Beras Pecah Kulit : Proses Produksi dan Karakteristiknya. *Southeast Asian Food and Agricultural Science and Technology,* 28(3).

Myers, P. & D, A., 2004. *Rattus norvegicus.* [Online] Available at: https://animaldiversity.org/accounts/Rattus_norvegicus/ [Accessed Jumat Februari 2024].

Nagasaka, R. et al., 2011. γ-Oryzanol recovers mouse hypoadiponectinemia induced by animal fat ingestion. *Phytomedicine,* 18(8-9), pp. 669-671.

Nakagawa, T., Yokozawa, T., Kim, H. J. & Shibahara, N., 2005. Protective effects of gamma-aminobutyric acid in rats with streptozotocin-induced diabetes. *J Nutr Sci Vitaminol (Tokyo),* 51(4), pp. 278-82.

Nambirajan, G. et al., 2018. Evaluation of antidiabetic activity of bud and flower of Avaram Senna(Cassia auriculata L.) In high fat diet and streptozotocin induced diabetic rats. *Biomedicine & Pharmacotherapy,* Volume 108, p. 1495–1506.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Nashrurrokhman, M. et al., 2019. Macronutrient and Mineral Contents of Five Local Black Rice (Oryza sativa) Cultivars in Indonesia. *Bodiversitas,* 20(12), pp. 3647-3653.

Nesti, D.R., Baidowi, A., Ariyanti, F., dan Tjahajati, I., 2018. Deteksi penyakit zoonosis Ehrlichiosis pada pasien anjing di klinik hewan Jogja. *Jurnal Nasional Teknologi Terapan*, Volume 2, pp. 191-197.

Neutzsky-Wulff, A. V., Andreassen, K. V. & Hjuler, S. T., 2012. Future detection and monitoring of diabetes may entail analysis of both β-cell function and volume: How markers of β-cell loss may assist.. *Journal of Translational Medicine 2,* 10(214), pp. 1-16.

Ningsih, I., 2014. Pengaruh Elisitor Biotik Dan Abiotik Pada Produksi Flavonoid Melalui Kultur Jaringan Tanaman. Bagian Biologi Farmasi. *Pharmacy,* 11(2), pp. 1693-3591 .

Nugerahani, I., Sutedja, A.M., Srianta, I., Widharma, R.M., dan Marsono, Y., 2017. In vivo evaluation of Monascus-fermented durian seed for antidiabetic and antihypercholesterol agent. *Food Research,* 1(3), pp. 83-88.

Nugraha, M. R. & Hasanah, A. N., 2018. Review Artikel:Metode Pengujian Aktivitas Antidiabetes. *Farmaka,* 16(3), pp. 28-34.

Nurhidajah, N. & Nurrahman, N., 2016. Efek Hipoglikemik Kecambah Beras Merah pada Tikus yang Diinduksi STZ-NA dengan Parameter Kadar Insulin, Indeks HOMA-IR dan HOMA β. *AGRITECH,* 36(4), pp. 433-439.

Ohinata, K. et al., 2009. Orally administered zinc increases food intake via vagal stimulation in rats. *J Nutr,* 139(3), pp. 611-616.

Oh, S. H., Moon, Y. J., Soh, J. R. & Cha, Y. S., 2005. Effect of water extract of germinated brown rice on adiposity and obesity indices in mice fed a high fat diet. *J Food Sci Nutr,* 10(3), pp. 251-256.

Ohtsubo, K., Suzuki, K., Yasui, Y., dan Kasumi, T., 2005. Bio-functional components in the processed pre-germinated brown rice by a twin-screw extruder. *J. Food Compos. Anal.,* Volume 18, p. 303–316.

Oliveira, D. M. et al., 2019. Feruloyl esterases: Biocatalysts to overcome biomass recalcitrance and for the production of bioactive compounds. Bioresource Technology, Volume 278, pp. 408-423

Organization, W. H., 2011. *Diabetes Melitus,* s.l.: World Health Organization.

Panlasigui, L. N. & Thompson, L. U., 2006. Blood glucose lowering effects of brown rice in normal and diabetic subjects. *International Journal of Food Sciences and Nutrition,* 57(3-4), pp. 151-158.

Parasuraman, S., Raveendran, R., dan Kesavan, R., 2010. Blood sample collection in small laboratory animals. *Journal of pharmacology & pharmacotherapeutics,* 1(2), pp. 87-93.

Parnsakhorn, S., dan Langkapin, J., 2018. Effects of drying temperatures on physicochemical properties of germinated brown rice. *Songklanakarin J. Sci. Technol.,* 40(1), pp. 127-134.

Patel, D. K., Kumar, R., Laloo, D. & Hemalatha, S., 2012. Diabetes Mellitus: an Overview on Its Pharmacological Aspects and Reported Medicinal Plants Having Antidiabetic Activity. *Asian Pacific Journal of Tropical Biomedicine,* 2(5), pp. 411-420.

Patil, S.B., dan Khan K., 2011. Germinated brown rice as a value added rice product : A review. *Journal of Food Science and Technology,* 48(6), pp. 661-667.

Peris-Sampedro, F. et al., 2021. The Orexigenic Force of Olfactory Palatable Food Cues in Rats. *Nutrients,* Volume 13.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


PERKENI. (2015). *Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia.* Jakarta : PB Perkeni.

PERKENI, 2021. *Pedoman Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia.* Jakarta: PB Perkeni.

Pertanian, D., 2012. *Outlook Komoditas Pertanian Tanaman Pangan.* Jakarta: Departemen Pertanian.

Pertanian, K., 2019. *Varietas Unggul Padi.* [Online] Available at: https://tanamanpangan.pertanian.go.id/detil-konten/berita/249 [Accessed 5 Januari 2024].

Pierre Pirot, Alessandra K. Cardozo, Décio L. Eizirik, 2008. Mediators and Mechanisms of Pancreatic. *Arquivos Brasileiros de Endocrinologia & Metabologia*, 52(2), pp. 156-65.

Pletsch, E A, dan Hamaker, B R, 2017. Brown rice compared to white rice slows gastric emptying in humans. *European Journal of Clinical Nutrition*, 72(3), pp. 367-373.

Pletsch, E. A., dan Hamaker, B. R., 2017. Brown rice compared to white rice slows gastric emptying in humans. *European Journal of Clinical Nutrition,* 72(3), p. 367–373.

Pranoto, H. S., W. Q. Mugnisjah., E. Muniarti., 1990. *Biologi Benih.* Bogor: IPB Press.

Prasad, B. J., Sharavanan, P. S. & Sivaraj, R., 2019. Health benefits of black rice – A review. *Grain & Oil Science Technology*, Volume 2, pp. 109-113.

Pratiwi, E., 2020. *Pengaruh Variasi High Fat Diet terhadap Kadar Trigliserida Serum dan Histologi Hati pada Pengembangan Model NAFLD di Mencit,* Surabaya: Fakultas Farmasi Universitas Airlangga.

Priya, R., Nelson, A. R. L. E., Ravichandran, K., & Antony, U., 2019. Nutritional and Functional Properties of Coloured Rice Varieties of South India: A Review. *Journal of Ethnic Food*, 6(11), pp. 1-11.

Priya, R., Nelson, A. R. L. E., Ravichandran, K. & Antony, U., 2019. Nutritional and Functional Properties of Coloured Rice Varieties of South India: A Review. *Journal of Ethnic Food*, 6(11), pp. 1-11.

Pujiatiningsih, A. S., 2014. *Pemberian Ekstrak Daun Putri Malu (Mimosa pudica Linn) secara Oral Menurunkan Kadar Gula Darah Post Prandial pada xvii Tikus (RattusNorvegicus) Jantan Galur WistarPerdiabetesi. Diss (Tesis),* Palu: Universitas Tadulako.

Puspitasari, 2015. Pengaruh Pemberian Pisang Kepok (Musa paradisiaca forma typical) Terhadap Kadar Malondialdehyde (MDA) Tikus Sprague dawley PraSyndrome Metabolik.. *Tesis.*

Putri, J., 2024.Potensi Antidiabetik Beras Coklat Germinasi Varietas IR-64 secara *In vitro* (naskah sedang diterbitkan). Universitas Gadjah Mada. *Skripsi*.

Reed, M.J., Meszaros, K., Entes, L.J., Claypool, M.D., Pinkett, J.G., dan Gadbois, T.M., 2000. A new rat model of type 2 diabetes: The fat-fed, streptozotocin-treated rat. *Metabolism,* 49(11), pp. 1390-1394.

Reeves, G., 1997. Components of the AIN-93 Diets as Improvements in the AIN-76A Diet. *J. Nutr.*, Volume 127, p. 838S–841S.

Rezazadeh, H., Sharifi, M. R., Shafiri, M. & Soltani, N., 2021. Gamma-aminobutyric acid attenuates insulin resistance in type 2 diabetic patients and reduces the risk of insulin resistance in their offspring. *Biomedicine & Pharmacotherapy,* Volume 138, pp. 1-13.

Kementerian Kesehatan RI, 2005. *Pharmaceutical Care untuk Penyakit Diabetes Melitus.* Jakarta: : DIREKTORAT BINA FARMASI KOMUNITAS DAN KLINIK

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


DITJEN BINA KEFARMASIAN DAN ALAT KESEHATAN DEPARTEMEN KESEHATAN.

Kementerian Kesehatan RI, 2018. *Hasil Utama RISKESDAS,* Jakarta: Kementrian Kesehatan RI.

Rao, R. S. P. & Muralikrishna, G., 2006. Water soluble feruloyl arabinoxylans from rice and ragi: Changes upon malting and their consequence on antioxidant activity. *Phytochemistry*, 67(1), pp. 91-99.

Riskesdas, 2018. *Laporan Hasil Riset Kesehatan Dasar,* Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan RI.

Road, S., Valmiki, N. & Thiruvanmiyur, 2003. CPCSEA Guidelines Fro Laboratory Animal Facility.. *Indian Journal of Pharmacology*, Volume 35, pp. 257-274.

R. & S., 2004. *Indeks Glikemik Pangan.* s.l.:PT. Penebar Swadaya.

Roohinejad, S., Omidizadeh, A., Mirhosseini, H., Saari, N., ….Manap, M., 2010. Effect of pre-germination time of brown rice on serum cholesterol levels of hypercholesterolaemic rats. *J Sci Food Agric*, Volume 90, pp. 245-251.

Sakinah, E., 2017. The role of Cholecalciferol in the Improvement of Insulin Resistance in Diabetic Mice Model. *Journal of Agromedicine and Medical Sciences,* 3(3).

Saleh, A.S.M., Wang, P., Wang, N., Yang, L., dan Xiao, Z., 2019. Brown Rice Versus White Rice: Nutritional Quality, Potential Health Benefits, Development of Food Products, and Preservation Technologies.. *Comprehensive Reviews in Food Science and Food Safety,* 18(4), pp. 1070-1096.

Savira, A. P. I., Wahyuni, S. & Faradilla, R. F., 2020. Analisis Kandungan Gizi, Organoleptik dan Aktivitas Antioksidan Snack Bar Berbasis Beras Warna Organik (Oryza sativa L.) Varietas Lokal (Merah Wakawondu, Hitam Wakombe, dan Cokelat Warumbia) sebagai Alternatif Makanan Selingan Penderita Diabetes Melitus. *Jurnal Sains dan Teknologi Pangan*, 5(6), pp. 3436-3452.

Schein, P. S., Cooney, D. A., & Vernon, M. L, 1967. The use of nicotinamide to modify the toxicity of streptozotocin diabetes without loss of antitumor activity. *Cancer Research,* Volume 27, p. 2324–2332.

Sharma, A. K., Bharti, S. & Ojha, S., 2011. Up-regulation of PPARgamma, heat shock protein-27 and-72 by naringin attenuates insulin resistance, beta-cell dysfunction, hepatic steatosis and kidney damage in a rat model of type 2 diabetes. *British Journal of Nutrition,* Volume 106, p. 1713–1723.

Shen, K. P. et al., 2014. Pre-germinated brown rice prevents high-fat diet induced hyperglycemia through elevated insulin secretion and glucose metabolism pathway in C57BL/6J strain mice. *J. Clin. Biochem. Nutr.,* 56(1), p. 28–34.

Shobhit, Sindhu, R. & Khatkar, B. S., 2020. Assessment of physicochemical properties of popular brands of corn starch for custard preparation. *International Journal of Chemical Studies*, 8(4), pp. 3631-3637.

Siddiqui, A.A. et al., 2013. Diabetes mechanism, pathophysiology, and management-A review. *International Journal of Drugs Development and Research,* 5(2), pp. 1-23.

Sirois, M., 2005. *Laboratory Animal Medicine: Principles And Procedures.* Philadelphia: s.n.

Skovsø, S., 2014. Review Articel: Modeling type 2 diabetes in rats using high fat diet and streptozotocin. *J Diabetes Invest*, 5(4), pp. 349-358.

Slavin, J. & Green, H., 2007. Dietary fibre and satiety. *Nutr Bull*, Volume 32, pp. 32-42.

Soegondo, Sidartawan, Soewondo, P., dan Subekti, I., 2004. *Penatalaksanaan Diabetes Melitus Terpadu*. Jakarta: Balai Penerbit FKUI.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Soetrisno, U., dan P., Suryana., 1991. Pengembangan Prosedur Analisis Zat Antitripsin (Trypsin Inhibitor) pada Sumber Protein Nabati. *PGM,* Volume 14, pp. 153-158.

Sohrabipour, S. et al., 2018. GABA dramatically improves glucose tolerance in streptozotocin-induced diabetic rats fed with high-fat diet. *Eur J Pharmacol,* Volume 826, pp. 75-84.

Sohrabipou, r. S. et al., 2018. GABA dramatically improves glucose tolerance in streptozotocin-induced diabetic rats fed with high-fat diet.. *Eur J Pharmacol,* Volume 826, p. 75–84.

Srihardyastutie, A, 2014. The relationship between HbA1c, insulin resistance, and changes of insulin secretion in Indonesia type 2 diabetic subjects. *Adv. in Nat. Appl. Sci.,* 8(8), pp. 25-30.

Srinivasan, K. et al., 2005. Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: A model for type 2 diabetes and pharmacological screening. *Pharmacological Research,* Volume 52, pp. 313-320.

Subiyono, Martisingsih, A.M., dan Gabrela, D., 2016. Gambaran Kadar Glukosa Darah Metode GOD-PAP (Glucose Oxsidase – Peroxidase Aminoantypirin) Sampel Serum dan Plasma EDTA (Ethylen Diamin Terta Acetat). *Jurnal Teknologi Laboratorium*, 5(1), pp. 45-48.

Sudargo, T., Pertiwi, S., Alexander, R., Siswati, T., dan Ernawati, Y., 2016. The relationship between fried food consumption and physical activity with diabetes mellitus in Yogyakarta Indonesia. *International Journal Of Community Medicine And Public Health,* 4(1), pp. 38-44.

Sudarmadji, S., Haryono, B., dan Suhardi, 1996. *Analisa Bahan Makanan dan Pertanian.* Yogyakarta: Liberty Yogyakarta.

Sugiyono, 2012. *Memahami Penelitian Kualitatif.* Bandung: Alfabeta.

Suhardjono, 1995. *Percobaan Hewan Coba Laboratorium*. Yogyakarta: Gadjah Mada University Press

Sulistyorini, R., Sarjadi, Andrew, J., dan Kis, D., 2015. Pengaruh Ekstrak Etanol Daun Kelor (Moringa oleifera) pada Ekspresi Insulin dan insulitis Tikus Diabetes Melitus. *MKB*, 47(2), pp. 69-76.

Sunita, R., Sadewa,A.H., Farmawati, A., 2015. Lower HOMA-b values are detected among individuals with variant of E23K polymorphism of potassium inwardly-rectifying channel, subfamily J, member 11 (KCNJ11) gene. *The Egyptian Journal of Medical Human Genetics*, Volume 16, p. 227-231.

Sunte, J., Srijesdaruk, V. & Tangwongchai, R., 2007. Effects of soaking and germinating process on gamma-aminobutyric acid (GABA) content in germinated brown rice (Hom mali 105). *Agricultural Science Journal (Suppl),* Volume 38, p. 103–106.

Sutjahjo, A., 2015. Adiponektin High Molecular Weight dan Kekakuan Vaskular di Penyakit Diabetes Melitus Tipe 2 terkait Gabungan Glimepiride Metformin Dosis Tetap. *Indonesian Journal of Clinical Pathology and Medical Laboratory,* Volume 21, pp. 120-124.

Sutopo, L., 2002. *Teknologi Benih Ed.* Jakarta: Revisi. PT Raja Grafindo Persada..

Suzuki, H., Asakawa, A., , Li, J. B., Tsa, M., Amitani, H., Ohinata, K., Komai, M., & Inui, A., 2011. Zinc as an Appetite Stimulator - The Possible Role of Zinc in the Progres-sion of Diseases Such as Cachexia and Sarcopenia. *Recent Patents on Food, Nutrition & Agriculture,* Volume 3, pp. 226-231.

Szkudelski, T., 2012. Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp. Biol. Med.,* Volume 237, p. 481–490.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Tangvarasittichat, S., 2015. Oxidative stress, insulin resistance, dypslipidemia and type 2 diabetes melitus. *World Journal of Diabetes*, p. 456.

Tazakori, Z., M. Dehghan, M. Iranparvar, M. Zare Foladi, dan N. Mohmmadi, 2007. Research journal of Biological Scienciee. 2(3), pp. 252-255.

Tepalla, S., dan Shankar, A., 2010. Association Between Serum IGF-1 and Diabetes Among U.S. Adults. *Diabetes Journals,* 33(10), pp. 2257-2260.

Tjandrawinata, R., 2014. Diabetes Melitus. *MEDICUNUS,* 27(2), pp. 3-16.

Tortora, G. J. & Derrickson, B., 2009. *Principles of Anatomy & Physiology.* USA: John Wiley & Sons. Inc..

Tsatsoulis, A., Mantzaris, M. D., Bellou, S. & Andrikoula, M., 2013. Insulin resistance: An adaptive mechanism becomes maladaptive in the current environment — An evolutionary perspective. *Metabolism Clinical and Experimental,* 62(5), pp. 622-633.

Tuan, P. A. et al., 2019. Molecular Mechanisms of Seed Germination. In: *Sprouted Grains.* s.l.:Elsevier Inc., pp. 1-24.

Ukpong, E. S., Onyeka, E. U. & Oladeji, B. S., 2023. Bioactive compounds, nutrients and pasting properties of parboiled milled rice, brown rice and germinated brown rice of selected cultivars and the effects of germination durations. *Food Chemistry Advances,* Volume 2, pp. 1-11.

Untereiner, A. et al., 2018. GABA promotes β-cell proliferation, but does not overcome impaired glucose homeostasis associated with diet-induced obesity. *FASEB J,* 33(3), pp. 3968-3984.

US Department of Agriculture, 2023. *Leading countries based on the production of milled rice in 2021/2022.* [Online] Available at: https://www.statista.com/statistics/255945/top-countries-of-destination-for-us-rice-exports-2011/ [Accessed 12 Agustus 2023].

Usuki, S., Tsai, Y., Morikawa, K., Nonaka, S., Okuhara, Y., Kise, M., dan Yu, R. K., 2011. IGF-1 Induction by Acylated Steryl b-Glucosides Found in a Pre-Germinated Brown Rice Diet Reduces Oxidative Stress in Streptozotocin-Induced Diabetes. *Plos One*, 6(12), pp. 1-12.

Usuki, S. et al., 2011. IGF-1 Induction by Acylated Steryl Glucosides Found in a Pre-Germinated Brown Rice Diet Reduces Oxidative Stress in Streptozotocin-Induced Diabetes. *Plos One*, pp. 1-12.

Vergnes, L. et al., 2003. Cholesterol and Cholate Components of an Atherogenic Diet Induce Distinct Stages of Hepatic Inflammatory Gene Expression. *The Journal of Biochemical Chemistry,* Volume 278, p. 42774–42784.

Wahjuni, S, 2013. *Metanolisme Biokimia.* Bali: Udayana University Press.

Wang, H., Zhang, Kun., Chen, X., Han, M., Lu, J., & Zhang, Y., 2022. In Vitro and In Vivo Evaluation of Antidiabetic Properties and Mechanisms of Ficus tikoua Bur. *Nutrients,* Volume 4, pp. 4413.

Wang, L., Wu, J., Luo, X., Li, Y., Wang, R., Li, Y., dan Chen, Z., 2018. Dynamic highpressure microfluidization treatment of rice bran: Effect on Pb(II) ions adsorption in vitro.. *Journal of Food Science*, 83(7), p. 1980–1989.

Waspadji, S., 2007. *Diabetes melitus. Dalam Penatalaksanaan Diabetes Melitus Terpadu.* Jakarta: Fakultas Kedokteran Universitas Indonesia.

Watchararparpaiboon, W., Laohakunjit, N. & Kerdchoechuen, O., 2010. An improved process for high quality and nutrition of brown rice production. *Food Science and Technology International,* Volume 16, pp. 147-158.

UNIVERSITAS
GADJAH MADA
**Potensi Antidiebatik Kecambah Beras Pecah Kulit Varietas IR-64 Secara In Vivo pada Tikus Wistar**
ALICIA SYAMSIYAYU FEBIANTIKA, Yunika Mayangsari, S.Si., M.Biotech., Ph.D.; Wahyu Dwi Saputra, S.T.P., M.Ag
**Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/**


Weickert, M. O., Pfeiffer, A. F. H., 2018. Impact of dietary fiber consumption on insulin resistance and the prevention of type 2 diabetes. *J Nutr*, Volume 148, pp. 7-12.

WHO, 2016. *Global Report on Diabetes,* Switzerland: World Health Organization Library Cataloguing.

Wihastuti, T. A., Sargowo, D., Tjokoprawiro, A., Permatasari, N., Widodo, M. A., & Seoharto, S. 2014. Vasa vasorum anti-angiogenesis through H2O2, HiF-1α, nF-κB, and inOs inhibition by mangosteen pericarp ethanolic extract (*Garcinia mangostana linn*) in hypercholesterol-diet-given *Rattus norvegicus* Wistar strain. *Vascular Health and Risk Managemen*, Volume 10, pp. 523-531.

Williams, C. L. et al., 2002. Cardiovascular health in childhood. A Statement for health professionals from the committee on atherosclerosis, hypertension and obesity in the young (AHOY) of thecouncil on cardiovascular disease in the young. *American Heart Association Circulation*, Volume 106, pp. 143-160.

Winarno, F., 2004. *GMP dalam Industri Penggilingan Padi.* Jakarta: Sinar Jaya Bogor.

World Health Organization, 2012. *Diabetes Fact Sheet.* s.l.:Department of Sustainable Development and Healthy Environments.

Wu, F., Yang, N., Touré, A., Jin, Z., dan Xu, X., 2013. Germinated Brown Rice and Its Role in Human Health. *Critical Reviews in Food Science and Nutrition*, Volume 53, pp. 451-463.

Wu, X., Guo, T., Luo, F., Lin, Q., 2023. Brown rice: a missing nutrient-rich health food.. *Food Science and Human Wellness*, 12(5), pp. 1458-1470.

Wulandari, E; Hapsari, R, 2013. *Peran Hormon Sebagai Regulator Fungsi Organ.* Jakarta: UIN Jakarta Press.

Wu, X., Guo, T., Luo, F. & Lin, Q., 2023. Brown rice: a missing nutrient-rich health food. *Food Science and Human Wellness*, Volume 12, pp. 1458-1470.

Yen, H. W. et al., 2017. Effects of pre-germinated brown rice treatment high-fat diet-inducedmetabolic syndrome in C57BL/6J mice. *Bioscience, Biotechnology, and Biochemistry*, 81(5), p. 979–986.

Zhao, R., Fajardo, J. & Shen, G. X., 2023. Influence of Brown or Germinated Brown Rice Supplementation on Fecal Short-Chain Fatty Acids and Microbiome in Diet-Induced Insulin-Resistant Mice. *Microorganisms*, Volume 11, pp. 1-15.