

DAFTAR PUSTAKA

- Aisah, I., Kurniadi, E., Carnia, E., dan Ula, N. (2015). Representasi mutasi kode genetik standar berdasarkan basa nukleotida. *Jurnal Matematika Integratif* ISSN, 1412(6184), 9399-25.
- Ajene, I. J., Khamis, F. M., van Asch, B., Pietersen, G., Seid, N., Wairimu, A. W., ... & Ekesi, S. (2022). Genetic diversity of *Diaphorina citri* (Hemiptera: Liviidae) unravels phylogeographic structure and invasion history of Eastern African populations. *Ecology and Evolution*, 12(7), e9090.
- Aliota, M. T., Walker, E. C., Uribe Yepes, A., Dario Velez, I., Christensen, B. M., & Osorio, J. E. (2016). The w Mel strain of *Wolbachia* reduces transmission of chikungunya virus in *Aedes aegypti*. *PLoS neglected tropical diseases*, 10(4), e0004677.
- Almeida, F. C., Giannini, N. P., Simmons, N. B., and Helgen, K. M. (2014). Each flying fox on its own branch: a phylogenetic tree for *Pteropus* and related genera (Chiroptera: Pteropodidae). *Molecular Phylogenetics and Evolution*, 77, 83-95.
- Alphey, L. (2002). Re-engineering the sterile insect technique. *Insect biochemistry and molecular biology*, 32(10), 1243-1247.
- Alves, G. R., Diniz, A. J. F., & Parra, J. R. P. (2014). Biology of the huanglongbing vector *Diaphorina citri* (Hemiptera: Liviidae) on different host plants. *Journal of economic entomology*, 107(2), 691-696.
- Anafarida, O., dan Badruzaufari, B. (2020). Analisis Filogenetik Mangga (*Mangifera Spp.*) Berdasarkan Gen 5, *8s Rrna*. *Ziraa'ah Majalah Ilmiah Pertanian*, 45(2), 120-126.
- Anderson, C.L., and Karr, T.L. (2001). *Wolbachia*: evolutionary novelty in a *rickettsial* bacteria. *BMC Evol. Biol.* 1, 10.
- Arunima, A., Swain, S. K., Patra, S. D., Das, S., Mohakud, N. K., Misra, N., and Suar, M. (2020). Role of OB-fold protein YdeI in stress response and virulence of *Salmonella enterica* serovar Enteritidis. *Journal of Bacteriology*, 203(1), 10-1128.
- Baldo, L., Lo, N., and Werren, J. H. (2005). Mosaic nature of the *Wolbachia* surface protein. *Journal of Bacteriology*, 187(15), 5406-5418.
- Baumann, P. (2005). Biology of bacteriocyte-associated endosymbionts of plant sap-sucking insects. *Annu. Rev. Microbiol.*, 59, 155-189.
- Benedict, M. Q., and Robinson, A. S. (2003). The first releases of transgenic mosquitoes: an argument for the sterile insect technique. *Trends in parasitology*, 19(8), 349-355.
- Bobay, L. M. (2020). CoreSimul: a forward-in-time simulator of genome evolution for prokaryotes modeling homologous recombination. *BMC bioinformatics*, 21, 1-7.
- Bordenstein, S. R., and Wernegreen, J. J. (2004). Bacteriophage flux in endosymbionts (*Wolbachia*): infection frequency, lateral transfer, and recombination rates. *Molecular biology and evolution*, 21(10), 1981-1991.
- Bouchon, D., Cordaux, R., and Gre`ve, P. (2008). Feminizing *Wolbachia* and the evolution of sex determination in isopods. In *Insect Symbiosis* (Taylor and Francis Group), pp. 273-294.
- Bourtzis, K. (2004). *Wolbachia*-induced cytoplasmic incompatibility as a means for insect pest population control. *Proceedings of the National Academy of Sciences of the United States of America*, 101, 15042-15045.

- Braig, H. R., Zhou, W., Dobson, S. L., and O'Neill, S. L. (1998). Cloning and characterization of a gene encoding the major surface protein of the bacterial endosymbiont *Wolbachia pipientis*. *Journal of bacteriology*, 180(9), 2373-2378.
- Brelsfoard, C. L., and Dobson, S. L. (2009). *Wolbachia*-based strategies to control insect pests and disease vectors. *Asia Pac. J. Mol. Biol. Biotechnol*, 17(3), 55-63.
- Chai, H. N., Du, Y. Z., Qiu, B. L., and Zhai, B. P. (2011). Detection and phylogenetic analysis of *Wolbachia* in the Asiatic rice leafroller, *Cnaphalocrocis medinalis*, in Chinese populations. *Journal of Insect Science*, 11(1), 123.
- Chen, W. H., Lu, G., Bork, P., Hu, S., and Lercher, M. J. (2016). Energy efficiency trade-offs drive nucleotide usage in transcribed regions. *Nature communications*, 7(1), 11334.
- Chu, C. C., Gill, T. A., Hoffmann, M., and Pelz-Stelinski, K. S. (2016). Inter-population variability of endosymbiont densities in the Asian citrus psyllid (*Diaphorina citri* Kuwayama). *Microbial ecology*, 71, 999-1007.
- Dharmayanti, N. L. P. I. (2011). Filogenetika molekuler: metode taksonomi organisme berdasarkan sejarah evolusi. *Wartazoa*, 21(1), 1-10.
- EFSA Panel on Plant Health (PLH), Bragard, C., Dehnen-Schmutz, K., Di Serio, F., Gonthier, P., Jacques, M. A., ... & MacLeod, A. (2021). Pest categorisation of *Diaphorina citri*. *EFSA Journal*, 19(1), e06357.
- Ekawasti, F., dan Martindah, E. (2016). Pengendalian vektor pada penyakit zoonotik virus arbo di Indonesia. *Wartazoa*, 26(4), 151-162.
- Elvyra, R., Duryadi, D., Affandi, R., Junior, Z., dan Yus, Y. (2009). Keanekaragaman genetika dan hubungan kekerabatan Kryptopterus limpok dan Kryptopterus apogon dari Sungai Kampar dan Sungai Indragiri Riau berdasarkan Gen Sitokrom b. *Jurnal Ilmu-ilmu Perairan dan Perikanan Indonesia*, 16(1), 55-61.
- Fagen, J.R., Giongo, A., Brown, C.T., Davis-Richardson, A.G., Gano, K.A. and Triplett, E.W. (2012) Characterization of the relative abundance of the citrus pathogen *Ca. Liberibacter asiaticus* in the microbiome of its insect vector, *Diaphorina citri*, using high throughput 16S rRNA sequencing. *The Open Microbiology Journal*, 6, 29–33.
- Ferrer, C. M., & Pilar, V. (2023). *Diaphorina citri* (Asian citrus psyllid). CABI Compendium, CABI Compendium. <https://doi.org/10.1079/cabicompendium.18615>
- Firdausi, R. I., Bestari, R. S., Dewi, L. M., dan Nurhayani, N. (2021, May). Peran Bakteri *Wolbachia* Terhadap Pengendalian Vektor Demam Berdarah Dengue (DBD) *Aedes aegypti*. In *Prosiding University Research Colloquium* (pp. 513-521).
- Fukui, T., Kawamoto, M., Shoji, K., Kiuchi, T., Sugano, S., Shimada, T., ... and Katsuma, S. (2015). The endosymbiotic bacterium *Wolbachia* selectively kills male hosts by targeting the masculinizing gene. *PLoS Pathogens*, 11(7), e1005048.
- Gomes, T. M., Wallau, G. L., and Loreto, E. L. (2022). Multiple long-range host shifts of major *Wolbachia* supergroups infecting arthropods. *Scientific Reports*, 12(1), 8131.
- Gong, J. T., Li, T. P., Wang, M. K., and Hong, X. Y. (2023). *Wolbachia*-based strategies for control of agricultural pests. *Current Opinion in Insect Science*, 101039.
- Haake, D. A., Suchard, M. A., Kelley, M. M., Dundoo, M., Alt, D. P., & Zuerner, R. L. (2004). Molecular evolution and mosaicism of leptospiral outer membrane proteins involves horizontal DNA transfer. *Journal of bacteriology*, 186(9), 2818-2828.

- Hertig, M., and Wolbach, S. B. (1924). Studies on Rickettsia-like micro-organisms in insects. *The Journal of medical research*, 44(3), 329.
- Hidayat, T., dan Pancoro, A. (2016). Ulasan kajian filogenetika molekuler dan peranannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik anggrek. *Jurnal AgroBiogen*, 4(1), 35-40.
- Hosseini, R. (2014) Global genetic variation in the Asian citrus psyllid, *Diaphorina citri* (Hemiptera: Liviidae) and the endosymbiont *Wolbachia*: Links between Iran and the USA detected. *Pest Management Science*, 70, 1033–1040.
- Huang, H., Li, J., Zhang, C., and Chen, J. (2022). Hemipteran-transmitted plant viruses: research progress and control strategies. *Frontiers of Agricultural Science and Engineering*, 9(1), 98-109.
- Hurst, G. D., and Frost, C. L. (2015). Reproductive parasitism: maternally inherited symbionts in a biparental world. *Cold Spring Harbor perspectives in biology*, 7(5), a017699.
- Hyder, M., Lodhi, A. M., Wang, Z., Bukero, A., Gao, J., & Mao, R. (2024). *Wolbachia* Interactions with Diverse Insect Hosts: From Reproductive Modulations to Sustainable Pest Management Strategies. *Biology*, 13(3), 151.
- Irmayanti, L., Siregar, I. Z., dan Pamoengkas, P. (2015). Keragaman Genetik Mindi (*Melia azedarach* L.) pada hutan rakyat di Jawa Barat dengan penanda mikrosatelit. *Jurnal Silvikultur Tropika*, 6(1), 1-8.
- Jain, M., Fleites, L. A., and Gabriel, D. W. (2017). A small *Wolbachia* protein directly represses phage lytic cycle genes in “*Candidatus Liberibacter Asiaticus*” within psyllids. *MSphere*, 2(3), 10-1128.
- Juan, L. S., Paloma, M., Ortega-Arenas, L. D., López-Buenfil, J. A., Cambron-Crisantos, J. M., Magallanes-Tapia, M. A., and Nava-Díaz, C. (2021). Endosymbionts associated with *Diaphorina citri*, vector of *Candidatus Liberibacter Asiaticus*. *Revista Chapingo. Serie horticultura*, 27(1), 43-54.
- Kaur, R., Shropshire, J. D., Cross, K. L., Leigh, B., Mansueto, A. J., Stewart, V., ... and Bordenstein, S. R. (2021). Living in the endosymbiotic world of *Wolbachia*: a centennial review. *Cell host and microbe*, 29(6), 879-893.
- Knipling, E. F. (1959). Sterile-Male Method of Population Control: Successful with some insects, the method may also be effective when applied to other noxious animals. *Science*, 130(3380), 902-904.
- Ladunga, I. (2009). Finding homologs in amino acid sequences using network BLAST searches. *Current Protocols in Bioinformatics*, 25(1), 3-4.
- Lashkari, M., Manzari, S., Sahragard, A., Malagnini, V., Boykin, L.M. and Laven, H. (1967). Eradication of *Culex pipiens fatigans* through cytoplasmic incompatibility. *Nature*, 216(5113), 383-384.
- Lindsey, A.R.I., Werren, J.H., Richards, S., and Stouthamer, R. (2016). Comparative genomics of a parthenogenesis-inducing *Wolbachia* symbiont. *G3 (Bethesda)* 6, 2113–2123.
- Maia, R. T., and de Araújo Campos, M. (2021). Introductory Chapter: Genetic Variation-The Source of Biological Diversity. In *Genetic Variation*. IntechOpen.
- Mann, M., Fattah-Hosseini, S., Ammar, E. D., Stange, R., Warrick, E., Sturgeon, K., Shatters, R., and Heck, M. (2018). *Diaphorina citri* nymphs are resistant to morphological changes induced by “*Candidatus Liberibacter Asiaticus*” in midgut epithelial cells. *Infection and Immunity*, 86(4), 1-19.

- Marianah, L. (2020). Serangga vektor dan intensitas penyakit virus pada tanaman cabai merah. *AgriHumanis: Journal of Agriculture and Human Resource Development Studies*, 1(2), 127-134.
- McCutcheon, J. P., Boyd, B. M., & Dale, C. (2019). The life of an insect endosymbiont from the cradle to the grave. *Current Biology*, 29(11), R485-R495.
- Mead, F. W., & Fasulo, T. R. (2010). Asian citrus psyllid, *Diaphorina citri* Kuwayama (Insecta: Hemiptera: Psyllidae). *FDACS/DPI Entomology. Circular*, 180, 1-8.
- Monalisa, E., Mantiri, F. R., and Lengkong, H. J. (2019). Kajian variasi sekuens interspesies dan filogeni kelelawar *Pteropus* sp. menggunakan gen COI. *Jurnal MIPA*, 8(2), 71-77.
- Moreira, L.A., Iturbe-Ormaetxe, I., Jeffery, J.A., Lu, G. J., Pyke, A. T., Hedges, L. M., and O'Neill, S. L. (2009). A *Wolbachia* symbiont in *Aedes aegypti* limits infection with dengue, Chikungunya, and Plasmodium. *Cell*, 139, 1268–1278.
- Neupane, S., Bonilla, S. I., Manalo, A. M., and Pelz-Stelinski, K. S. (2022). Complete de novo assembly of *Wolbachia* endosymbiont of *Diaphorina citri* Kuwayama (Hemiptera: Liviidae) using long-read genome sequencing. *Scientific Reports*, 12(1), 125.
- Newton, I.L.G., Clark, M.E., Kent, B.N., Bordenstein, S.R., Qu, J., Richards, S., Kelkar, Y.D., and Werren, J.H. (2016). Comparative genomics of two closely related *Wolbachia* with different reproductive effects on hosts. *Genome Biol. Evol.* 8, 1526–1542.
- Nurhadi, N. (2015). Penyakit Huanglongbing Tanaman Jeruk (*Candidatus Liberibacter Asiaticus*): Ancaman Dan Strategi Pengendalian. *Pengembangan Inovasi Pertanian*, 8(1), 30895.
- O'Neill, S. L., Giordano, R., Colbert, A. M., Karr, T. L., and Robertson, H. M. (1992). 16S rRNA phylogenetic analysis of the bacterial endosymbionts associated with cytoplasmic incompatibility in insects. *Proceedings of the national academy of sciences*, 89(7), 2699-2702.
- Pangestika, Y., Budiharjo, A., dan Kusumaningrum, H. P. (2015). Analisis filogenetik *Curcuma zedoaria* (temu putih) berdasarkan gen Internal Transcribed Spacer (ITS). *Jurnal Akademika Biologi*, 4(4), 8-13.
- Perlmutter, J.I., Bordenstein, S.R., Unckless, R.L., LePage, D.P., Metcalf, J.A., Hill, T., Martinez, J., Jiggins, F.M., and Bordenstein, S.R. (2019). The phage gene *wmk* is a candidate for male killing by a bacterial endosymbiont. *PLoS Pathog.* 15, e1007936. ll C.
- Poerwanto, M. E., dan Solichah, C. (2021). *Pengelolaan Vektor CVPD Secara Terpadu*. Lembaga Penelitian dan Pengabdian Kepada Masyarakat UPN “Veteran” Yogyakarta : Yogyakarta.
- Ramírez-Puebla, S. T., Servin-Garciduenas, L. E., OrmenoOrrillo, E., Vera-Ponce de Leon, A., Rosenblueth, M., Delaye, L., Martínez, J., and Martínez-Romero, E. (2015). Species in *Wolbachia*? Proposal for the designation of ‘*Candidatus Wolbachia bourtzisii*’, ‘*Candidatus Wolbachia onchocercicola*’, ‘*Candidatus Wolbachia blaxteri*’, ‘*Candidatus Wolbachia brugii*’, ‘*Candidatus Wolbachia taylora*’ ‘*Candidatus Wolbachia collembolicola*’ and ‘*Candidatus Wolbachia multihospitum*’ for the different species within *Wolbachia* supergroups. *Systematic and Applied Microbiology*, 38(6), 390-399.

- Roldán, E. L., Stelinski, L. L., and Pelz-Stelinski, K. S. (2024). Reduction of *Wolbachia* in *Diaphorina citri* (Hemiptera: Liviidae) increases phytopathogen acquisition and decreases fitness. *Journal of Economic Entomology*, 117(3), 733-749.
- Ros, V. I., Fleming, V. M., Feil, E. J., and Breeuwer, J. A. (2012). Diversity and recombination in *Wolbachia* and *Cardinium* from Bryobia spider mites. *BMC microbiology*, 12, 1-15.
- Sazama, E. J., Bosch, M. J., Shouldis, C. S., Ouellette, S. P., and Wesner, J. S. (2017). Incidence of *Wolbachia* in aquatic insects. *Ecology and evolution*, 7(4), 1165-1169.
- Schulenburg, J. H. G. V., Hurst, G. D., Huigens, T. M., van Meer, M. M., Jiggins, F. M., and Majerus, M. E. (2000). Molecular evolution and phylogenetic utility of *Wolbachia* *ftsZ* and *wsp* gene sequences with special reference to the origin of male-killing. *Molecular Biology and Evolution*, 17(4), 584-600.
- Shemshadian, A., Vatandoost, H., Oshaghi, M. A., Abai, M. R., and Djadid, N. D. (2021). Relationship between *Wolbachia* infection in *Culex quinquefasciatus* and its resistance to insecticide. *Heliyon*, 7(4).
- Smith, M. A., Bertrand, C., Crosby, K., Eveleigh, E. S., Fernandez-Triana, J., Fisher, B. L., ... and Zhou, X. (2012). *Wolbachia* and DNA barcoding insects: patterns, potential, and problems. *PloS one*, 7(5), e36514.
- Subandiyah, S., Nikoh, N., Tsuyumu, S., Somowiyarjo, S. and Fukatsu, T. (2000) Complex endosymbiotic microbiota of the citrus psyllid *Diaphorina citri* (Homoptera: Psylloidea). *Zoological Science*, 17, 983–989.
- Swari NP, Adiartayasa MW, Wijaya IN. 2014. Deteksi Penyakit Citrus Vein Phloem Degeneration (CVPD) dengan Teknik Polymerase Chain Reaction (PCR) pada Tanaman Jeruk di Bali. *E-Jurnal Agroekoteknologi Tropika*. 3(2): 70.
- Taariwuan, M. B., Ngangi, J., Mokusuli, Y., and Gedoan, S. (2021). DNA Barcoding *Dalugha* (*Cyrtosperma Merkusii*) di Kepulauan Talaud dan Minahasa Selatan Berdasarkan Gen *rbcL*. *Jurnal Bios Logos*, 11(2), 134-138.
- Tamas, I., Klasson, L., Canback, B., Naslund, A. K., Eriksson, A. S., Wernegreen, J. J., ... and Andersson, S. G. (2002). 50 million years of genomic stasis in endosymbiotic bacteria. *Science*, 296(5577), 2376-2379.
- Tamura, K., and Nei, M. (1993). Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Molecular biology and evolution*, 10(3), 512-526.
- Thomalla, J. M., and Wolfner, M. F. (2023). Reproductive biology: A genetic recipe for parthenogenesis. *Current Biology*, 33(17), R904-R906.
- Torok, B., and Dransfield, T. (Eds.). (2017). *Green chemistry: an inclusive approach*. Elsevier.
- Tumini, E., and Aguilera, A. (2021). The sister-chromatid exchange assay in human cells. *Homologous Recombination: Methods and Protocols*, 383-393.
- Weinert, L. A., Araujo-Jnr, E. V., Ahmed, M. Z., and Welch, J. J. (2015). The incidence of bacterial endosymbionts in terrestrial arthropods. *Proceedings of the Royal Society B-Biological Sciences*, 282, 20150249.
- Weising K, Nybon H, Wolff K, and Kahl G. 2005. *DNA Fingerprinting in Plants: Principles, Methods, and Applications*. Amerika Serikat (US): CRC Press Taylor and Francis Group.

- Werren, J. H., & Bartos, J. D. (2001). Recombination in *Wolbachia*. *Current Biology*, 11(6), 431-435.
- Werren, J.H., Zhang, W., and Guo, L.R. (1995). Evolution and phylogeny of *Wolbachia*: reproductive parasites of arthropods. *Proc. Biol. Sci.* 261, 55–63.
- Whelan, S., and Goldman, N. (2001). A general empirical model of protein evolution derived from multiple protein families using a maximum-likelihood approach. *Molecular biology and evolution*, 18(5), 691-699.
- Wuryantini, S., Harwanto, H., & Yudistira, R. A. (2019). Toksisitas Bioinsektisida Ekstrak Kulit Jeruk Terhadap Kutu Loncat Jeruk *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae) Sebagai Vektor Penyakit CVPD. *JURNAL AGRONIDA*, 5(2).
- Xi, Z. Y., and Dobson, S. L. (2005). Characterization of *Wolbachia* transfection efficiency by using microinjection of embryonic cytoplasm and embryo homogenate. *Applied and Environmental Microbiology*, 71, 3199–3204.
- Xi, Z., Khoo, C.C., and Dobson, S.L., 2005. *Wolbachia* establishment and invasion in an *Aedes aegypti* laboratory population. *Science* 310, 326–328 .
- Yuwono, Triwibowo. 2005. *Biologi Molekuler*. Penerbit Erlangga: Jakarta.
- Zabalou, S., Riegler, M., Theodorakopoulou, M., Stauffer, C., Savakis, C., and Bourtzis, K. (2004). *Wolbachia*-induced cytoplasmic incompatibility as a means for insect pest population control. *Proceedings of the National Academy of Sciences*, 101(12), 4035–4040.
- Zhou, W., Rousset, F., and O'Neill, S. (1998). Phylogeny and PCR-based classification of *Wolbachia* strains using *wsp* gene sequences. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 265(1395), 509-515.