

DAFTAR PUSTAKA

- Adilah, N. F dan S. H. Hidayat. 2014. Keparahan penyakit daun keriting dan pertumbuhan populasi kutukebul pada beberapa genotipe cabai. *Jurnal Fitopatologi Indonesia*. 10(6): 195-201.
- Ahmed, M. Z., Ren, S., Xue, X., Li, X. X., Jin, G. hua, & Qiu, B. L. 2010. Prevalence of endosymbionts in *Bemisia tabaci* populations and their in vivo sensitivity to antibiotics. *Current Microbiology*, 61(4), 322–328.
- Aidawati, N. 2005. Keanekaragaman *Begomovirus* pada tomat dan serangga vektornya, *Bemisia tabaci* Gennadius (Hemiptera:Aleyrodidae), serta pengujian ketahanan genotip tomat terhadap strain *Begomovirus*. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor. Disertasi.
- Akihary, C. V., and Beivy, J. K. 2020. Pemanfaatan gen 16s rna sebagai perangkat identifikasi bakteri untuk penelitian-penelitian di Indonesia. *Pharmacon*, 9(1): 16–22.
- Amirnudin, A. T. 2008. Karakteristik morfologi populasi *Bemisia tabaci* asal daerah endemik dan non endemik penyakit kuning cabai. Program Pascasarjana. Fakultas Pertanian. Universitas Gadjah mada. Tesis.
- Andreason, S. A., Shelby, E. A., Moss, J. B., Moore, P. J., Moore, A. J., and Simmons, A. M. (2020). Whitefly endosymbionts: Biology, evolution, and plant virus interactions. *Insects*, 11(11): 1–19.
- Annisaa, N.M. 2021. Identifikasi *Begomovirus* yang menginfeksi beberapa tanaman inang, biotipe kutukebul *Bemisia tabaci*, dan bakteri endosimbion yang berasosiasi dengan kutu kebul. Sekolah Pascasarjana Institut Pertanian Bogor. Tesis.
- Ariwangsa, G. 2021. BPP Lampung Sukses Panen Cabe Hasil Kajian Teknologi Widyaiswara. <https://m.suarakarya.id/> . Diakses pada 01 Januari 2024.
- Ariyanti, M.P., & Nur Aeni. 2011. Mekanisme infeksi virus kuning cabai (*pepper yellow leaf curl virus*) dan pengaruhnya terhadap proses fisiologi tanaman cabai. Seminar Nasional VIII Pendidikan Biologi FKIP UNS 2011. Universitas Sebelas Maret.
- Atikah, A. 2019. Deteksi dan identifikasi molekuler endosimbion *Wolbachia* pada *Bemisia tabaci* (Hemiptera: Aleyrodidae). Sekolah Pascasarjana Universitas Gadjah Mada. Tesis.
- Barkema, G. T., and Newman, M. E. J .1997. The repton model of gel electrophoresis. *Physica A: Statistical Mechanics and Its Applications*, 244(1-4): 25–39.
- Bedford ID, Briddon RW, Markham PG, Brown JK, Rosell RC. 1992. *Bemisia tabaci*: biotype characterization and the threat of this whitefly species to agriculture. *Proceedings of the 1992 British Crop Protection Conference Pest and Disease* 3: 1235-1240
- Bing, X. L., Ruan, Y. M., Rao, Q., Wang, X. W., and Liu, S. S. 2013. Diversity of secondary endosymbionts among different putative species of the whitefly *Bemisia tabaci*. *Insect science*, 20(2), 194–206.

- Blackman R. L., and Eastop V. F. 2000. Aphids on the World's Crop. An identification and Information Guide 2nd eds. New York: John Wiley and Sons.
- Brown, J. K., and Czosnek, H. 2002. Whitefly transmission of plant viruses. *Advances in Botanical Research*, 65–100.
- Burban C, Fish Pool LDC, Faqet C, Fargette D, Thouven JC. 1992. Host associated biotypes within West African populations of the whitefly *Bemisia tabaci* (Genn.), (Horn., Aleyrodidae). *J. Appl Ent.* 113 (1992), 416-423.
- Casem, M.L. 2016. Case Study in Cell Biology. Academic Press, Massachusetts.
- Casteel, C.L., Falk, B.W., 2016. Plant virus-vector interactions: more than just for virus transmission. In: Wang, A., Zhou, X. (Eds.), *Current Research Topics in Plant Virology*. Springer International Publishing, Cham, pp. 217–240.
- Chavez J. D., Cilia M., Weisbrod C.R., Ju H.J., Eng Gray J. K. S. M., Bruce J. E. 2012. Cross-linking measurements of the *Potato leafroll virus* reveal protein interaction topologies required for virion stability, aphid transmission, and virus-plant interactions. *J. Proteome Res.* 11:2968 –2981.
- Clark, E. L., A.J. Karley, and S.F. Hubbard. 2010. Insect endosymbionts: manipulators of insect herbivore trophic interactions. *Journal of Protozoology* 244: 25-51.
- Czosnek, H., Hariton-Shalev, A., Sobol, I., Gorovits, R., and Ghanim, M. 2017. The Incredible Journey of *Begomoviruses* in Their Whitefly Vector. *Viruses*, 9(10): 273.
- De Marchi, B. R., & Smith, H. A. 2020. Bacterial endosymbiont diversity among *Bemisia tabaci* (Hemiptera: Aleyrodidae) populations in Florida. *Insects*, 11(3): 179.
- Dispartan Pangan. 2018. Petunjuk teknis pengamatan dan pelaporan organisme pengganggu tumbuhan dan dampak perubahan iklim (OPT-DPI). Direktorat Jenderal Tanaman Pangan, Jakarta.
- Engel, P., and Moran, N. A. 2013. The gut microbiota of insects - diversity in structure and function. *FEMS Microbiology Reviews*, 37(5): 699–735.
- Firdausi, Z. Hubungan antara kejadian penyakit geminivirus dan populasi *Bemisia tabaci* genn. (Hemiptera: Aleyrodidae) serta faktor lingkungan lainnya pada tanaman mentimun. Skripsi. Departemen Proteksi Tanaman. Fakultas Pertanian. Institut Pertanian Bogor. Bogor.
- Frohlich, D. R., Torres-Jerez, I., Bedford, I. D., Markham, P. G., & Brown, J. K. (1999). A phylogeographical analysis of the *Bemisia tabaci* species complex based on mitochondrial DNA markers. *Molecular Ecology*, 8(10), 1683–1691
- Gangwar, R., and Gangwar, C. 2018. Lifecycle, distribution, nature of damage and economic importance of whitefly, *Bemisia tabaci* (Gennadius). *Acta Scientific Agriculture*, 2(4): 36–39.
- Gelman, D.B., Blackburn M.B., Hu, J.S., and D. Gerling. 2002. The nymphal-adult molt of the silverleaf whitefly (*Bemisia argentifolii*): timing, regulation, and progress. *Archives of Insect Biochemistry and Physiology* 51: 67-79.
- Ghina, D.F., Djuminar, A., Dermawan, dan A., Acep. 2019. Perbandingan nilai pengukuran kuantitatif hasil ekstraksi DNA *salmonella typhi* menggunakan metode boiling, naoh, kit komersial. *Jurnal Riset Kesehatan*, 11(1): 350-357.

- Ghosh S., Bouvaine S., Richardson S. C. W., Ghanim M., Maruthi M. N. 2018. Fitness costs associated with infections of secondary endosymbionts in the cassava whitefly species *Bemisia tabaci*. *J of Pest Science*. 91, 17–28.
- Gottlieb Y., Ghanim M., Chiel E., Gerling D., Portnoy V., Steinberg S., Tzuri G., Horowitz A. R., Belausov E., Mozes-Daube N., Kontsedalov S., Gershon M., Gal S., Katzir N., and Zchori-Fein E. 2006. Identification and localization of a *Rickettsia* sp. in *Bemisia tabaci* (Homoptera: Aleyrodidae). *Applied and Environmental Microbiology*, 72:3646-3652.
- Green, M. R., and Sambrook, J. 2019. Analysis of DNA by agarose gel electrophoresis. *Cold Spring Harbor protocols*, 2019(1): 10.
- Harahap, M. R. 2018. Elektroforesis: Analisis elektronika terhadap biokimia genetika. *CIRCUIT: Jurnal Ilmiah Pendidikan Teknik Elektro*, 2(1): 21-26.
- Hashmi, T. R., Devi, S. R., Ahmad, A., Meshram, N. M., & Prasad, R. (2019). Genetic status and endosymbionts diversity of *Bemisia tabaci* (Gennadius) on hosts belonging to family Malvaceae in India. *Neotropical Entomology*, 48(2), 207–218.
- Hidayat, P. Kurniawan, HA. Afifah, L. dan Triwidodo, H. 2017. Siklus hidup dan statistik demografi kutukebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) biotipe B dan non-B pada tanaman cabai (*Capsicum annum L.*). *Jurnal Entomologi Indonesia*, 14(3): 143–151.
- Hidayati, N. 2023. Keragaman bakteri endosimbion kutu kebul (*Bemisia tabaci*) dari beberapa daerah di Indonesia. Program Pascasarjana. Fakultas Pertanian. Universitas Gadjah Mada. Tesis
- Hu F. Y., & Tsai C. W. 2020. Nutritional relationship between *Bemisia tabaci* and its primary endosymbiont, *Portiera aleyrodidarum*, during host plant acclimation. *Insects*; 11(8): 498.
- Idris, A. B., S. A. N. Khalid, and M. N. Mohamad Roff. 2012. Effectiveness of sticky traps designs and colours in trapping alate whitefly, *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae). *Pertanika Journal of Tropical Agricultural Science*, 35(1):127-134.
- Ishii Y., Y. Matsuura., S. Kakizawa., N. Nikoh., and T. Fukatsu. 2013. Diversity of bacterial endosymbionts associated with *Macrostelus leafhoppers* vectoring phytopathogenic phytoplasmas. *Applied Environmental Microbiology*, 79(16): 5013-5022.
- Johnson, J.S., Spakowicz, D.J., Hong, BY., Petersen, L.M., Demkowicz, P., Chen, L., Leopold, S. R., Hanson, B. M., Agresta, H. O., Gerstein, M., Sodergon, E., and Weinstock, G. M. 2019. Evaluation of 16S rRNA gene sequencing for species and strain-level microbiome analysis. *Nature Communication* 10, 5029: 1-12.
- Joko, T., Kusumandari, N., and Hartono, S. 2011. Optimasi metode PCR untuk deteksi *pectobacterium carotovorum*, penyebab penyakit busuk lunak anggrek. *Jurnal Perlindungan Tanaman Indonesia*, 17(2): 54-59.
- Jones, D.R., 2003. Plant viruses transmitted by whiteflies. *European Journal Plant Pathology*. 109: 195-219.

- Kalshoven. 1981. *The Pests of Crops in Indonesia*. Laan PA van der, penerjemah Jakarta: Ichtar Baru-Van Hoeven. Terjemahan dari: *De Plagen van de Culture Gewassen in Indonesia*. P.T Ichtar Baru. Jakarta.
- Kanakala S, and Ghanim M. 2019. Global genetic diversity and geographical distribution of *Bemisia tabaci* and its bacterial endosymbionts. *PLoS ONE* 14(3): 1-21.
- Lanya, H. 1988. Pengaruh waktu tanam, varietas, pemupukan, dan jarak tanam kedelai terhadap pertumbuhan populasi *B. tabaci* Genn. Bogor: Program Pascasarjana Institut Pertanian Bogor. Tesis.
- Lestari, S. M., P. Hidayat, S. H. Hidayat, J. Shim, and K. Lee. 2021. *Bemisia tabaci* in Java, Indonesia: genetic diversity and the relationship with secondary endosymbiotic bacteria. *Symbiosis* 83: 317–333.
- Liu, X. D., and Guo, H. F. 2019. Importance of endosymbionts *Wolbachia* and *Rickettsia* in insect resistance development. *Current Opinion in Insect Science*, 33, 84–90.
- Luan, J.B., W.B. Chen, D.K. Hasegawa, A.M. Simmons, and W.M. Wintermantel. 2015. Metabolic coevolution in the bacterial symbiosis of whiteflies and related plant sap-feeding insects. *Journal of Genome Biological Evolution* 7: 2635-2647.
- Luthfi, M. 2023. Deteksi molekuler bakteri endosimbion pada kutu kebul (*Bemisia tabaci* Gennadius) (Hemiptera: Aleyrodidae) di Yogyakarta. Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta. Skripsi.
- Mauck, K. E., Chesnais, Q., & Shapiro, L. R. 2018. Evolutionary determinants of host and vector manipulation by plant viruses. *Advances in virus research*, 101, 189–250.
- Marwoto., Indriani, F. C., Sulisty, A., dan R. T. Hapsari. 2011. Diagnosis ledakan populasi hama kutu kebul (*Bemisia tabaci*) pada pertanaman kedelai (studi kasus faktor penyebab ledakan populasi kutu kebul di KP Muneng MK 2009). Pros. Seminar Nasional Hasil Penelitian Aneka Kacang dan Umbi Tahun 2009. pp. 277-288.
- Matthews, R.E.F. 1992. *Foundamentals of Plant Virology*. California: Academic Press, Inc.
- McNeill M. R., Richards N. K., White J. A., and Laugraud A. 2014. Hidden arsenal: endosymbionts in arthropods, their role and possible implications for biological control success. *N Z Plant Protect*, 67: 204-212.
- Milenovic, M., A. Gouttepifre., M. Eickermann., J. Junk., and C. Rapisarda. 2022. Plant-mediated rifampicin treatment of *Bemisia tabaci* disrupts but does not eliminate endosymbionts. *Scientific Reports*, 12 (20766); 1-15
- Montllor, C. B., Maxmen, A., & Purcell, A. H. 2002. Facultative bacterial endosymbionts benefit pea aphids *Acyrtosiphon pisum* under heat stress. *Ecological Entomology*, 27(2): 189–195.
- Mulyani, Y., Agus, P., dan Isni, N. 2011. Perbandingan beberapa metode isolasi dna untuk deteksi dini *Koi Herpes Virus* (KHV) pada ikan mas (*Cyprinus carpio* L.). *Jurnal Akuatika*, 2(1): 1-16.

- Muñiz M., and Gloria N. 2001. Differential variation in development of the B- and Q-Biotypes of *Bemisia tabaci* (Homoptera: Aleyrodidae) on sweet pepper at constant temperatures. *Environmental Entomology*, 30(4): 720–727.
- Narendra, A. A. G. A., Phabiola, T. A., dan Yuliadhi, K. A. 2017. Hubungan antara populasi kutukebul (*Bemisia tabaci*) (Gennadius) (Hemiptera: Aleyrodidae) dengan insiden penyakit kuning pada tanaman tomat (*Solanum lycopersicum* Mill.) di Dusun Marga Tengah, Desa Kerta, Kecamatan Payangan, Bali. *Jurnal Agroekoteknologi Tropika*, 6(3): 339-348.
- Oliveira M.R.V., Henneberry T.J., and Anderson P. 2001. History, current status, and collaborative research projects for *Bemisia tabaci*. *Crop Protection* 20(9):709-723.
- Oliver, K. M., Russell, J. A., Morant, N. A., and Hunter, M. S. 2003. Facultative bacterial symbionts in aphids confer resistance to parasitic wasps. *Proceedings of the National Academy of Sciences of the United States of America*, 100(4): 1803–1807.
- Ou, D., Ren, L. M., Liu, Y., Ali, S., Wang, X. M., Ahmed, M. Z., and Qiu, B. L. 2019. Compatibility and efficacy of the parasitoid *Eretmocerus hayati* and the entomopathogenic fungus *cordyceps javanica* for biological control of whitefly *Bemisia tabaci*. *Insects*, 10(12): 1–11.
- Pan H., Li X., Ge D., Wang S., Wu Q., Xie W., Jiao X., Chu D., Liu B., Xu B., and Zhang Y. 2012. Factors Affecting Population Dynamics of Maternally Transmitted Endosymbionts in *emisia tabaci*. *J PloS ONE* 7(2): 1-8.
- Pan, H., Li, X., Ge, D., Wang, S., Wu, Q., Xie, W., Jiao, X., Chu, D., Liu, B., Xu, B., & Zhang, Y. (2012). Factors affecting population dynamics of maternally transmitted endosymbionts in *Bemisia tabaci*. *PLoS ONE*, 7(2), 1–8.
- Pradana, M. G. 2018. Deteksi dan keragaman genetic bakteri endosimbion *Wolbachia* pada beberapa serangga parasitoid. Sekolah Pascasarjana Institut Pertanian Bogor. Tesis.
- Rahayuwati, S., Hidayat, P., dan Hidayat, S. H. 2020. Variasi morfologi puparium (*Bemisa tabaci* Gennadius) (Hemiptera: Aleyrodidae) pada berbagai inang dan ketinggian tempat dari daerah endemik penyakit kuning cabai di Wilayah Sundaland. *Jurnal Entomologi Indonesia*, 17(2): 61-72.
- Raina, H. S., Rawal, V., Singh, S., Daimej, G., Shakarad, M., and Rajagopal, R. 2015. Elimination of *Arsenophonus* and decrease in the bacterial symbionts diversity by antibiotic treatment leads to increase in fitness of whitefly, *Bemisia tabaci*. *Infection, Genetics and Evolution*. 32: 224–230.
- Ruan, Y. M., Xu, J., and Liu, S. S. 2006. Effects of antibiotics on fitness of the B biotype and a non-B biotype of the whitefly *Bemisia tabaci*. *Entomologia Experimentalis et Applicata*, 121(2): 159–166.
- Sakinah, F. 2013. Analisis pengaruh faktor cuaca untuk prediksi serangan organisme pengganggu tanaman (Opt) pada tanaman bawang merah. Departemen Geofisika Dan Meteorologi Fakultas Matematika Dan Ilmu Pengetahuan Alam Institut Pertanian Bogor, 1(1): 1-39. Skripsi.
- Sambrook J, and Russell D. 2001. *Molecular Cloning: A Laboratory Manual*, 3rd edn. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press.

- Sani, I., Izera Ismail, S., Abdullah, S., Jalinus, J., Jamian, S., and Saad, N. 2020. Insects a review of the biology and control of whitefly, *Bemisia tabaci* (Hemiptera: Aleyrodidae), with special reference to biological control using entomopathogenic fungi. 11, 619.
- Setiawati, W., B. K. Udiarto., dan T. A. Soetiarso. 2008. Pengaruh varietas dan system tanam cabai merah terhadap penekanan populasi hama kutu kebul. Jurnal Holtikultura 18(1); 55-61.
- Sharma, P., Kobayashi, and Tsuyoshi. 2014. Are “universal” DNA primers really universal?. Journal of Applied Genetics 55(4): 485-496.
- Simala. 2009. Whitefly species (Hemiptera: Aleyrodidae) recorded on imported ornamental plant in Croatia. In Proceedings of The 9th Interantional Symposium on Plant Protection, 4(5): 389-396.
- Singarimbun, M. A., Mukhtar, I. P., Syahrial, O. 2017. Hubungan antara populasi kutu kebul (*Bemisia tabaci* Genn.) dan kejadian penyakit kuning pada tanaman cabai (*Capsicum annum* L.). Jurnal Agroekoteknologi, 5(4); 847-854.
- Singh, S. T., Priya, N. G., Kumar, J., Rana, V. S., Ellango, R., Joshi, A., Priyadarshini, G., Asokan, R., and Rajagopal, R. 2012. Diversity and phylogenetic analysis of endosymbiotic bacteria from field caught *Bemisia tabaci* from different locations of North India based on 16S rDNA library screening. Infection, Genetics and Evolution, 12(2), 411–419.
- Singh, S.T., Kumar, J., Thomas, A., Ramamurthy, V.V., and Rajagopal, R., 2013. Detection and localization of *Rickettsia* sp in mealybug. Environ. Entomol. 42 (4), 711–716.
- Su, Q., Xie, W., Wang, S., Wu, Q., Ghanim, M., & Zhang, Y. (2014). Location of symbionts in the whitefly *Bemisia tabaci* affects their densities during host development and environmental stress. PLoS ONE, 9(3), 1–11.
- Sudiono dan Purnomo. 2009. Hubungan antara populasi kutu kebul (*Bemisia tabaci* Genn.) dan penyakit kuning pada cabai di Lampung Barat. Jurnal HPT Tropika. 9(2): 115-119.
- Sudiono dan Purnomo. 2020. Studi Kisaran Inang Kutu Kebul (*Bemisia tabaci* Genn.) Di Sentra Sayuran Dataran Tinggi Tanggamus. Jurnal Penelitian terapan, 8 (3). pp. 103-108.
- Suhardjo SM. 2001. Kisaran Inang Virus Krupuk Tembakau. Institut Pertanian Bogor. Bogor. Skripsi.
- Sulandri S., Suseno R., Hidayati HS., Harjosudarmo dan J Sosromarsono S. 2006. Deteksi dan Kajian Kisaran Inang Virus Krupuk Tembakau. Institut Pertanian Bogor. Bogor. Skripsi.
- Wiguna, G., Sutarya, R., & Muliani, Y. 2015. Respon beberapa galur tomat (*Lycopersicum escelentum* Mill.) terhadap Penyakit Busuk Daun (*Phytophthora infestans* (Mont.) de Bary). Mediagro, 11(2), 1-10.
- Wisler, G.C., Li R.H. Liu H.Y., Lowry D.S., Duffus J.E. 1996. Tomato chlorosis virus. a new whitefly transmitted phloem-limited, bipartite *closterovirus* of tomato. Phytopathol. 88: 402-409.

- Wittmeier P., and Hummel S. 2022. Agarose gel electrophoresis to assess PCR product yield: comparison with spectrophotometry, fluorometry and qPCR. *Biotechniques*. 72(4):155-158.
- Xue, X., Li, S. J., Ahmed, M. Z., De Barro, P. J., Ren, S. X., & Qiu, B. L. (2012). Inactivation of *Wolbachia* Reveals Its Biological Roles in Whitefly Host. *PLoS ONE*, 7(10).
- Yuenleni. 2019. Langkah-langkah optimasi PCR. *Indonesian Journal of Laboratory*, 1(3); 51-56.
- Zchori-Fein E, Brown JK: Diversity of prokaryotes associated with *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae). *Annals of the Entomological Society of America*, 95(6); 711-718.