

REFERENCES

- Abdulgawad, I. A. I. (2016). Fermentation of Nile tilapia (*Oreochromis niloticus*) wastes using *Lactobacillus plantarum* for the production of lactic acid and fertilizer. *International Journal of Waste Resource*
- Adoga, S. O., Ekle, D. E., Kyenge, B. A., Aondo, T. O. O., & Ikese, C. O. (2019). Phytochemical screening, thin-layer chromatography and antimicrobial activity study of leaf extracts. *Ovidius University Annals of Chemistry*, 30(2), 88-94.
- Aenglong, C., Woonnoi, W., Tanasawet, S., Klaypradit, W., & Sukketsiri, W. (2024). Impact of Time and Enzyme Concentration on Sangyod Rice Bran Hydrolysate: Phytochemicals, Antioxidants, Amino Acids, and Cytotoxicity. *Rice*, 17(1), 13.
- André, A. C., Debande, L., & Marteyn, B. S. (2021). The selective advantage of facultative anaerobes relies on their unique ability to cope with changing oxygen levels during infection. *Cellular Microbiology*, 23(8), e13338.
- Ashaolu, T. J., & Ashaolu, J. O. (2021). Prebiotics in vitro digestion by gut microbes, products' chemistry, and clinical relevance. *Applied microbiology and biotechnology*, 105, 13-19.
- Ávila, P. F., de Melo, A. H., & Goldbeck, R. (2023). Cello-oligosaccharides production from multi-stage enzymatic hydrolysis by lignocellulosic biomass and evaluation of prebiotic potential. *Innovative Food Science & Emerging Technologies*, 85, 103335.
- Changsri, R., Bureerat, S., Prungkong, T., Pengrueng, A., Pongpanus, A., Rungwattanapong, T., & Rukchum, P. (2016). RD69 (Tubtim Chumphae), A non glutinous rice variety. *Thai Rice Research Journal*.
- Croxen, M. A., Law, R. J., Scholz, R., Keeney, K. M., Wlodarska, M., & Finlay, B. B. (2013). Recent advances in understanding enteric pathogenic *Escherichia coli*. *Clinical microbiology reviews*, 26(4), 822-880.

- Cui, Y., Wang, M., Zheng, Y., Miao, K., & Qu, X. (2021). The carbohydrate metabolism of *Lactiplantibacillus plantarum*. *International Journal of Molecular Sciences*, 22(24), 13452.
- Dang, T. T., & Thava V. (2019). Modification of rice bran dietary fiber concentrates using enzyme and extrusion cooking. *Food Hydrocolloids*, 89, 773-782.
- Daou, C., & Zhang, H. (2014). Functional and physiological properties of total, soluble, and insoluble dietary fibres derived from defatted rice bran. *Journal of Food Science and Technology*, 51, 3878-3885.
- Dadwal, A., Sharma, S., & Satyanarayana, T. (2021). Thermostable cellulose saccharifying microbial enzymes: Characteristics, recent advances and biotechnological applications. *International Journal of Biological Macromolecules*, 188, 226-244.
- Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S. J., & Ghasemi, Y. (2019). Prebiotics: definition, types, sources, mechanisms, and clinical applications. *Foods*, 8(3), 92.
- Durica-Mitic, S., Göpel, Y., & Görke, B. (2018). Carbohydrate utilization in bacteria: making the most out of sugars with the help of small regulatory RNAs. *Regulating with RNA in Bacteria and Archaea*, 229-248.
- Eggesbø, M., Moen, B., Peddada, S., Baird, D., Rugtveit, J., Midtvedt, T., & Rudi, K. (2011). Development of gut microbiota in infants not exposed to medical interventions. *Apmis*, 119(1), 17-35.
- Fernández-Martínez, L. T., Javelle, A., & Hoskisson, P. A. (2024). Microbial Primer: Bacterial growth kinetics. *Microbiology*, 170(2), 001428.
- Fidanza, M., Panigrahi, P., & Kollmann, T. R. (2021). *Lactiplantibacillus plantarum*—nomad and ideal probiotic. *Frontiers in microbiology*, 12, 712236.
- Ghodrat, A., Yaghobfar, A., Ebrahimnezhad, Y., Aghdam Shahryar, H., & Ghorbani, A. (2017). In vitro binding capacity of organic (wheat bran and rice bran) and inorganic (perlite) sources for Mn, Zn, Cu, and Fe. *Journal of applied animal research*, 45(1), 80-84.

- Huebner, J., Wehling, R. L., & Hutkins, R. W. (2007). Functional activity of commercial prebiotics. *International Dairy Journal*, 17(7), 770-775.
- Hurtada, W. A., Barrion, A. S. A., & Nguyen-Orca, M. F. R. (2018). Mineral content of dehulled and well-milled pigmented and non-pigmented rice varieties in the Philippines. *International Food Research Journal*, 25(5).
- Islam, M. A., Kabir, S. M. L., & Seel, S. K. (2016). Molecular detection and characterization of *Escherichia coli* isolated from raw milk sold in different markets of Bangladesh.
- Jnawali, P., Kumar, V., Tanwar, B., Hirdyani, H., & Gupta, P. (2018). Enzymatic production of xylooligosaccharides from brown coconut husk treated with sodium hydroxide. *Waste and biomass valorization*, 9, 1757-1766.
- Ketpichainarong, W., Ruenwongsa, P., & Panijpan, B. (2009). Enhancing student conceptualization of enzyme activity using a cellulose digesting enzyme: An inquiry-based approach. *International Journal of Learning*, 16(2), 17-32.
- Kyu, M. T., Dar, B., San AYE, S., & MATSUDA, T. (2019). Prebiotic oligosaccharides prepared by enzymatic degradation of dietary fibers in rice grains. *Journal of nutritional science and vitaminology*, 65(Supplement), S143-S147.
- Lundanes, E., Reubsaet, L., & Greibrokk, T. (2013). *Chromatography: basic principles, sample preparations and related methods*. John Wiley & Sons.
- Maki, K. C., Carson, M. L., Anderson, W. K., Geohas, J., Reeves, M. S., Farmer, M. V., ... & Rains, T. M. (2009). Lipid-altering effects of different formulations of hydroxypropylmethylcellulose. *Journal of clinical lipidology*, 3(3), 159-166.
- Manisseri, C., & Gudipati, M. (2012). Prebiotic activity of purified xylobiose obtained from Ragi (*Eleusine coracana*, Indaf-15) Bran. *Indian journal of microbiology*, 52, 251-257.
- Mano, M. C. R., Neri-Numa, I. A., da Silva, J. B., Paulino, B. N., Pessoa, M. G., & Pastore, G. M. (2018). Oligosaccharide biotechnology: an approach of

- prebiotic revolution on the industry. *Applied microbiology and biotechnology*, 102, 17-37.
- Matejčková, Z., Liptáková, D., Spodniaková, S., & Valík, E. (2016). Characterization of the growth of in milk in dependence on temperature. *Acta Chimica Slovaca*, 9(2), 104-108.
- Mhetras, N., Mapre, V., & Gokhale, D. (2019). Xylooligosaccharides (XOS) as emerging prebiotics: its production from lignocellulosic material. *Advances in Microbiology*, 9(1), 14-20.
- Mitmesser, S., & Combs, M. (2017). Prebiotics: Inulin and other oligosaccharides. In *The microbiota in gastrointestinal pathophysiology* (pp. 201-208). Academic Press.
- Mukherjee, P., Pal, S., Sivaprakasam, S. (2024). Process Parameter Controls for Efficient Enzymatic Hydrolysis of Cellulosic Biomass. In: Bisaria, V. (eds) *Handbook of Biorefinery Research and Technology*. Springer, Dordrecht. https://doi.org/10.1007/978-94-007-6724-9_77-1
- Nongkhai, S. N., Piemthongkham, P., Bankeeree, W., Punnapayak, H., Lotrakul, P., & Prasongsuk, S. (2023). Xylooligosaccharides produced from sugarcane leaf arabinoxylan using xylanase from *Aureobasidium pullulans* NRRL 58523 and its prebiotic activity toward *Lactobacillus spp.* *Heliyon*, 9(11).
- Obispo, K. P. (2023). Learning Enzyme Concept through BioMan Enzymatic: An HTML Simulation Game. *Formosa Journal of Science and Technology*, 2(10), 2751-2760.
- Palaniappan, A., Yuvaraj, S. S., Sonaimuthu, S., & Antony, U. (2017). Characterization of xylan from rice bran and finger millet seed coat for functional food applications. *Journal of Cereal Science*, 75, 296-305.
- Petrovsky, N., & Cooper, P. D. (2015). Advax™, a novel microcrystalline polysaccharide particle engineered from delta inulin, provides robust adjuvant potency together with tolerability and safety. *Vaccine*, 33(44), 5920-5926.

- Phirom-on, K., & Apiraksakorn, J. (2021). Development of cellulose-based prebiotic fiber from banana peel by enzymatic hydrolysis. *Food Bioscience*, 41, 101083.
- Pratumteep, A., Sansernsuk, J., Nitisinprasert, S., & Apiraksakorn, J. (2010). Production, characterization and hydrolysis products of xylanase from *Bacillus subtilis* GN156. *KKU Res J*, 15, 343-350.
- Samanta, A. K., Jayapal, N., Jayaram, C., Roy, S., Kolte, A. P., Senani, S., & Sridhar, M. (2015). Xylooligosaccharides as prebiotics from agricultural by-products: Production and applications. *Bioactive Carbohydrates and Dietary Fibre*, 5(1), 62-71.
- Sapwarobol, S., Saphyakhajorn, W., & Astina, J. (2021). Biological functions and activities of rice bran as a functional ingredient: A review. *Nutrition and metabolic insights*, 14, 11786388211058559.
- Stewart, M. L., Timm, D. A., & Slavin, J. L. (2008). Fructooligosaccharides exhibit more rapid fermentation than long-chain inulin in an in vitro fermentation system. *Nutrition Research*, 28(5), 329-334.
- Stickel, J. J., Elander, R. T., Mcmillan, J. D., & Brunecky, R. (2014). Enzymatic Hydrolysis of Lignocellulosic Biomass. *Bioprocessing of Renewable Resources to Commodity Bioproducts*, 77–103. doi:10.1002/9781118845394.ch4
- Susantri, A., Sunarti, T. C., & Meryandini, A. (2021). Produksi dan Pemurnian Xilooligosakarida dari Xilan Tongkol Jagung menggunakan Xilanase *Streptomyces* P26B4 dan Khamir IP4. *Jurnal Ilmu Pertanian Indonesia*, 26(2), 309-317.
- Tao, Y., Yang, L., Yin, L., Lai, C., Huang, C., Li, X., & Yong, Q. (2020). Novel approach to produce biomass-derived oligosaccharides simultaneously by recombinant endoglucanase from *Trichoderma reesei*. *Enzyme and Microbial Technology*, 134, 109481.
- USDA. (2023). United States Department of Agriculture-Economic Research Service. Accessed 18 June 2023. Available at: <https://www.ers.usda.gov/webdocs/outlooks/106909/rcs-23f.pdf?v=389.7>

- Wen, Y., Niu, M., Zhang, B. J., Zhao, S. M., & Xiong, S. B. (2017). Structural characteristics and functional properties of rice bran dietary fiber modified by enzymatic and enzyme-micronization treatments. *LWT–Food Science and Technology*, 75, 344–351.
- Yan, F., Tian, S., Chen, H., Gao, S., Dong, X., & Du, K. (2022). Advances in xylooligosaccharides from grain byproducts: extraction and prebiotic effects. *Grain & Oil Science and Technology*, 5(2), 98-106.