

DAFTAR PUSTAKA

- [1] J. V. Hutagaol, D. Setiawan, and H. Eteruddin, “Perancangan Sistem Monitoring Kendaraan Listrik,” 2022.
- [2] M. T. Afif, I. Ayu, and P. Pratiwi, “Analisis Perbandingan Baterai Lithium-Ion, Lithium-Polymer, Lead Acid Dan Nickel-Metal Hydride Pada Penggunaan Mobil Listrik-Review,” *Jurnal Rekayasa Mesin*, vol. 6, no. 2, pp. 95–99, 2015.
- [3] Y. Xing, E. W. M. Ma, K. L. Tsui, and M. Pecht, “Battery management systems in electric and hybrid vehicles,” 2011, *MDPI AG*. doi: 10.3390/en4111840.
- [4] Y. Liao, J. H. Huang, and Q. Zeng, “Distributed battery management system in battery electric vehicle,” in *Advanced Materials Research*, 2011, pp. 2427–2430. doi: 10.4028/www.scientific.net/AMR.201-203.2427.
- [5] K. M. Tsang and W. L. Chan, “Current sensorless quick charger for lithium-ion batteries,” *Energy Convers Manag*, vol. 52, no. 3, pp. 1593–1595, Mar. 2011, doi: 10.1016/j.enconman.2010.08.011.
- [6] M. F. Ardiansyah and O. Wahyunggoro, “Current Sensorless Microcontroller-Based Battery Management System with SOC and Active Cell Balancing,” 2021.
- [7] W. Sukestyastama Putra, A. D. Putra,) Program, S. T. Komputer, and S. S. Informasi, “Sistem Deteksi Kerusakan Sensor Arus Pada Battery Management System (BMS).”
- [8] T. W. Su, C. J. Ko, and K. C. Chen, “Estimation of battery temperature during drive cycle operation by the time evolution of voltage and current,” *J Energy Storage*, vol. 91, Jun. 2024, doi: 10.1016/j.est.2024.112075.
- [9] J. Cho, S. Jeong, and Y. Kim, “Commercial and research battery technologies for electrical energy storage applications,” Jun. 01, 2015, *Elsevier Ltd*. doi: 10.1016/j.pecs.2015.01.002.
- [10] W. Liu, T. Placke, and K. T. Chau, “Overview of batteries and battery management for electric vehicles,” Nov. 01, 2022, *Elsevier Ltd*. doi: 10.1016/j.egy.2022.03.016.
- [11] X. Zeng *et al.*, “Commercialization of Lithium Battery Technologies for Electric Vehicles,” Jul. 19, 2019, *Wiley-VCH Verlag*. doi: 10.1002/aenm.201900161.
- [12] P. By alldatasheetcom, “US18650VTC6 SONY | Alldatasheet,” 2015.
- [13] F. A. Perdana, “Baterai Lithium,” *INKUIRI: Jurnal Pendidikan IPA*, vol. 9, no. 2, p. 113, Apr. 2021, doi: 10.20961/inkuiri.v9i2.50082.



- [14] S. Maitreya, H. Jain, and P. Paliwal, “Scalable and De-centralized Battery Management System for Parallel Operation of Multiple Battery Packs,” in *2021 Innovations in Energy Management and Renewable Resources, IEMRE 2021*, Institute of Electrical and Electronics Engineers Inc., Feb. 2021. doi: 10.1109/IEMRE52042.2021.9386861.
- [15] D. Rosewater and A. Williams, “Analyzing system safety in lithium-ion grid energy storage,” *J Power Sources*, vol. 300, pp. 460–471, Dec. 2015, doi: 10.1016/j.jpowsour.2015.09.068.
- [16] M. S. Ramkumar *et al.*, “Review on Li-Ion Battery with Battery Management System in Electrical Vehicle,” 2022, *Hindawi Limited*. doi: 10.1155/2022/3379574.
- [17] W. Liu, S. Niu, H. Xu, and X. Li, “A new method to plan the capacity and location of battery swapping station for electric vehicle considering demand side management,” *Sustainability (Switzerland)*, vol. 8, no. 6, Jun. 2016, doi: 10.3390/su8060557.
- [18] I. Kadek Adyana Putra, I. Nyoman Satya Kumara, and I. G. A Putu Raka Agung, “Rancang Bangun Sistem Monitoring Tegangan, Arus, Dan Kecepatan Mobil Listrik Agnijaya Weimana,” 2023. 10(4), 205.
- [19] J. A. Zamora, E. Aguilera, and E. Soto, “Characterization of a capacitive voltage divider,” *Electric Power Systems Research*, vol. 223, Oct. 2023, doi: 10.1016/j.epsr.2023.109635.
- [20] E. M. Leny and S. I. Haryudo, “Sistem Current Limiter dan Monitoring Arus serta Tegangan Menggunakan SMS untuk Proteksi pada Beban Rumah Tangga.” [Online]. Available: www.allegromicro.com
- [21] W. Arsa, S. Politeknik, N. Denpasar, A. Surya, and A. Politeknik, “Analisis Sensor Arus Invasive ACS712 dan Sensor Arus Non Invasive SCT013 Berbasis Arduino,” 2021.
- [22] H. Wu, S. Yuan, X. Zhang, C. Yin, and X. Ma, “Model parameter estimation approach based on incremental analysis for lithium-ion batteries without using open circuit voltage,” *J Power Sources*, vol. 287, pp. 108–118, Aug. 2015, doi: 10.1016/j.jpowsour.2015.04.037.
- [23] H. Wu, S. Yuan, X. Zhang, C. Yin, and X. Ma, “Model parameter estimation approach based on incremental analysis for lithium-ion batteries without using open circuit voltage,” *J Power Sources*, vol. 287, pp. 108–118, Aug. 2015, doi: 10.1016/j.jpowsour.2015.04.037.



- [24] H. He, R. Xiong, and J. Fan, "Evaluation of lithium-ion battery equivalent circuit models for state of charge estimation by an experimental approach," *Energies (Basel)*, vol. 4, no. 4, pp. 582–598, 2011, doi: 10.3390/en4040582.
- [25] K. Anwar, N. Sinaga, and B. Yuniarto, "Perancangan Dan Pembuatan Sistem Akuisisi Data Pada Eddy Current Dynamometer Berbasis Esp32 Dan Intellij Idea Untuk Sepeda Motor," 2022.
- [26] E. S. B. Santosa and S. Waluyanti, "Teaching Microcontrollers using Arduino Nano Based Quadcopter," in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Dec. 2019. doi: 10.1088/1742-6596/1413/1/012003.
- [27] N. Huda, M. Setio Wati, A. Setiawan, H. S. Pramono, and P. T. Elektro, "Smart Rearview Sebagai Proteksi Helm Guna Mencegah Maraknya Pencurian." [Online]. Available: <http://journal.uny.ac.id/index.php/jee/>
- [28] D. Lattanzi, M. Pagliarini, F. Rebecchi, F. Frontalini, and P. Ambrogini, "Developing and testing an Arduino-based microcurrent stimulator to mimic marine electric pollution on benthos," *Heliyon*, vol. 10, no. 1, Jan. 2024, doi: 10.1016/j.heliyon.2023.e23281.
- [29] A. Kurniawan, "Alat Bantu Jalan Sensorik bagi Tunanetra," *INKLUSI*, vol. 6, no. 2, p. 285, Nov. 2019, doi: 10.14421/ijds.060205.
- [30] S. Desai and Y. Bhatshvar, "Development of unified diagnostic services on CAN using MATLAB and Arduino," *Mater Today Proc*, vol. 72, pp. 1935–1942, Jan. 2023, doi: 10.1016/j.matpr.2022.10.157.
- [31] K. Dimitriadis, "A Data Acquisition and Monitoring Platform for Diesel Engines based on the CAN-bus Protocol," 2020.

