

DAFTAR PUSTAKA

- Adeleye, O. O., Awodiran, S. T., Ajayi, A. O., & Ogunmoyela, T. F. (2020). Effect of high-temperature, short-time cooking conditions on in vitro protein digestibility, enzyme inhibitor activity and amino acid profile of selected legume grains. *Heliyon*, 6(11), e05419. <https://doi.org/10.1016/J.HELIYON.2020.E05419>
- Akhtar, J., Malik, S., & Alam, M. A. (2015). Extrusion Technology used for novel Foods Production 1. © 2015 *IJEDR* |, 3(3). www.ijedr.org
- Alam, M. S., Kaur, J., Khaira, H., & Gupta, K. (2016). Extrusion and Extruded Products: Changes in Quality Attributes as Affected by Extrusion Process Parameters: A Review. *Critical Reviews in Food Science and Nutrition*, 56(3), 445–473. <https://doi.org/10.1080/10408398.2013.779568>
- Altan, A., & Maskan, M. (2011). Development of Extruded Foods by Utilizing Food Industry By-Products. In *Contemporary Food Engineering* (pp. 121–168).
- ANSI/ASAE. (2006). *Method of Determining and Expressing Fineness of Feed Materials by Sieving*. ASABE American Society of Agricultural and Biological Engineers.
- Badan Standardisasi Nasional. (2015). *SNI 2886:2015 Makanan Ringan Ekstrudat*. www.bsn.go.id
- Badan Standardisasi Nasional. (2015). *Badan Standardisasi Nasional Makanan Ringan Ekstrudat*. www.bsn.go.id
- Barbosa-Cánovas, G. V., Fontana, A. J., Schmidt, S. J., Labuza, T. P., & Bell, L. N. (2020). *Water Activity in Foods: Fundamentals and Applications* (Second). John Wiley & Sons, Inc.
- Beakawi Al-Hashemi, H. M., & Baghabra Al-Amoudi, O. S. (2018). A review on the angle of repose of granular materials. *Powder Technology*, 330, 397–417. <https://doi.org/10.1016/j.powtec.2018.02.003>
- Ben, E. S., Zulianis, & Halim, A. (2007). Studi awal pemisahan amilosa dan amilopektin pati singkong dengan fraksinasi butanol-air. *Jurnal Sains Dan Teknologi Farmasi*, 12(1), 1–11.
- Berk, Z. (2009). *FOOD PROCESS ENGINEERING AND TECHNOLOGY* (1st ed.). Academic Press.
- Berrios, J. D. J., Morales, P., Cámara, M., & Sánchez-Mata, M. C. (2010). Carbohydrate composition of raw and extruded pulse flours. *Food Research International*, 43(2), 531–536. <https://doi.org/10.1016/J.FOODRES.2009.09.035>
- Berrios, J. D. J., Wood, D. F., Whitehand, L., & Pan, J. (2004). Sodium bicarbonate and the microstructure, expansion and color of extruded black beans. *Journal of Food Processing and Preservation*, 28(5), 321–335. <https://doi.org/10.1111/J.1745-4549.2004.24008.X>
- Bisharat, G. I., Oikonomopoulou, V. P., Panagiotou, N. M., Krokida, M. K., & Maroulis, Z. B. (2013). Effect of extrusion conditions on the structural properties of corn extrudates enriched with dehydrated vegetables. *Food Research International*, 53(1), 1–14. <https://doi.org/10.1016/j.foodres.2013.03.043>

- Bobade, H., & Sharma, S. (2017). Effect of extrusion on colour characteristics of honey enriched whole grain cereal flour extrudates. *INTERNATIONAL JOURNAL OF AGRICULTURAL ENGINEERING*, 10(1), 37–42. <https://doi.org/10.15740/HAS/IJAE/10.1/37-42>
- Brennan, M. A., Derbyshire, E., Tiwari, B. K., & Brennan, C. S. (2013). Ready-to-eat snack products: the role of extrusion technology in developing consumer acceptable and nutritious snacks. *International Journal of Food Science & Technology*, 48(5), 893–902. <https://doi.org/10.1111/IJFS.12055>
- Brnčić, M., Bosiljkov, T., Ukrainczyk, M., Tripalo, B., Brnčić, S. R., Karlović, S., Karlović, D., Ježek, D., & Topić, D. V. (2011). Influence of Whey Protein Addition and Feed Moisture Content on Chosen Physicochemical Properties of Directly Expanded Corn Extrudates. *Food and Bioprocess Technology*, 4(7), 1296–1306. <https://doi.org/10.1007/S11947-009-0273-0>
- Budijanto, S., Sitanggang, A. B., Murdiati, W., Ilmu, D., Pangan, T., Pertanian, T., & Pertanian Bogor, I. (2011). Karakterisasi sifat fisiko-kimia dan fungsional isolat protein biji kecipir (*Psophocarpus tetragonolobus* L.) [Characterization of Physicochemical and Functional Properties of Winged-Bean (*Psophocarpus tetragonolobus* L.) Protein Isolate]. In *Hasil Penelitian J.Tekno. dan Industri Pangan: Vol. XXII* (Issue 2).
- Chandresh S, & Priya S. (2020). Extrusion Cooking Technology in Food Processing-An Overview. *International Research Journal of Engineering and Technology*. www.irjet.net
- Chanvrier, H., Jakubczyk, E., Gondek, E., & Gumy, J.-C. (2014). Insights into the texture of extruded cereals: Structure and acoustic properties. *Innovative Food Science & Emerging Technologies*, 24, 61–68. <https://doi.org/10.1016/j.ifset.2013.11.013>
- Charunuch, C., Limsangouan, N., Prasert, W., & Butsuwan, P. (2011). Optimization of Extrusion Conditions for Functional Ready-to-Eat Breakfast Cereal. *Food Sci. Technol. Res*, 17(5), 415–422.
- Chinnaswamy R., & Hanna, M. A. (1988). Optimum Extrusion-Cooking Conditions for Maximum Expansion of Corn Starch. *Journal of Food Science*, 53(3), 834–836. <https://doi.org/10.1111/j.1365-2621.1988.tb08965.x>
- Chinnaswamy, R., & Hanna, M. A. (1990). Relationship between viscosity and expansion properties of variously extrusion-cooked corn grain components. *Topics in Catalysis*, 3(6), 423–434. [https://doi.org/10.1016/S0268-005X\(09\)80220-8](https://doi.org/10.1016/S0268-005X(09)80220-8)
- Choton, S., Gupta, N., Bandral, J. D., Anjum, N., & Choudary, A. (2020). Extrusion technology and its application in food processing: A review. *The Pharma Innovation*, 9(2), 162–168. <https://doi.org/10.22271/tpi.2020.v9.i2d.4367>
- Costa, C., Antonucci, F., Pallottino, F., Aguzzi, J., Sun, D.-W., & Menesatti, P. (2011). Shape Analysis of Agricultural Products: A Review of Recent Research Advances and Potential Application to Computer Vision. *Food and Bioprocess Technology*, 4(5), 673–692. <https://doi.org/10.1007/s11947-011-0556-0>
- Dalbhat, C. G., Mahato, D. K., & Mishra, H. N. (2019). Effect of extrusion processing on physicochemical, functional and nutritional characteristics of

- rice and rice-based products: A review. *Trends in Food Science & Technology*, 85, 226–240. <https://doi.org/10.1016/j.tifs.2019.01.001>
- Departemen Pertanian. (1990). *Teknologi Budidaya Sorgum*.
- Ding, Q. B., Ainsworth, P., Plunkett, A., Tucker, G., & Marson, H. (2006). The effect of extrusion conditions on the functional and physical properties of wheat-based expanded snacks. *Journal of Food Engineering*, 73(2), 142–148. <https://doi.org/10.1016/J.JFOODENG.2005.01.013>
- Dumchaiyapoom, K., Hannanta-anan, P., & Phongpipatpong, M. (2019). Effect of extrusion conditions on the physical properties of coconut rice-based extrudates. *IOP Conference Series: Earth and Environmental Science*, 301(1), 012056. <https://doi.org/10.1088/1755-1315/301/1/012056>
- Dushkova, M., Simitchiev, A., Petrova, T., Menkov, N., Desseva, I., & Mihaylova, D. (2023). Physical and Functional Characteristics of Extrudates Prepared from Quinoa Enriched with Goji Berry. *Applied Sciences (Switzerland)*, 13(6). <https://doi.org/10.3390/app13063503>
- Ek, P., Baner, J. M., & Ganjyal, G. M. (2020). Extrusion processing of cereal grains, tubers, and seeds. *Extrusion Cooking*, 225–263. <https://doi.org/10.1016/B978-0-12-815360-4.00008-0>
- Emin, M. A. (2016). Extrusion. *Reference Module in Food Science*. <https://doi.org/10.1016/B978-0-08-100596-5.03413-2>
- Falcone, R. G., & Phillips, R. D. (1988). Effects of Feed Composition, Feed Moisture, and Barrel Temperature on the Physical and Rheological Properties of Snack-like Products Prepared from Cowpea and Sorghum Flours by Extrusion. *Journal of Food Science*, 53(5), 1464–1469. <https://doi.org/10.1111/j.1365-2621.1988.tb09300.x>
- Farid Salahudin, & Syamsixman. (2010). Pengaruh Bahan Pengisi Terhadap Mutu Snack Food Ekstrudat dari Padatan Kedelai Industri Tahu. *Biopropal Industri*, 01(02), 18–23.
- Fellows, P. (2000). *Food Processing Technology: Principles and Practice* (Second Edition). Woodhead Publishing Limited.
- Fletcher, S. I., Richmond, P., & Smith, A. C. (1985). An Experimental Study of Twin-Screw Extrusion-Cooking of Maize Grits. In *Journal of Food Engineering* (Vol. 4).
- Gat, Y., & Ananthanarayan, L. (2015). Effect of extrusion process parameters and pregelatinized rice flour on physicochemical properties of ready-to-eat expanded snacks. *Journal of Food Science and Technology*, 52(5), 2634. <https://doi.org/10.1007/S13197-014-1378-7>
- Giannini, A. N., Krokida, M. K., & Bisharat, G. I. (2013). Structural Properties of Corn-Based Extrudates Enriched with Plant Fibers. *International Journal of Food Properties*, 16(3), 667–683. <https://doi.org/10.1080/10942912.2011.565536>
- Gu, B.-J., & Kowalski, R. J. (2017). *Food Extrusion Processing: An Overview Summary*.
- Gui, Y., Gil, S. K., & Ryu, G. H. (2012). Effects of Extrusion Conditions on the Physicochemical Properties of Extruded Red Ginseng. *Preventive Nutrition and Food Science*, 17(3), 203. <https://doi.org/10.3746/PNF.2012.17.3.203>

- Gultom, S. S. T., Ambarita, H., Gultom, M. S., & Napitupulu, F. H. (2019). Rancang Bangun dan Pengujian Pengering Biji Kopi Tenaga Listrik dengan Pemanfaatan Energi Surya. *Jurnal Dinamis*, 7(4).
- Gunawan, S., Sijid, S. A., & Hafsan. (2017). Sorgum untuk Indonesia Swasembada Pangan (Sebuah Review). *Prosiding Seminar Nasional Biology for Life*, 49–54.
- Guy, R. (2001). *Extrusion Cooking: Technologies and Applications*. CRC Press.
- Guy, R. C. E. (1994). Raw materials for extrusion cooking processes. *The Technology of Extrusion Cooking*, 52–72. https://doi.org/10.1007/978-1-4615-2135-8_2
- Hagerman, A. E., Riedl, K. M., Jones, G. A., Sovik, K. N., Ritchard, N. T., & Hartzfeld, P. W. (1998). High molecular weight plant polyphenolics (tannins) as biological antioxidants. *J Agr. Food. Chem.*, 1887–1892.
- Hakim, A. R., Handoyo, W. T., Fauzi, A., & Sarwono, W. (2020). Desain dan Kinerja Mesin Ekstruder Twin Screw untuk Pembuatan Pakan Ikan Terapung. *Jurnal Keteknikaan Pertanian*, 7(2), 129–136. <https://doi.org/10.19028/jtep.07.2.129-136>
- Hashemi, N., Mortazavi, S. A., Milani, E., & Tabatabai Yazdi, F. (2017). Microstructural and textural properties of puffed snack prepared from partially deffated almond powder and corn flour. *Journal of Food Processing and Preservation*, 41(5). <https://doi.org/10.1111/jfpp.13210>
- Hegde, S. R., Thangalakshmi, S., & Singh, R. (2023). A review of gluten and sorghum as a gluten free substitute. *Trends in Horticulture*, 6(2), 2840. <https://doi.org/10.24294/th.v6i2.2840>
- Humas Badan Riset dan Inovasi Nasional (BRIN). (2023). *Hasil Riset BRIN Ungkap Alasan Produksi Sorgum Menurun*. <https://www.brin.go.id/news/117057/Hasil-Riset-Brin-Ungkap-Alasan-Produksi-Sorgum-Menurun>.
- Hustiany, R. (2016). *Reaksi Maillard Pembentuk Citarasa dan Warna Pada Produk Pangan*. Lambung Mangkurat University Press.
- Jafari, M., Koocheki, A., & Milani, E. (2017). Effect of extrusion cooking of sorghum flour on rheology, morphology and heating rate of sorghum–wheat composite dough. *Journal of Cereal Science*, 77, 49–57. <https://doi.org/10.1016/j.jcs.2017.07.011>
- Jerwanska, E., Alderborn, G., Newton, J. M., & Nyström, C. (1995). The effect of water content on the porosity and liquid saturation of extruded cylinders. *International Journal of Pharmaceutics*, 121, 65–71.
- Juniar, E., Jurusan Teknologi Hasil Pertanian, L., & Pertanian Universitas Sriwijaya Sumatera Selatan, F. (2021). Estimasi ketidakpastian pengukuran pada metode analisa proksimat di Laboratorium Kimia Hasil Pertanian Universitas Sriwijaya. *Jurnal Penelitian Sains*, 23(2), 61–66. <http://ejurnal.mipa.unsri.ac.id/index.php/jps/index>
- Kalman, H. (2021). Effect of moisture content on flowability: Angle of repose, tilting angle, and Hausner ratio. *Powder Technology*, 393, 582–596. <https://doi.org/10.1016/j.powtec.2021.08.010>

- Kannadhasan, S., & Muthukumarappan, K. (2010). Effect of Starch Sources on Properties of Extrudates Containing DDGS. *International Journal of Food Properties*, 13(5), 1012–1034. <https://doi.org/10.1080/10942910902937416>
- Kantrong, H., Charunuch, C., Limsangouan, N., & Pengpinit, W. (2018). Influence of process parameters on physical properties and specific mechanical energy of healthy mushroom-rice snacks and optimization of extrusion process parameters using response surface methodology. *Journal of Food Science and Technology*, 55(9), 3462–3472. <https://doi.org/10.1007/s13197-018-3271-2>
- Kaur, A., Kaur, S., Singh, M., Singh, N., Shevkani, K., & Singh, B. (2015). Effect of banana flour, screw speed and temperature on extrusion behaviour of corn extrudates. *Journal of Food Science and Technology*, 52(7), 4276–4285. <https://doi.org/10.1007/s13197-014-1524-2>
- Kaur, J., Singh, B., Dhull, S. B., Singh, A., & Purewal, S. S. (2023). Sorghum and Chickpea Based Ready-to-Eat Extrudate Flakes: Quality Attributes and In Vitro Digestibility. *Journal of Food Processing and Preservation*, 2023, 1–12. <https://doi.org/10.1155/2023/3081826>
- Kaur, J., Singh, B., & Singh, A. (2023). Sorghum–mung bean combination snacks: Effect of extrusion temperature and moisture on chemical, functional, and nutritional characteristics. *Legume Science*, 5(3). <https://doi.org/10.1002/leg3.186>
- Kharat, S., Medina-Meza, I. G., Kowalski, R. J., Hosamani, A., Ramachandra, C. T., Hiregoudar, S., & Ganjyal, G. M. (2019). Extrusion processing characteristics of whole grain flours of select major millets (foxtail, finger, and pearl). *Food and Bioprocess Processing*, 114, 60–71. <https://doi.org/10.1016/j.fbp.2018.07.002>
- Kirby, A. R., Ollett, A.-L., Parker, R., & Smith, A. C. (1988). An Experimental Study of Screw Configuration Effects in the Twin-Screw Extrusion-Cooking of Maize Grits. In *Journal of Food Engineering* (Vol. 8).
- Košutić, M., Djalović, I., Filipović, J., Jakšić, S., Filipović, V., Nićetin, M., & Lončar, B. (2023). The Development of Novel Functional Corn Flakes Produced from Different Types of Maize (*Zea mays* L.). *Foods*, 12(23). <https://doi.org/10.3390/FOODS12234257>
- Koten, B. B., Djoko Soetrisno, R., Ngadiyono, N., Suwignyo, D. B., Peternakan, J., Pertanian, P., Kupang, N., Adisucipto, J., & Kupang, P. (2012). *Produksi Tanaman Sorgum (Sorghum bicolor (L.) Moench) Varietas Lokal Rote Sebagai Hijauan Pakan Ruminansia pada Umur Panen dan Dosis Pupuk Urea yang Berbeda*. 36(3), 150–155.
- Kumar, N., Sarkar, B. C., & Sharma, H. K. (2010). Development and characterization of extruded product using carrot pomace and rice flour. *International Journal of Food Engineering*, 6(3). <https://doi.org/10.2202/1556-3758.1824/MACHINEREADABLECITATION/RIS>
- Kurniadi, M., Andriani, M., Faturohman, F., & Damayanti, E. (2013). Karakteristik Fisikokimia Tepung Biji Sorghum (*Sorghum bicolor* L.) Terfermentasi Bakteri Asam Laktat *Lactobacillus acidophilus*. *AGRITSECH*, 33(3), 288–295.

- Mahdi Hassan, S. (2023). Nutritional, Functional and Bioactive Properties of Sorghum (*Sorghum Bicolor* L. Moench) with its Future Outlooks: A Review Article. *Open Journal of Nutrition and Food Sciences*, 5, 1030.
- Martens, B. M. J., Gerrits, W. J. J., Bruininx, E. M. A. M., & Schols, H. A. (2018). Amylopectin structure and crystallinity explains variation in digestion kinetics of starches across botanic sources in an in vitro pig model. *Journal of Animal Science and Biotechnology*, 9(1), 1–13. <https://doi.org/10.1186/S40104-018-0303-8/FIGURES/7>
- Maskan, M., & Altan, A. (2016). Advances in Food Extrusion Technology. *Advances in Food Extrusion Technology*. <https://doi.org/10.1201/B11286>
- Mehta, A., & Barker, G. C. (1994). The dynamics of sand. *Reports on Progress in Physics*, 57(4), 383–416. <https://doi.org/10.1088/0034-4885/57/4/002>
- Mohamed, I. O. (2023). Interaction of starch with some food macromolecules during the extrusion process and its effect on modulating physicochemical and digestible properties. A review. In *Carbohydrate Polymer Technologies and Applications* (Vol. 5). Elsevier Ltd. <https://doi.org/10.1016/j.carpta.2023.100294>
- Mohammed, I., Forsido, S. F., & Kuyu, C. G. (2023). Optimization of barrel temperature and feed moisture content on physio-chemical and sensory properties of extruded snacks from . *Research Square*, 1(1), 1–16.
- Moscicki, L. (2011). *Extrusion-Cooking Techniques*. Wiley-VCH. www.wiley-vch.de
- Nahemiah, D., Nkama, I., Bada, M. H., Gbenyi, D. I., Idakwo, P. Y., Ndindeng, S. A., & Moreira, J. (2017). Multiple Parameter Optimization of Hydration Characteristics and Proximate Compositions of Rice-Soybean Extruded Foods. *OALib*, 04(02), 1–22. <https://doi.org/10.4236/oalib.1102930>
- Nayak, B., Berrios, J. D. J., Powers, J. R., & Tang, J. (2011). Effect of Extrusion on the Antioxidant Capacity and Color Attributes of Expanded Extrudates Prepared from Purple Potato and Yellow Pea Flour Mixes. *Journal of Food Science*, 76(6). <https://doi.org/10.1111/j.1750-3841.2011.02279.x>
- Offiah, V., Kontogiorgos, V., & Falade, K. O. (2019). Extrusion processing of raw food materials and by-products: A review. In *Critical Reviews in Food Science and Nutrition* (Vol. 59, Issue 18, pp. 2979–2998). Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2018.1480007>
- Oke, M. O., Awonorin, S. O., Sanni, L. O., Asiedu, R., & Aiyedun, P. O. (2013). Effect Of Extrusion Variables On Extrudates Properties Of Water Yam Flour - A Response Surface Analysis. *Journal of Food Processing and Preservation*, 37(5), 456–473. <https://doi.org/10.1111/j.1745-4549.2011.00661.x>
- Oliveira, D. P. L., Soares Júnior, M. S., Bento, J. A. C., dos Santos, I. G., & Ferreira, T. A. P. de C. (2021). Influence of extrusion conditions on the physical and nutritional properties of snacks from maize and pearl millet. *Journal of Food Processing and Preservation*, 45(3). <https://doi.org/10.1111/jfpp.15215>
- Pansawat, N., Jangchud, K., Jangchud, A., Wuttijumnong, P., Saalia, F. K., Eitenmiller, R. R., & Phillips, R. D. (2008). Effects of extrusion conditions on secondary extrusion variables and physical properties of fish, rice-based

- snacks. *LWT - Food Science and Technology*, 41(4), 632–641. <https://doi.org/10.1016/J.LWT.2007.05.010>
- Pardhi, S. D., Singh, B., Nayik, G. A., & Dar, B. N. (2019). Evaluation of functional properties of extruded snacks developed from brown rice *grits* by using response surface methodology. *Journal of the Saudi Society of Agricultural Sciences*, 18(1), 7–16. <https://doi.org/10.1016/j.jssas.2016.11.006>
- Pathare, P. B., Opara, U. L., & Al-Said, F. A.-J. (2013). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, 6(1), 36–60. <https://doi.org/10.1007/s11947-012-0867-9>
- Patil, R. T., De Berrios, J. J., Tang, J., Pan, J., & Swanson, B. (2005a). Physical characteristics of food extrudates - a review. *2005 ASAE Annual International Meeting*. <https://doi.org/10.13031/2013.19680>
- Patil, R. T., De Berrios, J. J., Tang, J., Pan, J., & Swanson, B. (2005b). Physical characteristics of food extrudates - a review. *2005 ASAE Annual International Meeting*. <https://doi.org/10.13031/2013.19680>
- Pezzali, J. G., Suprabha-Raj, A., Siliveru, K., & Aldrich, C. G. (2020). Characterization of white and red sorghum flour and their potential use for production of extrudate crisps. *PLoS ONE*, 15(6 June). <https://doi.org/10.1371/journal.pone.0234940>
- Reddy, B. V. S., Stenhouse, J. W., & Rattunde, H. F. W. (1995). Sorghum grain quality improvement for food, feed and industrial uses. *Edisi Khusus Balai Penelitian Tanaman Kacang-Kacangan Dan Umbi-Umbian*, 4, 39–52.
- Rolandelli, G., García-Navarro, Y. T., García-Pinilla, S., Farroni, A. E., Gutiérrez-López, G. F., & Buera, M. del P. (2020). Microstructural characteristics and physical properties of corn-based extrudates affected by the addition of millet, sorghum, quinoa and canary seed flour. *Food Structure*, 25. <https://doi.org/10.1016/j.foostr.2020.100140>
- Ruiz-Ruiz, J., Martínez-Ayala, A., Drago, S., González, R., Betancur-Ancona, D., & Chel-Guerrero, L. (2008). Extrusion of a hard-to-cook bean (*Phaseolus vulgaris* L.) and quality protein maize (*Zea mays* L.) flour blend. *LWT*, 41(10), 1799–1807. <https://doi.org/10.1016/j.lwt.2008.01.005>
- Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1), 100072. <https://doi.org/10.1016/j.afres.2022.100072>
- Sarifudin, A., & Assiry, A. M. (2014). Some physicochemical properties of dextrin produced by extrusion process. *Journal of the Saudi Society of Agricultural Sciences*, 13(2), 100–106. <https://doi.org/10.1016/J.JSSAS.2013.02.001>
- Senanayake, S. A. M. A. N. S., & Clarke, B. (1999). A simplified twin screw co-rotating food extruder: design, fabrication and testing. *Journal of Food Engineering*, 129–137. https://www.academia.edu/30753863/A_simplified_twin_screw_co_rotating_food_extruder_design_fabrication_and_testing
- Seth, D., Badwaik, L. S., & Ganapathy, V. (2015a). Effect of feed composition, moisture content and extrusion temperature on extrudate characteristics of

- yam-corn-rice based snack food. *Journal of Food Science and Technology*, 52(3), 1830. <https://doi.org/10.1007/S13197-013-1181-X>
- Seth, D., Badwaik, L. S., & Ganapathy, V. (2015b). Effect of feed composition, moisture content and extrusion temperature on extrudate characteristics of yam-corn-rice based snack food. *Journal of Food Science and Technology*, 52(3), 1830–1838. <https://doi.org/10.1007/s13197-013-1181-x>
- Shan, S., Sulaiman, R., Sanny, M., & Hanani, N. (2015). Effect of extrusion barrel temperatures on residence time and physical properties of various flour extrudates. *Article in International Food Research Journal*, 22(3), 965–972. <https://www.researchgate.net/publication/279297953>
- Sharifi, S., Majzoobi, M., & Farahnaky, A. (2021). Effects of particle size and moisture content of maize grits on physical properties of expanded snacks. *Journal of Texture Studies*, 52(1), 110–123. <https://doi.org/10.1111/jtxs.12565>
- Shelar, G. A., & Gaikwad, S. T. (2019). Extrusion in food processing: An overview. *The Pharma Innovation Journal*, 562(2), 562–568. www.thepharmajournal.com
- Singh, R. P., & Heldman, D. R. (2009). *Introduction to Food Engineering, Fourth Edition* (Fourth).
- Singha, P., Singh, S. K., Muthukumarappan, K., & Krishnan, P. (2018a). Physicochemical and nutritional properties of extrudates from food grade distiller's dried grains, garbanzo flour, and corn grits. *Food Science and Nutrition*, 6(7), 1914–1926. <https://doi.org/10.1002/FSN3.769>
- Singha, P., Singh, S. K., Muthukumarappan, K., & Krishnan, P. (2018b). Physicochemical and nutritional properties of extrudates from food grade distiller's dried grains, garbanzo flour, and corn grits. *Food Science & Nutrition*, 6(7), 1914–1926. <https://doi.org/10.1002/FSN3.769>
- Singha, P., Singh, S. K., Muthukumarappan, K., & Krishnan, P. (2018c). Physicochemical and nutritional properties of extrudates from food grade distiller's dried grains, garbanzo flour, and corn grits. *Food Science and Nutrition*, 6(7), 1914–1926. <https://doi.org/10.1002/FSN3.769>
- Stojceska, V., Ainsworth, P., Plunkett, A., İbanoğlu, E., & İbanoğlu, Ş. (2008). Cauliflower by-products as a new source of dietary fibre, antioxidants and proteins in cereal based ready-to-eat expanded snacks. *Journal of Food Engineering*, 87(4), 554–563. <https://doi.org/10.1016/j.jfoodeng.2008.01.009>
- Suarni, Firmansyah, I., & Aqil, M. (2013). Keragaman Mutu Pati Beberapa Varietas Jagung. *Penelitian Pertanian Tanaman Pangan*, 32(1), 50–56.
- Suarni, & Yasin, M. (2011). Jagung sebagai sumber pangan fungsional. *Iptek Tanaman Pangan*, 6, 41–56.
- Supriyatna, N. (2012). Produksi dekstrin dari ubi jalar asal Pontianak secara enzimatis (Dextrin Production by Enzymatic Process from Various Sweet Potatoes in Pontianak). *Biopropal Industri*, 3(2), 51–56.
- Teba, C. da S., Silva, E. M. M. da, Chávez, D. W. H., Carvalho, C. W. P. de, & Ascheri, J. L. R. (2017). Effects of whey protein concentrate, feed moisture and temperature on the physicochemical characteristics of a rice-based extruded flour. *Food Chemistry*, 228, 287–296. <https://doi.org/10.1016/j.foodchem.2017.01.145>

- Tsagareishvili, D., Sesikashvili, O., Dadunashvili, G., Sakhanberidze, N., & Tsagareishvili, S. (2019a). The influence of the moisture content of raw materials on the structuring of the extrudates. *Potravinarstvo Slovak Journal of Food Sciences*, 13(1), 898–905. <https://doi.org/10.5219/1189>
- Tsagareishvili, D., Sesikashvili, O., Dadunashvili, G., Sakhanberidze, N., & Tsagareishvili, S. (2019b). The influence of the moisture content of raw materials on the structuring of the extrudates. *Potravinarstvo Slovak Journal of Food Sciences*, 13(1), 898–905. <https://doi.org/10.5219/1189>
- Tumwine, G., & Asiimwe, A. (2019). Effect of barrel temperature and blending ratio on the sensory and physical properties of cassava-extruded snacks. *Cogent Food and Agriculture*, 5(1). <https://doi.org/10.1080/23311932.2019.1633795>
- Varsha, K., & Mohan, S. (2016). Extruded Product Quality Assessment Indices: A Review. *International Journal of Agriculture Sciences*, 8, 2928–2934. <http://www.bioinfopublication.org/jouarchive.php?opt=&jouid=BPJ0000217>
- Wahyu Pratama, I. (2018). Sistem Pendukung Keputusan Evaluasi Kinerja Dosen dengan Metode Technique for Order Similiarity to Ideal Solution (TOPSIS) & Preference Ranking Organization for Evaluation (PROMETHEE). *Jurnal Cendikia*, 15, 35–42.
- Wang, Y. Y., & Ryu, G. H. (2013). Physicochemical and antioxidant properties of extruded corn grits with corn fiber by CO₂ injection extrusion process. *Journal of Cereal Science*, 58(1), 110–116. <https://doi.org/10.1016/J.JCS.2013.03.013>
- Wardhana, A. M., Fauzi, M. I., Hendarti, R. P., & Arini, G. K. (2022). Peranan Diversifikasi Pangan dalam Menghadapi Krisis Pangan Dunia di Indonesia. *Prosiding Seminar Nasional BSKJI “Post Pandemic Economy Recovery”*, 20–29.
- Winarti, C., Widaningrum, Widayanti, S. M., Setyawan, N., Qanytah, Juniawati, Suryana, E. A., & Widowati, S. (2023). Nutrient Composition of Indonesian Specialty Cereals: Rice, Corn, and Sorghum as Alternatives to Combat Malnutrition. *Preventive Nutrition and Food Science*, 28(4), 471–482. <https://doi.org/10.3746/pnf.2023.28.4.471>
- Włodarczyk-Stasiak, M., Mazurek, A., Pankiewicz, U., Sujka, M., & Jamroz, J. (2014). Porosity of starch–proteins extrudates determined from nitrogen adsorption data. *Food Hydrocolloids*, 36, 308–315. <https://doi.org/10.1016/j.foodhyd.2013.10.001>
- Zambrano, Y., Contardo, I., Moreno, M. C., & Bouchon, P. (2022). Effect of Extrusion Temperature and Feed Moisture Content on the Microstructural Properties of Rice-Flour Pellets and Their Impact on the Expanded Product. *Foods*, 11(2), 198. <https://doi.org/10.3390/foods11020198>