

## DAFTAR PUSTAKA

- Amaral, M. K., S. P. Netto, C. Lingnau & A. F. Filho. 2015. Evaluation of the morista index for determination of the spatial distribution of species in a fragment of araucaria forest. *Applied ecology and environmental research* 13 (2): 361-372.
- Andriolo, A., F. P. Rodrigues, A. Zerbini & J. Barrio. 2010. Neotropical cervidology: biology and medicine of latin american deer. Chapter 30. 1<sup>st</sup> ed. Funep, Brazil.
- Asmara, D. T., R. H. Murti, A. Wijonarko & E. N. Afifah. Evaluation of resistant tea (*camellia sinensis* L.) clones against *helopeltis bradyi*. *Agrivita* 43(3): 518-525.
- Barrion, A. T. & J. A. Litsinger. 1995. *Riceland spiders of south and southeast asia*. 1st ed. pp. 326-328. University press, Cambridge.
- Basnet, K. & A. Mukhopadhyay. 2014. Biocontrol potential of the lynx spider *oxyopes javanus* (araneae: oxyopidae) against the tea mosquito bug, *helopeltis theivora* (heteroptera: miridae). *International journal of tropical insect science* 34(04): 232-238.
- Begon, M., M. Mortimer & D. J. Thompson. 1996. *Population ecology: a unified study of animals and plants*. 3<sup>rd</sup> ed. Blackwell science, London.
- Das, S., S. Roy & A. Mukhopadhyay. 2010. Diversity of arthropod natural enemies in the tea plantations of north bengal with emphasis on their association with tea pests. *Current science* 99(10): 1457-1463.
- Diatnika, K., I. W. Laba & W. R. Atmadja. 1998. Laju pertumbuhan intrinsik *helopeltis antonii* sign. pada buah mentimun sebagai pakan alternatif. *Jurnal litri* 4(4): 115-118.
- FAO. 2022. *Handbook on the integrated crop management of rice and paddy for farmer field schools in central dry zone of myanmar*. FAO, Nay pyi taw.
- Fitri, S. & Helma. 2019. Analisis faktor-faktor yang berpengaruh terhadap produksi kakao menggunakan regresi linear berganda di kenagarian petok selatan, kecamatan panti, kabupaten pasaman. *Journal of mathematics unp* 4(2):64-69.
- Gunaedi, N., R. Gaswanto, A. W. Wulandari & E. Korlina. 2023. Pengaruh ekstrak tanaman dan predator terhadap pengendalian organisme hama dan penyakit utama pada tanaman cabai. *Gunung djati conference series* 18: 185-193.
- Hasan, M. N., G. Mudjiono, R. Rachmawati. 2021. Dinamika populasi wereng batang coklat *nilaparvata lugens* stal (hemiptera:delphacidae) dan predator generalis pada pertanaman padi pasca penerapan rekayasa ekosistem. *Jurnal hpt* 9(2): 48-56.
- Hassell, M. P. & R. M. My. 1974. Aggregation of predators and insect parasites and its effect on stability. *Journal of animal ecology* 43(2): 567-594.
- Heddy S., S. B. Soemitro, S. Soekartomo. 1986. 1<sup>st</sup> ed. *Pengantar Ekologi*. Cv. Rajawali, Jakarta.
- Holling, C. S. 1959. Some characteristics of simple types of predation and parasitism. *Canadian entomologist* 91: 159-181.
- Indriati, G., Samsudin & W. Amaria. 2015. Potensi *lecanicillium lecanii* untuk pengendalian *helopeltis antonii* pada tanaman teh. *Jurnal teknologi industri pertanian* 2(2): 99-10.
- Jakkoksung, A., K. Attasopa, C. Chiu & Y. Chanbang. 2023. Life cycle and damage patterns of tea mosquito bug (*helopeltis theivora* waterhouse), a newly recorded pest on arabica coffee in northern thailand. *Chiangmai journal science* 50(5): 1-10.

- Jayanti, N. K. J. D., K. A. Yuliadhi & I. N. Wijaya. 2018. Potensi predator coccinella transversalis fabricius (coleoptera: coccinellidae) sebagai agen hayati pengendali hama thrips parvispinus karny (thysanoptera: thripidae) pada tanaman cabai besar (capsicum annuum l.). E-jurnal agroteknologi tropika 7(3): 335-342
- Jumar. 2000. Entomologi pertanian. Ist ed. Pt rineka cipta, Jakarta.
- Kalshoven. 1981. The pests of crops in indonesia. Ichtiar baru-van hoeven, Jakarta.
- Karmawati, Elna. 2006. Peranan faktor lingkungan terhadap populasi helopeltis spp. dan sanurus indecota pada jambu mete. Jurnal litri 12(4): 129-134.
- Lester, P. J. & R. Harmsen. 2002. Functional and numerical responses do not always indicate the most effective predator for biological control: an analysis of two predators in a two-prey system. Journal of applied ecology 39(3): 455-468.
- Liznarova, E. & S. Pekar. 2013. Dangerous prey is associated with a type 4 functional response in spiders. Animal behavior 85(6): 1183-1190.
- Ludwig J. A. & J. F. Reynold. 1988. 1<sup>st</sup> ed. Statistical ecology. a primary on methods and computing. John wiley & sons, Canada.
- Maramis, R. T. D. 2014. Diversitas laba-laba (predator generalis) pada tanaman kacang merah (vigna angularis) di kecamatan tompaso kabupaten minahasa. Bioslogos 4(1): 1-8.
- Melina, S., E. Martono & A. Y. Trisyono. 2016. Confirmation that helopeltis species attacking cacao in Yogyakarta is helopeltis bradyi waterhouse not helopeltis antonii signoret (heteroptera:miridae). Jurnal entomologi Indonesia 13(1): 9-20.
- Melina, S., E. Martono, A. Y. Trisyono, S. Moechtar & R. Radek. 2016. Morphology of adult helopeltis bradyi (heteroptera:miridae) of java, resolving a longstanding species uncertainty. North-western journal of zoology 12(1): 110-121.
- Muliani, Y. & R. R. Srimurni. 2022. Parasitoid dan predator pengendali serangga hama. 1<sup>st</sup> ed. Cv jejak, Sukabumi.
- Nelly, N., U. Khairul & P. Januasari. 2017. Biologi penghisap buah helopeltis sp. (hemiptera:miridae) pada buah kakao dan mentimun. Jurnal proteksi tanaman 1(2): 62-67.
- New, T. R. 1991. Insects as predator. Ist ed. kensington nsw: new south wales university, Australia.
- Odum E. P. 1993. Dasar-Dasar Ekologi. 3<sup>rd</sup> ed. Gadjah mada university press, Yogyakarta.
- Palupi, E., N. A. Lestari & N. N. Ilham. 2022. Pengendalian kualitas produksi teh hijau menggunakan metode seven tools pada pt. rumpun sari kemuning i. Applied industrial engineering theory 3(1): 11-17.
- Panggalo, N. A., M. Yunus & N. Khasanah. 2014. Inventarisasi predator hama helopeltis spp. (hemiptera:miridae) pada tanaman kakao (theobroma cacao l.) di kecamatan palolo kabupaten sigi. Jurnal agrotekbisnis 2(2): 121-128.
- Rani, Chair. 2003. Metode pengukuran dan analisis pola spasial (disperse) organisme benthik. Jurusan ilmu kelautan, fakultas ilmu kelautan dan perikanan unhas, Makassar.
- Reza, S. D. L., D. S. Rahayu, W. Windriyani & S. Wiyatiningsih. 2023. Aktivitas kunjungan serangga hama penghisap buah kakao (helopeltis sp.) pada tanaman kakao. Jurnal pertanian agros 25(2): 1575-1583.
- Roy, S., N. Muraleedharan, A. Mukhapadhyay & G. Handiquea. 2015. The tea mosquito bug *helopeltis theivora* waterhouse (heteroptera:miridae): its status, biology, ecology and management in tea plantation. International journal of pest management: 1-19.

- Rustam, R., M. P. Sucahyono & D. Salbiah. 2014. Biology of *helopeltis theivora* (hemiptera:miridae) on acacia mangium willd. International journal on advance science engineering information technology 4(5): 62-65.
- Rypstra, A. L. 1995. Spider predators reduce herbivory both by direct consumption and by altering the foraging behavior of insect pests. Bulletin of the Ecological Society of America 76(3): 383.
- Sankarganesh, E., B. L. Sravani, B. Rajeshwaran & M. N. Mounika. 2023. Tea mosquito bug (*helopeltis* spp.): a pest of economically important fruit and plantation crops: its status and management prospects. Plant health archives 1(2): 18-28.
- Sari, N. M., A. Wijonarko & F. X. Wagiman. 2019. The vertical distribution of *helopeltis bradyi* and *oxyopes javanus* on tea. Jurnal perlindungan tanaman Indonesia 23(1): 125-132.
- Sari, N. M., A. Wijonarko & F. X. Wagiman. 2021. The population structure and presence of *helopeltis bradyi* on the tea plant parts at various times during the day. Iop conf. Series: earth and environmental science 686.
- Shepard, B. M., A. T. Barrion & J. A. Litsinger. 1987. Helpful insects, spiders and pathogens. 1st ed. International rice research institute, Manila.
- Sheriffs, W. R. 2009. Some oriental spiders of the genus *oxyopes*. Proceedings of the zoological society of london 120(4): 651-677.
- Simanjutak, R. G., T. Harjaka & A. Wijonarko. 2022. Biology and demography of *helopeltis bradyi* waterhouse (hemiptera:miridae) reared on cucumbers. Jurnal perlindungan tanaman Indonesia 26(1): 13-20.
- Siswanto, R. Muhammad, D. Omar & E. Karmawati. 2008. Dispersion pattern of *helopeltis antonii* signoret (Hemiptera:Miridae) on cashew plantation. Jurnal penelitian tanaman industri 14: 14-155.
- Soffan, A., S. Subandiyah, A. Wijonarko & W. D. Sawitri. 2021. RNA-seq data of tea mosquito bugs, *helopeltis bradyi* antennae. Data in brief 38.
- Solomon, M. E. 1949. The natural control of animal populations. Journal of animal ecology 18: 1-35.
- Speight, M. R., M. D. Hunter & A. D. Walt. 2008. Ecology of insects: concepts and applications. 2<sup>nd</sup> ed. Blackwell science, London.
- Sreekumar, K. M., N. Vasavan, S. Madhu, J. Sijila, M. P. Sreedharan & S. Sreelekha. 2011. Managing tea mosquito bug in cashew by augmenting red ants. Journal of plantation crops 39(1): 119-122.
- Srikumar, S. S., P. S. Bhat, T. N. Raviprasad & K. Vanitha. 2014. Biology, behaviour and functional response of *cydnocoris gilvus* brum (heteroptera: reduviidae: harpactorinae) a predator of tea mosquito bug (*helopeltis antonii* sign.) on cashew in india. Journal of threatened taxa 6(6): 5864-5870.
- Sucahyono, M. P., A. Gafur, R. Rustam & D. Salbiah. 2013. Identifikasi, intensitas dan persentase serangan hama *helopeltis* sp. (hemiptera:miridae) pada acacia mangium wild. Jurnal agrotek tropika 2(1): 28-32.
- Sulha, N. A., A. F. Putri, K. E. Palami, M. Ariska, R. Dona, R. Doni, A. Umayah, B. Gunawan & Arsi. 2022. Inventarisasi dan identifikasi laba-laba pada terong (*solanum melongena* l.) di kabupaten ogan ilir, sumatera selatan. Seminar nasional lahan suboptimal 10(1): 589-595.
- Tarumingkeng, R. C. 1994. Dinamika populasi, kajian ekologi kuantitatif. 1<sup>st</sup> ed. Sinar harapan, Yogyakarta.



- Wagiman, F. X. 1996a. Respons fungsional *Menochilus sexmaculatus* Fabricius terhadap *Aphis gossypii* Glover. *Jurnal Perlindungan Tanaman Indonesia*. 2(2):38-43. Doi: 10.22146/jpti.12887
- Wagiman, F. X. 1996b. Numerical response and density-dependent relationship of *Menochilus sexmaculatus* against *Aphis gossypii*. *Jurnal Perlindungan Tanaman Indonesia*. 2(2):44-50. <https://doi.org/10.22146/jpti.12888>
- Wahyuni, S. & W. A. Reri. 2022. Hubungan kondisi ekosistem kebun kakao terhadap tingkat serangan hama helopeltis sp (hemiptera:miridae). *Agric* 15(1): 33-44.
- Wibowo, Z. S. 1997. Petunjuk kultur teknis tanaman teh. 2<sup>nd</sup> ed. Asosiasi penelitian perkebunan Indonesia, pusat penelitian teh dan kina, Gambung.
- Yaghoub, F., M. Karimi, A. Farazmand & A. A. Talebi. 2018. Age-specific functional response and predation capacity of phytoseiulus persimilis (phytoseiidae) on the two-spotted spider mite. *Acarologia* 58(1): 31-40.
- Yuliadarwati, N. M., M. Agustina, S. Rahmanto, S. Susanti & Septyorini. 2020. Gambaran aktivitas fisik berkorelasi dengan keseimbangan dinamis lansia. *Jurnal sport science* 10(2): 107-112.